Surname	Oth	er names
Pearson Edexcel nternational Advanced Level	Centre Number	Candidate Number
Core Math	amati	cc C12
Advanced Subsidiar		C3 C 1 Z
Advanced Subsidian Wednesday 25 May 2016 –	ry Morning	Paper Reference
Advanced Subsidia	ry Morning	

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 125.
- The marks for each question are shown in brackets
 use this as a quide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

P 4 6 7 1 3 R A 0 1 5 2

Turn over ▶



Leave blank

	$1 + 12x + qx^2$	
where p and q are co	nstants.	
Find the value of n a	ad the value of a	
Find the value of p a	In the value of q .	(

Leave blank

2.	Find f	he	range	αf	values	of r	for	which	า
⊿.	Tillu t	116	range	ΟI	varues	or λ	101	WIIICI	1

(a)
$$4(x-2) \leqslant 2x+1$$

(2)

(b)
$$(2x-3)(x+5) > 0$$

(3)

(c) **both**
$$4(x-2) \le 2x+1$$
 and $(2x-3)(x+5) > 0$

(1)

- **3.** Answer this question without a calculator, showing all your working and giving your answers in their simplest form.
 - (i) Solve the equation

$$4^{2x+1} = 8^{4x}$$

(3)

(ii) (a) Express

$$3\sqrt{18} - \sqrt{32}$$

in the form $k\sqrt{2}$, where k is an integer.

(2)

(b) Hence, or otherwise, solve

$$3\sqrt{18} - \sqrt{32} = \sqrt{n}$$

(2)



6

DO NOT WRITE IN THIS AREA

4.




Figure 1

Figure 1 shows a sketch of part of the curve with equation $y = \sqrt{x+2}$, $x \ge -2$

The finite region R, shown shaded in Figure 1, is bounded by the curve, the x-axis and the line x = 6

The table below shows corresponding values of x and y for $y = \sqrt{x+2}$

x	-2	0	2	4	6
y	0	1.4142	2		2.8284

(a) Complete the table above, giving the missing value of y to 4 decimal places.

(1)

(b) Use the trapezium rule, with all of the values of y in the completed table, to find an approximate value for the area of R, giving your answer to 3 decimal places.

(3)

Use your answer to part (b) to find approximate values of

(c) (i)
$$\int_{-2}^{6} \frac{\sqrt{x+2}}{2} \, \mathrm{d}x$$

(ii)
$$\int_{-2}^{6} \left(2 + \sqrt{x+2}\right) \mathrm{d}x$$

question 4 continued		L
	estion 4 continued	
	estion 4 continued	



5. (i)
$$U_{n+1} = \frac{U_n}{U_n - 3}, \quad n \geqslant 1$$

Given $U_1 = 4$, find

(a) U_2

(1)

(b) $\sum_{n=1}^{100} U_n$

(2)

(ii) Given

$$\sum_{r=1}^{n} (100 - 3r) < 0$$

find the least value of the positive integer n.

12	1
u)

	Leave
	blank
Question 5 continued	



6. (a) Show that $\frac{x^2 - 4}{2\sqrt{x}}$ can be written in the form $Ax^p + Bx^q$, where A, B, p and q are constants to be determined.

(3)

(b) Hence find

$$\int \frac{x^2 - 4}{2\sqrt{x}} dx, \quad x > 0$$

giving your answer in its simplest form.

-	4
- (4)



 $f(x) = 3x^3 + ax^2 + bx - 10$, where a and b are constants.

Given that (x - 2) is a factor of f(x),

(a) use the factor theorem to show that 2a + b = -7

(2)

Given also that when f(x) is divided by (x + 1) the remainder is -36

(b) find the value of a and the value of b.

(4)

f(x) can be written in the form

$$f(x) = (x - 2)Q(x)$$
, where $Q(x)$ is a quadratic function.

(c) (i) Find Q(x).

7.

(ii) Prove that the equation f(x) = 0 has only one real root.

You must justify your answer and show all your working.





	Leave
	blank
Question 7 continued	



- **8.** In this question the angle θ is measured in degrees throughout.
 - (a) Show that the equation

$$\frac{5+\sin\theta}{3\cos\theta}=2\cos\theta,\qquad \theta\neq(2n+1)90^{\circ},\quad n\in\mathbb{Z}$$

may be rewritten as

$$6\sin^2\theta + \sin\theta - 1 = 0$$

(b) Hence solve, for $-90^{\circ} < \theta < 90^{\circ}$, the equation

$$\frac{5 + \sin \theta}{3\cos \theta} = 2\cos \theta$$

Give your answers to one decimal place, where appropriate.

(4)

(3)

Leave blank

9.	The first term of a geometric series is 6 and the common ratio is 0.92	
	For this series, find	
	(a) (i) the 25 th term, giving your answer to 2 significant figures,	
	(ii) the sum to infinity.	(4)
	The sum to n terms of this series is greater than 72	
	(b) Calculate the smallest possible value of <i>n</i> .	(4)

- **10.** The curve C has equation $y = \sin\left(x + \frac{\pi}{4}\right)$, $0 \leqslant x \leqslant 2\pi$
 - (a) On the axes below, sketch the curve C.

- **(2)**
- (b) Write down the exact coordinates of all the points at which the curve *C* meets or intersects the *x*-axis and the *y*-axis.
- **(3)**

(c) Solve, for $0 \le x \le 2\pi$, the equation

$$\sin\left(x + \frac{\pi}{4}\right) = \frac{\sqrt{3}}{2}$$

giving your answers in the form $k\pi$, where k is a rational number.



	blank
Question 10 continued	Diank
Question to continued	



Diagram not drawn to scale

11.




Figure 2

Figure 2 shows the design for a sail APBCA.

The curved edge APB of the sail is an arc of a circle centre O and radius r m.

The straight edge ACB is a chord of the circle.

The height AB of the sail is 2.4 m.

The maximum width *CP* of the sail is 0.4 m.

(a) Show that r = 2

(2)

(b) Show, to 4 decimal places, that angle AOB = 1.2870 radians.

(2)

(c) Hence calculate the area of the sail, giving your answer, in m², to 3 decimal places.

	Leave
	blank
Question 11 continued	
	1






Figure 3

Figure 3 shows a circle C

12.

C touches the y-axis and has centre at the point (a, 0) where a is a positive constant.

(a) Write down an equation for C in terms of a

(2)

Given that the point P(4, -3) lies on C,

(b) find the value of a

(3)





13. (a) Show that the equation

$$2\log_2 y = 5 - \log_2 x$$
 $x > 0, y > 0$

may be written in the form $y^2 = \frac{k}{x}$ where k is a constant to be found.

(3)

(b) Hence, or otherwise, solve the simultaneous equations

$$2\log_2 y = 5 - \log_2 x$$

$$\log_x y = -3$$

for
$$x > 0, y > 0$$

(5)

Question 13 continued	l b






Figure 4

Figure 4 shows a sketch of the graph of y = g(x), $-3 \le x \le 4$ and part of the line l with equation $y = \frac{1}{2}x$

The graph of y = g(x) consists of three line segments, from P(-3,4) to Q(0,4), from Q(0,4) to R(2,0) and from R(2,0) to S(4,10).

The line *l* intersects y = g(x) at the points *A* and *B* as shown in Figure 4.

(a) Use algebra to find the *x* coordinate of the point *A* and the *x* coordinate of the point *B*.

Show each step of your working and give your answers as exact fractions.

(6)

(2)

(b) Sketch the graph with equation

$$y = \frac{3}{2}g(x), \quad -3 \leqslant x \leqslant 4$$

On your sketch show the coordinates of the points to which P, Q, R and S are transformed.

	Leave blank
Question 14 continued	Olalik
Queenton 1 : commune	






Figure 5

Figure 5 shows a design for a water barrel.

It is in the shape of a right circular cylinder with height h cm and radius r cm.

The barrel has a base but has no lid, is open at the top and is made of material of negligible thickness.

The barrel is designed to hold 60 000 cm³ of water when full.

(a) Show that the total external surface area, $S \text{ cm}^2$, of the barrel is given by the formula

$$S = \pi r^2 + \frac{120\,000}{r}$$

(3)

(b) Use calculus to find the minimum value of *S*, giving your answer to 3 significant figures.

(6)

(c) Justify that the value of S you found in part (b) is a minimum.

(2)



15.

	Leave blank
Question 15 continued	






Figure 6

Figure 6 shows a sketch of part of the curve C with equation

$$y = x(x-1)(x-2)$$

The point *P* lies on *C* and has *x* coordinate $\frac{1}{2}$

The line l, as shown on Figure 6, is the tangent to C at P.

(a) Find $\frac{dy}{dx}$

(2)

(b) Use part (a) to find an equation for l in the form ax + by = c, where a, b and c are integers.

(4)

The finite region R, shown shaded in Figure 6, is bounded by the line l, the curve C and the x-axis.

The line l meets the curve again at the point (2, 0)

(c) Use integration to find the exact area of the shaded region R.

(6)



	Leave
	blank
Question 16 continued	

