


NTT Data

MAINTENANCE AND EVOLUTION OF THE ESPD EDM

Publications Office – C.3

ESPD OPEN USER COMMUNITY (OUC) MEETING





Due to the Data Protection Regulation, the list of attendees of the meeting will only be published if there are no objections from any of the participants.

Objections can be sent during this meeting to OPESPD@publications.europa.eu.







TABLE OF CONTENTS

- 1. Summary of last meeting on 16th June 2022
- 2. UUID
- 3. ESPD-EDM future releases
- 4. GitHub issues
- 5. Next meetings
- 6. AOB

Annex: Closed issues



Summary of last meeting on 16th June 2022

Meeting report:

https://docs.ted.europa.eu/espd-ouc/20220616 OUC%20meeting%20report.html

• Main topics:

- Code list DocRefContentType
- Occupation code list (ESCO)
- UUID
- Documentation update
- GitHub issues

UUID


- A universally unique identifier (UUID) is a 128-bit label used for information identification.
- When generated according to the standard methods, **UUIDs are**, for practical purposes, **unique**.
- While the probability that a UUID will be duplicated is not zero, it is close enough to zero to be negligible.

UUID

- In the ESPD, **2 types of UUID** are used:
 - **Fixed (or static) UUIDs**, for elements such as:
 - Criterion, SubCriterion;
 - Legislation;
 - Group or SubGroup (Question_Group, Question_SubGroup, Requirement_SubGroup).
 - **Dynamic UUIDs**, generated at the creation of an ESPD Request or and ESPD Response, for descriptive elements:
 - Question;
 - Requirement;
 - Caption.

UUID


- The ESPD selection criteria include **requirements**, which are specific constraints from the Buyer for specific Lots within a procurement procedure.
- The last major release of the ESPD was aligned with eForms, from both the business and technical perspective.



<u>Issue</u>:


- Business view: There are selection criteria that can implement different requirements per lot
- **Technical view:** The current technical implementation does not allow multiple and different requirement per lot.

UUID – AS-IS data structure view (v3.0.1)



- With this logic, a requirement within a selection criterion is unique
- Therefore, all lots that the criterion targets would have the same requirements
- There is no field / requirements within the requirement to establish the Lot targeted

UUID – TO-BE data structure view (as implemented in v2.1.1)



- Inclusion of a field / requirement to specify LOTS where it applies
- Requirements could be replicated (cardinality 1..n)
- Lots would be referenced two times: one at the beginning of the criteria, and second within the requirement

UUID – Benefits of the new proposals

- The link between an ESPD Request and its related ESPD Responses (one or several) is consistent;
- Same structures use the same UUID;
- There is no ambiguity when addressing structures represented by the same UUID;
- The same data structure can be reused in different procedures;
- ESPD Responses can be easily read and mapped.

Proposed solutions also **facilitates the reusability of the content** of the ESPD, except in those cases where requirements are not compatible.

UUID – Variant proposal 1 (XML path-like)

- Taking the proposal that was presented during the OUC meeting of the 27th January 2022 (see <u>report</u> and <u>presentation</u>) as a starting point, a variant proposal is presented with additional features:
 - Short tag names for criterion elements and elements numbering;
 - Additional TenderingCriterionResponse IDs;
 - Requirements IDs.
- The proposal is based on a **pre-defined short tag name for each element and a numbering** according to the position within the tree structure.
- The proposal provides a path to a target criterion element.

UUID - Variant proposal 1 (XML path-like)

• Original proposal {CRITERION ELEMENT CODE}/{QUESTION GROUP PATH}/{QUESTION}

```
crime-org/QG1::1/QG1::1/Q1crime-org/QG1::1/QG1::2/Q1spec-year-to/RG1::1/QG2::2/Q2
```

Variant proposal

The new pattern proposed focuses on alignment of tags, syntax readability and indexing separation

```
{Prefix+CriterionElementCode}/{InnerPath}/{TargetElement}/{Occurrence}
```


- C1_EG_crime-org/QG1/QSG1/Q1
- C1_EG_crime-org/QG1/QSG1/Q1/R2
- C32_SC_spec-year-to/RG1/QSG2/Q2/R2



UUID – Variant proposal 1 (XML path-like)

• Criterion elements' short tag and matching UBL element:

Criterion Element Short Tag Name	Criterion Element	UBL Element
С	CRITERION (Exclusion GroundsEG, Selection Criterion SC)	cac:TenderingCriterion
SBC	SUBCRITERION	cac:SubTenderingCriterion
L	LEGISLATION	cac:Legislation
CA	CAPTION	cac:TenderingCriterionProperty
Q	QUESTION	cac:TenderingCriterionProperty
RQ	REQUIREMENT	cac:TenderingCriterionProperty
QG	QUESTION_GROUP	cac:TenderingCriterionPropertyGroup
QSG	QUESTION_SUBGROUP	cac:SubsidiaryTenderingCriterionPropertyGroup
RG	REQUIREMENT_GROUP	cac:TenderingCriterionPropertyGroup
RSG	REQUIREMENT_SUBGROUP	cac:SubsidiaryTenderingCriterionPropertyGroup
R	RESPONSE (OCCURRENCE)	cac:TenderingCriterionResponse
RV	RESPONSE VALUE	cac:ResponseValue
RES	(RESPONSE) EVIDENCE SUPPLIED	cac:EvidenceSupplied
RAP	(RESPONSE) APPLICABLE PERIOD	cac:ApplicablePeriod



Example of the tagging and numbering of the criterion C1 EG crime-org

Path samples - Questions

- UUID AS-IS Question ID
 - a1534624-95cf-4519-bdaa-856d5acf59b6 (Q1 "Date of conviction")
 - f36ee1fb-210b-4786-b351-e0194ba2df89 (Q2 "Reason")
- Variant proposal 1 (XML path-like) for Question ID (structure)
 - C1_EG_crime-org/QG1/QSG1/Q1
 - C1_EG_crime-org/QG1/QSG1/Q2
 - C32_SC_spec-year-to/RG1/QSG2/Q2
- Variant proposal 1 (XML path-like) for EO responses (contents)
 - C1_EG_crime-org/QG1/QSG1/Q1/R1
 - C1 EG crime-org/QG1/QSG1/Q1/R2
 - C32_SC_spec-year-to/RG1/QSG2/Q2/R2/RV



• Example of question structure description:

```
<cac:TenderingCriterionProperty>
```

• Example of question contents description (ESPD Response) - Response Value (RV 1)

```
ID of the tendering response
<cac:TenderingCriterionResponse>
        <cbc:ID schemeID = "ISO/IEC 9834-8:2008 - 4UUID" schemeAgencyID = "XXESPD-</pre>
 SERVICEXXX" schemeVersionID = "3.0.1">C1 EG crime-org/QG1/QSG1/Q1/R1</cbc:ID>
        <cbc:ValidatedCriterionPropertyID schemeID = "Criterion" schemeAgencyID = "XXESPD-</pre>
 SERVICEXXX" schemeVersionID = "3.0.1">
C1_EG_crime-org/QG1/QSG1/Q1</cbc:ValidatedCriterionPropertyID>
                                                                               ID of the question
        <cac:ResponseValue>
            <cbc:ID schemeID = "ISO/IEC 9834-8:2008 - 4UUID" schemeAgencyID = "XXESPD-</pre>
 SERVICEXXX" schemeVersionID = "3.0.1">C1_EG_crime-org/QG1/QSG1/Q1/R1/RV</cbc:ID>
            <cbc:ResponseDate>2014-01-01</cbc:ResponseDate>
        </cac:ResponseValue>
                                                                            ID of the response value (RV)
</cac:TenderingCriterionResponse>
```

• Example of question contents description (ESPD Response) - Response Value (RV 2)

```
ID of the tendering response
<cac:TenderingCriterionResponse>
        <cbc:ID schemeID = "ISO/IEC 9834-8:2008 - 4UUID" schemeAgencyID = "XXESPD-</pre>
 SERVICEXXX" schemeVersionID = "3.0.1">C1_EG_crime-org/QG1/QSG1/Q1/R2</cbc:ID>
        <cbc:ValidatedCriterionPropertyID schemeID = "Criterion" schemeAgencyID = "XXESPD-</pre>
 SERVICEXXX" schemeVersionID = "3.0.1">
C1_EG_crime-org/QG1/QSG1/Q1</cbc:ValidatedCriterionPropertyID>
                                                                               ID of the question
        <cac:ResponseValue>
            <cbc:ID schemeID = "ISO/IEC 9834-8:2008 - 4UUID" schemeAgencyID = "XXESPD-</pre>
 SERVICEXXX" schemeVersionID = "3.0.1">C1_EG_crime-org/QG1/QSG1/Q1/R2/RV</cbc:ID>
            <cbc:ResponseDate>2017-01-01</cbc:ResponseDate>
        </cac:ResponseValue>
                                                                            ID of the response value (RV)
</cac:TenderingCriterionResponse>
```

• Example of question contents description (ESPD Response) - Response Evidence Supplied (RES)

```
<cac:TenderingCriterionResponse>
                                                                          ID of the tendering response
        <cbc:ID schemeID = "ISO/IEC 9834-8:2008 - 4UUID" schemeAgencyID = "XXESPD-
 SERVICEXXX" schemeVersionID = "3.0.1">C1 EG crime-org/QG2/QSG1/Q1/R1</cbc:ID>
        <cbc:ValidatedCriterionPropertyID schemeID = "Criterion" schemeAgencyID = "XXESPD-</pre>
 SERVICEXXX" schemeVersionID = "3.0.1">
C1_EG_crime-org/QG2/QSG1/Q1</cbc:ValidatedCriterionPropertyID>
                                                                                ID of the question
        <cac:EvidenceSupplied>
            <cbc:ID schemeAgencyID = "XXESPD-SERVICEXXX">
EVIDENCE-00001/C1_EG_crime-org/QG2/QSG1/Q1/R1/RES</cbc:ID>
        </cac:EvidenceSupplied>
</cac:TenderingCriterionResponse>
                                                        ID of the evidence (Respone Evidence Supplied, RES)
```

C32	2 {CRITERION	V						Specifi	cylts specific yearly turno	ver in the business ar		074f6031-55f9-4e
1	SBC1	{SUBCRIT	ERION					[Name	e c[Description of the Nati	iona	0n	e6b21867-95b5-4
5		QG1	{QUESTIC	ON_GROUP							1	8c39b505-8abe-4
5			CA1	{CAPTION}					[Additional information	ı; e.	1	NONE
7			Q1	{QUESTION	I }				Your Answer		1	INDIC
3			QUESTIO	N_GROUP}								
9		SUBCRITE	RION}									
0	L1	{LEGISLA	TION}								0n	c753a2c5-59e6-49
1	RG1	{REQUIRI	MENT_GRO	UP					RG to define different l	ots	1n	FixedUUID
2		RQ1	{REQUIRI	EMENT}					Lot Identifier	LOT-XXXXX	1n	
3		RSG1	{REQUIRE	EMENT_SUBGE	ROUP						1	19a68e37-d307-4
4			RQ1	{REQUIREM	MENT}				Number of fiscal years	3	1	QUAN
5			RQ2	{REQUIREM	MENT}				Business domain descri	ipticIT consulting / de	1	DESCI
6			RQ3	{REQUIREM	MENT}				Minimum requirement	1000000	1	AMO
7			QSG1	{QUESTION	_SUBGROUP							0e50931d-4d39-4
8				Q1	{QUESTIO	N}			Does the EO fulfil the cr	riteria by itself?	1	INDIC
9				QSG1	{QUESTIO	N_SUBGF	ROUP				1	fe557ed0-2387-4
0					Q1	{QUEST	ION}		In the case of no – Relie	ed upon or not	1	INDIC
1					QSG1	{QUEST	TION_SUBGROUP				1	e296a1cc-83d3-4
2						Q1	{QUESTION}		Name of the entity	[Name]	1	DESCI
3						Q2	{QUESTION}		ID of the entity	[ID]	1	ECON
4						QUESTI	ON_SUBGROUP}					
5					QUESTION	_SUBGR	OUP}					
6				QUESTION	SUBGROUP}							
4 1	SC-S	pecific Year	rly_Turnover	SC-Specific	_Yearly_Turr	noverLOT	SC-Specific_Yearly_TurnoverLOcc	SC-Fir	nancial ra (+) : [4]			

Example of the management of Requirements (RQ) and LOTS, as implemented in v2.1.1



3 C3	2 {CRITERIO	N					Specif	icylts specific yearly turnover in t	he business area co		074f6031-55
1	SBC1	{SUBCRITER	ION				[Nam	Name ([Description of the National Crit			e6b21867-95
5		QG1	{QUESTION_	GROUP						1	8c39b505-8a
5			CA1	{CAPTION	1}			[Additional information; e.g. r	10	1	NONE
7			Q1	{QUESTIO	N}			Your Answer		1	INDICAT
3			QUESTION_	GROUP}							
		SUBCRITERIO	ON}								
0	L1	{LEGISLATIO	N}							0n	c753a2c5-59
1	RG1	{REQUIREM	ENT_GROUP					RG to define different lots wit	h	1n (1)	FixedUUID
2		RQ1/R1/R1	{REQUIREM	ENT}				Lot Identifier	LOT-00001	1n (1)	
3		RQ1/R1/R2	{REQUIREM	ENT}				Lot Identifier	LOT-00002	1n (2)	
1		RSG1	{REQUIREMI	ENT_SUBC	GROUP					1	4a28-9061-
5			RQ1/R1/R1	{REQUIRE	MENT}			Number of fiscal years	3	1	QUANTI
5			RQ2/R1/R1	{REQUIRE	MENT}			Business domain description	IT consulting / de	1	DESCRIP
7			RQ3/R1/R1	{REQUIRE	MENT}			Minimum requirement	1000000	1	AMOUN
8			QSG1	{QUESTIO	N_SUBGROUP						0e50931d-4d
9				Q1	{QUESTION	}		Does the EO fulfil the criteria	y itself?	1	INDICAT
כ				QSG1	{QUESTION	SUBGROUP				1	fe557ed0-23
1					Q1 {QUEST	TION}		In the case of no – Relied upon	n or not	1	INDICAT
2					QSG {QUEST	TION_SUBGROUP				1	e296a1cc-83
3					Q1	{QUESTION}		Name of the entity	[Name]	1	DESCRIP
4					Q2	{QUESTION}		ID of the entity	[ID]	1	ECONON
5					QUEST	ION_SUBGROUP}					
6					QUESTION_	SUBGROUP}					

First occurrence (lots 1 and 2)

			•	•	•		,			•
48		REQUIREMENT_GR	OUP}							
49	RG1	{REQUIREMENT_G	ROUP				RG to define different lots wit	h	1n (2)	FixedUUID
50		RQ1/R2/R1 {REQU	JIREMENT}				Lot Identifier	LOT-00003	1n (1)	
51		RQ1/R2/R2 {REQU	JIREMENT}				Lot Identifier	LOT-00004	1n (2)	
52		RSG1 {REQU	JIREMENT_SUB	GROUP					1	4a28-9061-
53		RQ1/F	2/R1 {REQUIR	EMENT}			Number of fiscal years	4	1	QUANTI
54		RQ2/F	2/R1 {REQUIR	EMENT}			Business domain description	IT consulting / de	1	DESCRIP
55		RQ3/F	2/R1 {REQUIR	EMENT}			Minimum requirement	2000000	1	AMOUN
56		QSG1	{QUESTIC	ON_SUBGROUP						0e50931d-4d3
57			Q1	{QUESTION}			Does the EO fulfil the criteria	oy itself?	1	INDICAT
58			QSG1	{QUESTION_	SUBGROUP				1	fe557ed0-238
59				Q1 {QUEST	ON}		In the case of no – Relied upo	n or not	1	INDICAT
60				QSG {QUEST!	ON_SUBGROUP				1	e296a1cc-83d
61				Q1	{QUESTION}		Name of the entity	[Name]	1	DESCRIP
62				Q2	{QUESTION}		ID of the entity	[ID]	1	ECONON
63				QUESTIC	ON_SUBGROUP}					
64				QUESTION_S	UBGROUP}					
65			QUESTIC	N_SUBGROUP}						
66		QSG2	{QUESTIC	ON_SUB					1n	c0cd9c1c-e90a
67			Q1	{QUESTION}			Start date; End date	2016-01-01	1	PERIOD
68			Q2	{QUESTION}			Amount	1000001	1	AMOUN
69			QSG1	{QUESTION_	SUBGROUP				1	7458d42a-e58
70				Q1 {QUEST	ON}		Is this information available e	lec true	1	INDICAT
71				QSG {QUEST	ON_SUBGROUP				01	41dd2e9b-1b
72				Q1	{QUESTION}		Evidence Supplied	EVIDENCE-ID	1n	EVIDENC
73				QUESTIC	ON_SUBGROUP}					
4 1	SC-S	Specific_Yearly_Turnov	er SC-Spec	rific Yearly Turnov	verLOT SC-Specific_Yearly	y TurnoverLOcc	SC-Financial_ra (+) !)

Second occurrence (lots 3 and 4)



Path samples - Requirements (values are nested in the structure)

- UUID AS-IS Requirement ID
 - 8d23f156-be4f-4fc7-ae87-c4b2bde59366 (RQ1 "Number of fiscal years")
 - bf8a8e1d-ad69-4bb9-a023-81b924cb9049 (RQ3 "Minimum Amount")
- Variant proposal 1 (XML path-like) for Requirement ID (structure and occurrence indexing)
 - C32_SC_spec-year-to/RG1/RSG1/RQ1/R1/R1
 - C32_SC_spec-year-to/RG1/RSG1/RQ3/R2/R1

• Example of requirements values description (ESPD Request) – RG, RQ, LOT

```
ID of the requirement
           <cac:TenderingCriterionProperty>
                                                                                            Additional information
                       <cbc:ID schemeID="Criterion" schemeAgencyID="XXESPD-SERVICEXXX"
             schemeVersionID="3.0.1">C32_SC_spec-year-to/RG1/RQ1/R1/R2</cbc:ID>
                                                                                            about the requirement
 Description of
                       <cbc:Description>Lot Identifier (General to the RG Occurrence)
the requirement
                        <cbc:TypeCode listID="CriterionElementType" listAgencyID="OP"
             listVersionID="3.0.1">REQUIREMENT</cbc:TypeCode>
                                                                               Type code
                         <cbc:ValueDataTypeCode listID="ResponseDataType" listAgencyID="OP"
             listVersionID="3.0.1">LOT IDENTIFIER</cbc:ValueDataTypeCode>
                                                                                         Data type
                         <cbc:ExpectedID schemeAgencyID="XXESPD-SERVICEXXX">LOT-00002
             </cbc:ExpectedID>
                                                                          Value
            </cac:TenderingCriterionProperty>
```

• Example of requirements values description (ESPD Request) – RG, RQ, QSG:

</cac:TenderingCriterionProperty>

```
ID of the requirement
            <cac:TenderingCriterionProperty>
                                                                                                  Additional information
                         <cbc:ID schemeID = "criterion" schemeAgencyID = "XXESPD-SERVICEXXX"
              schemeVersionID = "3.0.1">C32_SC_spec-year-to/RG1/RSG1/RQ1/R1/R1</cbc:ID>
                                                                                                  about the requirement
 Description of
                      <cbc:Description>Number of fiscal years (Target QSG: C32_SC_spec-year-
the requirement
              to/RG1/RSG1/QSG2)</cbc:Description>
                         <cbc:TypeCode listID = "criterion-element-type" listAgencyID = "OP" listVersionID =</pre>
              "3.0.1">REQUIREMENT</cbc:TypeCode>
                                                                    Type code
                         <cbc:ValueDataTypeCode listID = "response-data-type" listAgencyID = "OP"</pre>
              listVersionID = "3.0.1">QUANTITY YEAR</cbc:ValueDataTypeCode>
                                                                                             Data type
                         <cbc:ExpectedValueNumeric>3</cbc:ExpectedValueNumeric>
                                                                                                Value
```

UUID – Variant proposal 1 (XML path-like)


Implications of Variant proposal 1 (XML path-like)

- Dynamic UUIDs are replaced by an xml path-like pattern
- **Structure changes**: new tag element (QG1, QSG1, Q1, RG1, RSG1, RQ1, R1, R2) for each element or element group.
- **New algorithm** to automatically compute and analyse the path to each element (question/requirement) in the structure and contents of the ESPD Request and its related ESPD Responses.
- Criterion files update (both Excel and XML).
- Online documentation update



UUID – Variant proposal 2 (UUID variant)

- This proposal keeps the current framework of the UUID, but the link between the ESPD Request and the ESPD Responses is managed differently.
- A direct link between the ESPD Request and its related ESPD Responses (one or several) is provided by re-using the same UUID from the ESPD Request, which will be fixed, for all the occurrences of the target element (Question) in the related ESPD Responses.
- The **semantics of occurrences** is added to the description of the target element (Question or Requirement) to distinguish among the different occurrences.



Example of the criterion C1 EG crime-org

Question Occurrence management and representation

- **UUID framework**: Fixed UUID (no dynamic UUIDs to link the ESPD Request with its Responses)
- Same UUID for all occurrences of a given target element (Q, RQ, CA)
- Use of "R"+"n" as a tag to represent the occurrence semantics.
- Pattern: "UUIDx/Rn". Addition of the Semantics, Numbering/Indexing as a sufix.
- TenderingCriterionResponse ID samples for Question (TenderingCriterionProperty): "Date of conviction" Fixed UUID + semantics

```
a1534624-95cf-4519-bdaa-856d5acf59b6/R1
a1534624-95cf-4519-bdaa-856d5acf59b6/R2
a1534624-95cf-4519-bdaa-856d5acf59b6/R1/RV
a1534624-95cf-4519-bdaa-856d5acf59b6/R2/RV
```

• Example of question structure description (UUID As-Is v3.0.1):

```
<cac:TenderingCriterionProperty>
```

Example of Question Contents Description (ESPD Response): Occurrence 1

```
<cac:TenderingCriterionResponse>
        <cbc:ID schemeID = "ISO/IEC 9834-8:2008 - 4UUID" schemeAgencyID = "XXESPD-SERVICEXXX"</pre>
 schemeVersionID = "3.0.1">
a1534624-95cf-4519-bdaa-856d5acf59b6/R1</cbc:ID> ← ID of the tendering criterion response
<cbc:ValidatedCriterionPropertyID schemeID = "Criterion" schemeAgencyID = "XXESPD-SERVICEXXX"</pre>
 schemeVersionID = "3.0.1">
a1534624-95cf-4519-bdaa-856d5acf59b6</cbc:ValidatedCriterionPropertyID> ◆ ID of the question
        <cac:ResponseValue>
            <cbc:ID schemeID = "ISO/IEC 9834-8:2008 - 4UUID" schemeAgencyID = "XXESPD-SERVICEXXX"</pre>
 schemeVersionID = "3.0.1">
a1534624-95cf-4519-bdaa-856d5acf59b6/R1/RV</cbc:ID> ← ID of the value
            <cbc:ResponseDate>2014-01-01/cbc:ResponseDate>
        </cac:ResponseValue>
</cac:TenderingCriterionResponse>
```

• Example of Question Contents XML Description (ESPD Response): Occurrence 2

```
<cac:TenderingCriterionResponse>
        <cbc:ID schemeID = "ISO/IEC 9834-8:2008 - 4UUID" schemeAgencyID = "XXESPD-SERVICEXXX"</pre>
 schemeVersionID = "3.0.1">
a1534624-95cf-4519-bdaa-856d5acf59b6/R2</cbc:ID> ← ID of the tendering criterion response
<cbc:ValidatedCriterionPropertyID schemeID = "Criterion" schemeAgencyID = "XXESPD-SERVICEXXX"</pre>
 schemeVersionID = "3.0.1">
a1534624-95cf-4519-bdaa-856d5acf59b6</cbc:ValidatedCriterionPropertyID> ◆ ID of the question
        <cac:ResponseValue>
            <cbc:ID schemeID = "ISO/IEC 9834-8:2008 - 4UUID" schemeAgencyID = "XXESPD-SERVICEXXX"</pre>
 schemeVersionID = "3.0.1">
a1534624-95cf-4519-bdaa-856d5acf59b6/R2/RV</cbc:ID> ← ID of the value
            <cbc:ResponseDate>2017-01-01/cbc:ResponseDate>
        </cac:ResponseValue>
</cac:TenderingCriterionResponse>
```

• Example of question contents description (ESPD Response) - Response Evidence Supplied (RES)

```
ID of the tendering response
<cac:TenderingCriterionResponse>
        <cbc:ID schemeID = "ISO/IEC 9834-8:2008 - 4UUID" schemeAgencyID = "XXESPD-SERVICEXXX"</pre>
 schemeVersionID = "3.0.1"> 5b633586-4ef3-454b-ba76-74db49d5acf5 /R1</cbc:ID>
        <cbc:ValidatedCriterionPropertyID schemeID = "Criterion" schemeAgencyID = "XXESPD-</pre>
 SERVICEXXX" schemeVersionID = "3.0.1">
5b633586-4ef3-454b-ba76-74db49d5acf5</cbc:ValidatedCriterionPropertyID> ← ID of the question
        <cac:EvidenceSupplied>
            <cbc:ID schemeAgencyID = "XXESPD-SERVICEXXX">
EVIDENCE-00001/ 5b633586-4ef3-454b-ba76-74db49d5acf5 /R1/RES</cbc:ID>
        </cac:EvidenceSupplied>
                                                           ID of the evidence (Respone Evidence Supplied, RES)
</cac:TenderingCriterionResponse>
```

UUID - Variant proposal 2 (UUID Variant) - Management of Requirement

3 32 {CRITI	TERION	Specific yIts specific yearly turnover in the business area c		074f6031-55f9
1	{SUBCRITERION	[Name c [Description of the Natior	0n	e6b21867-95b
5	{QUESTION_GROUP		1	8c39b505-8abe
6	{CAPTION}	[Additional information; ϵ	1	NONE
7	{QUESTION}	Your Answer	1	INDICATOR
8	QUESTION_GROUP}			
9	SUBCRITERION}			
10	{LEGISLATION}		0n	c753a2c5-59e6
11	{REQUIREMENT_GROUP	Requirement Group to define different lots with	1n	FixedUUID
12	{REQUIREMENT}	LOT Identifier LOT-XXXXX	1n	
13	{REQUIREMENT_SUBGROUP		1	19a68e37-d307
14	{REQUIREMENT}	Number of fiscal years 3	1	QUANTITY_YE
15	{REQUIREMENT}	Business domain descript IT consulting / develor	1	DESCRIPTION
16	{REQUIREMENT}	Minimum requirement 1000000	1	AMOUNT
17	{QUESTION_SUBGROUP		1	0e50931d-4d39
18	{QUESTION}	Does the EO fulfil the criteria by itself?	1	INDICATOR
19	{QUESTION_SUBGROUP		1	fe557ed0-2387
20	{QUESTION}	In the case of no – Relied upon or not	1	INDICATOR
21	{QUESTION_SUBGROUP		1	e296a1cc-83d3
22	{QUESTION}	Name of the entity	1	DESCRIPTION
23	{QUESTION}	ID of the entity	1	ECONOMIC_C
24	QUESTION_SUBGROUP}			
25	QUESTION_SUBGROUP}			
26	QUESTION_SUBGROUP}			
∢ >	SC-Specific_Yearly_Turnover_LOT SC-Other_economic_or_financial (+)	· ·		

Example of the management of Requirements (RQ) and LOTS, as implemented in v2.1.1



UUID – Variant proposal 2 (UUID Variant) – Management of Requirement

3 32 {CRITER	RION	Specific \ Its specific yearly turnover in the busi	nes:		074f6031-55f9-4
4	{SUBCRITERION	[Name c [Description of the National Cri	0n		e6b21867-95b5
5	{QUESTION_GROUP		1		8c39b505-8abe-
6	{CAPTION}	[Additional information; e.g. no	1	NONE	1ab48993-53aa
7	{QUESTION}	Your Answer	1	INDICATOR	a8f1e01c-5ef7-4
8	QUESTION_GROUP}				
9	SUBCRITERION}		-,		
10	{LEGISLATION}		0n		c753a2c5-59e6-
11	{REQUIREMENT_GROUP	Requirement Group to define differen	nt k 1n (1)		FixedUUID
12	{REQUIREMENT}	LOT Identifier LOT-00001	1n (1)		UUID/R1/R1
13	{REQUIREMENT}	LOT Identifier LOT-00002	1n (2)		UUID/R1/R2
14	{REQUIREMENT_SUBGROUP		1		19a68e37-d307
15	{REQUIREMENT}	Number of fiscal y 3	1	QUANTITY_YE	A 8d23f156-be4f-
16	{REQUIREMENT}	Business domain cIT consulting / deve	elor 1	DESCRIPTION	7bbcbc42-e81d-
17	{REQUIREMENT}	Minimum requirer 1000000	1	AMOUNT	bf8a8e1d-ad69-
18	{QUESTION_SUBGROUP		1		0e50931d-4d39
19	{QUESTION}	Does the EO fulfil the criteria by itself	1	INDICATOR	4ca9d5c0-28e8-
20	{QUESTION_SUBGROUP		1		fe557ed0-2387-
21	{QUESTION}	In the case of no – Relied upon or not	1	INDICATOR	b94a10bc-da55
22	{QUESTION_SUBGROUP		1		e296a1cc-83d3-
23	{QUESTION}	Name of the entity [Name] 1	DESCRIPTION	5e778df3-c065-
24	{QUESTION}	ID of the entity [ID]	1	ECONOMIC_O	P 77fe87b5-cbfe-4
25	QUESTION_SUBGROUP}				
26	QUESTION_SUBGROUP}				
→ S	SC-Specific_Yearly_Turnover_LOT SC-Other_economic_or_financial (+)	: ◀			F.

First occurrence (lots 1 and 2)



UUID - Variant proposal 2 (UUID Variant) - Management of Requirement

55	REQUIREMENT SUBGROUP}	
56	REQUIREMENT GROUP}	
57	{REQUIREMENT GROUP	Requirement Group to define different k 1n (2) FixedUUID
58	{REQUIREMENT}	LOT Identifier LOT-00003 1n (1) UUID/R2/R1
59	{REQUIREMENT}	LOT Identifier LOT-00004 1n (2) UUID/R2/R2
60	{REQUIREMENT_SUBGROUP	1 19a68e37-d30
61	{REQUIREMENT}	Number of fiscal y 4 1 QUANTITY_YEA 8d23f156-be4
62	{REQUIREMENT}	Business domain cIT consulting / develor 1 DESCRIPTION 7bbcbc42-e81
63	{REQUIREMENT}	Minimum requirer 2000000 1 AMOUNT bf8a8e1d-ad6
64	{QUESTION_SUBGROUP	1 0e50931d-4d3
65	{QUESTION}	Does the EO fulfil the criteria by itself? 1 INDICATOR 4ca9d5c0-28e
66	{QUESTION_SUBGROUP	1 fe557ed0-238
67	{QUESTION}	In the case of no – Relied upon or not 1 INDICATOR b94a10bc-da
68	{QUESTION_SUBGROUP	1 e296a1cc-83d
69	{QUESTION}	Name of the entity [Name] 1 DESCRIPTION 5e778df3-c06
70	{QUESTION}	ID of the entity [ID] 1 ECONOMIC_OP77fe87b5-cbf
71	QUESTION_SUBGROUP}	
72	QUESTION_SUBGROUP}	
73	QUESTION_SUBGROUP}	
74	{QUESTION_SUBGRO	1n (1) c0cd9c1c-e90
75	{QUESTION}	Start date; End date 2016-01-C 1 PERIOD 1eb80667-ff7
76 77	{QUESTION}	Amount 1000001 1 AMOUNT 33ded15b-4e
	QUESTION_SUBGROUP}	
78	{QUESTION_SUBGRO	1n (2)
79	{QUESTION}	Start date; End date 2016-01-C 1 PERIOD
80	{QUESTION}	Amount 1000001 1 AMOUNT
★ }	SC-Specific_Yearly_Turnover_LOT SC-Other_economic_or_financial (+)	

Second occurrence (lots 3 and 4)



<u>Path samples – Requirements with lots</u> (values are nested in the structure)

- UUID AS-IS Requirement ID
 - 8d23f156-be4f-4fc7-ae87-c4b2bde59366 (**RQ1 "Number of fiscal years"**)
 - bf8a8e1d-ad69-4bb9-a023-81b924cb9049 (RQ3 "Minimum Amount)
- Variant proposal 2 (UUID variant) for Requirement ID (structure-UUID- and occurrence indexing)
 - Use of "R" as a tag to represent the occurrence semantics for values provided by the Buyer.
 - Pattern: "UUIDx/Rn", where **Rn** can be repeated several times.

8d23f156-be4f-4fc7-ae87-c4b2bde59366/R1/R1 (RQ1)

bf8a8e1d-ad69-4bb9-a023-81b924cb9049<mark>/R2/R1</mark> (RQ3)

- Example of the AS-IS situation for requirement value description (ESPD Request) RG, RQ, LOT.
- → Different dynamic UUID for each LOT occurrence.

```
<cac:TenderingCriterionProperty>
<cbc;!D schomolD="Criterion" schomoldeney!D:</pre>
```

<cbc:ID schemeID="Criterion" schemeAgencyID="XXESPD-SERVICEXXX"
schemeVersionID="3.0.1">1136acb0-09a5-4853-9921-c9038ce2890e/cbc:ID>

<cbc:Description>Lot Identifier (General to the RG Occurrence)

<cbc:TypeCode listID="CriterionElementType" listAgencyID="OP"
listVersionID="3.0.1">REQUIREMENT</cbc:TypeCode>

<cbc:ValueDataTypeCode listID="ResponseDataType" listAgencyID="OP"
listVersionID="3.0.1">LOT_IDENTIFIER</cbc:ValueDataTypeCode>

<cbc:ExpectedID schemeAgencyID="XXESPD-SERVICEXXX">LOT-00001/cac:TenderingCriterionProperty>



• Example of requirement value description (ESPD Request) – RG, RQ, LOT

<cac:TenderingCriterionProperty>

<cbc:ID schemeID="Criterion" schemeAgencyID="XXESPD-SERVICEXXX" *ID* of the structure for schemeVersionID="3.0.1">1136acb0-09a5-4853-9921-c9038ce2890e/R1/R2</cbc:ID> the requirement Description of <cbc:Description>Lot Identifier (General to the RG Occurrence) the requirement Additional information <cbc:TypeCode listID="CriterionElementType" listAgencyID="OP"</pre> listVersionID="3.0.1">REQUIREMENT</cbc:TypeCode> about the requirement Type code <cbc:ValueDataTypeCode listID="ResponseDataType" listAgencyID="OP"</pre> listVersionID="3.0.1">LOT_IDENTIFIER<//cbc:ValueDataTypeCode> Data type <cbc:ExpectedID schemeAgencyID="XXESPD-SERVICEXXX">LOT-00002 </cbc:ExpectedID> </cac:TenderingCriterionProperty>

• Example of requirement value description (ESPD Request) – RG, RQ, QSG

<cac:TenderingCriterionProperty>

UUID – Variant proposal 2 (UUID variant)

Implications of Variant proposal 2 (UUID variant)

- UUID algorithm update:
 - Removal of dynamic UUID creation for each new occurrence
 - Inclusion of the semantics of occurrence where needed
- New algorithm: writing of the algorithm to process the semantics of occurrences.
- Criterion files update (both Excel and XML).
- Online documentation update

ESPD-EDM future releases

MAJOR CHANGES			
Description	Related GitHub Issue	Туре	% Resolved
Duplicate "Question Group UUID" in the same Criterion and the Question Groups have different structures	<u>#320</u>	Major	100%
Groups with same UUID and different cardinality	<u>#327</u>	Major	100%
Questions regarding the purely national EG in ESPD-EDM v3.x.x	<u>#334</u>	Major	100%*
Incorrect element code in ESPD-criterion.xlsx v3.0.1 for Criterion #27	<u>#325</u>	Major	50%
Question on UUID for Repeatable Question Sub Group Management of different requirements for different lots in a criterion Update excel criterion files and generate xml samples files XSLT updates: transformation from Excel to XML ESPD	<u>#312</u>	Major	50%
Create validation rules for mandatory fields	Code lists management	Major	0%
Create validation rules for all ESPD code lists	Code lists management	Major	0%

^{*} All tasks completed on ESPD side. Tasks on eCertis side still pending.



ESPD-EDM future releases

MINOR CHANGES			
Description	Related GitHub Issue	Туре	% Resolved
Part IV: Selection criteria, C: Technical and professional ability (CA`s)	<u>#287</u>	Minor	100%
Occupation / new code list (ESCO)	<u>#307</u>	Minor	100%
Data misplacement for Criteria #52 and #53	<u>#322</u>	Minor	100%
ProfileID version	<u>#324</u>	Minor	100%
EVIDENCE_IDENTIFIER with different cardinality	<u>#326</u>	Minor	100%
Question regarding the DATE Response Data Type	<u>#332</u>	Minor	100%
Same requirement group UUID with different content	<u>#333</u>	Minor	100%
Questions with multiple cardinality when Member States demand a specific order	<u>#335</u>	Minor	100%
Financial ratio type translations	<u>#337</u>	Minor	100%

ESPD-EDM future releases

MINOR CHANGES			
Description	Related GitHub Issue	Туре	% Resolved
Invalid text in Taxonomy in SC-Professional_risk_insurance tab	<u>#338</u>	Minor	100%
General yearly turnover - differences in taxonomy and mock-ups from ESPD-EDM	<u>#340</u>	Minor	100%
docrefcontent-type - codelist	Code lists management	Minor	25%
Misinterpretation additional description lines	<u>#339</u>	Minor	0%
Descriptive text is not the same in eCertis and Taxonomy	<u>#336</u>	Minor	0%

Description	Related GitHub issue
eCertis alignment with ESPD-EDM	#251
criterion - code list : Concepts & Definitions	#251

GitHub issues

• Closed issues (9 issues):

Issue	Title of the issue
<u>307</u>	New Code list 'occupation'
<u>327</u>	Groups with same UUID and different cardinality
<u>332</u>	DATE Response Data Type
333	Same requirement group UUID with different content
<u>335</u>	Questions with multiple cardinality when Member States demand a specific order
<u>337</u>	Financial ratio type translations
338	Invalid text in Taxonomy in SC-Professional_risk_insurance tab
<u>344</u>	Selection criteria. Suitability > Enrolment in a relevant professional register: Other occupation
<u>346</u>	Initial question for the EO to fulfil or not the criteria

GitHub issues – Currently open issues (12 issues)

Issue	Title of the issue
<u>345</u>	Average turnover
<u>343</u>	For service contracts: authorisation (membership) of particular organisation needed: question cardinality
<u>342</u>	Criterion sections grouping and titles
<u>341</u>	Trouble building java-library
<u>340</u>	General yearly turnover - differences in taxonomy and mock-ups from ESPD-EDM
339	Misinterpretation additional description lines
<u>336</u>	Descriptive text is not the same in eCertis and Taxonomy
<u>334</u>	Questions regarding the purely national EG in ESPD-EDM v3.x.x
<u>331</u>	Questions regarding the relationship at syntax binding level between data type and response data type and ESPD TestCases Mapping document
<u>325</u>	Incorrect element code in ESPD-criterion.xlsx v3.0.1 for Criterion #27
<u>312</u>	Question on UUID for Repeatable Question Sub Group
<u>251</u>	Link eCertis and ESPD

Next meetings

• Next OUC meetings: October 27, 10.00 – 11.30

• ESPD Annual Seminar: December 1st, 10.00 - 13.00

THANK YOU FOR YOUR PRESENCE

ANY QUESTIONS?

Please feel free to send also your questions to

OPESPD@publications.europa.eu



New Code list 'occupation'

GitHub issue #

#307

Reception date

05/02/2021

Closing date

23/09/2022

Description of the issue

As presented in the OUC community of 3rd of February, a new code list **e.g. RegisterType** should be created to address issue #273:

Remove the current requirements where the CA provides the Name and the URL of the registered where the EO should be registered. Instead, include a requirement to specify the register type (area). This will be specified using an ad-hoc code list including different type of registers that are available at the EU level. The code list will be created taking into account the inputs from different OUC members. Moreover, the code list will include the option to specify "other", and allow CAs to specify any register type not included in the code list.

Solution provided by the ESPD Team

The codelist is going to be maintained by EU Vocabularies. It can be found here: https://op.europa.eu/web/eu-vocabularies/dataset/-/resource?uri=http://publications.europa.eu/resource/dataset/occupation.

The ESPD-EDM will include the gc generated by EU Vocabularies, maintain the metadata on the repository, and update the validation rules accordingly.

The new release of the codelist has been updated and uploaded to the specific branch <u>upadate-codelists</u>. The update of the codelist will be part of a future release.



Annex: Closed issues – Issue #327 (1 of 2)

Groups with same UUID and different cardinality

GitHub issue #327 Reception date 21/03/2022 Closing date 08/07/2022

Description of the issue

The group with UUID 10822ddd-9ba6-42d5-9339-de0845aeafc9 has different cardinality inside the file ESPD-criterion.xlsx.

In the criterion $\frac{448}{100}$ the cardinality is 1..n, but in the criterion $\frac{450}{100}$ the cardinality is 1.

The same is for other groups, with UUID:

- 289f39b3-2a15-421a-8050-a29858031f35: differents cardinality are 1 and 1..n
- 5f9f09f7-f701-432c-9fdc-c22c124a74c9: differents cardinality are 1 and 0..1
- 74e6c7b4-757b-4b40-ada6-fad6a997c310: differents cardinality are 0..1 and [empty]
- 9026e403-3eb6-4705-a9e9-e21a1efc867d: differents cardinality are 1 and 0..1
- a53561d5-6614-4dbe-987e-b96f35387f46: differents cardinality are 0..n and 1..n
- c0cd9c1c-e90a-4ff9-bce3-ac0fe31abf16: differents cardinality are 1 and 1..n
- cc1da737-6c4e-4f4e-821d-c260029058f6: differents cardinality are 0..1 and 1..n



Annex: Closed issues – Issue #327 (2 of 2)

Groups with same UUID and different cardinality

GitHub issue #327 Reception date 21/03/2022 Closing date 08/07/2022

Solution provided by the ESPD Team

- 10822ddd-9ba6-42d5-9339-de0845aeafc9: different structures, a new UUID has been generated and assigned to criterion 50: add786b6-7e75-4303-8b9a-3d477331abd9
- **289f39b3-2a15-421a-8050-a29858031f35**: the issue does no longer exist. Since version 3.0.0 and older versions are not under support, no changes are necessary.
- 5f9f09f7-f701-432c-9fdc-c22c124a74c9: cardinality is wrong in criterion 22, it has been updated to 1
- 74e6c7b4-757b-4b40-ada6-fad6a997c310: empty cardinality is wrong in criteria 18 and 19, it has been updated to 0..1
- 9026e403-3eb6-4705-a9e9-e21a1efc867d: cardinalities 0..1 in criteria 40 and 41 are wrong, have been updated to 1
- a53561d5-6614-4dbe-987e-b96f35387f46: cardinality is wrong in criterion 26, it has been updated to 0..n
- c0cd9c1c-e90a-4ff9-bce3-ac0fe31abf16: cardinality is correct as this criteria is for Yearly Turnovers (more than one value, usually 3 years) while Average Turnover is just one single value, so no changes are necessary
- cc1da737-6c4e-4f4e-821d-c260029058f6: UUID has been removed as it's a structure close line

The fixes have been implemented it in the <u>criterion-evolution branch</u> and will be released it in the next version.



DATE Response Data Type

GitHub issue #332

Reception date

02/06/2022

Closing date

23/06/2022

Description of the issue

Regarding the description of the DATE response data type, in the CodeLists the format is specified as YYYY-DD-MM:

```
ESPD-EDM/codelists/gc/ResponseDataType.gc
Line 166 in 515c6d0

166 <SimpleValue>Date values (format YYYY-DD-MM)</SimpleValue>
```

But when exploring the XML output from ESPD-Service, the format seems to be YYYY-MM-DD, e.g.

```
<ccv:Requirement responseDataType="DATE">
  <cb::ID schemeID="CriterionRelatedIDs" schemeAgencyID="EU-COM-GROW" schemeVersionID="1.0">ecf40999-7b64-4e10-b960-7f8ff
  <cb::Description>Date of conviction</cb::Description>
  <ccv:Response>
    <cb::Date>2022-06-28</cbc::Date>
    </ccv:Response>
  </ccv:Response>
  </ccv:Requirement>
```

Solution provided by the ESPD Team

The fix has been implemented in a specific branch and it will be released in a future version.



Same requirement group UUID with different content

GitHub issue

#333

Reception date

07/06/2022

Closing date

30/06/2022

Description of the issue

UUIDs for property groups exist to facilitate re-use, however 53c9aad8-dc80-48f8-85d9-755c2aab8e95 in Taxonomy excel has different content in exclusion grounds and selection criteria. UUID (53c9aad8-dc80-48f8-85d9-755c2aab8e95) is used in criteria with numbers 7, 8, 37 and 39 based on Criteria Taxonomy numbering. The problem is that in Criteria 7 and 8 the structure is different than in Criteria 37 and 39.

This violates the standard that the value of a Question Group/Requirement Group UUID matches with a specific Question Group/Requirement Group structure and vice versa.

Solution provided by the ESPD Team

To solve the reported issue, a new UUID has been generated for the structures in criterias 7 and 8: c7d60cb5-b6fc-4e1a-a6b0-e0d91a09c80a. This will be released it in the next version.



Annex: Closed issues – Issue #335 (1 of 2)

Questions with multiple cardinality when Member States demand a specific order

GitHub issue

#335

Reception date

29/06/2022

Closing date

22/07/2022

Description of the issue

Some Member States demand a specific order for some questions and, since there is no field for ordering them, if the questions are, for instance, saved in a database, they might get in a different order.

Shouldn't there be an Order field to indicate that undoubtedly?

As stated in specifications, order shouldn't be an issue, but there might be implementation problems when the authorities demand that ordering. And a field for that would support that need.

Solution provided by the ESPD Team (1 of 2)

There are no explicit ordering of descriptive criterion elements (Question_Group, Question_Subgroup, Question, Requirement_Group, Requirement_Subgroup, Requirement, Caption, Subcriterion, Legislation). The ordering is rather implicit according to the position of the element in the description at a given level. The first element has the number 1, the second element has the number 2, and so on.

In general, UUID is used to refer to criterion element. There are fixed or static UUIDs which are always known, and also dynamic UUIDs that are created when a Request or Response is generated.



Annex: Closed issues – Issue #335 (2 of 2)

Questions with multiple cardinality when Member States demand a specific order

GitHub issue

#335

Reception date

29/06/2022

Closing date

22/07/2022

Solution provided by the ESPD Team (1 of 2)

For fixed UUIDs, an implicit numbering (combined with the parent ID) might be necessary only if the same structure is used several times, because then the same unid is used for the same structure group (for instance, "evidences" Question_Subgroup in criterion C40 and C41 that appear twice).

For dynamic UUIDs, let imagine that we save the data in a database when the dynamic UUIDs have not yet been assigned. If we restore the data, the questions might indeed be mixed. Although this use case is not common, we should recommend the use of the implicit numbering to ensure the file is restored as it were in the first place and avoid any conflict.

About including an explicit numbering for criterion elements or attributes, this will imply to add a new element or new attribute to the model. However, the model is tightly linked to the UBL language, so it is not possible to add an element or attribute that is not provided by the language because there is a third dependency with UBL.

Hence, guidelines and recommendations about the implicit numbering of criterion elements should be provided in the online documentation for users and developers of the ESPD project in a future release.

Same requirement group UUID with different content

GitHub issue

#337

Reception date

03/08/2022

Closing date

19/08/2022

Description of the issue

The FinancialRatioType.gc file include some values that contain English text but with labels "name-bul" (as if the value was in Bulgarian). Is this correct?

Solution provided by the ESPD Team

The following files were affected by this issue and have been updated:

- <u>ESPD-CodeLists.xlsx</u>: there were some formatting issues related to languages not populated (blank) in the tab for the FinancialRatioType codelist.
- <u>excel-to-gc-multilang-v1.0.xsl</u>: XSL file used to generate the codefiles from the previous Excel file, there was an issue with a wrong cell position for the status column for the FinancialRatioType codelist (position 5 instead of 4).
- <u>FinancialRatioType.gc</u>: the codelist file has been generated again after the implementation of the fixes in the two previous files.



Same requirement group UUID with different content

GitHub issue

#338

Reception date

03/08/2022

Closing date

12/08/2022

Description of the issue

In column nr. 25, Code List, in the mentioned tab there's a comment in CodeList column.

Solution provided by the ESPD Team

In the Excel criterion file, criterion 35: SC-Professional_risk_insurance tab, there was a misplacement of two comments in the Codelist column. They both have been moved one column to the right to the proper Comment colum.

The fix has been implemented and uploaded into the master branch and it will be released in the next version.

Selection criteria. Suitability > Enrolment in a relevant professional register: Other occupation

GitHub issue

#344

Reception date


16/09/2022

Closing date

22/09/2022

Description of the issue

In Selection criterion "Enrolment in a relevant professional register", for Requirement: Occupation, the code list 'occupation' is used to determine the area to which the EO should be registered in.



It comes from the ESCO classification, in case the Buyer do not find the appropriate code to define the type of professional enrolment it can select code '0000.0' which stands for other.

Is it possible to choose several times code 0000.0 – Other, or it can be selected only once?

Solution provided by the ESPD Team

As can be read in the image of data structures attached to the issue, the cardinality of REQUIREMENTS is [1]. It means that in one REQUIREMENT GROUP it is only possible to include one code 0000.0 Other + an additional text box.

However, the cardinality of the whole REQUIREMENT_GROUP is 1..n. Therefore, it is possible to add two REQUIREMENT_GROUPS with their corresponding requirements and questions nested.



Annex: Closed issues – Issue #346 (1 of 2)

Initial question for the EO to fulfil or not the criteria - critical for implementation

GitHub issue

#346

Reception date

21/09/2022


Closing date

23/09/2022

Description of the issue

Based on Taxonomy structure(Data structure), each requirement group has its own question "Does the EO fulfil the criteria by itself?". It seems not logical, as the question is about CRITERIA, not requirement.

Based on the mock-up, this question should be asked ONCE before each criteria.





Annex: Closed issues – Issue #346 (2 of 2)

Initial question for the EO to fulfil or not the criteria - critical for implementation

GitHub issue

#346

Reception date

21/09/2022

Closing date

23/09/2022

Solution provided by the ESPD Team

This first question group was added in version 3.0.0 after the agreement with the OUC. The purpose of the group is to know if the Economic Operator relies on any other entity to fulfil the criteria and the requirements. It is useful to gather additional information from the EO.

The data structure allows for the ESPD Service to implement the question as it is represented in the mockup. Therefore, no additional modifications would be needed to implement ESPD services the way it is shown in the mockup. Additionally, to add more granularity to our explanation, criteria are built with a requirement_group element (cac:TenderingCriterionPropertyGroup) and within it, all questions are nested. This does not mean that questions need to respond only to those requirements, because there are cases where the Buyer does not include any additional requirement to the questions from the criteria.

In consequence, there is not need to modify these data structures to extract this question group outside the requirement group, as all criteria include a requirement_group (cac:TenderingCriterionPropertyGroup) as the basis.

