@edifice.io/community-backend (1.0.0-develop-pedago.0)

Download OpenAPI specification: **Download**

API description of community backend

App

AppController_getHello

Responses

— **200**

```
GET    /                                        ∨
```

Announcements

List announcements for a community

PATH PARAMETERS

| communityId | number |
| required | Community ID |

QUERY PARAMETERS

page	number
	Default: 0
	Page number (zero-indexed)

size	number
	Default: 20
	Number of items per page

| publishedAfter | string <date-time> |
| | Filter announcements published after this date |

Responses

> **200** List of announcements with pagination

| GET | /api/communities/{communityId}/announcements | ⌄ |

Response samples

| **200** |

Content type

application/json

Copy   Expand all   Collapse all

```
[
  - {
      "id": 0,
      "content": "string",
      "publicationDate": "2019-08-24T14:15:22Z",
      "modificationDate": "2019-08-24T14:15:22Z",
      + "author": { … },
      "communityId": 0
    }
]
```

Create an announcement

PATH PARAMETERS

⊣ communityId required	number Community ID

REQUEST BODY SCHEMA: application/json
required

⊣ content required	string Announcement content

Responses

> **201** Announcement created successfully

POST	/api/communities/{communityId}/announcements	⌄

Request samples

Payload

Content type
application/json

```
                                                            Copy
{
    "content": "Important information about our next class meeting"
}
```

Response samples

201

Content type
application/json

```
                                Copy    Expand all    Collapse all
{
    "id": 0,
    "content": "string",
    "publicationDate": "2019-08-24T14:15:22Z",
    "modificationDate": "2019-08-24T14:15:22Z",
  - "author": {
        "id": 0,
        "displayName": "string"
    },
    "communityId": 0
}
```

Count announcements published after a specific date

PATH PARAMETERS

⊣ `communityId`
   required

number
Community ID

QUERY PARAMETERS

⊣ `publishedAfter`

string <date-time>
Count announcements published after this date

Responses

> **200** Number of announcements published after the specified date

```
GET   /api/communities/{communityId}/announcements/count          ⌄
```

Response samples

200

Content type
application/json

Copy

```
{
    "count": 0
}
```

Get an announcement by ID

PATH PARAMETERS

communityId **required**	number	Community ID
id **required**	number	Announcement ID

Responses

> **200** Announcement found

```
GET   /api/communities/{communityId}/announcements/{id}          ⌄
```

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "id": 0,
    "content": "string",
    "publicationDate": "2019-08-24T14:15:22Z",
    "modificationDate": "2019-08-24T14:15:22Z",
  - "author": {
        "id": 0,
        "displayName": "string"
    },
    "communityId": 0
}
```

Update an announcement

PATH PARAMETERS

communityId required	number Community ID
id required	number Announcement ID

REQUEST BODY SCHEMA: application/json
required

content required	string Updated announcement content

Responses

PATCH /api/communities/{communityId}/announcements/{id} ⌄

Request samples

Payload

Content type
application/json

Copy

```json
{
    "content": "Important information about our rescheduled class meeting"
}
```

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```json
{
    "id": 0,
    "content": "string",
    "publicationDate": "2019-08-24T14:15:22Z",
    "modificationDate": "2019-08-24T14:15:22Z",
  - "author": {
        "id": 0,
        "displayName": "string"
    },
    "communityId": 0
}
```

> **200** Announcement updated

Delete an announcement

communityId **required**	number Community ID
id **required**	number Announcement ID

Responses

— **204** Announcement deleted

```
DELETE   /api/communities/{communityId}/announcements/{id}            ⌄
```

Communities

List communities

QUERY PARAMETERS

page	number Default: `0` Page number (zero-indexed)
size	number Default: `20` Number of items per page
title	string Filter by community title (partial match)
type	string Enum: `"CLASS"` `"FREE"`

Filter by community type

createdAfter	string <date-time>
	Filter communities created after this date
schoolYear	number
	Example: `schoolYear=2025`
	Filter by school year

Responses

> **200** List of communities with pagination

| GET | /api/communities | ⌄ |

Response samples

`200`

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "fields": "id,title,type",
  - "communities": [
        "string"
    ],
    "total": 0
}
```

Create a new community

REQUEST BODY SCHEMA: application/json
required

| image | string |

Community illustration image

title required

string <= 80 characters
Community title

type required

string
Enum: `"CLASS"` `"FREE"`
Community type

schoolYearStart

number
School year start

schoolYearEnd

number
School year end

welcomeNote

string <= 400 characters
Welcome note

discussionEnabled required

boolean
Default: `true`
Enable discussion features

secretCode

string
Secret code to join the community

invitations >

object
Initial invitations to send

Responses

> **201** Community created successfully

| POST | /api/communities | ⌄ |

Request samples

| Payload |

Content type
application/json

Copy   Expand all   Collapse all

```json
{
    "image": "string",
    "title": "Math Class 2025",
    "type": "CLASS",
    "schoolYearStart": 2025,
    "schoolYearEnd": 2026,
    "welcomeNote": "Welcome to our math community!",
    "discussionEnabled": true,
    "secretCode": "MATH2025",
  - "invitations": {
      + "userIds": [ … ]
    }
}
```

Response samples

201

Content type
application/json

Copy   Expand all   Collapse all

```json
{
    "id": 0,
    "image": "string",
    "title": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "updateDate": "2019-08-24T14:15:22Z",
    "type": "CLASS",
    "schoolYearStart": 0,
    "schoolYearEnd": 0,
    "welcomeNote": "string",
    "discussionEnabled": true,
    "archivedDate": "2019-08-24T14:15:22Z",
  - "creator": {
        "id": 0,
        "displayName": "string"
    },
  - "modifier": {
        "id": 0,
        "displayName": "string"
    },
```

```
    -  "archiver": {
           "id": 0,
           "displayName": "string"
       },
    -  "stats": {
           "totalMembers": 0,
           "acceptedMembers": 0,
           "totalAdmins": 0,
           "acceptedAdmins": 0
       },
       "getSecretCode": { }
  }
```

Get a community by ID

PATH PARAMETERS

⌐ **id**
required

number
Community ID

QUERY PARAMETERS

⌐ `fields`

string
Comma-separated field list

Responses

> **200** Community found

| GET | /api/communities/{id} | ⌄ |

Response samples

| **200** |

Content type

application/json

Copy   Expand all   Collapse all

```json
{
    "id": 0,
    "image": "string",
    "title": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "updateDate": "2019-08-24T14:15:22Z",
    "type": "CLASS",
    "schoolYearStart": 0,
    "schoolYearEnd": 0,
    "welcomeNote": "string",
    "discussionEnabled": true,
    "archivedDate": "2019-08-24T14:15:22Z",
  - "creator": {
        "id": 0,
        "displayName": "string"
    },
  - "modifier": {
        "id": 0,
        "displayName": "string"
    },
  - "archiver": {
        "id": 0,
        "displayName": "string"
    },
  - "stats": {
        "totalMembers": 0,
        "acceptedMembers": 0,
        "totalAdmins": 0,
        "acceptedAdmins": 0
    },
    "getSecretCode": { }
}
```

Update a community

PATH PARAMETERS

⊣ id   number

required	Community ID

REQUEST BODY SCHEMA: application/json
required

```
image                    string
                         Community illustration image

title                    string   <= 80 characters
required                 Community title

type                     string
required                 Enum: "CLASS"  "FREE"
                         Community type

schoolYearStart          number
                         School year start

schoolYearEnd            number
                         School year end

welcomeNote              string   <= 400 characters
                         Welcome note

discussionEnabled        boolean
required                 Default: true
                         Enable discussion features

secretCode               string
                         Secret code to join the community
```

Responses

> **200** Community updated

PATCH `/api/communities/{id}`   ⌄

Request samples

Payload

Content type

application/json

Copy

```json
{
    "image": "string",
    "title": "Math Class 2025",
    "type": "CLASS",
    "schoolYearStart": 2025,
    "schoolYearEnd": 2026,
    "welcomeNote": "Welcome to our math community!",
    "discussionEnabled": true,
    "secretCode": "MATH2025"
}
```

Response samples

200

Content type

application/json

Copy   Expand all   Collapse all

```json
{
    "id": 0,
    "image": "string",
    "title": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "updateDate": "2019-08-24T14:15:22Z",
    "type": "CLASS",
    "schoolYearStart": 0,
    "schoolYearEnd": 0,
    "welcomeNote": "string",
    "discussionEnabled": true,
    "archivedDate": "2019-08-24T14:15:22Z",
  - "creator": {
        "id": 0,
        "displayName": "string"
    },
  - "modifier": {
        "id": 0,
        "displayName": "string"
    },
```

```
    - "archiver": {
          "id": 0,
          "displayName": "string"
      },
    - "stats": {
          "totalMembers": 0,
          "acceptedMembers": 0,
          "totalAdmins": 0,
          "acceptedAdmins": 0
      },
      "getSecretCode": { }
  }
```

Delete a community

PATH PARAMETERS

┤ id
required

number
Community ID

Responses

— **204** Community deleted

DELETE /api/communities/{id}   ⌄

Get community secret code

PATH PARAMETERS

┤ id
required

number
Community ID

Responses

> **200** Secret code retrieved (only for admins)

GET /api/communities/{id}/secret-code ⌄

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "id": 0,
    "image": "string",
    "title": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "updateDate": "2019-08-24T14:15:22Z",
    "type": "CLASS",
    "schoolYearStart": 0,
    "schoolYearEnd": 0,
    "welcomeNote": "string",
    "discussionEnabled": true,
    "archivedDate": "2019-08-24T14:15:22Z",
-   "creator": {
        "id": 0,
        "displayName": "string"
    },
-   "modifier": {
        "id": 0,
        "displayName": "string"
    },
-   "archiver": {
        "id": 0,
        "displayName": "string"
    },
```

```
-   "stats": {
        "totalMembers": 0,
        "acceptedMembers": 0,
        "totalAdmins": 0,
        "acceptedAdmins": 0
    },
    "getSecretCode": { }
}
```

Update welcome note

PATH PARAMETERS

⊣ id
  required

number
Community ID

Responses

> **200** Welcome note updated

PATCH   /api/communities/{id}/welcome-note   ⌄

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "id": 0,
    "image": "string",
    "title": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "updateDate": "2019-08-24T14:15:22Z",
```

```
    "type": "CLASS",
    "schoolYearStart": 0,
    "schoolYearEnd": 0,
    "welcomeNote": "string",
    "discussionEnabled": true,
    "archivedDate": "2019-08-24T14:15:22Z",
  - "creator": {
        "id": 0,
        "displayName": "string"
    },
  - "modifier": {
        "id": 0,
        "displayName": "string"
    },
  - "archiver": {
        "id": 0,
        "displayName": "string"
    },
  - "stats": {
        "totalMembers": 0,
        "acceptedMembers": 0,
        "totalAdmins": 0,
        "acceptedAdmins": 0
    },
    "getSecretCode": { }
}
```

Get community statistics

⊣ id
required

number
Community ID

Responses

> **200** Community statistics

GET /api/communities/{id}/stats ⌄

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "id": 0,
    "image": "string",
    "title": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "updateDate": "2019-08-24T14:15:22Z",
    "type": "CLASS",
    "schoolYearStart": 0,
    "schoolYearEnd": 0,
    "welcomeNote": "string",
    "discussionEnabled": true,
    "archivedDate": "2019-08-24T14:15:22Z",
  - "creator": {
        "id": 0,
        "displayName": "string"
    },
  - "modifier": {
        "id": 0,
        "displayName": "string"
    },
  - "archiver": {
        "id": 0,
        "displayName": "string"
    },
  - "stats": {
        "totalMembers": 0,
        "acceptedMembers": 0,
        "totalAdmins": 0,
        "acceptedAdmins": 0
    },
    "getSecretCode": { }
}
```

Folders

List folders in a community

PATH PARAMETERS

┐ communityId
  required

number
Community ID

QUERY PARAMETERS

┐ page

number
Default: `0`
Page number (zero-indexed)

┐ size

number
Default: `20`
Number of items per page

┐ name

string
Example: `name=Documents`
Filter by folder name (partial match)

┐ parentId

number
Example: `parentId=123`
Filter by parent folder ID

┐ rootOnly

boolean
Default: `false`
Get only root folders

Responses

> **200** List of folders with pagination

`GET` `/api/communities/{communityId}/folders` ⌄

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
[
  - {
        "id": 0,
        "name": "string",
        "creationDate": "2019-08-24T14:15:22Z",
        "modificationDate": "2019-08-24T14:15:22Z",
        "isRoot": true,
      + "creator": { … },
      + "modifier": { … },
        "parentId": 0,
        "communityId": 0,
      + "stats": { … }
    }
]
```

Create a folder in a community

PATH PARAMETERS

⊣ communityId required	number Community ID	

REQUEST BODY SCHEMA: application/json
required

⊣ name required	string `<= 255 characters` Folder name	
⊣ parentId	number Parent folder ID (null if root folder)	
⊣ isRoot	boolean Default: `false` Whether this is a root folder	

Responses

> **201** Folder created successfully

POST /api/communities/{communityId}/folders ∨

Request samples

Payload

Content type

application/json

Copy

```json
{
    "name": "Documents",
    "parentId": 123,
    "isRoot": false
}
```

Response samples

201

Content type

application/json

Copy   Expand all   Collapse all

```json
{
    "id": 0,
    "name": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "modificationDate": "2019-08-24T14:15:22Z",
    "isRoot": true,
  - "creator": {
        "id": 0,
        "displayName": "string"
    },
  - "modifier": {
        "id": 0,
        "displayName": "string"
    },
    "parentId": 0,
    "communityId": 0,
  - "stats": {
        "childCount": 0
    }
```

```
    }
```

Get root folders for a community

PATH PARAMETERS

⊣ communityId required	number Community ID

Responses

> **200** List of root folders

GET	/api/communities/{communityId}/folders/roots	⌄

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
[
  - {
        "id": 0,
        "name": "string",
        "creationDate": "2019-08-24T14:15:22Z",
        "modificationDate": "2019-08-24T14:15:22Z",
        "isRoot": true,
      + "creator": { … },
      + "modifier": { … },
        "parentId": 0,
        "communityId": 0,
      + "stats": { … }
    }
```

```
        ]
            0,
```

Get folder details

PATH PARAMETERS

communityId
required

number
Community ID

id
required

number
Folder ID

Responses

> **200** Folder details

```
GET   /api/communities/{communityId}/folders/{id}                    ⌄
```

Response samples

```
200
```

Content type
application/json

                                          Copy   Expand all   Collapse all

```json
{
    "id": 0,
    "name": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "modificationDate": "2019-08-24T14:15:22Z",
    "isRoot": true,
  - "creator": {
        "id": 0,
        "displayName": "string"
    },
```

```
      - "modifier": {
            "id": 0,
            "displayName": "string"
      },
      "parentId": 0,
      "communityId": 0,
    - "stats": {
            "childCount": 0
      },
    - "subFolders": [
        + { … }
      ],
    - "resources": [
        + { … }
      ]
  }
```

Update a folder

PATH PARAMETERS

communityId required	number Community ID
id required	number Folder ID

REQUEST BODY SCHEMA: application/json
required

name required	string <= 255 characters Folder name
parentId	number Parent folder ID (null if root folder)

Responses

> **200** Folder updated

PATCH /api/communities/{communityId}/folders/{id} ⌄

Request samples

Payload

Content type
application/json

Copy

```
{
    "name": "Documents",
    "parentId": 123
}
```

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "id": 0,
    "name": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "modificationDate": "2019-08-24T14:15:22Z",
    "isRoot": true,
-   "creator": {
        "id": 0,
        "displayName": "string"
    },
-   "modifier": {
        "id": 0,
        "displayName": "string"
    },
    "parentId": 0,
    "communityId": 0,
```

```
-    "stats": {
         "childCount": 0
     }
}
```

Delete a folder

PATH PARAMETERS

communityId required	number Community ID
id required	number Folder ID

Responses

— **204** Folder deleted

```
DELETE  /api/communities/{communityId}/folders/{id}          ⌄
```

Invitations

List invitations

QUERY PARAMETERS

page	number Default: 0

Page number (zero-indexed)

┤ size

number

Default: 20

Number of items per page

┤ communityId

string

Community ID

┤ userId

string

User ID

┤ status

string

Enum: "PENDING" "ACCEPTED" "REJECTED"

Filter by status

┤ sentAfter

string <date-time>

Filter invitations sent after this date

Responses

> **200** List of invitations with pagination

GET /api/invitations ⌄

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
{
-  "items": [
        "string"
    ],
```

```
    -  "meta": {
            "totalItems": 0,
            "itemCount": 0,
            "itemsPerPage": 0,
            "totalPages": 0,
            "currentPage": 0
        }
    }
```

Copy   Expand all   Collapse all

Create invitations

REQUEST BODY SCHEMA: application/json
required

communityId required	number
	Community ID
userIds required	Array of strings
	List of user IDs to invite
message	string
	Optional message to include with invitation

Responses

> **201** Invitations created successfully

POST   /api/invitations

Request samples

Payload

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "communityId": 1,
  - "userIds": [
        "b9ea566a-c3d4-41ef-9806-65d6beb3bddb",
        "b9ea566a-c3d4-41ef-9806-65d6beb3bddc"
    ],
    "message": "string"
}
```

Response samples

201

Content type
application/json

Copy   Expand all   Collapse all

```
[
  - {
        "id": 0,
        "invitationDate": "2019-08-24T14:15:22Z",
        "status": "PENDING",
      + "community": { … },
      + "user": { … }
    }
]
```

Accept or reject an invitation

PATH PARAMETERS

⊣ **id**
required

number
Invitation ID

REQUEST BODY SCHEMA: application/json
required

⊣ **status**
required

string
Enum: "PENDING"   "ACCEPTED"   "REJECTED"
New status for the invitation

⊣ **deleteSharedResources**

boolean
Default: false

Whether to delete shared resources when rejecting invitation

Responses

> **200** Invitation status updated

`PUT` `/api/invitations/{id}/status` ⌄

Request samples

Payload

Content type
application/json

Copy

```
{
    "status": "ACCEPTED",
    "deleteSharedResources": false
}
```

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "id": 0,
    "invitationDate": "2019-08-24T14:15:22Z",
    "status": "PENDING",
  - "community": {
        "id": 0,
        "title": "string"
    },
```

```
    - "user": {
        "id": 0,
        "displayName": "string"
    }
}
```

Count invitations sent after a specific date

QUERY PARAMETERS

| communityId | number |
| | Community ID |

| sentAfter required | string <date-time> |
| | Date to count invitations sent after (ISO format) |

Responses

> **200** Invitation count

GET /api/invitations/count

Response samples

200

Content type
application/json

Copy

{
    "count": 0
}

Get invitation statistics

⊣ communityId

number
Community ID

Responses

> **200** Invitation statistics

| GET | /api/invitations/stats | ⌄ |

Response samples

| 200 |

Content type
application/json

Copy

```
{
    "total": 0,
    "accepted": 0,
    "pending": 0,
    "rejected": 0
}
```

Memberships

List members of a community

PATH PARAMETERS

⊐	communityId **required**	number Community ID

QUERY PARAMETERS

page	number Default: 0 Page number (zero-indexed)	
size	number Default: 20 Number of items per page	

Responses

> **200** List of members with pagination

GET	/api/communities/{communityId}/members	⌄

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
{
-  "items": [
       "string"
    ],
```

```
-   "meta": {
        "totalItems": 0,
        "itemCount": 0,
        "itemsPerPage": 0,
        "totalPages": 0,
        "currentPage": 0
    }
}
```

Add a member to a community

PATH PARAMETERS

⊣ **communityId**
   required

number
Community ID

REQUEST BODY SCHEMA: application/json
required

⊣ **userId**
   required

number
User ID

⊣ **role**
   required

string
Default: `"MEMBER"`
Enum: `"ADMIN"` `"MEMBER"`
Role in the community

Responses

> **201** Member added successfully

| POST | /api/communities/{communityId}/members | ⌄ |

Request samples

Payload

Content type

application/json

Copy

```json
{
    "userId": 1,
    "role": "ADMIN"
}
```

Response samples

201

Content type

application/json

Copy   Expand all   Collapse all

```json
{
    "id": 0,
    "joinDate": "2019-08-24T14:15:22Z",
    "role": "ADMIN",
    "lastVisitDate": "2019-08-24T14:15:22Z",
    "community": {
        "id": 0,
        "title": "string"
    },
    "user": {
        "id": 0,
        "displayName": "string"
    },
    "inviter": {
        "id": 0,
        "displayName": "string"
    }
}
```

Join a community using secret code

Creates a membership in the community using the secret code

REQUEST BODY SCHEMA: application/json

required

───┤ secretCode   string
    required   Secret code to join the community

Responses

> **201** Joined community successfully

| POST | /api/communities/join | ⌄ |

Request samples

| Payload |

Content type
application/json

Copy

```
{
    "secretCode": "string"
}
```

Response samples

| 201 |

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "id": 0,
    "joinDate": "2019-08-24T14:15:22Z",
    "role": "ADMIN",
    "lastVisitDate": "2019-08-24T14:15:22Z",
-   "community": {
        "id": 0,
        "title": "string"
    },
```

```
   - "user": {
       "id": 0,
       "displayName": "string"
     },
   - "inviter": {
       "id": 0,
       "displayName": "string"
     }
 }
```

Update a member role

PATH PARAMETERS

communityId required	number Community ID
userId required	number User ID

REQUEST BODY SCHEMA: application/json
required

role	string Enum: `"ADMIN"` `"MEMBER"` Role in the community

Responses

> **200** Member updated successfully

PATCH	/api/communities/{communityId}/members/{userId}	⌄

Request samples

Payload

Content type

application/json

Copy

```json
{
    "role": "ADMIN"
}
```

Response samples

200

Content type

application/json

Copy   Expand all   Collapse all

```json
{
    "id": 0,
    "joinDate": "2019-08-24T14:15:22Z",
    "role": "ADMIN",
    "lastVisitDate": "2019-08-24T14:15:22Z",
  - "community": {
        "id": 0,
        "title": "string"
    },
  - "user": {
        "id": 0,
        "displayName": "string"
    },
  - "inviter": {
        "id": 0,
        "displayName": "string"
    }
}
```

Remove a member from a community

PATH PARAMETERS

communityId
required

number
Community ID

↳ **userId**
required

number
User ID

Responses

— **204** Member removed successfully

DELETE /api/communities/{communityId}/members/{userId}   ⌄

Leave a community

Current user leaves the community

PATH PARAMETERS

┐ **communityId**
required

number
Community ID

REQUEST BODY SCHEMA: application/json
required

┐ **removeSharedResources**
required

boolean
Default: `false`
Whether to remove shared resources

Responses

— **204** Left community successfully

POST /api/communities/{communityId}/leave   ⌄

Content type
application/json

Copy

```
{
    "removeSharedResources": false
}
```

Resources

List resources for a community

PATH PARAMETERS

⊣ **communityId** required	number Community ID

QUERY PARAMETERS

⊣ **page**	number Default: `0` Page number (zero-indexed)
⊣ **size**	number Default: `20` Number of items per page
⊣ **type**	string Enum: `"IMAGE"` `"VIDEO"` `"SOUND"` `"ENT"` `"EXTERNAL_LINK"` Filter by resource type
⊣ **addedAfter**	string <date-time> Filter resources added after this date

Responses

> **200** List of resources with pagination

`GET` `/api/communities/{communityId}/resources`   ⌄

Response samples

| 200 |

Content type
application/json

Copy   Expand all   Collapse all

```
[
  - {
        "id": 0,
        "type": "IMAGE",
        "url": "string",
        "title": "string",
        "addedDate": "2019-08-24T14:15:22Z",
        "openInNewTab": true,
        "appName": "string",
      + "author": { … },
        "communityId": 0,
      + "folderIds": [ … ]
    }
]
```

Add a resource to a community

PATH PARAMETERS

| communityId | number |
| required | Community ID |

REQUEST BODY SCHEMA: application/json
required

type *required*
string
Enum: `"IMAGE"` `"VIDEO"` `"SOUND"` `"ENT"` `"EXTERNAL_LINK"`
Resource type

url *required*
string
Resource URL

title *required*
string
Resource title

openInNewTab
boolean
Default: `true`
Whether to open in new tab (for links)

appName
string
Application name (for ENT resources)

folderIds
Array of numbers
Folder IDs to add this resource to

Responses

> **201** Resource created successfully

POST /api/communities/{communityId}/resources ⌄

Request samples

Payload

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "type": "EXTERNAL_LINK",
    "url": "https://example.com/resource",
    "title": "Interesting Article",
```

```
    "openInNewTab": true,
    "appName": "string",
  - "folderIds": [
        0
    ]
}
```

Response samples

201

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "id": 0,
    "type": "IMAGE",
    "url": "string",
    "title": "string",
    "addedDate": "2019-08-24T14:15:22Z",
    "openInNewTab": true,
    "appName": "string",
  - "author": {
        "id": 0,
        "displayName": "string"
    },
    "communityId": 0,
  - "folderIds": [
        0
    ]
}
```

Count resources added after a specific date

PATH PARAMETERS

⊣ communityId   number
  required   Community ID

QUERY PARAMETERS

| addedAfter | string <date-time> |
| | Count resources added after this date |

Responses

> **200** Number of resources added after the specified date

| GET | /api/communities/{communityId}/resources/count | ⌄ |

Response samples

| **200** |

Content type
application/json

Copy

```
{
    "count": 0
}
```

Get a resource by ID

PATH PARAMETERS

communityId **required**	number
	Community ID
id **required**	number
	Resource ID

Responses

> **200** Resource found

GET /api/communities/{communityId}/resources/{id} ⌄

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "id": 0,
    "type": "IMAGE",
    "url": "string",
    "title": "string",
    "addedDate": "2019-08-24T14:15:22Z",
    "openInNewTab": true,
    "appName": "string",
  - "author": {
        "id": 0,
        "displayName": "string"
    },
    "communityId": 0,
  - "folderIds": [
        0
    ]
}
```

Remove a resource from a community

PATH PARAMETERS

communityId required	number Community ID	
id required	number	

Resource ID

Responses

— **204** Resource removed

DELETE `/api/communities/{communityId}/resources/{id}` ⌄

Add a resource to a folder

PATH PARAMETERS

communityId
required

number
Community ID

id
required

number
Resource ID

folderId
required

number
Folder ID

Responses

— **204** Resource added to folder

POST `/api/communities/{communityId}/resources/{id}/folders/{folderId}` ⌄

Remove a resource from a folder

PATH PARAMETERS

communityId
required

number
Community ID

id
required

number
Resource ID

folderId
required

number
Folder ID

Responses

— **204** Resource removed from folder

DELETE /api/communities/{communityId}/resources/{id}/folders/{folderId} ⌄