

@edifice.io/community-backend (1.0.0-develop-pedago.0)


Download OpenAPI specification: [Download](#)

API description of community backend


Announcements


List announcements for a community


PATH PARAMETERS

 communityId	number
required	Community ID

QUERY PARAMETERS

 page	number
	Default: <input type="text" value="0"/>
	Page number (zero-indexed)

 size	number
	Default: <input type="text" value="20"/>
	Number of items per page

 publishedAfter	string <date-time>
	Filter announcements published after this date

Responses

GET /api/communities/{communityId}/announcements

Response samples

200

Content type

application/json

Copy Expand all Collapse all

```
[
  - {
    "id": 0,
    "content": "string",
    "publicationDate": "2019-08-24T14:15:22Z",
    "modificationDate": "2019-08-24T14:15:22Z",
    + "author": { ... },
    "communityId": 0
  }
]
```

Create an announcement

PATH PARAMETERS

→ communityId required	number Community ID
---------------------------	------------------------

REQUEST BODY SCHEMA: application/json
required

→ content required	string Announcement content
-----------------------	--------------------------------

Responses

> 201 Announcement created successfully

POST /api/communities/{communityId}/announcements

Request samples

Payload

Content type

application/json

Copy

```
{
  "content": "Important information about our next class meeting"
}
```

Response samples

201

Content type

application/json

Copy Expand all Collapse all

```
{
  "id": 0,
  "content": "string",
  "publicationDate": "2019-08-24T14:15:22Z",
  "modificationDate": "2019-08-24T14:15:22Z",
  "author": {
    "id": 0,
    "displayName": "string"
  },
  "communityId": 0
}
```

Count announcements published after a specific date

PATH PARAMETERS

→ <code>communityId</code> <code>required</code>	number Community ID
---	------------------------

QUERY PARAMETERS

→ <code>publishedAfter</code>	string <date-time> Count announcements published after this date
-------------------------------	---

Responses

> **200** Number of announcements published after the specified date

GET /api/communities/{communityId}/announcements/count

Response samples

200

Content type
application/json

Copy

```
{
  "count": 0
}
```

Get an announcement by ID

PATH PARAMETERS

→ <code>communityId</code> <code>required</code>	number Community ID
→ <code>id</code>	number

required

Announcement ID

Responses

> 200 Announcement found

GET

/api/communities/{communityId}/announcements/{id}



Response samples

200

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "id": 0,
  "content": "string",
  "publicationDate": "2019-08-24T14:15:22Z",
  "modificationDate": "2019-08-24T14:15:22Z",
  - "author": {
    "id": 0,
    "displayName": "string"
  },
  "communityId": 0
}
```

Update an announcement

PATH PARAMETERS

communityId	number
required	Community ID
id	number
required	

Announcement ID

REQUEST BODY SCHEMA: application/json
required

content
required string
Updated announcement content

Responses

> 200 Announcement updated

PATCH /api/communities/{communityId}/announcements/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "content": "Important information about our rescheduled class meeting"
}
```

Response samples

200

Content type
application/json



Copy Expand all Collapse all

```
{
  "id": 0,
  "content": "string",
  "publicationDate": "2019-08-24T14:15:22Z",
  "modificationDate": "2019-08-24T14:15:22Z",
}
```

```
- "author": {
  "id": 0,
  "displayName": "string"
},
"communityId": 0
}
```

Delete an announcement

PATH PARAMETERS

 communityId required	number Community ID
 id required	number Announcement ID

Responses

— 204 Announcement deleted

DELETE /api/communities/{communityId}/announcements/{id} ▼

Communities

List communities

QUERY PARAMETERS

page	number Default: <input type="text" value="0"/> Page number (zero-indexed)
size	number Default: <input type="text" value="20"/> Number of items per page
title	string Filter by community title (partial match)
type	string Enum: <input type="text" value="CLASS"/> <input type="text" value="FREE"/> Filter by community type
createdAfter	string <date-time> Filter communities created after this date
schoolYear	number Example: <input type="text" value="schoolYear=2025"/> Filter by school year

Responses

> **200** List of communities with pagination

GET /api/communities

Response samples

200

Content type

application/json

Copy Expand all Collapse all

```
{
  "fields": "id,title,type",
  - "communities": [
    + { ... }
  ],
}
```



```
"total": 0
}
```

Create a new community

REQUEST BODY SCHEMA: application/json
required

image	string Community illustration image
title required	string <= 80 characters Community title
type required	string Enum: "CLASS" "FREE" Community type
schoolYearStart	number School year start
schoolYearEnd	number School year end
welcomeNote	string <= 400 characters Welcome note
discussionEnabled required	boolean Default: true Enable discussion features
secretCode	string Secret code to join the community
invitations >	object Initial invitations to send

Responses

> 201 Community created successfully

POST /api/communities



Request samples

Payload

Content type

application/json

Copy Expand all Collapse all

```
{
  "image": "string",
  "title": "Math Class 2025",
  "type": "CLASS",
  "schoolYearStart": 2025,
  "schoolYearEnd": 2026,
  "welcomeNote": "Welcome to our math community!",
  "discussionEnabled": true,
  "secretCode": "MATH2025",
  "invitations": {
    + "userIds": [ ... ]
  }
}
```

Response samples

201

Content type

application/json

Copy Expand all Collapse all

```
{
  "id": 0,
  "image": "string",
  "title": "string",
  "creationDate": "2019-08-24T14:15:22Z",
  "updateDate": "2019-08-24T14:15:22Z",
  "type": "CLASS",
}
```

```

    "schoolYearStart": 0,
    "schoolYearEnd": 0,
    "welcomeNote": "string",
    "discussionEnabled": true,
    "archivedDate": "2019-08-24T14:15:22Z",
    - "creator": {
        "id": 0,
        "displayName": "string"
    },
    - "modifier": {
        "id": 0,
        "displayName": "string"
    },
    - "archiver": {
        "id": 0,
        "displayName": "string"
    },
    - "stats": {
        "totalMembers": 0,
        "acceptedMembers": 0,
        "totalAdmins": 0,
        "acceptedAdmins": 0
    },
    "getSecretCode": { }
}

```

Get a community by ID

PATH PARAMETERS

→ id	number
required	Community ID

QUERY PARAMETERS

→ fields	string
	Comma-separated field list

Responses

GET /api/communities/{id}



Response samples

200

Content type

application/json

Copy Expand all Collapse all

```
{
  "id": 0,
  "image": "string",
  "title": "string",
  "creationDate": "2019-08-24T14:15:22Z",
  "updateDate": "2019-08-24T14:15:22Z",
  "type": "CLASS",
  "schoolYearStart": 0,
  "schoolYearEnd": 0,
  "welcomeNote": "string",
  "discussionEnabled": true,
  "archivedDate": "2019-08-24T14:15:22Z",
  - "creator": {
    "id": 0,
    "displayName": "string"
  },
  - "modifier": {
    "id": 0,
    "displayName": "string"
  },
  - "archiver": {
    "id": 0,
    "displayName": "string"
  },
  - "stats": {
    "totalMembers": 0,
    "acceptedMembers": 0,
    "totalAdmins": 0,
    "acceptedAdmins": 0
  },
}
```

```
"getSecretCode": { }  
}
```

Update a community

PATH PARAMETERS

id	number
required	Community ID

REQUEST BODY SCHEMA:	application/json
required	

image	string	Community illustration image
title	string	<= 80 characters
required		Community title
type	string	
required		Enum: "CLASS" "FREE"
		Community type
schoolYearStart	number	School year start
schoolYearEnd	number	School year end
welcomeNote	string	<= 400 characters
		Welcome note
discussionEnabled	boolean	
required		Default: true
		Enable discussion features
secretCode	string	Secret code to join the community

Responses

PATCH /api/communities/{id}



Request samples

Payload

Content type

application/json

Copy

```
{
  "image": "string",
  "title": "Math Class 2025",
  "type": "CLASS",
  "schoolYearStart": 2025,
  "schoolYearEnd": 2026,
  "welcomeNote": "Welcome to our math community!",
  "discussionEnabled": true,
  "secretCode": "MATH2025"
}
```

Response samples

200

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "id": 0,
  "image": "string",
  "title": "string",
  "creationDate": "2019-08-24T14:15:22Z",
  "updateDate": "2019-08-24T14:15:22Z",
  "type": "CLASS",
  "schoolYearStart": 0,
  "schoolYearEnd": 0,
  "welcomeNote": "string",
}
```

```

    "discussionEnabled": true,
    "archivedDate": "2019-08-24T14:15:22Z",
  - "creator": {
      "id": 0,
      "displayName": "string"
    },
  - "modifier": {
      "id": 0,
      "displayName": "string"
    },
  - "archiver": {
      "id": 0,
      "displayName": "string"
    },
  - "stats": {
      "totalMembers": 0,
      "acceptedMembers": 0,
      "totalAdmins": 0,
      "acceptedAdmins": 0
    },
    "getSecretCode": { }
  }

```

Delete a community

PATH PARAMETERS

↪ id required	number Community ID
------------------	------------------------

Responses

— 204 Community deleted

DELETE /api/communities/{id}



Get community secret code

PATH PARAMETERS

→ id	number
required	Community ID

Responses

> 200 Secret code retrieved (only for admins)

GET /api/communities/{id}/secret-code



Response samples

200

Content type
application/json

Copy

```
{
  "id": 0,
  "secretCode": "string"
}
```

Update welcome note

 id	number
required	Community ID

Responses

> 200 Welcome note updated

PATCH /api/communities/{id}/welcome-note

Response samples

200

Content type

application/json

Copy Expand all Collapse all

```
{
  "id": 0,
  "image": "string",
  "title": "string",
  "creationDate": "2019-08-24T14:15:22Z",
  "updateDate": "2019-08-24T14:15:22Z",
  "type": "CLASS",
  "schoolYearStart": 0,
  "schoolYearEnd": 0,
  "welcomeNote": "string",
  "discussionEnabled": true,
  "archivedDate": "2019-08-24T14:15:22Z",
  - "creator": {
    "id": 0,
    "displayName": "string"
  },
  - "modifier": {
    "id": 0,
    "displayName": "string"
  },
}
```

```
- "archiver": {
  "id": 0,
  "displayName": "string"
},
- "stats": {
  "totalMembers": 0,
  "acceptedMembers": 0,
  "totalAdmins": 0,
  "acceptedAdmins": 0
},
"getSecretCode": { }
```

Get community statistics

PATH PARAMETERS

id	number
required	Community ID

Responses

> 200 Community statistics

GET /api/communities/{id}/stats

Response samples

200

Content type

application/json

Copy

```
{
  "totalMembers": 0,
```

```
"acceptedMembers": 0,  
"totalAdmins": 0,  
"acceptedAdmins": 0  
}
```

Discussionss

Count discussions added after a specific date

PATH PARAMETERS

→ communityId required	number Community ID
---------------------------	------------------------

QUERY PARAMETERS

→ addedAfterDate required	string <date-time>
------------------------------	--------------------

Responses

> **200** Number of discussions

GET /api/communities/{communityId}/discussions/count

Response samples

200

Content type
application/json

Copy

```
{
  "count": 0
}
```

Count messages posted after a specific date

PATH PARAMETERS

→ `communityId` number
required Community ID

QUERY PARAMETERS

→ `postedAfterDate` string <date-time>
required

Responses

> **200** Number of messages

GET /api/communities/{communityId}/discussions/messages/count

Response samples

200

Content type
application/json

Copy

```
{
  "count": 0
}
```

Folders

List folders in a community

PATH PARAMETERS

communityId	number
required	Community ID

QUERY PARAMETERS

page	number
	Default: 0
	Page number (zero-indexed)
size	number
	Default: 20
	Number of items per page
name	string
	Example: name=Documents
	Filter by folder name (partial match)
parentId	number
	Example: parentId=123
	Filter by parent folder ID
rootOnly	boolean
	Default: false
	Get only root folders

Responses

> 200 List of folders with pagination

GET /api/communities/{communityId}/folders

Response samples

200

Content type

application/json

Copy Expand all Collapse all

```
[
  - {
    "id": 0,
    "name": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "modificationDate": "2019-08-24T14:15:22Z",
    "isRoot": true,
    + "creator": { ... },
    + "modifier": { ... },
    "parentId": 0,
    "communityId": 0,
    + "stats": { ... }
  }
]
```

Create a folder in a community

PATH PARAMETERS

communityId
required
number
Community ID

REQUEST BODY SCHEMA: application/json
required

name
required
string <= 255 characters
Folder name

parentId
number
Parent folder ID (null if root folder)

isRoot

boolean

Default: `false`

Whether this is a root folder

Responses

> 201 Folder created successfully

POST /api/communities/{communityId}/folders

Request samples

Payload

Content type

application/json

Copy

```
{
  "name": "Documents",
  "parentId": 123,
  "isRoot": false
}
```

Response samples

201

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "id": 0,
  "name": "string",
  "creationDate": "2019-08-24T14:15:22Z",
  "modificationDate": "2019-08-24T14:15:22Z",
  "isRoot": true,
}
```

```
- "creator": {
  "id": 0,
  "displayName": "string"
},
- "modifier": {
  "id": 0,
  "displayName": "string"
},
  "parentId": 0,
  "communityId": 0,
- "stats": {
  "childCount": 0
}
}
```

Get root folders for a community

PATH PARAMETERS

communityId	number
required	Community ID

Responses

> 200 List of root folders

GET /api/communities/{communityId}/folders/roots

Response samples

200

Content type
application/json

Copy Expand all Collapse all


```
[
  - {
    "id": 0,
    "name": "string",
    "creationDate": "2019-08-24T14:15:22Z",
    "modificationDate": "2019-08-24T14:15:22Z",
    "isRoot": true,
    + "creator": { ... },
    + "modifier": { ... },
    "parentId": 0,
    "communityId": 0,
    + "stats": { ... }
  }
]
```

Get folder details

PATH PARAMETERS

┌	communityId	number
	required	Community ID
<hr/>		
└	id	number
	required	Folder ID
<hr/>		

Responses

> 200 Folder details

GET /api/communities/{communityId}/folders/{id} ▼

Response samples

200

Content type


application/json

Copy Expand all Collapse all

```
{
  "id": 0,
  "name": "string",
  "creationDate": "2019-08-24T14:15:22Z",
  "modificationDate": "2019-08-24T14:15:22Z",
  "isRoot": true,
  - "creator": {
    "id": 0,
    "displayName": "string"
  },
  - "modifier": {
    "id": 0,
    "displayName": "string"
  },
  "parentId": 0,
  "communityId": 0,
  - "stats": {
    "childCount": 0
  },
  - "subFolders": [
    + { ... }
  ],
  - "resources": [
    + { ... }
  ]
}
```

Update a folder

PATH PARAMETERS

	communityId required	number Community ID
	id required	number Folder ID

REQUEST BODY SCHEMA: application/json

required

└─	name	string	<= 255 characters
	required	Folder name	
└─	parentId	number	
		Parent folder ID (null if root folder)	

Responses

> 200 Folder updated

PATCH /api/communities/{communityId}/folders/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "Documents",
  "parentId": 123
}
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
  "id": 0,
  "name": "string",
  "creationDate": "2019-08-24T14:15:22Z",
  "modificationDate": "2019-08-24T14:15:22Z",
}
```

```
    "isRoot": true,
  - "creator": {
      "id": 0,
      "displayName": "string"
    },
  - "modifier": {
      "id": 0,
      "displayName": "string"
    },
    "parentId": 0,
    "communityId": 0,
  - "stats": {
      "childCount": 0
    }
}
```

Delete a folder

PATH PARAMETERS

└─	communityId required	number Community ID
	id required	number Folder ID

Responses

— 204 Folder deleted

DELETE /api/communities/{communityId}/folders/{id}



Invitations

List invitations

QUERY PARAMETERS

page	number Default: 0 Page number (zero-indexed)
size	number Default: 20 Number of items per page
communityId	number Community ID
userId	string User ID
status	string Enum: "PENDING" "ACCEPTED" "REJECTED" Filter by status
sentAfter	string <date-time> Filter invitations sent after this date

Responses

> 200 List of invitations with pagination

GET /api/invitations

Response samples

200

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "fields": "id,title,type",
  - "invitations": [
    + { ... }
  ],
  "total": 0
}
```

Create invitations

REQUEST BODY SCHEMA: application/json

required

communityId required	number Community ID
userIds required	Array of strings List of user IDs to invite
message	string Optional message to include with invitation

Responses

> 201 Invitations created successfully

POST /api/invitations



Request samples

Payload

Content type

application/json

Copy Expand all Collapse all

```
{
  "communityId": 1,
  - "userIds": [
    "b9ea566a-c3d4-41ef-9806-65d6beb3bddb",
    "b9ea566a-c3d4-41ef-9806-65d6beb3bddc"
  ],
  "message": "string"
}
```

Response samples

201

Content type

application/json

Copy Expand all Collapse all

```
[
  - {
    "id": 0,
    "invitationDate": "2019-08-24T14:15:22Z",
    "status": "PENDING",
    + "community": { ... },
    + "sentBy": { ... }
  }
]
```

Accept or reject an invitation

PATH PARAMETERS

→ id number
 required Invitation ID

REQUEST BODY SCHEMA: application/json
required

└ status string

required

Enum: "PENDING" "ACCEPTED" "REJECTED"

New status for the invitation

deleteSharedResources boolean

Default: false

Whether to delete shared resources when rejecting invitation

Responses

> 200 Invitation status updated

PUT /api/invitations/{id}/status

Request samples

Payload

Content type

application/json

Copy

```
{
  "status": "ACCEPTED",
  "deleteSharedResources": false
}
```

Response samples

200

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "id": 0,
  "invitationDate": "2019-08-24T14:15:22Z",
  "status": "PENDING",
}
```



```
- "community": {
  "id": 0,
  "title": "string"
},
- "sentBy": {
  "id": 0,
  "displayName": "string"
}
}
```

Count invitations sent after a specific date

QUERY PARAMETERS

communityId	number Community ID
sentAfter required	string <date-time> Date to count invitations sent after (ISO format)

Responses

> 200 Invitation count

GET /api/invitations/count

Response samples

200

Content type

application/json

Copy

```
{
  "count": 0
}
```

```
}
```

Get invitation statistics

QUERY PARAMETERS

communityId	number
	Community ID

Responses

> 200 Invitation statistics

GET /api/invitations/stats

Response samples

200

Content type

application/json


Copy

```
{
  "total": 0,
  "accepted": 0,
  "pending": 0,
  "rejected": 0
}
```



Memberships

List members of a community

PATH PARAMETERS

 <code>communityId</code> required	number Community ID
---	------------------------

QUERY PARAMETERS

 <code>page</code>	number Default: <input type="text" value="0"/> Page number (zero-indexed)
 <code>size</code>	number Default: <input type="text" value="20"/> Number of items per page

Responses

> **200** List of members with pagination

GET `/api/communities/{communityId}/members`

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
  "fields": "id,title,type",
  - "invitations": [
    + { ... }
  ],
  "total": 0
}
```

Add a member to a community

PATH PARAMETERS

→ **communityId** number
required Community ID

REQUEST BODY SCHEMA: application/json
required

┌ **userId** string
 required User ID

└ **role** string
 required Default: "MEMBER"
 Enum: "ADMIN" "MEMBER"
 Role in the community

Responses

> **201** Member added successfully

POST /api/communities/{communityId}/members ▾

Request samples

Payload

Content type

application/json

Copy

```
{
  "userId": 1,
  "role": "ADMIN"
}
```

Response samples

201

Content type

application/json

Copy Expand all Collapse all

```
{
  "id": 0,
  "joinDate": "2019-08-24T14:15:22Z",
  "role": "ADMIN",
  "lastVisitAnnouncementsDate": "2019-08-24T14:15:22Z",
  "lastVisitResourcesDate": "2019-08-24T14:15:22Z",
  "lastVisitWikiDate": "2019-08-24T14:15:22Z",
  "lastVisitDiscussionsDate": "2019-08-24T14:15:22Z",
  - "community": {
    "id": 0,
    "title": "string"
  },
  - "user": {
    "id": 0,
    "displayName": "string"
  },
  - "inviter": {
    "id": 0,
    "displayName": "string"
  }
}
```

Add multiple members to a community

PATH PARAMETERS

→ <code>communityId</code> <code>required</code>	number Community ID
---	------------------------

REQUEST BODY SCHEMA: `application/json`
`required`

→ <code>members</code> > <code>required</code>	Array of objects (CreateMembershipDto) List of members to add to the community
---	---

Responses

> **201** Members added successfully

POST `/api/communities/{communityId}/members/batch`

Request samples

Payload

Content type
`application/json`

Copy Expand all Collapse all

```
{
  - "members": [
    + { ... }
  ]
}
```

Response samples

201

Content type
`application/json`

Copy Expand all Collapse all

```
[
  - {
    "id": 0,
    "joinDate": "2019-08-24T14:15:22Z",
    "role": "ADMIN",
    "lastVisitAnnouncementsDate": "2019-08-24T14:15:22Z",
    "lastVisitResourcesDate": "2019-08-24T14:15:22Z",
    "lastVisitWikiDate": "2019-08-24T14:15:22Z",
    "lastVisitDiscussionsDate": "2019-08-24T14:15:22Z",
    + "community": { ... },
    + "user": { ... },
    + "inviter": { ... }
  }
]
```

Join a community using secret code

Creates a membership in the community using the secret code

REQUEST BODY SCHEMA: application/json

required

<div>secretCode</div> <div>required</div>	<div>string</div> <div>Secret code to join the community</div>
---	--

Responses

> 201 Joined community successfully

POST /api/communities/join

Request samples

Payload

Content type

application/json

Copy

```
{
  "secretCode": "string"
}
```

Response samples

201

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "id": 0,
  "joinDate": "2019-08-24T14:15:22Z",
  "role": "ADMIN",
  "lastVisitAnnouncementsDate": "2019-08-24T14:15:22Z",
  "lastVisitResourcesDate": "2019-08-24T14:15:22Z",
  "lastVisitWikiDate": "2019-08-24T14:15:22Z",
  "lastVisitDiscussionsDate": "2019-08-24T14:15:22Z",
  - "community": {
    "id": 0,
    "title": "string"
  },
  - "user": {
    "id": 0,
    "displayName": "string"
  },
  - "inviter": {
    "id": 0,
    "displayName": "string"
  }
}
```

Update a member role

PATH PARAMETERS

└─	communityId required	number Community ID
	userId required	number User ID
REQUEST BODY SCHEMA: application/json required		
└─	role	string Enum: "ADMIN" "MEMBER" Role in the community

Responses

> 200 Member updated successfully

PATCH /api/communities/{communityId}/members/{userId} ▾

Request samples

Payload

Content type
application/json

Copy

```
{  
  "role": "ADMIN"  
}
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```

{
  "id": 0,
  "joinDate": "2019-08-24T14:15:22Z",
  "role": "ADMIN",
  "lastVisitAnnouncementsDate": "2019-08-24T14:15:22Z",
  "lastVisitResourcesDate": "2019-08-24T14:15:22Z",
  "lastVisitWikiDate": "2019-08-24T14:15:22Z",
  "lastVisitDiscussionsDate": "2019-08-24T14:15:22Z",
  - "community": {
    "id": 0,
    "title": "string"
  },
  - "user": {
    "id": 0,
    "displayName": "string"
  },
  - "inviter": {
    "id": 0,
    "displayName": "string"
  }
}

```

Remove a member from a community

PATH PARAMETERS

<div> <div></div> <div></div> </div>	communityId required	number Community ID
	userId required	number User ID

Responses

— 204 Member removed successfully

DELETE`/api/communities/{communityId}/members/{userId}`

Leave a community

Current user leaves the community

PATH PARAMETERS

— `communityId` number
required Community ID

REQUEST BODY SCHEMA: application/json
required

— `removeSharedResources` boolean
required Default: `false`
Whether to remove shared resources

Responses

— **204** Left community successfully

POST`/api/communities/{communityId}/leave`

Request samples

Payload

Content type
application/json

Copy

```
{  
  "removeSharedResources": false
```

```
}
```

Resources

List resources for a community

PATH PARAMETERS

communityId
required
number
Community ID

QUERY PARAMETERS

page
number
Default: 0
Page number (zero-indexed)

size
number
Default: 20
Number of items per page

type
string
Enum: "IMAGE" "VIDEO" "SOUND" "ENT" "EXTERNAL_LINK"
Filter by resource type

addedAfter
string <date-time>
Filter resources added after this date

Responses

> 200 List of resources with pagination

GET /api/communities/{communityId}/resources



Response samples

200

Content type

application/json

Copy Expand all Collapse all

```
[
  - {
    "id": 0,
    "type": "IMAGE",
    "url": "string",
    "title": "string",
    "addedDate": "2019-08-24T14:15:22Z",
    "openInNewTab": true,
    "appName": "string",
    + "author": { ... },
    "communityId": 0,
    + "folderIds": [ ... ]
  }
]
```

Add a resource to a community

PATH PARAMETERS

communityId
required
number
Community ID

REQUEST BODY SCHEMA: application/json
required

type required	string Enum: "IMAGE" "VIDEO" "SOUND" "ENT" "EXTERNAL_LINK" Resource type
url required	string Resource URL
title required	string Resource title

openInNewTab	boolean Default: <code>true</code> Whether to open in new tab (for links)
appName	string Application name (for ENT resources)
folderIds	Array of numbers Folder IDs to add this resource to

Responses

> **201** Resource created successfully

POST /api/communities/{communityId}/resources

Request samples

Payload

Content type

application/json

Copy Expand all Collapse all

```
{
  "type": "EXTERNAL_LINK",
  "url": "https://example.com/resource",
  "title": "Interesting Article",
  "openInNewTab": true,
  "appName": "string",
  - "folderIds": [
    0
  ]
}
```

Response samples

201

Content type

application/json

Copy Expand all Collapse all

```
{
  "id": 0,
  "type": "IMAGE",
  "url": "string",
  "title": "string",
  "addedDate": "2019-08-24T14:15:22Z",
  "openInNewTab": true,
  "appName": "string",
  - "author": {
    "id": 0,
    "displayName": "string"
  },
  "communityId": 0,
  - "folderIds": [
    0
  ]
}
```

Count resources added after a specific date

PATH PARAMETERS

→ communityId required	number Community ID
---------------------------	------------------------

QUERY PARAMETERS

→ addedAfter	string <date-time> Count resources added after this date
--------------	---

Responses

> 200 Number of resources added after the specified date

GET /api/communities/{communityId}/resources/count



Response samples

200

Content type
application/json

Copy

```
{
  "count": 0
}
```

Get a resource by ID

PATH PARAMETERS

communityId	number
required	Community ID
id	number
required	Resource ID

Responses

> 200 Resource found

GET /api/communities/{communityId}/resources/{id}



Response samples

200

Content type

application/json

Copy Expand all Collapse all

```
{
  "id": 0,
  "type": "IMAGE",
  "url": "string",
  "title": "string",
  "addedDate": "2019-08-24T14:15:22Z",
  "openInNewTab": true,
  "appName": "string",
  - "author": {
    "id": 0,
    "displayName": "string"
  },
  "communityId": 0,
  - "folderIds": [
    0
  ]
}
```

Remove a resource from a community

PATH PARAMETERS

└─	communityId required	number Community ID
	id required	number Resource ID

Responses

— 204 Resource removed

DELETE`/api/communities/{communityId}/resources/{id}`

Add a resource to a folder

PATH PARAMETERS

<div>communityId</div> <div>required</div>	number Community ID
<div>id</div> <div>required</div>	number Resource ID
<div>folderId</div> <div>required</div>	number Folder ID

Responses

— 204 Resource added to folder

POST`/api/communities/{communityId}/resources/{id}/folders/{folderId}`

Remove a resource from a folder

PATH PARAMETERS

<div>communityId</div> <div>required</div>	number Community ID
<div>id</div> <div>required</div>	number Resource ID

<div>└─ folderId required</div>	<div>number Folder ID</div>
-------------------------------------	---------------------------------

Responses

— 204 Resource removed from folder

DELETE /api/communities/{communityId}/resources/{id}/folders/{folderId} ▼

Wikis

Count wiki pages modified after a specific date

PATH PARAMETERS

<div>└─ communityId required</div>	<div>number Community ID</div>
--	------------------------------------

QUERY PARAMETERS

<div>└─ publishedAfter required</div>	<div>string <date-time></div>
<div>└─ afterDate</div>	<div>any Count wiki pages modified after this date</div>

Responses

> 200 Number of pages modified after the specified date

GET /api/communities/{communityId}/wikis/count



Response samples

200

Content type
application/json

Copy

```
{  
  "count": 0  
}
```