Defaults And Quick Rules

The message board is defined by one top-level JSON document that allows us to style this coherently. Through this, we can make as many custom tabs containing information as we want. Each tab contains 'blocks', which render unique UI element such as a heading, paragraph, list, button row, divider, spacer, or collapsible section. This doc aims to guide you how to put these together.

Examples of these behaviors are shown in the tab sections below. Each one includes the in-game screenshot and the JSON used to generate it.

Tips to note:

- Headings default to the info-blue accent if no tone is supplied.
- Standard paragraph body text uses the built-in light secondary text color.
- List titles, rule titles, and button row titles default to white unless titleTone is supplied.
- Paragraphs can use tone directly, and textTone overrides the paragraph text color.
- buttonRow buttons inherit the row tone unless a specific button supplies its own tone.
- buttonRow does not use textTone for the buttons themselves.
- Nested blocks inside a collapsible section keep their own tones.
- divider and spacer ignore tone fields.


Top-Level Document Template

This top-level object controls the message board as a whole. It sets whether the board is enabled, how it opens, the shared title and footer text, and which tabs are included underneath it.

Document Root

```
{
  "schemaVersion": 1,
  "enabled": true,
  "showOnJoin": true,
  "openDelayMs": 750,
  "title": "OPL Companion Message Board Example",
  "subtitle": "Every supported block type with current tone options",
  "footerNote": "Press F12 to reopen. Copy only what you want into
  MessageBoard/board.json.",
  "tabs": [
    "..."
  ]
}
```

Overview Tab



Overview Highlights

- This is an example of the base panel layout and default text behavior.
- Shown are uses of paragraph tone, textTone, announcementBox, dividers, and spacers.
- Includes the default-color note that is useful to know when making new boards.


Overview segment from Example.json

```
{
  "id": "overview",
  "label": "Overview",
  "blocks": [
    {
      "type": "heading",
      "text": "Welcome to the all-elements example"
    },
    {
      "type": "paragraph",
      "text": "Defaults: headings are blue if no tone is set. Standard body text
      uses the built-in light text. List and button titles default to white."
    },
    {
      "type": "paragraph",
      "tone": "success",
      "text": "This paragraph uses tone."
    },
    {
      "type": "announcementBox",
      "tone": "info",
      "titleTone": "warning",
      "textTone": "neutral",
      "title": "Box With Overrides",
      "text": "tone sets the card. titleTone and textTone override the text
      colors."
```

Overview segment from Example.json (cont.)

```
    },
    {
      "type": "divider"
    },
    {
      "type": "paragraph",
      "textTone": "warning",
      "text": "This paragraph uses textTone instead of tone."
    },
    {
      "type": "spacer",
      "height": 18
    },
    {
      "type": "paragraph",
      "text": "Spacer added the gap above. Divider and spacer ignore tone fields."
    }
  ]
}
```

Tones Tab



Tones Highlights

- These are the five named tones as well as full announcement boxes.
- The hex-tone example is in case we want custom accents for any reason.


Tones segment from Example.json

```
{
  "id": "tones",
  "label": "Tones",
  "blocks": [
    {
      "type": "heading",
      "text": "Named tones and hex colors",
      "tone": "info"
    },
    {
      "type": "announcementBox",
      "tone": "info",
      "title": "Info",
      "text": "Use info for general notes, updates, or standard guidance."
    },
    {
      "type": "announcementBox",
      "tone": "success",
      "title": "Success",
      "text": "Use success for confirmations and positive notices."
    },
    {
      "type": "announcementBox",
      "tone": "warning",
      "title": "Warning",
      "text": "Use warning for restrictions or maintenance notes."
    },
```

Tones segment from Example.json (cont.)

```
    {
      "type": "announcementBox",
      "tone": "error",
      "title": "Error",
      "text": "Use error for urgent problems or outages."
    },
    {
      "type": "announcementBox",
      "tone": "neutral",
      "title": "Neutral",
      "text": "Use neutral for side notes or lower-priority context."
    },
    {
      "type": "announcementBox",
      "tone": "#7C9CFF",
      "titleTone": "warning",
      "title": "Hex Color Example",
      "text": "Hex colors work anywhere tone is supported."
    }
  ]
}
```

Lists Tab



Lists Highlights

- This displays examples of bulletLists with tone, titleTone, and textTone overrides.
- Also shows a ruleList using the normal defaults for comparison.


Lists segment from Example.json

```
{
  "id": "lists",
  "label": "Lists",
  "blocks": [
    {
      "type": "heading",
      "text": "List-based content",
      "tone": "info"
    },
    {
      "type": "paragraph",
      "text": "The checklist below uses overrides. The rules block below it uses
      the normal defaults."
    },
    {
      "type": "paragraph",
      "tone": "info",
      "text": "This paragraph shows tone."
    },
    {
      "type": "paragraph",
      "textTone": "warning",
      "text": "This paragraph shows textTone."
    },
    {
      "type": "bulletList",
      "title": "Checklist",
```

Lists segment from Example.json (cont.)

```
      "tone": "success",
      "titleTone": "info",
      "textTone": "warning",
      "items": [
        "tone colors the bullet markers.",
        "titleTone can override the list title.",
        "textTone can override the item text."
      ]
    },
    {
      "type": "divider"
    },
    {
      "type": "ruleList",
      "title": "Rules Using Defaults",
      "ruleItems": [
        {
          "title": "Respect",
          "text": "Treat players and admins well."
        },
        {
          "title": "Sportsmanship",
          "text": "Do not grief or disrupt sessions."
        },
        {
          "title": "Competitive Integrity",
          "text": "No cheats or unfair exploits."
        }
      ]
    }
  ]
}
```

Links Tab



Links Highlights

- This displays examples of a buttonRow using a row tone plus per-button tone overrides.
- Highlights that buttonRow uses titleTone, but not textTone.


Links segment from Example.json

```
{
  "id": "links",
  "label": "Links",
  "blocks": [
    {
      "type": "heading",
      "text": "Action buttons",
      "tone": "neutral"
    },
    {
      "type": "paragraph",
      "text": "Defaults: row titles are white unless titleTone is set. Buttons
      inherit the row tone unless a button sets its own tone."
    },
    {
      "type": "paragraph",
      "tone": "info",
      "text": "This paragraph shows tone."
    },
    {
      "type": "paragraph",
      "textTone": "warning",
      "text": "This paragraph shows textTone."
    },
    {
      "type": "buttonRow",
      "title": "Community Links",
```

Links segment from Example.json (cont.)

```
      "tone": "info",
      "titleTone": "neutral",
      "buttons": [
        {
          "label": "Discord",
          "url": "https://example.com/discord"
        },
        {
          "label": "Rules",
          "url": "https://example.com/rules",
          "tone": "warning"
        },
        {
          "label": "Stats",
          "url": "https://example.com/stats",
          "tone": "success"
        },
        {
          "label": "Schedule",
          "url": "https://example.com/schedule"
        }
      ]
    },
    {
      "type": "announcementBox",
      "tone": "neutral",
      "titleTone": "info",
      "textTone": "neutral",
      "title": "Link Styling Notes",
      "text": "buttonRow uses row tone, titleTone, and per-button tones. It does
      not use textTone."
    }
  ]
}
```

Sections Tab



Sections Highlights

- Shows collapsible section headers, nested blocks, and an empty section example.
- Shows that nested blocks keep their own tones instead of inheriting the parent tone.

Sections segment from Example.json

```
{
  "id": "sections",
  "label": "Sections",
  "blocks": [
    {
      "type": "heading",
      "text": "Collapsible sections",
      "tone": "info"
    },
    {
      "type": "paragraph",
      "text": "Sections can contain any supported child blocks."
    },
    {
      "type": "collapsibleSection",
      "title": "Expanded Example",
      "tone": "info",
      "titleTone": "warning",
      "defaultExpanded": true,
      "blocks": [
        {
          "type": "paragraph",
          "tone": "success",
          "text": "Nested blocks use their own tones. Parent tones do not
          cascade."
        },
        {
```

Sections segment from Example.json (cont.)


```
          "type": "bulletList",
          "title": "Nested Checklist",
          "tone": "warning",
          "textTone": "neutral",
          "items": [
            "Nested bullet lists work normally.",
            "Nested dividers and spacers also work.",
            "Great for FAQs or setup notes."
          ]
        },
        {
          "type": "divider"
        },
        {
          "type": "announcementBox",
          "tone": "success",
          "titleTone": "info",
          "textTone": "neutral",
          "title": "Nested Callout",
          "text": "Nested announcement boxes keep their own styling."
        },
        {
          "type": "buttonRow",
          "title": "Nested Buttons",
          "tone": "warning",
          "buttons": [
            {
              "label": "Register",
              "url": "https://example.com/register",
              "tone": "success"
            },
            {
              "label": "Appeal",
              "url": "https://example.com/appeal",
              "tone": "error"
            }
          ]
        }
      ]
    },
    {
      "type": "collapsibleSection",
      "title": "Empty Section Example",
      "tone": "error",
      "titleTone": "warning",
      "textTone": "neutral",
      "defaultExpanded": true,
      "blocks": []
    }
  ]
}
```

Full Example Document

This is the complete example JSON in one place, using the same content shown across the tab sections above.

Full Example.json


```
{
  "schemaVersion": 1,
  "enabled": true,
  "showOnJoin": true,
  "openDelayMs": 750,
  "title": "OPL Companion Message Board Example",
  "subtitle": "Every supported block type with current tone options",
  "footerNote": "Press F12 to reopen. Copy only what you want into
  MessageBoard/board.json.",
  "tabs": [
    {
      "id": "overview",
      "label": "Overview",
      "blocks": [
        {
          "type": "heading",
          "text": "Welcome to the all-elements example"
        },
        {
          "type": "paragraph",
          "text": "Defaults: headings are blue if no tone is set. Standard body
          text uses the built-in light text. List and button titles default to
          white."
        },
        {
          "type": "paragraph",
          "tone": "success",
          "text": "This paragraph uses tone."
        },
        {
          "type": "announcementBox",
          "tone": "info",
          "titleTone": "warning",
          "textTone": "neutral",
          "title": "Box With Overrides",
          "text": "tone sets the card. titleTone and textTone override the text
          colors."
        },
        {
          "type": "divider"
        },
        {
          "type": "paragraph",
          "textTone": "warning",
          "text": "This paragraph uses textTone instead of tone."
        },
        {
          "type": "spacer",
          "height": 18
        },
        {
          "type": "paragraph",
          "text": "Spacer added the gap above. Divider and spacer ignore tone
          fields."
        }
      ]
    },
    {
      "id": "tones",
      "label": "Tones",
      "blocks": [
        {
          "type": "heading",
          "text": "Named tones and hex colors",
```

Full Example.json (cont.)

```
        "tone": "info"
      },
      {
        "type": "announcementBox",
        "tone": "info",
        "title": "Info",
        "text": "Use info for general notes, updates, or standard guidance."
      },
      {
        "type": "announcementBox",
        "tone": "success",
        "title": "Success",
        "text": "Use success for confirmations and positive notices."
      },
      {
        "type": "announcementBox",
        "tone": "warning",
        "title": "Warning",
        "text": "Use warning for restrictions or maintenance notes."
      },
      {
        "type": "announcementBox",
        "tone": "error",
        "title": "Error",
        "text": "Use error for urgent problems or outages."
      },
      {
        "type": "announcementBox",
        "tone": "neutral",
        "title": "Neutral",
        "text": "Use neutral for side notes or lower-priority context."
      },
      {
        "type": "announcementBox",
        "tone": "#7C9CFF",
        "titleTone": "warning",
        "title": "Hex Color Example",
        "text": "Hex colors work anywhere tone is supported."
      }
    ]
  },
  {
    "id": "lists",
    "label": "Lists",
    "blocks": [
      {
        "type": "heading",
        "text": "List-based content",
        "tone": "info"
      },
      {
        "type": "paragraph",
        "text": "The checklist below uses overrides. The rules block below it
        uses the normal defaults."
      },
      {
        "type": "paragraph",
        "tone": "info",
        "text": "This paragraph shows tone."
      },
      {
        "type": "paragraph",
        "textTone": "warning",
        "text": "This paragraph shows textTone."
      },
      {
        "type": "bulletList",
        "title": "Checklist",
        "tone": "success",
```

Full Example.json (cont.)


```
        "titleTone": "info",
        "textTone": "warning",
        "items": [
          "tone colors the bullet markers.",
          "titleTone can override the list title.",
          "textTone can override the item text."
        ]
      },
      {
        "type": "divider"
      },
      {
        "type": "ruleList",
        "title": "Rules Using Defaults",
        "ruleItems": [
          {
            "title": "Respect",
            "text": "Treat players and admins well."
          },
          {
            "title": "Sportsmanship",
            "text": "Do not grief or disrupt sessions."
          },
          {
            "title": "Competitive Integrity",
            "text": "No cheats or unfair exploits."
          }
        ]
      }
    ]
  },
  {
    "id": "links",
    "label": "Links",
    "blocks": [
      {
        "type": "heading",
        "text": "Action buttons",
        "tone": "neutral"
      },
      {
        "type": "paragraph",
        "text": "Defaults: row titles are white unless titleTone is set. Buttons
         inherit the row tone unless a button sets its own tone."
      },
      {
        "type": "paragraph",
        "tone": "info",
        "text": "This paragraph shows tone."
      },
      {
        "type": "paragraph",
        "textTone": "warning",
        "text": "This paragraph shows textTone."
      },
      {
        "type": "buttonRow",
        "title": "Community Links",
        "tone": "info",
        "titleTone": "neutral",
        "buttons": [
          {
            "label": "Discord",
            "url": "https://example.com/discord"
          },
          {
            "label": "Rules",
            "url": "https://example.com/rules",
            "tone": "warning"
```

Full Example.json (cont.)

```
          },
          {
            "label": "Stats",
            "url": "https://example.com/stats",
            "tone": "success"
          },
          {
            "label": "Schedule",
            "url": "https://example.com/schedule"
          }
        ]
      },
      {
        "type": "announcementBox",
        "tone": "neutral",
        "titleTone": "info",
        "textTone": "neutral",
        "title": "Link Styling Notes",
        "text": "buttonRow uses row tone, titleTone, and per-button tones. It
        does not use textTone."
      }
    ]
  },
  {
    "id": "sections",
    "label": "Sections",
    "blocks": [
      {
        "type": "heading",
        "text": "Collapsible sections",
        "tone": "info"
      },
      {
        "type": "paragraph",
        "text": "Sections can contain any supported child blocks."
      },
      {
        "type": "collapsibleSection",
        "title": "Expanded Example",
        "tone": "info",
        "titleTone": "warning",
        "defaultExpanded": true,
        "blocks": [
          {
            "type": "paragraph",
            "tone": "success",
            "text": "Nested blocks use their own tones. Parent tones do not
            cascade."
          },
          {
            "type": "bulletList",
            "title": "Nested Checklist",
            "tone": "warning",
            "textTone": "neutral",
            "items": [
              "Nested bullet lists work normally.",
              "Nested dividers and spacers also work.",
              "Great for FAQs or setup notes."
            ]
          },
          {
            "type": "divider"
          },
          {
            "type": "announcementBox",
            "tone": "success",
            "titleTone": "info",
            "textTone": "neutral",
            "title": "Nested Callout",
```

Full Example.json (cont.)

```
              "text": "Nested announcement boxes keep their own styling."
            },
            {
              "type": "buttonRow",
              "title": "Nested Buttons",
              "tone": "warning",
              "buttons": [
                {
                  "label": "Register",
                  "url": "https://example.com/register",
                  "tone": "success"
                },
                {
                  "label": "Appeal",
                  "url": "https://example.com/appeal",
                  "tone": "error"
                }
              ]
            }
          ]
        },
        {
          "type": "collapsibleSection",
          "title": "Empty Section Example",
          "tone": "error",
          "titleTone": "warning",
          "textTone": "neutral",
          "defaultExpanded": true,
          "blocks": []
        }
      ]
    }
  ]
}
```