

Formula Name LIDOCAINE/CARAFATE/MAALOX SUSP 1:1:1 SUSP

Initials AP **Quantity** 240 **MLS** **Schedule** 0 **Days to Exp** 14 **Date of Formula** 2/10/2021
Cost \$5.46 **Cost Per Unit** \$0.02 **AWP** \$0.00 **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
LIDOCAINE 2% VISC	LIQU	80.0000	MLS	☐	\$5.46		NONE
CARAFATE 1G/10ML SUSP	SUSP	80.0000	MLS	☐	\$0.00		SOLUBILITY:1:0.45 WATER(VS) , ALCOHOL(SL)
ANTACID LIQUID REGULAR STRENGTH	SUSP	0.0000	MLS	☒	\$0.00		SOLUBILITY:1:0.45 WATER(VS) , ALCOHOL(SL)

Therapy**Description**

Pinkish opaque suspension, medium viscosity, mint fragrance

Classification(s)

Nonpreserved Aqueous

Disease State(s)**Instructions****A. Calculations/Special Considerations:**

None

B. Equipment Required:

Weigh boats; beakers; graduated cylinder; homogenizer (prn); funnel; tape

C. Method of Preparation:

1. Calculate required amounts and fill out compounding log
2. Measure out ingredients
3. To measure lidocaine cut off bottle tops with box cutter. Use small spatula to scrape into an appropriate beaker
4. Combine Lidocaine Visc and Carafate in a beaker
5. QS to desired amount with Antacid+ in a graduated cylinder
6. Homogenize/shake until evenly dispersed
7. Pour into container
8. Have compound certified pharmacist perform final verification
9. Transfer back to amber bottle
10. Shake well until evenly dispersed
11. Label with RX label and "Shake well" "Refrigerate" auxilliary label
12. Tape Labels

D. Labeling:

Label with lot number and expiration barcode and ingredient(s) label.

Store in refrigerator auxillary sticker

Shake Well auxillary sticker

Add prepack label if compound lot made to stock for multiple Rx's

Add Rx auxillary label if compound lot made to order for a unique Rx

_____ (place label here) _____

E. Description of Finished Product:

Pinkish opaque suspension, medium viscosity, mint fragrance

F. Quality Control Procedures

Physical appearance of compound verified by compounding certified pharmacist

Volume of final product is within 5% of intended batch size

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

Pharmacist signature: _____

G. Packaging Container:

Bulk store in UV protective amber bottle

Dispense in UV protective amber bottle with volume graduations

H. Storage Requirements

Store refrigerated (36° - 46 °F)

Maximum BUD - 14 days

I. Formula Source & BUD Testing:

Formulation - OPPC

BUD - USP 795

Appropriate References Should Be Consulted. Safety And Efficacy Of These Formulas Are The Responsibility Of The Compounding Pharmacist
--