

Formula Name LIDOCAINE/NYSTATIN/DIPHENHYDRAMINE/MAALOX SUSP 1:1:1:1 SUSP

Initials AP **Quantity** 200 **MLS** **Schedule** 0 **Days to Exp** 14 **Date of Formula** 2/10/2021
Cost \$4.62 **Cost Per Unit** \$0.02 **AWP** \$0.00 **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
DIPHENHYDRAMINE HCL 12.5MG/5ML ORAL SOLUTION	SOLN	50.0000	MLS	☐	\$0.60		NONE
LIDOCAINE 2% VISC	LIQU	50.0000	MLS	☐	\$3.41		NONE
ANTACID LIQUID REGULAR STRENGTH	SUSP	50.0000	MLS	☒	\$0.61		SOLUBILITY:1:0.45 WATER(VS) , ALCOHOL(SL)
NYSTATIN ORAL 100,000 U/ML SUSPENSION	SUSP	50.0000	MLS	☐	\$0.00		NONE

Therapy**Description**

Pinkish-light red opaque suspension, medium viscosity, mint fragrance

Classification(s)

Nonpreserved Aqueous

Disease State(s)**Instructions****A. Calculations/Special Considerations:**

None

B. Equipment Required:

beakers; graduated cylinder; homogenizer (prn); funnel; tape; amber bottle

C. Method of Preparation:

1. Calculate required amounts and fill out compounding log
2. Measure out ingredients
3. To measure lidocaine cut off bottle tops with box cutter. Use small spatula to scrape into an appropriate beaker
4. Combine Diphenhydramine solution, Lidocaine, and Nystatin in a beaker
5. QS to desired amount with Antacid+ in graduated cylinder
6. Homogenize/shake until evenly dispersed
7. Pour into container
8. Have compound certified pharmacist perform final verification
9. Transfer back to amber bottle
10. Shake well until evenly dispersed
11. Label with RX label and "Shake well" "Refrigerate" "Compound Description" "BUD" auxiliary label
12. Tape labels

D. Labeling:

Label with lot number and expiration barcode and ingredient(s) label.

Store in refrigerator auxiliary sticker

Shake Well auxiliary sticker

Compound Description

BUD Label

Add prepack label if compound lot made to stock for multiple Rx's

Add Rx auxiliary label if compound lot made to order for a unique Rx

_____ (place label here) _____

E. Description of Finished Product:

Pinkish-light red opaque suspension, medium viscosity, mint fragrance

F. Quality Control Procedures:

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

Physical appearance of compound verified by compounding certified pharmacist
Volume of final product is within 5% of intended batch size

Pharmacist signature: _____

G. Packaging Container:

Bulk store in UV protective amber bottle

Dispense in UV protective amber bottle with volume graduations

H. Storage Requirements:

Store refrigerated (36° - 46 °F)

Maximum BUD - 14 days

I. Formula Source & BUD Testing:

USP 795