

Formula Name METHADONE SOL (INACTIVE) 20MG/ML SOLN

Initials AP **Quantity** 1000 **MLS** **Schedule** 2 **Days to Exp** 180 **Date of Formula** 2/11/2021
Cost \$30.20 **Cost Per Unit** \$0.03 **AWP** \$0.00 **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
DISTILLED WATER	LIQU	400.0000	MLS	☐	\$0.04		NONE
CITRIC ACID ANHYDROUS USP	PWD	1.0000	GMS	☐	\$0.07		SOLUBILITY: 1:0.5 WATER(VS) 1:2 ALCOHOL(FS)
SODIUM BENZOATE NF	PWD	1.0000	GMS	☐	\$0.02		SOLUBILITY: 1:2 WATER(FS), 1:75 ALCOHOL(SL)
SACCHARIN SODIUM USP	PWD	0.5000	GMS	☐	\$0.08		SOLUBILITY: WATER(S), ALCOHOL(SP)
PROPYLENE GLYCOL USP	LIQU	40.0000	MLS	☐	\$0.36		SOLUBILITY:N/A
METHADONE HCL USP	PWD	20.0000	GMS	☐	\$0.00		NONE
FLAVOR GRAPE CONC. COLORLES	LIQU	30.0000	MLS	☐	\$13.95		NONE
FLAVOR MARSHMALLOW ARTIFICIAL	SOLN	5.0000	MLS	☐	\$0.99		NONE
STEVIOSIDE 15% SOL	SOLN	15.0000	MLS	☐	\$3.25		NONE
FOOD COLOR BLUE LIQUID	SOLN	2.0000	GTTS	☐	\$7.43		NONE
FOOD COLOR RED LIQUID	SOLN	1.0000	GTTS	☐	\$4.00		NONE
SORBITOL 70% USP SOLUTION	SOLN	0.0000	MLS	☒	\$0.00		SOLUBILITY:1:0.45 WATER(VS) , ALCOHOL(SL)

Therapy**Description**

Clear light purple solution

Classification(s) Preserved Aqueous**Disease State(s)****Instructions****A. Calculations/Special Considerations:**

None

B. Equipment Required:

Weigh boats; beakers; graduated cylinders, scales; stir plate; stir bar; funnel; tape

C. Method of Preparation:

1. Calculate required amounts and fill out compounding and control usage logs
2. Measure ingredients
3. Add Distilled Water to beaker, place on a stir plate, and add a stir bar
4. Select spin setting that creates a turbulent vortex and add Citric Acid, Sodium Benzoate, and Sodium Saccharin in water, spin until dissolved
5. Add Methadone to water and let spin until dissolved
6. Add Propylene Glycol, Grape Concentrate (Colorless), Marshmallow, Stevioside, and food colorings, spin until solution is clear
7. Add Sorbitol until ~90% of final volume is reached
8. In a graduated cylinder QS with Sorbitol to final volume
9. Return solution to the beaker and spin until clear (NOT colorless), if mixture does not immediately go into solution may heat to 50°C
10. Have compound certified pharmacist perform final verification
11. Transfer contents to amber bottle
12. Label with lot number and expiration barcode
13. Tape Labels

D. Labeling:

Label with lot number and expiration barcode and ingredient(s) label.

Store in refrigerator auxiliary sticker

Add prepack label if compound lot made to stock for multiple Rx's

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

Add Rx auxillary label if compound lot made to order for a unique Rx

_____ (place label here) _____

E. Description of Finished Product:

Clear light purple solution

F. Quality Control Procedures:

Physical appearance of compound verified by compounding certified pharmacist

Volume of final product is within 5% of intended batch size

Pharmacist signature: _____

G. Packaging Container:

Bulk store in UV protective amber bottle

Dispense in UV protective amber bottle with volume graduations

H. Storage Requirements

Store refrigerated (36° - 46 °F)

Maximum BUD - 180 days

I. Formula Source & BUD Testing:

PCCA 2578

OPPC 02052016 1.1 SS