

Formula Name METRONIDAZOLE POWD UNGUATOR INACTIVE 5% PWD

Initials AP **Quantity** 450 GMS **Schedule** 0 **Days to Exp** 180 **Date of Formula** 10/31/2023
Cost \$11.42 **Cost Per Unit** \$0.03 **AWP** \$0.00 **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
TALC	PWD	427.5000	GMS	☐	\$6.16		NONE
METRONIDAZOLE USP	PWD	22.5000	GMS	☐	\$5.27		NONE

Therapy**Description**

Off-white colored powder, uniform consistency packaged in powder shaker canister

Classification(s)Nonaqueous**Disease State(s)****Instructions****A. Calculations/Special Considerations:**

Use of the 500mL jar requires the stir rod with an 80mm diameter blade and a 210mm length rod
Use of the 300mL jar requires the stir rod with an 80mm diameter blade and a 165mm length rod
Use of the 200mL jar requires the stir rod with a 57mm diameter blade and a 200mm length rod
Use of the 100mL jar requires the stir rod with a 57mm diameter blade and a 153.5mm length rod

B. Equipment Required:

Weigh boat; large spoon, mortar and pestle; rubber spatula; large plastic funnel, shaker and lid, unguator/mixer, unguator jar, unguator stir rod

C. Method of Preparation:

1. Calculate required amounts of each ingredient
2. Measure out ingredients, prepare large unguator jars by pulling back the spindle attachment. Remove spindle by turning counter-clockwise
3. Triturate metronidazole and talc
4. Add powders to appropriate sized unguator jar (typically 500ml)
5. Attach appropriate sized stir bar to lid.
6. Attach lid to mixing jar and expel additional air from jar and place lid on jar.
7. Connect rod to unguator with a clockwise quarter turn, then attach jar to oscillator arm with counter-clockwise turns until securely attached.
8. Begin mixing process, settings at 3:00 minutes, 7 speed.
9. Weigh out 75g into each powder shaker documenting net weights
10. Prepare with product label, prepack barcode label, and external use only sticker
11. Have compound certified pharmacist perform final verification
12. Place labels on shaker and attach lid

D. Labeling:

Label with lot number and expiration barcode and ingredient(s) label.

External use only auxillary sticker

Initial each stock bottle label (technician and final review pharmacist)

Add prepack label if compound lot made to stock for multiple Rx's

Add Rx auxillary label if compound lot made to order for a unique Rx

_____ (place label here) _____

E. Description of Finished Product:

Off-white colored powder, uniform consistency packaged in powder shaker canister

F. Quality Control Procedures

Physical appearance of compound verified by compounding certified pharmacist

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

Mass of final product is within 5% of intended batch weight
Acceptable Final Net Weight range for 75g batch = 71.250g to 78.750g

Shaker 1 Final Net Weight: _____ g

Shaker 2 Final Net Weight: _____ g

Shaker 3 Final Net Weight: _____ g

Shaker 4 Final Net Weight: _____ g

Shaker 5 Final Net Weight: _____ g

Shaker 6 Final Net Weight: _____ g

Pharmacist signature: _____

****Initial each stock bottle label****

G. Packaging Container:

Package in powder shaker canister

H. Storage Requirements

Store at controlled room temperature (68°–77 °F)

Maximum BUD - 180 days

I. Formula Source & BUD Testing

Formulation - OPPC

BUD - USP 795

INGREDIENT WEIGHT #1

INGREDIENT WEIGHT #2

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist