

Formula Name METRONIDAZOLE/LIDOCAINE POWD 20/2% PWD

Initials **Quantity** 30 **GMS** **Schedule** 0 **Days to Exp** 180 **Date of Formula** 2/10/2021
Cost \$2.53 **Cost Per Unit** \$0.08 **AWP** **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
ZEASORB	PWD	23.4000	GMS	☐	\$0.98		NONE
LIDOCAINE USP	PWD	0.6000	GMS	☐	\$0.15		SOLUBILITY: WATER (I) ALCOHOL (VS) 1. LIDOCAINE BASE IS BEST TO USE ON TOPICAL FORMULATIONS. HAS AN INCREASED LIPOPHILIC ACTIVITY OVER THE HCL.
METRONIDAZOLE USP	PWD	6.0000	GMS	☐	\$1.40		NONE

Therapy**Description**

Off-white/cream colored powder, uniform consistency packaged in powder shaker canister

Classification(s)

Disease State(s)

Instructions

A. Calculations/Special Considerations:
None

B. Equipment Required:
Weigh boat; spatula spoon, mortar and pestle; rubber spatula; large plastic funnel, shaker and lid

C. Method of Preparation:

1. Calculate required amounts of each ingredient
2. Measure out ingredients
3. Triturate Lidocaine in mortar with a pestle
4. Add an amount of metronidazole and Talc (Zeasorb) to the mortar that is approximately equal to the lidocaine added (0.6g each) and triturate until well mixed
5. Add an amount of metronidazole and Talc that is approximately equal to the powder volume of the mixture (2g each) and triturate until well mixed
6. Add an approximately equal amount of Talc to the powder volume of the mixture (6g) and the remainder of the metronidazole and triturate until well mixed
7. Add the remaining Talc and triturate until well mixed
8. Package in powder shaker canister (Placing a small slit in the white plastic top may allow for easier joining)
9. Label with product label, prepack barcode label, and external use only sticker
10. Tape labels
11. Have compound certified pharmacist perform final verification

D. Labeling:

Label with lot number and expiration barcode and ingredient(s) label.
External use only auxiliary sticker

Add prepack label if compound lot made to stock for multiple Rx
Add Rx auxiliary label if compound lot made to order for a unique Rx

_____ (place label here) _____

E. Description of Finished Product:

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

Off-white/cream colored powder, uniform consistency packaged in powder shaker canister

F. Quality Control Procedures

Physical appearance of compound verified by compounding certified pharmacist

Volume of final product is within 5% of intended batch weight

Final Gross Weight: _____ g - 19.5g (average shaker weight) = Final Net Weight: _____ g

Pharmacist signature: _____

G. Packaging Container:

Package in powder shaker canister

H. Storage Requirements

Store at controlled room temperature (68°–77 °F)

Maximum BUD - 180 days

I. Formula Source & BUD Testing

Formulation - OPPC

BUD - USP 795

INGREDIENT WEIGHT #1

INGREDIENT WEIGHT #2

INGREDIENT WEIGHT #3

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist