

Formula Name XANTHAN GUM SUSP 1% SUSP

Initials AP **Quantity** 3840 **MLS** **Schedule** 0 **Days to Exp** 180 **Date of Formula** 2/10/2021
Cost \$4.50 **Cost Per Unit** \$0.00 **AWP** \$0.00 **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
METHYLPARABEN NF	PWD	2.0000	GMS	☐	\$1.28		SOLUBILITY: 1:400 WATER(SL), 1:3 ALCOHOL(FS) PRESERVATIVE: ANTIFUNGAL & ANTIBACTERIAL CONCENTRATION: PARENTERAL: 0.05% TOPICAL/OTIC 0.05-0.3% OPHTH/INHALANT 0.05% SOLUBLE IN BOILING WATER. SOLUBILIT
PROPYLPARABEN NF	PWD	1.0000	GMS	☐	\$0.15		SOLUBILITY: WATER(VSS) 1:2500, ALCOHOL(FS) 1:1.5 PRESERVATIVE: ANTIBACTERIAL & ANTIFUNGAL CONCENTRATION: PARENTERAL: 0.025% TOPICAL/OTIC: 0.025% OPHTH/INHALANT: 0.025 SOLUBLE IN BOILING WATER. SO
XANTHAN GUM NF	PWD	38.4000	GMS	☐	\$3.07		SOLUBILITY:N/A
PRESERVED WATER (PARABENS)	LIQU	0.0000	MLS	☒	\$0.00		SEE FORMULA FOR PRESERVED WATER (PARABEN)

Therapy**Description**

Off-white opaque suspension with many suspended air bubbles, high viscosity

Classification(s) Preserved Aqueous**Disease State(s)****Instructions****A. Calculations/Special Considerations:**

Measure water prior to compounding (typically 1,000mL) as unable to QS compound due to foam

Use 2,000mL beaker as compound foams

B. Equipment Required:

Weigh boats; beakers; scales; graduated cylinder; homogenizer; funnel; tape

C. Method of Preparation:

1. Calculate required amounts and fill out compounding log
2. Measure out ingredients
3. Heat Water in the microwave then measure in graduated cylinder
4. Pour a portion (~20%) of heated water into beaker and dissolve Methylparaben and Propylparaben using the homogenizer
5. SLOWLY add the Xanthan gum to the mixture and homogenize after each addition, add remainder of heated water in small portions
6. Label with a new bottle label
7. Tape label
8. Cover product and let sit at room temperature (usually overnight) to allow foam/bubbles to clear.
9. Have compound certified pharmacist perform final verification

D. Labeling:

Label with lot number and expiration barcode and ingredient(s) label.

Store in refrigerator auxillary sticker

Shake Well auxillary sticker

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

Add prepack label if compound lot made to stock for multiple Rx's
Add Rx auxiliary label if compound lot made to order for a unique Rx

_____ (place label here) _____

E. Description of Finished Product:

Off-white opaque suspension with many suspended air bubbles, high viscosity

F. Quality Control Procedures:

Physical appearance of compound verified by compounding certified pharmacist

Volume of final product is within 5% of intended batch size

Pharmacist signature: _____

G. Packaging Container:

Bulk store in UV protective amber bottle

Dispense in UV protective amber bottle with volume graduations

H. Storage Requirements:

Store refrigerated (36° - 46 °F)

Maximum BUD - 180 days

I. Formula Source & BUD Testing:

Formulation and BUD - PCCA 6600

INGREDIENT WEIGHT #1

INGREDIENT WEIGHT #2

INGREDIENT WEIGHT #3

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist