

Formula Name MORPHINE 50MG IN 50ML of 0.9% SODIUM CHLORIDE INJ Sol (BAG) 1MG/ML INJ

Initials **Quantity** 50 **MLS** **Schedule** 2 **Days to Exp** 14 **Date of Formula** 3/16/2021
Cost \$0.00 **Cost Per Unit** \$0.00 **AWP** **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
MORPHINE 10MG/ML INJ (1ML VIAL)	INJ	5.0000	MLS	☐	\$0.00		
SODIUM CHLORIDE 0.9% 50ML INJ SOL	INJ	45.0000	MLS	☐	\$0.00		

Therapy**Description**

Clear colorless solution free of particulate matter

Classification(s)**Disease State(s)****Instructions****A. Calculations/Special Considerations:**

None

B. Equipment Required:

10ml Luer Lock Syringe, 60ml Luer Lock Syringe, Intravia 50ml Empty Bag, 16G Transfer Needle, Alcohol Pad

C. Method of Preparation:

1. Perform hand-hygiene procedure by wetting hands and forearms and washing using soap and warm water for at least 30 seconds. Dry hands with a lint-free towel.
2. Don sterile gloves and use waterless alcohol-based surgical hand scrub.
3. Clean and disinfect the isolator hood according to proper policy and procedures.
4. Spray down all compounding items (needles, syringes, alcohol pads, stock bottles, etc) with 70% IPA, dry them and place them in the isolator hood.
5. Place a second set of gloves over the gloves in the isolator hood.
6. Disinfect injection ports and stoppers with 70% IPA.
7. Withdraw 5 mls of morphine 10mg/ml injectable solution into an empty 10ml syringe.
8. Withdraw 45 mls of 0.9% sodium chloride solution into an empty 60ml syringe.
9. Transfer the morphine into an empty 50ml Intravia bag.
10. Transfer the 0.9% sodium chloride into the 50ml Intravia bag.
11. Remove air from the and cover the injection port.
12. Label the bag with the appropriate pharmacy label and refrigerate auxiliary label.

D. Labeling:

Record Manufacturer, Lot Number, NDC, and Expiration for Stock Morphine Injectable Bottle

Record Manufacturer, Lot Number, NDC, and Expiration for Stock 0.9% Sodium Chloride Bag

Label with Refrigerate Auxiliary Label

Add prepack label if compound lot made to stock for multiple Rx

Add Rx auxillary label if compound lot made to order for a unique Rx

_____ (place label here) _____

E. Description of Finished Product:

Clear colorless solution free of particulate matter

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

F. Quality Control Procedures:

Physical appearance of compound verified by compounding certified pharmacist

Container-closure integrity is verified to be free of any defect

Volume of final product is within 5% of intended batch size

Pharmacist signature: _____

G. Packaging Container:

Dispense in IV admixture bag covered by a UV protective foil bag with cold packs

H. Storage Requirements

Store refrigerated (36° - 46 °F)

Maximum BUD - 14 days

I. Formula Source & BUD Testing:

USP 797