

Formula Name MORPHINE IN HYDROGEL GEL 50MG/ML GEL

Initials AP **Quantity** 80 **GMS** **Schedule** 2 **Days to Exp** 35 **Date of Formula** 1/29/2026
Cost \$16.90 **Cost Per Unit** \$0.21 **AWP** \$0.00 **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
MORPHINE SULFATE (PENTAHYDRATE) USP	PWD	4.0000	GMS	☐	\$16.90		SOLUBILITY: 1:16 WATER(S), 1:570 ALCOHOL(SL)
PRESERVED WATER (PARABENS)	LIQU	8.0000	MLS	☐	\$0.00		SEE FORMULA FOR PRESERVED WATER (PARABEN)
SOLOSITE WOUND GEL	GEL	0.0000	GMS	☒	\$0.00		NONE

Therapy**Description**

White opaque gel, medium viscosity, uniform consistency with suspended air bubbles

Classification(s) Water-Containing Topical

Disease State(s)**Instructions****A. Calculations/Special Considerations:**

None

B. Equipment Required:

Beakers; weigh boats; mortar& pestle, rubber spatula.

For batches 240 mL or less: 60 mL syringes, luer lock adapters.

For batches 240+ mL: large mixing bowl w/spade-shaped attachment

C. Method of Preparation:

1. Calculate required amounts and fill out compounding and control usage logs

2. Measure out ingredients (Note: cut the back end off of the SoloSite wound gel tube and squeeze it out through the new opening. If necessary, use a spatula to scrape any remaining gel out of the tube.)

3. In a mortar, wet Morphine with preserved water

4. Remove plunger from a 60mL syringe, cap the tip, and stand syringe upright in a 30mL beaker, then pour mixture into syringe

5. In new syringe remove plunger, cap the tip and fill with SoloSite. QS to final volume by expelling excess SoloSite and accounting for volume in active syringe

6. Mix using the syringe to syringe method

7. Package and label with barcode and affix "external use only" & "compound description" label

8. Tape labels

9. Have compound certified pharmacist perform final verification

D. Labeling:

Label with lot number and expiration barcode and ingredient(s) label.

External use only auxillary sticker

Compound Description sticker

Add prepack label if compound lot made to stock for multiple Rx's

Add Rx auxillary label if compound lot made to order for a unique Rx

_____ (place label here) _____

E. Description of Finished Product:

White opaque gel, medium viscosity, uniform consistency with suspended air bubbles

F. Quality Control Procedures:

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

Physical appearance of compound verified by compounding certified pharmacist
Volume of final product is within 5% of intended batch size

Pharmacist signature: _____

G. Packaging Container:

May bulk store in 60mL luer-lock syringe with UV protective bag

May dispense in UV protective oral syringe, metered dose pump, or uno-dose applicator

H. Storage Requirements

Store at controlled room temperature (68°–77 °F)

Maximum BUD - 35 days

I. Formula Source & BUD Testing:

USP 795