

Formula Name MORPHINE SOL INACTIVE 20MG/ML SOLN

Initials ETJ **Quantity** 6000 **MLS** **Schedule** 2 **Days to Exp** 180 **Date of Formula** 1/26/2016
Cost \$1155.89 **Cost Per Unit** \$0.19 **AWP** \$0.00 **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
DISTILLED WATER	LIQU	0.0000	MLS	☒	\$0.00		NONE
CITRIC ACID ANHYDROUS USP	PWD	6.0000	GMS	☐	\$0.42		SOLUBILITY: 1:0.5 WATER(VS) 1:2 ALCOHOL(FS)
SODIUM BENZOATE NF	PWD	6.0000	GMS	☐	\$0.13		SOLUBILITY: 1:2 WATER(FS), 1:75 ALCOHOL(SL)
SACCHARIN SODIUM USP	PWD	2.0000	GMS	☐	\$0.34		SOLUBILITY: WATER(S), ALCOHOL(SP)
MORPHINE SULFATE (PENTAHYDRATE) USP	PWD	120.0000	GMS	☐	\$825.60		SOLUBILITY: 1:16 WATER(S), 1:570 ALCOHOL(SL)
PROPYLENE GLYCOL USP	LIQU	200.0000	MLS	☐	\$2.72		SOLUBILITY:N/A
FLAVOR MARSHMALLOW ARTIFICIAL	SOLN	30.0000	MLS	☐	\$6.37		NONE
FLAVOR CHERRY CONCENTRATE *COLORLESS*	SOLN	120.0000	MLS	☐	\$16.18		NONE
STEVIOSIDE 15% SOL	SOLN	30.0000	MLS	☐	\$0.00		NONE
SORBITOL 70% USP SOLUTION	SOLN	2500.0000	MLS	☐	\$56.82		SOLUBILITY:1:0.45 WATER(VS) , ALCOHOL(SL)
FOOD COLOR BLUE LIQUID	SOLN	60.0000	GTTS	☐	\$222.86		NONE
SIMPLE SYRUP	LIQU	960.0000	MLS	☐	\$24.46		NONE

Therapy**Description**

Clear light blue solution

Classification(s)**Disease State(s)****Instructions****Equipment Needed:**

Weigh boats; beakers; graduated cylinders, scales; stir plate; stir bar; funnel; tape

Labelling & Storage:

Label with lot number and expiration barcode

Do not refrigerate

Special Considerations:

20 drops = 1mL

1. Calculate required amounts and fill out compounding
2. Measure out ingredients
3. Place beaker on a stir plate and add a stir bar
4. Dissolve Citric Acid, Sodium Benzoate, and Sodium Saccharin in Distilled Water (~100 mL if making 6000mL)
5. Dissolve Morphine in Distilled Water
6. Add Propylene Glycol, Marshmallow, Cherry Concentrate (Colorless), Stevioside, Sorbitol, and Food Coloring
7. QS to desired quantity with Distilled Water
8. Turn on the stir plate and mix until clear (NOT colorless)
9. Pour into container(s)
10. Label with a new bottle label including and individual bar scan labels
11. Tape labels

Formula Source:**Testing:**

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist