

Formula Name MORPHINE SOL INACTIVE 50MG/ML SOLN

Initials AP **Quantity** 500 **MLS** **Schedule** 2 **Days to Exp** 35 **Date of Formula** 2/11/2021
Cost \$89.18 **Cost Per Unit** \$0.18 **AWP** \$0.00 **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
CITRIC ACID ANHYDROUS USP	PWD	0.5000	GMS	☐	\$0.04		SOLUBILITY: 1:0.5 WATER(VS) 1:2 ALCOHOL(FS)
SODIUM BENZOATE NF	PWD	0.5000	GMS	☐	\$0.01		SOLUBILITY: 1:2 WATER(FS), 1:75 ALCOHOL(SL)
SACCHARIN SODIUM USP	PWD	0.3000	GMS	☐	\$0.05		SOLUBILITY: WATER(S), ALCOHOL(SP)
MORPHINE SULFATE (PENTAHYDRATE) USP	PWD	25.0000	GMS	☐	\$75.00		SOLUBILITY: 1:16 WATER(S), 1:570 ALCOHOL(SL)
PROPYLENE GLYCOL USP	LIQU	15.0000	MLS	☐	\$0.20		SOLUBILITY:N/A
FLAVOR MARSHMELLOW ARTIFICIAL	SOLN	2.5000	MLS	☐	\$0.49		NONE
FLAVOR CHERRY CONCENTRATE *COLORLESS*	SOLN	15.0000	MLS	☐	\$1.78		NONE
STEVIOSIDE 15% SOL	SOLN	2.5000	MLS	☐	\$0.54		NONE
SORBITOL 70% USP SOLUTION	SOLN	200.0000	MLS	☐	\$3.07		SOLUBILITY:1:0.45 WATER(VS) , ALCOHOL(SL)
FOOD COLOR RED LIQUID	SOLN	2.0000	GTTS	☐	\$8.00		NONE
STERILE WATER FOR IRRIGATION	LIQU	0.0000	MLS	☒	\$0.00		1000ML PLASTIC BOTTLE

Therapy**Description**

Clear deep red solution

Classification(s)Preserved Aqueous**Disease State(s)****Instructions****A. Calculations/Special Considerations:**

20 drops = 1mL

B. Equipment Required:

Weigh boats; beakers; graduated cylinders, scales; stir plate; stir bar; funnel; tape

C. Method of Preparation:

1. Calculate required amounts and fill out compounding and control usage logs
2. Measure out ingredients
3. Add Water to beaker, place on a stir plate, and add a stir bar
4. Select spin setting that creates a turbulent vortex and add Citric Acid, Sodium Benzoate, and Sodium Saccharin in Distilled Water (~30% of final volume)
5. Add Morphine to solution and spin until dissolved
6. Add Propylene Glycol, Marshmallow, Cherry Concentrate (Colorless), Stevioside, Sorbitol, and Food Coloring, spin until solution is clear
7. Add Distilled Water until ~90% of final volume is reached
8. Add solution to graduated cylinder and QS with Distilled Water
9. Return solution to the beaker and spin until clear (NOT colorless), if mixture does not immediately go into solution may heat to 50°C
10. Have compound certified pharmacist perform final verification
11. Transfer contents to amber bottle
12. Label with lot number and expiration barcode
13. Tape Labels

D. Labeling:

Label with lot number and expiration barcode

Do not refrigerate

Add prepack label if compound lot made to stock for multiple Rx's

Add Rx auxillary label if compound lot made to order for a unique Rx

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

_____ (place label here) _____

E. Description of Finished Product:

Clear deep red solution

F. Quality Control Procedures:

Physical appearance of compound verified by compounding certified pharmacist

Volume of final product is within 5% of intended batch size

Pharmacist signature: _____

G. Packaging Container:

Bulk store in UV protective amber bottle

Dispense in UV protective amber bottle with volume graduations

H. Storage Requirements

Store at controlled room temperature (68°–77 °F)

Maximum BUD - 35 days

I. Formula Source & BUD Testing:

OPPC OB 03