

**Formula Name ERTAPENEM 1GM IN 100ML OF 0.9% SODIUM CHLORIDE INJ Sol (MiniBag) 10MG/ML INJ**

**Initials**  **Quantity** 100 **MLS** **Schedule** 0 **Days to Exp** 30 **Date of Formula** 7/19/2023  
**Cost** \$0.00 **Cost Per Unit** \$0.00 **AWP**  **AWP Per Unit** \$0.00 **Last Review** 1/6/2016

**Chemical Ingredients**

| Chemical Name                                | Form | Qty      | Units | QS                       | Est Cost | Ha | Note |
|----------------------------------------------|------|----------|-------|--------------------------|----------|----|------|
| ERTAPENEM 1GM INJ VIAL                       | PWD  | 1.0000   | VIAL  | <input type="checkbox"/> | \$0.00   |    |      |
| SODIUM CHLORIDE 0.9% 100ML INJ SOL (MiniBag) | INJ  | 100.0000 | MLS   | <input type="checkbox"/> | \$0.00   |    |      |

**Therapy****Description**

Clear colorless solution free of particulate matter

**Classification(s)****Disease State(s)****Instructions****A. Calculations/Special Considerations:**

None

**B. Equipment Required:**

Alcohol Pad, Sterile gloves

**C. Method of Preparation:**

1. Perform hand-hygiene procedure by wetting hands and forearms and washing using soap and warm water for at least 30 seconds. Dry hands with a lint-free towel.
2. Don sterile gloves and use waterless alcohol-based surgical hand scrub.
3. Clean and disinfect the isolator hood according to proper policy and procedures.
4. Spray down all compounding items (needles, syringes, alcohol pads, stock bottles, etc) with 70% isopropyl alcohol (IPA), dry them and place them in the isolator hood
5. Place a second set of gloves over the gloves in the isolator hood.
6. Disinfect injection ports and stoppers with 70% IPA.
7. Connect 1 vial of ertapenem to mini-bag of sodium chloride 0.9% sol.
8. Label the bag with the appropriate pharmacy label and appropriate auxiliary label.

**D. Labeling:**

Record Manufacturer, Lot Number, NDC, and Expiration date for ertapenem

Record Manufacturer, Lot Number, NDC, and Expiration date for stock 0.9% Sodium Chloride Bag

Label with lot number and expiration label

Add prepack label if compound lot made to stock for multiple Rx's

Add Rx auxiliary label if compound lot made to order for a unique Rx

\_\_\_\_\_ (place label here) \_\_\_\_\_

**E. Description of Finished Product:**

Clear colorless solution free of particulate matter

**F. Quality Control Procedures:**

Physical appearance of compound verified by compounding certified pharmacist

Container-closure integrity is verified to be free of any defect

Volume of final product is within 5% of intended batch size

Pharmacist signature: \_\_\_\_\_

**G. Packaging Container:**

Dispense in IV admixture bag with vial attached not reconstituted

Appropriate References Should Be  
Consulted. Safety And Efficacy Of  
These Formulas Are The  
Responsibility Of The Compounding  
Pharmacist

#### H. Storage Requirements

Store at room temperature until mixed

Maximum BUD - 30 days

#### I. Formula Source & BUD Testing:

USP 797

---

Appropriate References Should Be  
Consulted. Safety And Efficacy Of  
These Formulas Are The  
Responsibility Of The Compounding  
Pharmacist