

Formula Name FENTANYL 12500MCG IN 250ML (CADD CASSETTE) 50MCG/ML INJ

Initials	AP	Quantity	250	MLS	Schedule	2	Days to Exp	14	Date of Formula	3/25/2021
Cost	\$0.00	Cost Per Unit	\$0.00	AWP		\$0.00	AWP Per Unit	\$0.00	Last Review	1/6/2016

Chemical Ingredients

Chemical Name	Form	Qty	Units	QS	Est Cost	Ha	Note
FENTANYL CIT PF 50MCG/ML SDV	INJ	250.0000	MLS	☐	\$0.00		

Therapy**Description**

Clear colorless solution free of particulate matter

Classification(s) CATEGORY 1 CSP**Disease State(s)****Instructions**

A. Calculations/Special Considerations:
None

B. Equipment Required:
60ml Luer Lock Syringe, CADD 250ml Cassette, CADD Admin Set tubing, 16G Transfer Needle, Alcohol Pad

C. Method of Preparation:

1. Perform hand-hygiene procedure by wetting hands and forearms and washing using soap and warm water for at least 30 seconds. Dry hands with a lint-free towel.
2. Don sterile gloves and use waterless alcohol-based surgical hand scrub.
3. Clean and disinfect the isolator hood according to proper policy and procedures.
4. Spray down all compounding items (needles, syringes, alcohol pads, stock bottles, etc) with 70% IPA, dry them and place them in the isolator hood.
5. Place a second set of gloves over the gloves in the isolator hood.
6. Disinfect injection ports and stoppers with 70% IPA.
7. Withdraw 50 mls of fentanyl 50mcg/ml injectable solution into an empty 60ml syringe, repeat this 4 more times.
8. Transfer the fentanyl into an empty 250ml CADD Cassette.
9. Remove air from the cassette and cap the tubing with a red cap.
10. Label the cassette with the appropriate pharmacy label and refrigerate auxiliary label.
11. Disinfect the isolator hood with 70% IPA.

D. Labeling:

Record Manufacturer, Lot Number, NDC and Expiration for Stock Fentanyl Injectable Bottle(s)
Label with Refrigerate Auxiliary Label

Add prepack label if compound lot made to stock for multiple Rx
Add Rx auxiliary label if compound lot made to order for a unique Rx

_____ (place label here) _____

E. Description of Finished Product:

Clear colorless solution free of particulate matter

F. Quality Control Procedures:

Physical appearance of compound verified by compounding certified pharmacist
Container-closure integrity is verified to be free of any defect
Volume of final product is within 5% of intended batch size

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist

Pharmacist signature: _____

G. Packaging Container:

Dispense in IV cassette device covered by a UV protective foil bag with cold refrigerator pack

H. Storage Requirements

Store refrigerated (36° - 46 °F)

Maximum BUD - 14 days

I. Formula Source & BUD Testing:

USP 797

Appropriate References Should Be
Consulted. Safety And Efficacy Of
These Formulas Are The
Responsibility Of The Compounding
Pharmacist