1. REGISTRAR ENTRADA



smartdraw

MADE WITH A TRIAL COPY OF **smart**draw

MADE WITH A TRIAL COPY OF smartdraw, MADE WITH A TRIAL COPY OF **smart**draw

MADE WITH A TRIAL COPY

automovil que ingresa

MADE WITH A TRIAL COPY OF smartdraw[.]

smartdraw

MADE WITH A TRIAL COPY OF smartdraw^{*}

Registra el tiempo de entrada del automovil.

End

Placa del

MADE WITH A TRIAL COPY OF

Smartdraw

MADE WITH A TRIAL COPY OF smartdraw s

MADE WITH A TRIAL COPY OF

Smartdraw


MADE WITH A TRIAL COPY OF


smartdraw s

smartdraw 🕻

MADE WITH A TRIAL COPY OF

MADE WITH A TRIAL COPY OF





smartdraw

smartdraw

smartdray

5. COMIENZA MES


smartdraw

smartdraw

smartdraw

smartdraw

smartdraw



Se eliminan todos los datos del tiempo del mes pasado, se limpian todas las listas de tiempo.

smartdraw.

smartdray

MADE WITH A TRIAL COPY OF SMARTED CAW.

End Stractdon

smartdraw

smartdray






residentes, se calcula el valor del pago mensual

parqueadero por un mes.

MADE WITH A TRIAL COPY OF **Smart**draw MADE WITH A TRIAL COPY OF Se itera sobre la lista de

MADE WITH A TRIAL COPY OF

MADE WITH A TRIAL COPY OF smartdraw 🕻



MADE WITH A TRIAL COPY OF **smart**draw MADE WITH A TRIAL COPY OF

MADE WITH Se entrega una tabla con la placa, tiempo en minutos y costo total del

MADE WITH A TRIAL COPY OF 🚺 smartdraw

MADE WITH A TRIAL COPY OF **smart**draw



MADE WITH A TRIAL COPY OF 🚺 smartdraw

MADE WITH A TRIAL COPY OF



