



Workshop Preparation Meeting

June 22, 2026

Meeting Agenda




1. Workshop Activities
2. Package Overview
3. Contributing

Workshop Activities



1. Website/documentation
2. Adding more IPL functions
3. ORMIR-MIDS integration
4. HR-pQCT preprocessing workflow for the knee
5. Photon-counting CT workflow
6. Micro CT workflow
7. Scout view reader

Package Overview



Package Overview



ORMIR-XCT Public

Edit Pins Unwatch 1 Fork 1 Starred 7

main 11 Branches 5 Tags Go to file Add file Code

mkuczyns Merge pull request #20 from ORMIR-XCT/mkuczyns/cleanup 6d8731e · 3 months ago 297 Commits		
.github/workflows	Renamed package import to ormir_xct to make it valid	3 months ago
examples	Updated the LH segmentation example	3 months ago
manuscript	Added acknowledgements	2 years ago
ormir_xct	Minor changes	3 months ago
tests	Updated imports	3 months ago
.gitignore	Added gitignore	4 years ago
LICENSE	Initial commit	4 years ago
README.md	Minor changes	3 months ago
environment.yml	Removed requirements.txt and switched to py3.11	3 months ago
pyproject.toml	Fixed typo	3 months ago

About

No description, website, or topics provided.


- Readme
- GPL-3.0 license
- Activity
- Custom properties
- 7 stars
- 1 watching
- 1 fork
- Audit log
- Report repository

Releases 4


v1.1.0 Latest on Mar 19

+ 3 releases

Package Overview




Package Overview



Package Overview - Core



ORMIR-XCT / ormir_xct / core / 

 **mkuczyns** Minor changes  9db6fbd · 3 months ago  History

Name	Last commit message	Last commit date
 ..		
 joint_space_analysis	Ran black	3 months ago
 microarchitecture	Added trabecular microarchitecture workflows	3 months ago
 segmentation	Minor changes	3 months ago
 util	Ran black	3 months ago
 __init__.py	Ran black	3 months ago

If you add a function/script that doesn't fit into one of these folders, make a new one

Package Overview – Core/Segmentation



ORMIR-XCT / ormir_xct / core / segmentation /			Add file	
	mkuczyns	Minor changes	9db6fbd · 3 months ago History	
Name	Last commit message		Last commit date	
..				
autocontour	Ran black		3 months ago	
README.md	Renamed package import to ormir_xct to make it valid		3 months ago	
__init__.py	Restructuring and clean up		3 months ago	
adaptive_local_threshold.py	Minor changes		3 months ago	
fft_laplace_hamming.py	Ran black		3 months ago	
seg_gauss.py	Ran black		3 months ago	

Add more segmentation methods here

Package Overview – Core/Util



ORMIR-XCT / ormir_xct / core / util /

Add file ...

mkuczyns

Ran black

7eb38dd · 3 months ago History

Name	Last commit message	Last commit date
..		
README.md	Restructuring and clean up	3 months ago
__init__.py	Restructuring and clean up	3 months ago
batch_file_converter.py	Restructuring and clean up	3 months ago
connected_check.py	Restructuring and clean up	3 months ago
file_converter.py	Restructuring and clean up	3 months ago
file_reader.py	Ran black	3 months ago
generate_shapes.py	Ran black	3 months ago
hildebrand_thickness.py	Renamed package import to ormir_xct to make it valid	3 months ago
hrpqct_rescale.py	Restructuring and clean up	3 months ago
image_to_dicom.py	Renamed package import to ormir_xct to make it valid	3 months ago
process_ipl_log.py	Ran black	3 months ago

Utility functions go here

Package Overview – Workflows



ORMIR-XCT / ormir_xct / workflows /

Add file



mkuczyns

Minor changes



9db6fbd · 3 months ago

 History

Name	Last commit message	Last commit date
 ..		
 __init__.py	Ran black	3 months ago
 adaptive_local_threshold_workflow.py	Ran black	3 months ago
 autocontour_gobj_workflow.py	Ran black	3 months ago
 autocontour_workflow.py	Ran black	3 months ago
 bmd_masked_workflow.py	Ran black	3 months ago
 bmd_workflow.py	Minor changes	3 months ago
 fft_laplace_hamming_workflow.py	Minor changes	3 months ago
 jsw_analysis_workflow.py	Minor changes	3 months ago
 seg_gauss_workflow.py	Ran black	3 months ago
 trab_bvtv_workflow.py	Added trabecular microarchitecture workflows	3 months ago
 trab_microarchitecture_workflow.py	Added trabecular microarchitecture workflows	3 months ago

Package Overview – Workflows



ORMIR-XCT / ormir_xct / workflows / workflows.md

↑ Top

Preview

Code

Blame

222 lines (153 loc) · 5.05 KB

Raw



local_adaptive_threshold

Performs adaptive local threshold segmentation.

```
local_adaptive_threshold INPUT OUTPUT [options]
```

Required:

- **INPUT** : input image
- **OUTPUT** : output segmented image

Options:

- **--lower-threshold** , **-lt** (default 190)
- **--upper-threshold** , **-ut** (default 450)
- **--structuring-element-size** , **-sz** (default 6)
- **--structuring-element-shape** , **-sh** (default ball , choices: ball , cube)
- **--sigma** , **-sg** (default None)
- **--minimum-structure-size** , **-ms** (default 64)
- **--local-threshold-method** , **-ltm** (default mean , choices: mean , minmax , both)

Example:

```
local_adaptive_threshold sample.nii sample_local_seg.nii -lt 190 -ut 450 -sh ball -sz 6
```

Contributing – Setup and Installation



This section will assume you have a basic understanding of git and GitHub (to be covered at the workshop)

Contributing – Setup and Installation




1. Create a GitHub account
2. Install Anaconda
3. Clone (download) the ORMIR-XCT repository from GitHub
4. Install the ORMIR-XCT package
 - Into an existing Anaconda environment
 - Into a new Anaconda environment
5. Create a new branch (one per activity/contribution)
6. Make your changes locally
7. Upload your changes to GitHub for review

Contributing – Setup and Installation




1. Create a GitHub account: <https://github.com>



Contributing – Setup and Installation

2. Install Anaconda: <https://www.anaconda.com/download>



ANACONDA Products ▾ Solutions ▾ Resources ▾ Company ▾ Sign In Get Demo

Get Started with Anaconda Distribution

Install Python, Jupyter, and thousands of data science packages in one step. Trusted by over 50 million users who need tools that work—without the setup headaches.

What's included in Anaconda Distribution? ^

- ✓ Thousands of vetted Python packages with dependency management
- ✓ Conda package and environment manager
- ✓ Jupyter Notebook and JupyterLab
- ✓ Desktop app (Navigator) or command line interface
- ✓ Works on Windows, macOS, and Linux

[See documentation](#) for more details and step-by-step instructions.

Download Now

Get access in 30 seconds. Completely free.*


[Get Started >](#) [Returning Users >](#)

*Subject to our [Terms of Service](#). Use of Anaconda's offerings at an organization of more than 200 employees/contractors requires a paid business license unless your organization is eligible for discounted or free use. [See Pricing](#).

[Skip Registration >](#)

Contributing – Setup and Installation

2. Install Anaconda: <https://www.anaconda.com/download>



Standard option with GUI application and additional software/tools

Choose Your Download

Windows Mac Linux

Anaconda Distribution

Package and environment management with conda, Anaconda Navigator desktop app, and 600+ packages. Everything you need for data science.

GRAPHICAL INSTALLER

↓ 64-Bit (Apple silicon) Graphical Installer

📘 Graphical install instructions

COMMAND LINE

📄 CLI install instructions

Miniconda

Lightweight installer that only includes conda, Python, and their dependencies. Install only what you need.

GRAPHICAL INSTALLER

↓ 64-Bit (Apple silicon) Graphical Installer

📘 Graphical install instructions

COMMAND LINE

📄 CLI install instructions

"Light-weight" Option

Contributing – Setup and Installation



3. Clone (download) the ORMIR-XCT repository from GitHub:

<https://github.com/ORMIR-XCT/ORMIR-XCT>

A screenshot of the GitHub repository page for ORMIR-XCT. The page is in dark mode. At the top, the repository name 'ORMIR-XCT' is displayed with a 'Public' badge. Below this, there are buttons for 'Edit Pins', 'Unwatch' (1), 'Fork' (1), and 'Starred' (7). The main content area shows a file tree on the left with folders like '.github/workflows', 'examples', 'manuscript', 'ormir_xct', 'tests', and a file '.gitignore'. The right side has an 'About' section with a description 'No description, website, or topics provided.' and various repository statistics. A 'Code' dropdown menu is open, showing options for 'Local' and 'Codespaces'. Under 'Local', there are buttons for 'Clone', 'HTTPS', 'SSH', and 'GitHub CLI'. The 'SSH' option is selected, and the URL 'git@github.com:ORMIR-XCT/ORMIR-XCT.git' is displayed. Other options in the menu include 'Open with GitHub Desktop' and 'Download ZIP'.

Contributing – Setup and Installation



3. Clone (download) the ORMIR-XCT repository from GitHub:

<https://github.com/ORMIR-XCT/ORMIR-XCT>

A screenshot of the GitHub repository page for ORMIR-XCT. The page shows the repository name, a search bar, and navigation tabs for Code, Issues, Pull requests, Discussions, Actions, Projects, Wiki, Security and quality, Insights, and Settings. The 'Code' tab is selected. Below the repository name, there are buttons for 'Edit Pins', 'Unwatch', 'Fork', and 'Star'. A blue arrow points to the 'Code' button, which is highlighted in green. A yellow box with the text 'Click the "Code" button' is positioned next to the arrow. The 'Code' dropdown menu is open, showing options for 'Local' and 'Codespaces'. Under 'Local', there are options for 'Clone', 'Open with GitHub Desktop', and 'Download ZIP'. The 'Clone' option is selected, and the 'HTTPS' tab is active, showing the URL 'git@github.com:ORMIR-XCT/ORMIR-XCT.git'. The 'SSH' and 'GitHub CLI' tabs are also visible. The 'Codespaces' tab is also visible. The repository file list is visible on the left, showing folders like '.github/workflows', 'examples', 'manuscript', 'ormir_xct', 'tests', and files like '.gitignore'. The right sidebar shows repository statistics like '7 stars', '1 watching', and '1 fork'.

Contributing – Setup and Installation



3. Clone (download) the ORMIR-XCT repository from GitHub:

<https://github.com/ORMIR-XCT/ORMIR-XCT>

A screenshot of the GitHub repository page for ORMIR-XCT. The page shows the repository name, a search bar, and navigation tabs for Code, Issues, Pull requests, Discussions, Actions, Projects, Wiki, Security and quality, Insights, and Settings. The 'Code' dropdown menu is open, showing options for Local and Codespaces. Under the 'Local' tab, there is a 'Clone' button with a question mark icon. Below it, there are three tabs: HTTPS, SSH, and GitHub CLI. The SSH tab is selected, and the URL 'git@github.com:ORMIR-XCT/ORMIR-XCT.git' is displayed. A blue arrow points from a yellow box on the right to this URL. The yellow box contains the text 'Copy the link and paste into terminal'. The repository page also shows a list of files and folders, including .github/workflows, examples, manuscript, ormir_xct, tests, and .gitignore. The 'About' section on the right indicates that there is no description, website, or topics provided for this repository.


Contributing – Setup and Installation



3. Clone (download) the ORMIR-XCT repository from GitHub:

<https://github.com/ORMIR-XCT/ORMIR-XCT>

Example from Mac terminal:

A screenshot of a Mac terminal window. The title bar shows 'Downloads — -zsh — 184x50'. The terminal shows the execution of a git clone command to clone the ORMIR-XCT repository from GitHub. The output shows the progress of cloning, including enumerating, counting, and compressing objects, and receiving the data. The terminal ends with a prompt for the next command.


```
[(base) michaelkuczynski@Michaels-MacBook-Pro Downloads % git clone git@github.com:ORMIR-XCT/ORMIR-XCT.git
Cloning into 'ORMIR-XCT'...
remote: Enumerating objects: 2215, done.
remote: Counting objects: 100% (731/731), done.
remote: Compressing objects: 100% (402/402), done.
remote: Total 2215 (delta 453), reused 508 (delta 316), pack-reused 1484 (from 1)
Receiving objects: 100% (2215/2215), 173.96 MiB | 16.02 MiB/s, done.
Resolving deltas: 100% (1391/1391), done.
(base) michaelkuczynski@Michaels-MacBook-Pro Downloads %
```

Contributing – Setup and Installation



3. Clone (download) the ORMIR-XCT repository from GitHub:
<https://github.com/ORMIR-XCT/ORMIR-XCT>

Example on Mac: ORMIR-XCT folder now on your computer (local)!



Contributing – Setup and Installation




3. Clone (download) the ORMIR-XCT repository from GitHub:

<https://github.com/ORMIR-XCT/ORMIR-XCT>

Remember that code on GitHub is called “Remote” while code on your computer is called “Local”

Any changes you make on your local version of ORMIR-XCT need to be uploaded to the remote server before others can use it!



Contributing – Setup and Installation



4. Install the ORMIR-XCT package:

<https://ormir-xct.github.io/installation/>

The screenshot shows the ORMIR-XCT website's installation page. On the left is a sidebar with navigation links: 'ORMIR-XCT', 'Installation' (highlighted), 'Tutorials', 'API', 'Contributing', and 'Citations and References'. The main content area has the title 'Installation' and a warning 'Page under construction' with a construction sign icon. Below this are two tabs: 'Install into a new Anaconda environment' (selected) and 'Install into an existing Anaconda environment'. The selected tab contains instructions for Windows, Linux, and Intel-based Macs, listing two steps: installing the Anaconda environment from a YAML file and activating it, with corresponding terminal commands in red text.

ORMIR-XCT

Installation

Tutorials

API

Contributing

Citations and References

Installation

⚠️ Page under construction ⚠️

[Install into a new Anaconda environment](#) [Install into an existing Anaconda environment](#)

For Windows, Linux, and Intel-based Mac:

1: Install the ORMIR-XCT Anaconda environment from the YAML file:

```
conda env create -f environment.yml
```

2: Activate and use the ORMIR-XCT environment:

```
conda activate ormir-xct
```


Contributing – Setup and Installation



5. Create a new branch (one per activity/contribution)

A screenshot of the GitHub repository page for 'ORMIR-XCT'. The repository is public and has 11 branches and 5 tags. The 'main' branch is selected. A dropdown menu is open, showing the 'Switch branches/tags' options. The search bar in the dropdown contains 'mkuczyns/new-branch'. Below the search bar, there are tabs for 'Branches' and 'Tags'. Under the 'Branches' tab, there is an option to 'Create branch mkuczyns/new-branch from main'. At the bottom of the dropdown, there is a link to 'View all branches'. The background of the screenshot shows the repository's commit history, with the most recent commit being 'Renamed package import to ormir_xct to make it valid' 3 months ago.

ORMIR-XCT / ORMIR-XCT

Code Issues 4 Pull requests 2 Discussions Actions Projects Wiki Security and quality

ORMIR-XCT Public Edit Pins Unwatch 1

main 11 Branches 5 Tags

Go to file T Add file <> Code

Switch branches/tags

mkuczyns/new-branch

Branches Tags

Create branch mkuczyns/new-branch from main

View all branches

ORMIR-XCT/mkuczyns/cleanup 6d8731e · 3 months ago 297 Commits

Renamed package import to ormir_xct to make it valid 3 months ago

Updated the LH segmentation example 3 months ago

Added acknowledgements 2 years ago

Minor changes 3 months ago

Updated imports 3 months ago

Added gitignore 4 years ago

Contributing – Setup and Installation



5. Create a new branch (one per activity/contribution)

The screenshot shows the GitHub repository page for ORMIR-XCT. The repository is public and has 4 issues, 2 pull requests, and 297 commits. The current branch is 'mkuczyns/new-branch', which is highlighted by a yellow box. A yellow callout box with the text 'New branch created on remote, need to get it locally!' points to the branch name. Below the branch selection, there is a table of recent commits.

Commit	Message	Time
6d8731e	Renamed package import to ormir_xct to make it valid	3 months ago
	Updated the LH segmentation example	3 months ago
	Added acknowledgements	2 years ago
	Minor changes	3 months ago

Contributing – Setup and Installation



5. Create a new branch (one per activity/contribution)

Show available branches:

```
[(base) michaelkuczynski@Michaels-MacBook-Pro ORMIR-XCT % git branch  
* main
```

Fetch the new branch:

```
[(base) michaelkuczynski@Michaels-MacBook-Pro ORMIR-XCT % git fetch origin mkuczyns/new-branch  
From github.com:ORMIR-XCT/ORMIR-XCT  
* branch                mkuczyns/new-branch -> FETCH_HEAD
```


Switch to the new branch:

```
[(base) michaelkuczynski@Michaels-MacBook-Pro ORMIR-XCT % git checkout mkuczyns/new-branch  
branch 'mkuczyns/new-branch' set up to track 'origin/mkuczyns/new-branch'.  
Switched to a new branch 'mkuczyns/new-branch'
```

Contributing – Setup and Installation

6. Make your changes locally:

- Use a text editor of your choice to modify scripts, notebooks, tests, etc. on your computer
- I recommend Visual Studio Code



Contributing – Setup and Installation



6. Make your changes locally:

A screenshot of a code editor window titled 'ORMIR-XCT'. The left sidebar shows the 'EXPLORER' view with the project structure. The main editor area shows the code for 'trabecular_microarchitecture.py'.

```
ormir_xct > core > microarchitecture > trabecular_microarchitecture.py > trabecular_bone_volume_fraction

1  """
2  trabecular_microarchitecture.py
3
4  Created by: Sarah Elmahdy & Michael Kuczynski
5  Created on: June 2025
6  Updated:   March 10, 2026
7
8  Description: Calculates trabecular microarchitecture parameters, including:
9               - Trabecular Thickness (Tb.Th)
10              - Trabecular Separation (Tb.Sp)
11              - Trabecular Bone Volume Fraction (Tb.BV/TV)
12              The user can compute all parameters, or select which to compute.
13  """
14
15  import SimpleITK as sitk
16
17  from ormir_xct.core.util.hildebrand_thickness import calc_structure_thickness_statistics
18
19
20  def trabecular_bone_volume_fraction(trab_seg, peri_mask):
21      """
22      Compute trabecular bone volume fraction (Tb.BV/TV).
23
24      Parameters
25      -----
26      trab_seg : SimpleITK.Image
27          Binary image representing trabecular segmentation.
28      peri_mask : SimpleITK.Image
29          Binary image representing periosteal mask.
30
31      Returns
32      -----
33      float
34          Bone volume fraction value.
35      """
36      trab_seg_np = sitk.GetArrayFromImage(trab_seg)
37      peri_mask_np = sitk.GetArrayFromImage(peri_mask)
38
39      bvtv = (trab_seg_np > 0).sum() / (peri_mask_np > 0).sum()
40      return bvtv
41
```

Contributing – Setup and Installation



7. Upload your changes to GitHub for review

A screenshot of the GitHub repository page for ORMIR-XCT. The page shows the repository name, a search bar, navigation tabs for Code, Issues (4), Pull requests (2), Discussions, Actions, Projects, Wiki, Security and quality, Insights, and Settings. Below the repository name, there are buttons for Edit Pins, Unwatch (1), Fork (1), and Starred (7). The main content area shows a list of recent commits, including a merge pull request by mkuczyns and two commits by the same user. The right sidebar contains an 'About' section with a description and links to the README and license.

ORMIR-XCT / ORMIR-XCT

Type / to search

<> Code Issues 4 Pull requests 2 Discussions Actions Projects Wiki Security and quality Insights Settings

ORMIR-XCT Public

Edit Pins Unwatch 1 Fork 1 Starred 7

main 11 Branches 5 Tags

Go to file T Add file <> Code

mkuczyns Merge pull request #20 from ORMIR-XCT/mkuczyns/cleanup 6d8731e · 3 months ago 297 Commits

.github/workflows	Renamed package import to ormir_xct to make it valid	3 months ago
examples	Updated the LH segmentation example	3 months ago

About

No description, website, or topics provided.

Readme

GPL-3.0 license

Contributing – Setup and Installation



7. Upload your changes to GitHub for review

A screenshot of the GitHub repository page for ORMIR-XCT. The page is in dark mode. At the top, there's a navigation bar with the GitHub logo, the repository name 'ORMIR-XCT', and a search bar. Below this is a secondary navigation bar with links to Code, Issues (4), Pull requests (2), Discussions, Actions, Projects, Wiki, Security and quality, Insights, and Settings. The main content area shows the repository name 'ORMIR-XCT' with a 'Public' badge. To the right of the name are buttons for 'Edit Pins', 'Unwatch' (1), 'Fork' (1), and 'Starred' (7). Below this, there's a section for branches and tags, showing 'main' as the selected branch, with '11 Branches' and '5 Tags'. A 'Go to file' search bar is also present. To the right of this section are buttons for 'Add file' and 'Code'. The main content area displays a list of recent commits. The first commit is by 'mkuczyns', titled 'Merge pull request #20 from ORMIR-XCT/mkuczyns/cleanup', with a green checkmark indicating it was merged. Below this, there are two commit entries: one for '.github/workflows' titled 'Renamed package import to ormir_xct to make it valid' and another for 'examples' titled 'Updated the LH segmentation example'. On the right side of the page, there's an 'About' section with a gear icon, stating 'No description, website, or topics provided.' and listing 'Readme' and 'GPL-3.0 license'.

Contributing – Setup and Installation



7. Upload your changes to GitHub for review

A screenshot of the GitHub repository page for ORMIR-XCT. The page shows the 'Issues' tab with 4 open issues. A blue arrow points to the 'New issue' button in the top right corner of the issues list. The issues listed are: 'Reading/Writing aims' (#21), 'AutocontourKnee() class parameters on distal tibia and radius sections' (#11), 'Add compatibility with VTK image reading/writing' (#9), and 'Create user website with Jupyter Book' (#6). Each issue has a 'Feature' label and an 'enhancement' label. The 'Add compatibility with VTK image reading/writing' issue also has a 'documentation' label. The 'Create user website with Jupyter Book' issue also has a 'documentation' label. The 'AutocontourKnee() class parameters on distal tibia and radius sections' issue has 3 comments. The 'Add compatibility with VTK image reading/writing' issue has 1 pull request and 1 comment. The 'Create user website with Jupyter Book' issue has 1 pull request and 1 comment. The 'Reading/Writing aims' issue has no comments or pull requests. The 'AutocontourKnee() class parameters on distal tibia and radius sections' issue was opened on Feb 21, 2025. The 'Add compatibility with VTK image reading/writing' issue was opened on Feb 20, 2025. The 'Create user website with Jupyter Book' issue was opened on Feb 20, 2025. The 'Reading/Writing aims' issue was opened on Mar 30. The 'AutocontourKnee() class parameters on distal tibia and radius sections' issue was opened on Feb 21, 2025. The 'Add compatibility with VTK image reading/writing' issue was opened on Feb 20, 2025. The 'Create user website with Jupyter Book' issue was opened on Feb 20, 2025.

Contributing – Setup and Installation



7. Upload your changes to GitHub for review

A screenshot of the GitHub web interface for the 'ORMIR-XCT' repository. The 'Pull requests' tab is selected, showing a list of two open pull requests. A large blue arrow points to the 'New pull request' button in the top right corner of the pull requests section. The repository name 'ORMIR-XCT' is visible in the top navigation bar. The search bar contains the text 'Type / to search'. The navigation bar includes links for Code, Issues (4), Pull requests (2), Discussions, Actions, Projects, Wiki, Security and quality, Insights, and Settings. The pull requests list includes columns for filters, search, labels (9), milestones (0), and a 'New pull request' button. The list shows two pull requests: 'Sarah/bone parameters' and 'Sarah/scanco io', both labeled 'enhancement' and created by 'Sarah10109' (Member). A 'ProTip!' message is visible at the bottom of the pull requests list.

ORMIR-XCT / ORMIR-XCT

Search: Type / to search

Navigation: <> Code Issues 4 Pull requests 2 Discussions Actions Projects Wiki Security and quality Insights Settings

Filters: is:pr is:open

Labels: 9 Milestones: 0 New pull request

Author	Label	Projects	Milestones	Reviews	Assignee
☐ 2 Open ✓ 9 Closed					
☐ Sarah/bone parameters ✓ enhancement				1	
#17 opened on Jun 2, 2025 by Sarah10109 (Member)					
☐ Sarah/scanco io ✓ enhancement				1	
#15 opened on May 27, 2025 by Sarah10109 (Member)					

ProTip! Ears burning? Get @mkuczyns mentions with [mentions:mkuczyns](#).

© 2026 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information

Contributing – Setup and Installation



7. Upload your changes to GitHub for review

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).



base: main ▾



compare: samuel/additional_parameters ▾

✓ **Able to merge.** These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#)

Create pull request

6 commits

5 files changed

1 contributor

Commits on May 4, 2026

derived tbN

SaNi191 committed on May 4



9b74e27



added: direct tbN calculation based on inverse trabecular number

SaNi191 committed on May 4



9ea0cce



added: SMI wip

SaNi191 committed on May 4



acdd5c6



utility scripts used for testing trabecular number



f46d8ba



Contributing – Setup and Installation



7. Upload your changes to GitHub for review

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).



base: main ▾



compare: samuel/additional_parameters ▾

✓ **Able to merge.** These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#)

Create pull request

6 commits

5 files changed

1 contributor

Commits on May 4, 2026

derived tbN

SaNi191 committed on May 4



9b74e27



added: direct tbN calculation based on inverse trabecular number

SaNi191 committed on May 4



9ea0cce



added: SMI wip

SaNi191 committed on May 4



acdd5c6



utility scripts used for testing trabecular number



f46d8ba



Contributing – Setup and Installation



7. Upload your changes to GitHub for review

Samuel/restructuring #19 

 Merged [mkuczyns](#) merged 30 commits into [mkuczyns/cleanup](#) from [samuel/restructuring](#)  on Mar 6

 Conversation 0  Commits 30  Checks 1  Files changed 53 +1,541 -836 



SaNi191 commented on Feb 27 Member 

Restructuring of the ormir-xct package to match the new planned structure. Added local thresholding segmentation method and string path handling for segmentation methods. Renamed of ipl_seg to gauss_seg.



 **SaNi191** added 27 commits 4 months ago

  [restructuring WIP; added autocontour_gobj method](#) ✗ 4546de9

  [gauss_seg and moving](#) ✗ 38b958e

  [renaming and changing inits](#) ✗ a8ee900

Reviewers 

 [mkuczyns](#) 

Assignees 

 [SaNi191](#)

Labels 

[enhancement](#)

Projects 

 [ORMIR_XCT Development](#) 

Status: Done  [+3 more](#)

Contributing – Setup and Installation



7. Upload your changes to GitHub for review

Samuel/restructuring #19

Merged mkuczyns merged 30 commits into mkuczyns/cleanup from samuel/restructuring on Mar 6

Conversation 0 Commits 30 Checks 1 Files changed 53 +1,541 -836

SaNi191 commented on Feb 27 Member

Restructuring of the ormir-xct package to match the new planned structure. Added local thresholding segmentation method and string path handling for segmentation methods. Renamed of ipl_seg to gauss_seg.

SaNi191 added 27 commits 4 months ago

- restructuring WIP; added autocontour_gobj method 4546de9
- gauss_seg and moving 38b958e
- renaming and changing inits a8ee900

Reviewers

- mkuczyns

Assignees

- SaNi191

Labels

- enhancement


Projects

- ORMIR_XCT Development ▼
Status: Done ▼ +3 more

Contributing – What to contribute

1. Report or fix a **bug**
2. Add or improve **documentation**
3. Add or improve **example notebooks**
4. Add **new features**
5. Add or improve **tests**

Contributing – How to contribute



Contributing – How to contribute



- Once a pull request (PR) is opened:
 - GitHub will run an automated check to ensure the ORMIR-XCT environment can be installed on Windows/Mac/Linux
 - The PR will be reviewed and merged into the main branch
- Once merged into the main branch:
 - Your changes will be reflected in the next release

Contributing – How to contribute



- What to do at the workshop:
 - For each activity (e.g. microCT workflow), create a single branch for all contributors to work on
 - If you are working on the **ORMIR-XCT website**:
 - Contribute to the website repository
 - If you are working on **adding functions** to ORMIR-XCT
 - Contribute Python scripts to ORMIR-XCT > ormir-xct > core
 - If you are working on **ORMIR-MIDS integration**:
 - You may need to work in several folders
 - If you are working on **new workflows/scout view reader**:
 - Contribute to the core, workflows, and examples folders as needed