<Additional notes>



1. Procedure summary

This procedure outlines the method to transfer slurry from the algae slurry storage tank to a shipping trailer for transport to Las Cruces.

1.1. Related Procedures

Polymer Station Operations CB-02-002-002
Saturation Tank Operations CB-02-005-003
DAF Operation CB-02-004-004

1.2. Procedure impacts and concerns

Safety Secure hose connections and valve positions prior to <Additional notes>

operations and transfer. Algae product spills in the process area should be recorded and cleaned up as soon as possible.

Quality A process interruption due to transfer downtime will have a < Additional notes>

negative impact on culture health.

Delivery Proper documentation needs to be completed for transport.

Environmental Proper MSDS sheet needs to go along with the algae product < Additional notes>

shipment.

Cost Improper transfer or spills could result in product losses.

Compliance Proper documentation needs to be completed for transport.

Bill of lading, certificate of transfer, and declaration of contents must be transferred to the driver to allow for


regulatory compliant transport.

1.3. Responsibilities and owners

Document OwnerManage content and distributionTimothy LangerProcess OwnerResponsible for content and process validationMarcos Delgado

Plant Manager Responsible for implementation and conformance Rebecca White

2. Process: The method is to transfer slurry from the algae slurry storage tank to shipping trailer.



2.1.

Page 1 of 4 Revision: R1



Figure 1 shows the transfer of slurry from the algae slurry storage tank to a shipping trailer for transport.


2.2. Transfer of Slurry

2.3.1.2

2.3.1 Algae transfer of slurry to transport

This method will outline how to send algae slurry from storage tanks to a transport trailer.

2.3.1.1 Log the Date, Time, operators involved and the volume intended to be sent to Trailer in the Harvest Record .You will take a total of three samples when loading transport one in the beginning one in middle and final one at end . This process starts as soon as you start feeding transport.



2.3.1.3 Confirm there is a 4" camlock fitting on the end of the transfer hosing on the algae storage tank. Connect grounding wire to tanker truck. Secure the transfer hosing to the transport trailer



Open algae storage transfer valve (AS-V932). Confirm algae storage by-pass valve (AS-V933) is closed. Open algae storage recirculation valves (AS-V930 and AS-V931).

Figure 4









Open inlet ball valve on the trailer.

2.3.1.5 Check that the top valve of the trailer is open to prevent pressurization of the tank.



In the plant HMI the desired amd storage tank can be identified. Commen control switch in the MCC building is in Auto for the algae transfer pump (09-P-9061). Open algae transfer valve (AS-V920) and verify sample port is closed (AS-V921). Verify E-stop is pulled out at the algae storage tank. Press Start button.



When the algae slurry pump is finished transferring material stop the pump by pressing the Stop button. Close algae storage transfer valve (AS-V932) and close the inlet ball valve on the trailer. The transfer hose should be closed and the hosing can be removed. Excess material in the line should be drained to the process drain lift station.



2.3.3 Documentation

- 1. The driver must be handed the following materials for slurry transport.
 - a. Bill of lading
 - b. MSDS of slurry material
 - c. Transfer of custody

3. Required documents

3.1. Input documents

Harvest Record Truck Manifest

MSDS for slurry material

Sample Sheet

3.2. Output documents

Harvest Record <Output document number>

4. Document control

4.1. Revision history

RO – Initial Release – T	imothy Langer	March 23, 2012	
R1 – Updated Algae Transfer of Slurry – Marcos Delgado		August 15, 2012	
R3-Updated Transfer S	lurry for Transport- Leo Willis	December 18 2014	

4.2. Document approval

<Name> <Approval date>

4.3. Document reviewers

<Name> <Last reviewed date> <Name> <Last reviewed date>

5. Risk analysis

<Risk name> < Mitigation plan>

6.

Revision: R1