



# Delock Module MiniPCle I/O PCle full size Graphics Adapter for VGA / DVI / HDMI

## **Description**

This Mini PCIe adapter by Delock expands the PC by two monitor interfaces. VGA, DVI or HDMI monitors can be connected to these interfaces by using the optional cables.

#### Please Note

The following connection cables are available as an option:

Item no. 84710 - 40 pin 1.25 mm > 2 x VGA Item no. 84711 - 40 pin 1.25 mm > 1 x HDMI

Item no. 85252 - 40 pin 1.25 mm > 1 x DVI-D



### Item no. 95256

EAN: 4043619952564

Country of origin: Taiwan,

Republic of China

Package: Box

## **Technical details**

- Connector:
  - 2 x 40 (40 DP) 1.25 mm pin header 1 x Mini PCI Express, Rev. 1.0
- Interface: PCI Express revision 1.0
- Formfaktor: Mini PCIe full size
- Chipset: SM750
- Resolution VGA up to 1920 x 1080 @ 75 Hz
- Resolution HDMI up to 1080p
- Resolution DVI-D up to 1080p Single Link
- Supports simultaneous on two displays
- Power consumption: ca. 600 mA
- Operating temperature: 0 °C ~ 70 °C
- Storage temperature: -55 °C ~ 95 °C
- Vibration: 5 G @ 7 ~ 2000 Hz
- Schock: 50 G @ 0.5 ms

# System requirements

- Windows 7/7-64/8.1/8.1-6410/10-64. Linux Ubuntu-Fedora-RedHeat
- PC with one free Mini PCI Express slot





• Connection cable

# **Package content**

· Graphics adapter

## **Images**





### **Manufacturer information**

Street Beeskowdamm 13/15

Postal code 14167 City Berlin

Country Deutschland
E-Mail info@delock.de
Website www.delock.de