

## Chapter 7 - OpenROAD flow scripts

Course authors (Git file)



- 1 What are we going to do now?
- 2 The features of ORFS



## Section 1

What are we going to do now?



# Previous chapters

What happen on the way to here:

- GDS-2-RTL: OpenROAD
- OpenROAD flow scripts (ORFS)
- ORFS flow steps and flow components
- First run of the flow scripts
- Analysing: Heatmaps and more (ORFS GUI)
- A Dive into the PDK



# This chapter

NOW:

Make your design better.




# Idea of today

There is a good tutorial about ORFS in the official documentation:

<https://openroad-flow-scripts.readthedocs.io/en/latest/tutorials/FlowTutorial.html>

The ORFS online-tutorial was not written for the use with the IHP PDK especially, but we can adopt this easily.





Contents

**Introduction**

User Guidelines

Getting Started

Configuring The Design

Running The Automated RTL-to-GDS  
Flow

Viewing Results And Logs

OpenROAD GUI

Understanding and Analyzing

OpenROAD Flow Stages and Results

Troubleshooting Problems

# OpenROAD Flow Scripts Tutorial

## Introduction

This document describes a tutorial to run the complete OpenROAD flow from RTL-to-GDS using [OpenROAD Flow Scripts](#). It includes examples of useful design and manual usage in key flow stages to help users gain a good understanding of the [OpenROAD](#) application flow, data organization, GUI and commands.

This is intended for:

- Beginners or new users with some understanding of basic VLSI design flow. Users will learn the basics of installation to use OpenROAD-flow-scripts for the complete RTL-to-GDS flow from here.
- Users already familiar with the OpenROAD application and flow but would like to learn more about specific features and commands.

Figure 1: ORFS Online Tutorial



## Section 2

### The features of ORFS







# Design config variables (some)

