CPR BROKER

Release notes

MAGENTAaps

© Copyright 2013

MAGENTAaps

TABLE OF CONTENTS

Introduction3	Extract Data provider	12
	Client data provider	
Version 1.0.14	Engine	12
Version 1.1.05	Version 1.3.1	13
Interface changes5	Engine	13
Changed Dlls5	Back end service	13
CprBroker.Engine5	Installer	13
CprBroker.Schemas6		
CprBroker.Providers.DPR6	Version 1.3.2	14
	CPR Direct	14
Version 1.1.17	Installer	14
Changed Dlls7		
CprBroker.Engine7	Version 1.4	15
CprBroker.Schemas8	DPR	15
CprBroker.Utilities8	KMD & CPR Direct	15
	E&M	15
Version 1.1.29	Engine	15
E&M Database implementation9	Database	
New installer version9		
Custom actions9	Version 2.1	16
Silent installations9	Part person interface	16
Easier upgrades9	DPR	
	KMD	16
Version 1.210	E&M	16
DPR10	CPR Direct	17
Website10	Database schema	17
Engine10		
Installer enhancements10	Version 2.1.1	18
Version 1.312	Version 2.1.2	19
CDP Direct 12		

MAGENTA

INTRODUCTION

This document lists all the versions of CPR Broker that are released after the first release.

1VERSION 1.0.1

This version is a minor enhancement for DPR data provider and data providers' configuration page.

The implementation is as follows

- Extra logging at key points in DPR to show decisions about using DPR diversion or skipping it.
- A new configuration property: DisableDiversion has been added to DPR data provider. The new property disables usage of DPR diversion (viderestilling) and thus using only the local DPR database records.
- The data providers configuration page now shows Boolean data provider properties as check boxed.

2VERSION 1.1.0

This version contains some changes to the core engine, affecting List operation, and also some bug fixes in engine and DPR.

2.1Interface changes

The interface now defines a new status code, 206. This code means that the interface method succeeded only partially. This status code can now only be returned from List operation, if not all requested person UUIDs have succeeded, but at least one UUID was read successfully.

In clear text, List operation will return status codes as follows

- 200 (OK) if all the UUIDs were found and successfully read.
- 206 (PARTIAL_SUCCESS) if all UUIDs were mapped to CPR numbers, at least one person was retrieved and at least one person UUID not retrieved. The status text field will contain more details (including the UUIDs).
- 400 (BAD_CLIENT_REQUEST) if

The application token is invalid, or

Input validation fails for a well known reason, such as an invalid/unknown UUID.

500 (UNSPECIFIED) if

Input validation fails for an unknown reason

An exception has occurred and cannot be handled

503 (DATASOURCE UNAVAILABLE) if

There are no internal or external data providers defined in the system that can process the request, or

All the UUIDs did not match any known person data

The above description applies to all other interface methods, except for the parts that are specific to List()

2.2Changed Dlls

2.2.1CprBroker.Engine

Sub methods can now be greater than maximum wait handles supported by the

system. This affects the List method at the moment.

 The ability for methods to partially success, implemented through the enumeration AggregationFailOption. This only affects List() at the moment.

2.2.2CprBroker.Schemas

- New return code : 206 (PARTIAL SUCCESS)
- Code refactoring and some new construction methods

2.2.3CprBroker.Providers.DPR

 Bug fix for conversion from decimal to date where month or day is zero. A zero is converted to one, which assumes that a zero month means beginning of the year (January)

3VERSION 1.1.1

The List operation no longer completely fails if one or more UUID is not mapped to a CPR number. Instead, this case is treated in a similar way as if there is no data provider that has data for the CPR number, although the error message is different.

In clear text, List operation will return status codes as follows

- 200 (OK) if all the UUIDs were found and successfully read
- 206 (PARTIAL_SUCCESS) if at least one person was retrieved and at least one person UUID not mapped to a CPR number or whose data could not be retrieved.
 The status text field will contain more details (including the UUIDs). The error message would be like this:

Partial success. Failed = Unknown UUID : <uuid1,uuid1,...>;Data provider failed : <uuid3,uuid4,...>

- 400 (BAD_CLIENT_REQUEST) if
 - o The application token is invalid, or
 - o Input validation fails for a well known reason, such as an invalid UUID.
- 500 (UNSPECIFIED) if
 - o Input validation fails for an unknown reason
 - o An exception has occurred and cannot be handled
- 503 (DATASOURCE UNAVAILABLE) if
 - There are no internal or external data providers defined in the system that can process the request, or
 - o All the UUIDs did not match any known CPR number or person data

The above description applies to all other interface methods, except for the parts that are specific to List()

3.1Changed Dlls

3.1.1CprBroker.Engine

- UUID mapping to CPR numbers is now part of the actual read operation logic rather than input validation.
- New method SubMethodInfo. PossibleErrorReason().



3.1.2CprBroker.Schemas

- Handling of different failure reasons in partial success.
- New method : TilstandVirkningType.ToVirkningType()
- Bug fix for calculation of effect dates for a person registration whole effect (RegistreringType1. Virkning). The new calculation takes into account all TilstandVirkningType objects in the RegistreringType1 object.
- ToLifeStatus() now throws an exception if the given status is invalid. This is determined through the new method IsValidCivilRegistrationStatus() which relies on a new enumeration: PersonCivilRegistrationStatusCode.
- New method : UnikIdType.Clone()

3.1.3CprBroker.Utilities

New method: Utilities.Dates.DateRangeIncludes()

4VERSION 1.1.2

This version includes 2 main changes, the implementation of the E&M database as a data provider and a newer version of the installer itself.

4.1E&M Database implementation

This implementation has started some time ago, but only included since this version. This implementation has been done in the file "CprBroker.Providers.E_M.dll".

The implementation made use of extensive unit testing for almost every single method, covering almost all the possible test cases.

4.2New installer version

4.2.1Custom actions

The number of custom actions has been significantly reduced. Database operations are performed in 1 action per operation type. The same applies for web custom actions.

4.2.2Silent installations

It is possible now to deploy CPR Broker without having user interface at all (and all other UI levels in windows installer).

4.2.3Easier upgrades

It is now possible to upgrade an existing installation by simply running the installer of the new version. This is easier than the previous use of patches.

5VERSION 1.2

The main purpose of this release is to introduce the ability of DPR data providers to be configured so that they always return CprBorgerType for all people regardless for their nationality. A new property called AlwaysReturnCprBorgerType was added. Default value is false, thus allowing existing installations to behave as they already do.

5.1DPR

- Unit tests for most of DPR code.
- Code refactoring of DPR code, isolated many of the object creation code into separate methods.
- Church membership indicator returns true only if the DPR is 'F'.
- Mother/Father CPR number retrieval no longer depends on mother/father marker.
- It is now possible to configure DPR data providers to always return CprBorgerType for citizens of all nationalities. This means that all returned people will have an address.
- The system can now detect 'separated' persons and differentiate them from married/registered partners.

5.2Website

Faster counting of number of rows in LogEntry table, based on table statistics.

5.3Engine

- Faster data provider allocation based on IEnumerable rather than List.
- Bug fix for the case where there are zero sub methods.
- Loading data providers from database is done only once per façade.
- Bug fix for reading of new data provider properties that were never set before.
- Bug fix: related persons throw an exception if could not be mapped to UUID's

5.4Installer enhancements

- Bug fix for the case when database name contains an ampersand (&).
- Referenced libraries organization.

MAGENTA^{aps}

- The installer now calls msizap.exe to force windows installer to forget previous versions of CPR broker (on a successful install).
- The installer now requires (and checks for) elevated privileges.
- The installer does not allow installation as virtual directory if there are no existing websites on the target machine.
- Progress text for most custom actions.
- Increased time out for the command that checks if the database login should be dropped during uninstall.

6VERSION 1.3

The main change in this version is the beta version of CPR Direct data providers

6.1CPR Direct

This version has a beta version of CPR direct. It comes in 2 data providers. Both use the 12170 format

6.1.1Extract Data provider

This is the main source used. It tracks a specified folder that receives daily change extracts from CPR office. The files are parsed and inserted in CPR broker's database to be later queried by CPR broker. The storage is made through Event Broker and is in both nanive and PART formats.

6.1.2Client data provider

This source uses TCP/IP to communicate with CPR Direct Client service and get the data through TCP/IP. Data is then stored similarly to Extract Data provider.

6.2Engine

This version includes implementation of SourceObjectXml. This feature allows data providers to specify a certain XML string that represents the data it has read from the data provider in the provider's native format. This is useful when reading data from expensive sources (KMD). If we later find a bug in the conversion to the PART format, there is no need to re-read from KMD to generate PART objects again.

7VERSION 1.3.1

This version has a small but important bug fix.

7.1Engine

 There was a bug that prevented List operation from getting a person's external data if more than one UUID is passed and the requested person has at least one relationship. This is a small but important bug fix.

7.2Back end service

Synchronization of birth dates is now in batches of size 1000

7.3Installer

 Installer can now handle trhe case when registry value EnableLUA (for UAC) is not found - considers it as 0 (false)

8VERSION 1.3.2

This is the production release of CPR Direct.

8.1CPR Direct

- Fixes for FTP connection
- Separate encodings for extracts and TCP
- Fixes for TCP/IP communication with CPR bureau
- Isolated extraction from person data refresh
- Introduced source objects for CPR Direct

8.2Installer

- The installer has been renamed to CprBroker.msi / CprBroker.exe
- Generic database and website patching code and SQL

9VERSION 1.4

This version mainly contains a fix to include city name in returned addresses. This is included in DistrictName field. This applies to all 4 data sources (DPR, E&M, KMD and CPR Direct). E&M is now set to return null in this field.

To implement a smarter fix, this version introduces the concept of match rules. They are some rules that can detect whether a changed person data is due to a bug fix or due to a real change in the data.

9.1DPR

- AddressPostal.DistrictName now contains city name.
- SpecialVejKode added.

9.2KMD & CPR Direct

AddressPostal.DistrictName now contains city name.

9.3E&M

AddressPostal.DistrictName is now always null.

9.4Engine

Inclusion of match rules framework and a match rule for fixing city names.

9.5Database

PersonProperties.BirthRegistrationAuthority is now of length 60.

16

10VERSION 2.1

The main features of this version are

- CprBorgerType is returned from all data sources
- City name is now returned in DistrictSubdivisionIdentifier

10.1Part person interface

Read() and List() operations are now capable of accepting an optional SOAP header that specifies usage of local cache. Possible options are (LocalOnly, ExternalOnly and LocalThenExternal)

10.2DPR

- Removed the property 'Always Return CprBorgerType. This property was kept for historical compatibility for a while, but now DPR will now always return person data of type CprBorgerType.
- City name now goes into DistrictSubdivisionIdentifier, postal district goes into DistrictName.
- Calls to DPR Diversion are now capable of timing out, and use disposable objects to avoid blockings.

10.3KMD

- DistrictName = PostDistrict20, DistrictSubdivisionIdentifier = CityName34.
- Isolated KMD calls from conversion to PART format.

10.4E&M

- Zero, stateless and similar country codes are no longer treated as errors, and are returned as they are in the source.
- Date values of minimum & maximum date are treated as null.
- CprBorgerType is always returned even for people of foreign nationalities.
 UkendtBorgerType and UdenlandskBorgerType are no longer used.
- Address fixes:
 - Only active addresses are retrieved
 - Addresses now come from CitizenReadyAddress (JY67800V)

- Addresses now include DistrictSubDivisionIdentifier
- StreetName, post code and district all come from CitizenReadyAddress (JY67800V)
- Postal district now goes into DistrictName and DistriktTekst

10.5CPR Direct

- Country code no longer validated
- Date values of min & max date are treated as null
- Postal district now goes into DistrictName and DistriktTekst.
- Error records are now read by the system
- Removed uncertainty flag from the calculation of citizenship.
- Implemented ISeparation in CPR Direct (current and history)

10.6Database schema

The database schema has been changed to that it allows multiple objects of PersonProperties (Egenskab) and person attributes (RegisterOplysning) per person. To fully update the database, batch client is needed to regenerate the database tables from the Contents field in PersonRegistration table.

11VERSION 2.1.1

This version is mainly about allowing more freedom of communication between CPR Broker and Person Master.

- It is now possible to call Person Master via https, and also possible to read a Windows Communication Foundation (WCF) end point configuration from the web.config file in CPR Broker for ultimate flexibility.
- Also, the client for person master no longer adds "/PersonMasterService12" to the address of person master data provider behind the scenes.

Note

Due to the change the address is handled, the installer will automatically add "/PersonMasterService12" suffix to existing person master data providers. It is always a good idea to ping these data providers after upgrading from a version older than this one.

12VERSION 2.1.2

- Calls to CPR FTP site are now only one per hour.
- Communication over HTTP between CPR Broker and Event broker now carries default credentials when calling CPR Broker
- Log page (LogEntries.aspx) now has filtration capabilities for date, type and application.

MAGENTAaps

adresse

Studiestræde 14, 1. 1455 København K

email

info@magenta-aps.dk

telefon

(+45) 33 36 96 96