

# **VHA Point of Service (Kiosks) Phase II**

**Installation Guide**

**For**

**VPS Combined 4, 5, 3 Build 1.0**



**Delivery Order VA118-11-D-1009**

**Task Order VA118-1009-0020**

**Department of Veterans Affairs**

**Approved: January 2015**

## Revision History

[illegible]

## Table of Contents

<b>Orientation .....</b>	<b>1</b>
How to Use this Manual .....	1
Intended Audience .....	1
Legal Requirements .....	1
Disclaimers .....	1
Documentation Conventions .....	1
Commonly Used Terms .....	2
Technical Information Online .....	2
Help Prompts .....	2
Data Dictionary .....	3
Assumptions .....	3
References .....	3
<b>1 Preliminary Considerations.....</b>	<b>3</b>
1.1 VistA M Server Requirements.....	3
<b>2 Installation.....</b>	<b>4</b>
2.1 Installation Prerequisites.....	4
2.2 Installation of KIDS Package .....	4
2.3 Sample KIDS Installation .....	5
<b>3 Post-Install .....</b>	<b>13</b>
3.1 HL7 Pre-Configuration Requirements.....	13
3.2 Configure VPS HL7 ADT A01 Messaging.....	13
3.3 Configure Clinical Survey Health Summary (HS) Report .....	21
3.4 Configure Default Clinical Survey Questionnaire Patient Data Object .....	24
3.5 MRAR Ad Hoc HS Report Definition .....	26
3.6 Create MRAR TIU PDO Object.....	28

## Figures

<i>Figure 1 Install Prompts.....</i>	<i>5</i>
--------------------------------------	----------

## Tables

<i>Table 1: Commonly used VPS Combined 4, 5, 3 Build 1.0 Terms.....</i>	<i>2</i>
<i>Table 2Minimum Server Requirements VistA M Server .....</i>	<i>4</i>

# Orientation

## How to Use this Manual

This manual provides instructions on the installation of VPS Combined 4, 5, 3 Build 1.0 host file to Veterans Health Information Systems and Technology Architecture (VistA).

## Intended Audience

The intended audience of this manual is the following stakeholders:

- Product Development (PD) VistA legacy development teams.
- Information Resource Management (IRM) system administrators at Department of Veterans Affairs (VA) sites who are responsible for computer management and system security on VistA M Servers.
- Information Security Officers (ISOs) at VA sites responsible for system security.
- Health Product Support (HPS) Information Technology (IT) Specialists who provide application support to VA end-users.

## Legal Requirements

There are no special legal requirements involved in the use of VPS Combined 4, 5, 3 Build 1.0.

## Disclaimers

This manual provides an overall explanation of VPS Combined 4, 5, 3 Build 1.0 installation. This guide does not attempt to explain how the overall VistA programming system is integrated and maintained.



**DISCLAIMER:** The appearance of any external hyperlink references in this manual does not constitute endorsement by the Department of Veterans Affairs (VA) of this Website or the information, products, or services contained therein. The VA does not exercise any editorial control over the information you may find at these locations. Such links are provided and are consistent with the stated purpose of this VA Intranet Service.

## Documentation Conventions

The following symbols are used throughout this document to alert the reader to special information.



**NOTE/REF:** Used to denote general information including references to additional reading material.



**CAUTION / RECOMMENDATION / DISCLAIMER:** Used to caution the reader to take special notice of critical information.

Snapshots of computer online displays (screen captures) and computer source code are shown in non-proportional font and are enclosed within a box. User responses to displayed only prompts are ***bold italic*** typeface. Software reserved words are displayed in **bold** font.

References to “<**Enter**>” within the screen captures indicate that the user should press the <**Enter**> key on the keyboard. Other special keys are represented within < > angle brackets and indicate the user should press the indicated key on the keyboard. For example, <PF1> directs the user to press the PF1 key on the keyboard.

The following conventions are used to display test data:

- Social Security Numbers (SSN) for test patients are prefixed with five zero digits e.g. 000009999.
- Patient names are formatted as [Application Name]PATIENT,[N] e.g. VPSPATIENT, ONE.
- User names are formatted as [Application Name]USER[N] e.g. VPSUSER, ONE.



This guide refers to the M programming language as M. Under the 1995 American National Standards Institute (ANSI) standard, M is the primary name of the MUMPS programming language, and MUMPS is considered an alternate name.

## Commonly Used Terms

*Table 1: Commonly used VPS Combined 4, 5, 3 Build 1.0 Terms*

Term	Description
Client	A single term used interchangeably to refer to a user, the workstation (i.e., PC), and the portion of the program that runs on the workstation.
Component	A software object that contains data and code. A component may or may not be visible.
GUI	The Graphical User Interface application that is developed for the client workstation.
Host	The term Host is used interchangeably with the term Server.
Server	The computer where the data and the RPC Broker remote procedure calls (RPCs) reside.

## Technical Information Online

Project documentation for VPS Kiosks may be found in the Technical Services Project Repository (TSPR). Other online technical information from M Server-based software file, routine and global documentation may be generated using Kernel, MailMan and VA FileMan utilities.

## Help Prompts

There are no online help prompts provided for VPS Combined 4, 5, 3 Build 1.0.

# Data Dictionary

Technical information on VistA M Server-based files and files is stored in the VA FileMan Data Dictionary. The VA FileMan List File Attributes option on the Data Dictionary Utilities submenu may be used to view the attributes of VistA M Server files.

## Assumptions

This guide is written with the assumption that the reader is familiar with:

- Kernel – VistA M Server software
- Remote Procedure Call (RPC) Broker – VistA Client/Server software
- VA FileMan data structures and terminology – VistA M Server software
- Microsoft Windows
- M programming language

## References

The following references support the reader's understanding of the operation and functioning of VPS\*1.0\*5:

- *VPS Technical Guide*
- *RPC Broker Release Notes*
- *RPC Broker Developer's Guide*
- *RPC Broker Systems Management Guide*
- *RPC Broker TCP/IP Supplement, Patch XWB\*1.1\*35 and XWB\*1.1\*44*
- *RPC Broker Technical Manual*
- *RPC Broker User Guide*
- *20090210 VHA Point-of-Service Initiative BRD*
- *DHCP Health Level Seven (HL7) Technical Manual, Version 1.6 (October 1995)*
- *Health Summary User Manual, Version 2.7 (August 2014)*

These references may be downloaded from the [VA Software Document Library \(VDL\) Website](#).

# 1 Preliminary Considerations

## 1.1 VistA M Server Requirements

The following minimum software tools are required on your VistA M Server in order to install and use VPS Combined 4, 5, 3 Build 1.0.

*Table 2 Minimum Server Requirements VistA M Server*

ITEM	PACKAGE	VERSION
Server Operating System	InterSystems Caché	NT and OpenVMS
VistA Legacy Software	Kernel	8.0
	Kernel Toolkit	7.3
	VA FileMan	22.0
	RPC Broker	1.1
	CPRS	30
	Health Summary	2.7
	HL7	1.6

## 2 Installation

This patch is to be installed on VistA system and must be installed by the compliance date to conform to VHA Directive 2001-023.

This patch may be loaded while VA Point of Service is active.

### 2.1 Installation Prerequisites

This patch requires patch VPS\*1.0\*2 to be installed before installing this patch, VPS COMBINED 4, 5, 3 1.0.

To install this patch, you will need to download the VPS\_1\_0\_4-5-3\_20150528.KID host file from a VPS FTP sites to a local storage location.

### 2.2 Installation of KIDS Package

1. Access the **Kernel Installation and Distribution System Menu** [XPD MAIN]
2. Run the **Installation** option [XPD INSTALLATION MENU]
3. Load the KIDS file by performing the following steps:
  - a. Run the **Load a Distribution** option [XPD LOAD DISTRIBUTION] to load the KIDS distribution.
  - b. When prompted, enter the path and file name host file, **VPS\_1\_0\_4-5-3\_20150528.KID** downloaded from the VPS FTP server.
  - c. When prompted to continue with the load, enter **YES**. A Distribution OK! Message will be displayed when the load is complete.
4. After loading the KIDS file, use the following options to verify the contents of the patch and to back up any affected routines.
  - Verify Checksums in Transport Global [XPD PRINT CHECKSUM] – run this option to verify the integrity of the routine in the patch.

- Compare Transport Global to Current System [XPD COMPARE TO SYSTEM] – run this option to view all changes that will be made when the patch is installed. All components (routines, RPCs, and so on) in the patch will be compared.
  - Backup a Transport Global [XPD BACKUP] – run this option to create a backup message of any routines exported with the patch. It will NOT backup any of the other changes.
5. After performing the load and any optional verification steps, perform the following steps to install the host file:
- a. Run the Install Package(s) [XPD INSTALL BUILD] option.
  - b. When prompted for the install name, enter **VPS COMBINED 4,5,3 BUILD 1.0**.
  - c. Answer NO to the following prompts

```

Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO// NO
Want KIDS to INHIBIT LOGONS during the install? NO//
Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//

```

*Figure 1 Install Prompts*

## 2.3 Sample KIDS Installation

Select OPTION NAME: KERNEL INSTALLATION & DISTRIBUTION XPD MAIN    Kernel Installation & Distribution System

Edits and Distribution ...  
 Utilities ...  
 Installation ...  
 Patch Monitor Main Menu ...

Select Kernel Installation & Distribution System <TEST ACCOUNT> Option: INSTALLATION

- 1    Load a Distribution
  - 2    Verify Checksums in Transport Global
  - 3    Print Transport Global
  - 4    Compare Transport Global to Current System
  - 5    Backup a Transport Global
  - 6    Install Package(s)
- Restart Install of Package(s)  
 Unload a Distribution

Select Installation <TEST ACCOUNT> Option: LOAD A DISTRIBUTION



Enter a Host File: /home/cheyl118/VPS\_1\_0\_4-5-3\_20150528.KID

KIDS Distribution saved on May 28, 2015@11:17:34

Comment: Combined build contains VPS\*1.0\*4, VPS\*1.0\*5, and VPS\*1.0\*3 in that order.

This Distribution contains Transport Globals for the following Package(s):

VPS COMBINED 4,5,3 BUILD 1.0

Build VPS\*1.0\*4 has been loaded before, here is when:

VPS\*1.0\*4 Install Completed

was loaded on Jul 18, 2014@16:55:46

VPS\*1.0\*4 Install Completed

was loaded on Jul 31, 2014@16:54:39

VPS\*1.0\*4 Install Completed

was loaded on Aug 21, 2014@13:47:48

VPS\*1.0\*4 Install Completed

was loaded on Sep 02, 2014@17:42:30

VPS\*1.0\*4 Install Completed

was loaded on Nov 03, 2014@11:20:44

OK to continue with Load? NO// YES

Build VPS\*1.0\*5 has been loaded before, here is when:

VPS\*1.0\*5 Install Completed

was loaded on Apr 10, 2015@15:15:50

VPS\*1.0\*5 Install Completed

was loaded on May 20, 2015@17:58:32

VPS\*1.0\*5 Install Completed

was loaded on May 26, 2015@16:31:41

VPS\*1.0\*5 Install Completed

was loaded on May 26, 2015@17:34:14

OK to continue with Load? NO// YES

Build VPS\*1.0\*3 has been loaded before, here is when:

VPS\*1.0\*3 Install Completed

was loaded on Feb 19, 2015@14:39:50

VPS\*1.0\*3 Install Completed

was loaded on Apr 29, 2015@16:04:11

VPS\*1.0\*3 Install Completed

was loaded on May 01, 2015@13:55:17

VPS\*1.0\*3 Install Completed

was loaded on May 05, 2015@07:53:58

VPS\*1.0\*3 Install Completed

was loaded on May 05, 2015@10:29:26

VPS\*1.0\*3 Install Completed

was loaded on May 05, 2015@12:49:29

VPS\*1.0\*3 Install Completed

was loaded on May 05, 2015@13:35:31

VPS\*1.0\*3 Install Completed

was loaded on May 07, 2015@12:20:03

VPS\*1.0\*3 Install Completed

was loaded on May 07, 2015@19:27:39

OK to continue with Load? NO// YES

Distribution OK!

Want to Continue with Load? YES//

Loading Distribution...

VPS COMBINED 4,5,3 BUILD 1.0

VPS\*1.0\*4

VPS\*1.0\*5

VPS\*1.0\*3

Use INSTALL NAME: VPS COMBINED 4,5,3 BUILD 1.0 to install this Distribution.

- 1 Load a Distribution
- 2 Verify Checksums in Transport Global
- 3 Print Transport Global
- 4 Compare Transport Global to Current System
- 5 Backup a Transport Global
- 6 Install Package(s)  
Restart Install of Package(s)  
Unload a Distribution

Select Installation <TEST ACCOUNT> Option: INSTALL PACKAGE(S)

Select INSTALL NAME: VPS COMBINED 4,5,3 BUILD 1.0 5/29/15@13:01:56

=> Combined build contains VPS\*1.0\*4, VPS\*1.0\*5, and VPS\*1.0\*3 in that or

This Distribution was loaded on May 29, 2015@13:01:56 with header of

Combined build contains VPS\*1.0\*4, VPS\*1.0\*5, and VPS\*1.0\*3 in that order. ;

Created on May 28, 2015@11:17:34

It consisted of the following Install(s):

VPS COMBINED 4,5,3 BUILD 1.0 VPS\*1.0\*4 VPS\*1.0\*5 VPS\*1.0\*3

Checking Install for Package VPS COMBINED 4,5,3 BUILD 1.0

Install Questions for VPS COMBINED 4,5,3 BUILD 1.0

Checking Install for Package VPS\*1.0\*4

Install Questions for VPS\*1.0\*4

Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO// NO

Checking Install for Package VPS\*1.0\*5

Install Questions for VPS\*1.0\*5

Incoming Files:

853.1 VPS HL7 SITE PARAMETERS

853.8 VPS CLINICAL SURVEY

853.85 VPS QUESTIONNAIRE IDENTIFIERS

853.875 VPS QUESTIONNAIRE NAME

853.9 VPS APPOINTMENTS QUEUE

Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO//

Checking Install for Package VPS\*1.0\*3

Install Questions for VPS\*1.0\*3

Incoming Files:

853 VPS CONFIG HISTORY  
853.3 VPS ALLERGY DISCREPANCY INDICATORS (including data)  
853.5 VPS MRAR PDO  
853.7 VPS MED DISCREPANCY INDICATORS (including data)

Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO//

Want KIDS to INHIBIT LOGONs during the install? NO//

Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//

Enter the Device you want to print the Install messages.

You can queue the install by enter a 'Q' at the device prompt.

Enter a '^' to abort the install.

DEVICE: HOME// HOME (CRT)

-----

Install Started for VPS COMBINED 4,5,3 BUILD 1.0 :

May 29, 2015@13:03:38

Build Distribution Date: May 28, 2015

Installing Routines:

May 29, 2015@13:03:38

Install Started for VPS\*1.0\*4 :

May 29, 2015@13:03:38

Build Distribution Date: May 28, 2015

Installing Routines:

May 29, 2015@13:03:39

Installing PACKAGE COMPONENTS:

Installing REMOTE PROCEDURE

Installing OPTION

May 29, 2015@13:03:39

Updating Routine file...

Updating KIDS files...

VPS\*1.0\*4 Installed.

May 29, 2015@13:03:39

Not a production UCI

NO Install Message sent

Install Started for VPS\*1.0\*5 :

May 29, 2015@13:03:39

Build Distribution Date: May 28, 2015

Installing Routines:

May 29, 2015@13:03:39

Installing Data Dictionaries:

May 29, 2015@13:03:39

Installing PACKAGE COMPONENTS:

Installing REMOTE PROCEDURE

Installing OPTION

May 29, 2015@13:03:39

Updating Routine file...

Updating KIDS files...

VPS\*1.0\*5 Installed.

May 29, 2015@13:03:39

Not a production UCI

NO Install Message sent

Install Started for VPS\*1.0\*3 :

May 29, 2015@13:03:39

Build Distribution Date: May 28, 2015

Installing Routines:

May 29, 2015@13:03:39

Running Pre-Install Routine: REMOVE^VPSDDCU

Installing Data Dictionaries:

May 29, 2015@13:03:40

Installing Data:

May 29, 2015@13:03:40

Installing PACKAGE COMPONENTS:

Installing REMOTE PROCEDURE

Installing OPTION

May 29, 2015@13:03:40

Updating Routine file...

Updating KIDS files...

VPS\*1.0\*3 Installed.

May 29, 2015@13:03:40

Not a production UCI

NO Install Message sent

Updating Routine file...

Updating KIDS files...

VPS COMBINED 4,5,3 BUILD 1.0 Installed.

May 29, 2015@13:03:40

No link to PACKAGE file

NO Install Message sent

Install Completed

Messages will vary based on the UCI  
to which you are installing.

## 3 Post-Install

### 3.1 HL7 Pre-Configuration Requirements

IRM and VPS administrators supporting VPS HL7 messaging require the HLO security keys HLOMAIN and HLOMGR.

Before beginning the VPS configuration for HL7 messaging, obtain the HL7 receiving server information for your site from the VPS HL7 Configuration spreadsheet available at [http://vaww.oed.portal.va.gov/projects/vps/Library/VetLink%205.5/VPS HL7 Server Information.xlsx](http://vaww.oed.portal.va.gov/projects/vps/Library/VetLink%205.5/VPS%20HL7%20Server%20Information.xlsx).

**Note:** Test environments not implementing HL7 or HLO messaging do not need to perform the steps in this section.

### 3.2 Configure VPS HL7 ADT A01 Messaging

1. Using VistA FileMan, edit the **VPS HL7 SITE PARAMETER** file #853.1.

Select OPTION: ENTER OR EDIT FILE ENTRIES

INPUT TO WHAT FILE: VPS HL7 SITE PARAMETERS// **853.1** VPS HL7 SITE PARAMETERS  
(1 entry)

EDIT WHICH FIELD: ALL// **NAME**

THEN EDIT FIELD: **ACTIVE**

THEN EDIT FIELD:

Select VPS HL7 SITE PARAMETERS NAME: **VPS HL7 SITE PARAMETER**

ACTIVE: Yes// **Y Yes**

Edit the NAME and  
ACTIVE fields

2. Use ^ to return to the **INPUT TO WHAT FILE:** prompt.
3. Use VistA FileMan to edit the **PROTOCOL** file #101. Add **VPS SEND APPT to SDAM APPOINTMENT EVENTS**.



Select OPTION: ENTER OR EDIT FILE ENTRIES

INPUT TO WHAT FILE: PROTOCOL// **101 PROTOCOL** (6101 entries)  
EDIT WHICH FIELD: ALL// **NAME**  
THEN EDIT FIELD: **ITEM TEXT**  
THEN EDIT FIELD: **TYPE**  
THEN EDIT FIELD: **ENTRY ACTION**  
THEN EDIT FIELD:

Edit the NAME,  
TEXT, TYPE, and  
ENTRY ACTION  
fields.

Select PROTOCOL NAME: **VPS SEND APPT**

Located in the VPS (VPS KIOSK) namespace.

Are you adding 'VPS SEND APPT' as a new PROTOCOL (the 6102ND)? No// **Y Yes**

NAME: VPS SEND APPT// <Enter>

ITEM TEXT: **Send appointment status change to Vetlink HL7 Server**

TYPE: **action**

ENTRY ACTION: **D EN^VPSSEND**

Select PROTOCOL NAME:

#### 4. Exit FileMan.

#### 5. Use the **HL7 Main Menu** option **HLO** to register the VPS HL7 sending and receiving message applications in the VistA HLO system.

Select OPTION NAME: **HL7 MAIN MENU** HL MAIN MENU HL7 Main Menu

Event monitoring menu ...  
Systems Link Monitor  
Filer and Link Management Options ...  
Message Management Options ...  
Interface Developer Options ...  
Site Parameter Edit  
HLO HL7 (Optimized) MAIN MENU ...

Select HL7 Main Menu Option: **HLO** HL7 (Optimized) MAIN MENU

SM HLO SYSTEM MONITOR  
MV HLO MESSAGE VIEWER  
STAT HLO MESSAGE STATISTICS  
ES HLO ERROR STATISTICS  
SE HLO EDIT ERROR SCREENS  
TS TROUBLESHOOTING MENU ...  
DM HLO DEVELOPER MENU ...  
SP EDIT HLO SYSTEM PARAMETERS

Select HL7 (Optimized) MAIN MENU Option: **DM** HLO DEVELOPER MENU

SR ADD/EDIT SUBSCRIPTIONS  
EP SET OUTGOING QUEUE PRIORITY  
AR APPLICATION REGISTRY MENU ...

Select HLO DEVELOPER MENU Option: **AR** AR APPLICATION REGISTRY MENU

STOP INACTIVATE SENDING APPLICATION  
SA ADD/EDIT SENDING APPLICATION  
RA ADD/EDIT RECEIVING APPLICATION  
RET EDIT MESSAGE RETENTION TIME

Select APPLICATION REGISTRY MENU Option: **SA** SA ADD/EDIT SENDING APPLICATION

Select HLO APPLICATION REGISTRY APPLICATION NAME: **VPS SEND APPT STATUS**

Are you adding 'VPS SEND APPT STATUS' as  
a new HLO APPLICATION REGISTRY (the 10TH)? No// **Y (Yes)**

APPLICATION NAME: VPS SEND APPT STATUS **<ENTER>**

Package File Link: **HEALTH LEVEL SEVEN**

Do you want to edit the setup for sequence queues? NO// **N (No)**

Select HLO APPLICATION REGISTRY APPLICATION NAME: **<ENTER>**

STOP INACTIVATE SENDING APPLICATION  
SA ADD/EDIT SENDING APPLICATION  
RA ADD/EDIT RECEIVING APPLICATION  
RET EDIT MESSAGE RETENTION TIME

Select APPLICATION REGISTRY MENU Option: **R RA ADD/EDIT RECEIVING APPLICATION**

Select HLO APPLICATION REGISTRY APPLICATION NAME: **VPS RECEIVE APPT STATUS**

Are you adding 'VPS RECEIVE APPT STATUS' as  
a new HLO APPLICATION REGISTRY (the 10TH)? No// **Y (Yes)**

APPLICATION NAME: VPS RECEIVE APPT STATUS// **<ENTER>**

Package File Link: **HEALTH LEVEL SEVEN** HL

Do you want to edit the setup for receiving batch messages? NO// **N <ENTER>**

Select HL7 MESSAGE TYPE:

Do you want to edit the default action for non-specified messages types? NO// **N <ENTER>**

If application acknowledgments are returned, and they must go through a specific link, enter it here. This applies if an interface engine or other  
Middleware is used.

RETURN LINK FOR APPLICATION ACKNOWLEDGMENTS: **<ENTER>**

Select HLO APPLICATION REGISTRY APPLICATION NAME: **<ENTER>**

Exit the HL7 Main Menu option.

Use the LINK EDIT option to enter the domain name/IP address of the receiving HL7 server, provided separately. For your site receiving HL7 server domain name, see the VPS HL7 Configuration spreadsheet available at

<http://vaww.oed.portal.va.gov/projects/vps/Library/VetLink%205.5/VPS HL7 Server Information.xlsx>

Select OPTION NAME: <b>LINK EDIT</b> HL EDIT LOGICAL LINKS      Link Edit Select HL LOGICAL LINK NODE: <b>VPSAPPT</b>
--

Use the <TAB> key to navigate to each field and set the AUTOSTART, QUEUE SIZE, LLP TYPE, and DNS DOMAIN values as shown in the following screen capture.

HL7 LOGICAL LINK

---

NODE: **VPSAPPT**                      DESCRIPTION: **Patient Appt Status**

INSTITUTION:

MAILMAN DOMAIN:

AUTOSTART: **Enabled**

QUEUE SIZE: **10**

LLP TYPE: **TCP**

DNS DOMAIN: *<domain-name or ip address of VetLink HL7 server>*

---

COMMAND:                                      Press <PF1>H for help      Insert

*Entering  
Description  
information is  
optional*

10 is the default queue

Navigate to the LLP TYPE field and press the <ENTER> key to open the Logical Link Dialog.

In the Logical Link Dialog, enter the TCP/IP ADDRESS or domain name provided separately. Enter port number 5001 for production or 5026 for test into the TCP/IP PORT (OPTIMIZED) field.

HL7 LOGICAL LINK	
-----	
TCP LOWER LEVEL PARAMETERS	
VPSAPPT	
TCP/IP SERVICE TYPE: CLIENT (SENDER)	
TCP/IP ADDRESS: XX.XXX.XXX.XXX	
TCP/IP PORT:	
TCP/IP PORT (OPTIMIZED): 5001	
ACK TIMEOUT:	RE-TRANSMISSION ATTEMPTS:
READ TIMEOUT:	EXCEED RE-TRANSMIT ACTION:
BLOCK SIZE:	SAY HELO:
STARTUP NODE:	TCP/IP OPENFAIL TIMEOUT:
RETENTION:	PERSISTENT:
	UNI-DIRECTIONAL WAIT:
COMMAND: Press <PF1>H for help Insert	

When you have entered the required configuration values, use the tab key to navigate to the COMMAND field.

Enter *Save* and press the <ENTER> key to exit.

Navigating to the COMMAND field and enter *Exit* and press the <ENTER> key.

**Note:** On exit you will receive the message, "If you shut down this link to edit, please remember to restart if appropriate"

**Note:** The HLO ports are 5001 for production accounts and 5026 for test accounts. These ports are the default HLO assignments and are automatically established by HLO.

After configuring the VPSAPPT link, use the HL7 Main Menu, HLO option to verify communication/connectivity between the sending and receiving HL7 applications. An example showing how to test HL7 sender and receiver connectivity is shown in the following example.

Select OPTION NAME: **HL7 MAIN MENU** HL MAIN MENU HL7 Main Menu

Event monitoring menu ...  
Systems Link Monitor  
Filer and Link Management Options ...  
Message Management Options ...  
Interface Developer Options ...  
Site Parameter Edit  
HLO HL7 (Optimized) MAIN MENU ...

Select HL7 Main Menu Option: **HLO** HL7 (Optimized) MAIN MENU

SM HLO SYSTEM MONITOR  
MV HLO MESSAGE VIEWER  
STAT HLO MESSAGE STATISTICS  
ES HLO ERROR STATISTICS  
SE HLO EDIT ERROR SCREENS  
TS TROUBLESHOOTING MENU ...  
DM HLO DEVELOPER MENU ...  
SP EDIT HLO SYSTEM PARAMETERS

Select HL7 (Optimized) MAIN MENU Option: **SM**

**HLO SYSTEM MONITOR** Feb 23, 2015@14:15 Page: 1 of 1

Brief Operational Overview

SYSTEM STATUS: RUNNING  
PROCESS MANAGER: RUNNING  
STANDARD LISTENER: RUNNING  
TASKMAN: RUNNING  
DOWN LINKS:  
CLIENT LINK PROCESSES: 2  
IN-FILER PROCESSES: 2  
MESSAGES PENDING ON OUT QUEUES: 0 ON SEQUENCE QUEUES: 0  
STOPPED OUTGOING QUEUES:  
MESSAGES PENDING ON APPLICATIONS: 0  
STOPPED INCOMING QUEUES: VPS  
FILE 777 RECORD COUNT: 0 --> as of Feb 22, 2015@16:41:57  
FILE 778 RECORD COUNT: 0 --> as of Feb 22, 2015@16:41:57  
MESSAGES SENT TODAY: 5  
MESSAGES RECEIVED TODAY: 0  
MESSAGE ERRORS TODAY: 0

Brief System Status

LP LIST PROCESSES	BS BRIEF STATUS	TL TEST TCP LINK
DL DOWN LINKS	ML MONITOR LINK	RT RealTime MODE
OQ OUTGOING QUEUES	STOP HLO	SEQ SEQUENCE QUEUES
IQ INCOMING QUEUES	START HLO	SQ START/STOP QUEUE

Select Action:Quit// **TL**

Enter **TL** at the Select Action: prompt.

Select a TCP link: **VPSAPPT**

PORT: (1-65535): 5001// **<ENTER>**  
Testing....  
**VPSAPPT:5001 IS operational...**  
Hit any key to continue...

Site HLO port number may  
differ from the port number,  
5001 shown in the example

**If you do not receive** the “VPSAPPT: 5001 IS operational...” message, please verify that the DNS Domain, TCP/IP Address and Port number of the VetLink receiving HL7 server have been enter correctly in the HL LOGICAL LINK file.

1. Use a FileMan Inquiry to the HL LOGICAL LINK file #870 and verify the LLP TYPE, DNS DOMAIN, TCP/IP ADDRESS, TCP/IP PORT (OPTIMIZED), and TCP/IP SERVICE TYPE. The VPSAPPT should appear as follows, with the DNS DOMAIN, and TCP/IP Address replaced with the VetLink information provided separately.

NODE: VPSAPPT	LLP TYPE: TCP
STATE: Shutdown	AUTOSTART: Enabled
DNS DOMAIN: XX.XXX.XXX.XXX	TIME STOPPED: FEB 23, 2015@13:47:15
SHUTDOWN LLP ?: YES	QUEUE SIZE: 10
TCP/IP ADDRESS: XX.XXX.XXX.XXX	TCP/IP SERVICE TYPE: CLIENT (SENDER)
TCP/IP PORT (OPTIMIZED): 5001	

2. If the VPSAPPT entry in the HL LOGICAL LINK file #870 is not correct, use the LINK EDIT option to make any necessary corrections.
3. Repeat the connectivity test in the HLO System Monitor.

If the VPSAPPT entry in the HL LOGICAL LINK file #870 is correct and the link test continues to report 5001 as NOT OPERATIONAL take the following actions.

1. Contact [gckiosksupport@vecna.com](mailto:gckiosksupport@vecna.com) and **include your site name and the information in the HL LOGICAL LINK file.** If necessary, escalate to [VPS@VA.GOV](mailto:VPS@VA.GOV).

If the HL LOGICAL LINK information is confirmed to be correct, contact your Network Support Group.

1. Request that the Network Support group for your site allow IP addresses associated with any Vista system that might run TaskMan (including failover) be allowed to transmit to the TCP/IP ADDRESS/domain name associated with VPSAPPT at your site’s HL7 port (default HLO port 5001 for production or 5026 for test) and that the TCP/IP ADDRESS/domain name associated with VPSAPPT at your site’s HLO port can send to any Vista port. National Service Desk contact information may be found at <https://vaww.aac.va.gov/servicedesk/>

**When the VPSAPPT HL Logical Link port (<your site’s HLO port>) is operational,** complete the VPS HL7 Logical Link configuration by starting the VPSAPPT outgoing HL Logical Link.

1. Do a FileMan inquiry to the PROTOCOL FILE #101 and verify that **VPS SEND APPT** is listed in the **SDAM APPOINTMENT EVENTS** entry in the PROTOCOL FILE #101.
2. Do a Fileman inquiry to the VPS HL7 SITE PARAMETERS file #853.1 and verify that the **ACTIVE** field is set to **YES**.

To start the HL Logical Link, use the HL7 Main Menu and select the **SM HLO System Monitor** option as shown in the following example.

HLO SYSTEM MONITOR		Feb 23, 2015@14:19:27	Page: 1 of 1
<u>Brief Operational Overview</u>			
SYSTEM STATUS:	RUNNING		
PROCESS MANAGER:	RUNNING		
STANDARD LISTENER:	RUNNING		
TASKMAN:	RUNNING		
DOWN LINKS:			
CLIENT LINK PROCESSES:	2		
IN-FILER PROCESSES:	2		
MESSAGES PENDING ON OUT QUEUES:	0	ON SEQUENCE QUEUES:	0
STOPPED OUTGOING QUEUES: VPSSEND10957			
MESSAGES PENDING ON APPLICATIONS:	0		
STOPPED INCOMING QUEUES: VPS			
FILE 777 RECORD COUNT:	0	--> as of Feb 22, 2015@16:41:57	
FILE 778 RECORD COUNT:	0	--> as of Feb 22, 2015@16:41:57	
MESSAGES SENT TODAY:	5		
MESSAGES RECEIVED TODAY:	0		
MESSAGE ERRORS TODAY:	0		
<u>Brief System Status</u>			>>>
LP LIST PROCESSES	BS BRIEF STATUS	TL TEST TCP LINK	
DL DOWN LINKS	ML MONITOR LINK	RT RealTime MODE	
OQ OUTGOING QUEUES	STOP HLO	SEQ SEQUENCE QUEUES	
IQ INCOMING QUEUES	START HLO	SQ START/STOP QUEUE	
Select Action:Quit//DL			
Enter <b>DL</b> at the Select Action: prompt			
<u>Down HLO Links</u>		Feb 23, 2015@14:20:17	Page: 0 of 0
		<u>Pending Messages</u>	<u>Date/Time Down</u>
Enter <b>RL</b> at the Select Action: prompt and <b>VPSAPPT</b> at the Select a TCP Client Link.			
<u>Down Client Links</u>			
SL SHUTDOWN LINK	RL RESTART LINK		
Select Action:Quit// <b>RL</b> RESTART LINK			
Select a TCP Client Link (Outgoing): <b>VPSAPPT</b>			

Once the HL Logical Link, VPSAPPT, has been started, please send an email to [VPS@VA.GOV](mailto:VPS@VA.GOV) with **SUBJECT: ASI HL7 Link** and include in the body of the message **the Site Name** for which the HL7 link has been started. This will serve as notification to the VPS implementation team to validate HL7 messaging at the receiving server.

### 3.3 Configure Clinical Survey Health Summary (HS) Report

Create an Ad Hoc HS report as shown in the following screen capture, using the HEALTH SUMMARY MAINTENANCE MENU (GMTS IRM/ADPAC MAINT MENU).

Health Summary Maintenance Menu	
1	Disable/Enable Health Summary Component
2	Create/Modify Health Summary Components
3	Edit Ad Hoc Health Summary Type
4	Rebuild Ad Hoc Health Summary Type
5	Resequence a Health Summary Type
6	Create/Modify Health Summary Type
7	Edit Health Summary Site Parameters
8	Health Summary Objects Menu ...
9	CPRS Reports Tab 'Health Summary Types List' Menu ...
10	CPRS Health Summary Display/Edit Site Defaults ...

Select option 2 **Create/Modify Health Summary Components**.

```
Select Health Summary Maintenance Menu <TEST ACCOUNT> Option: 2 Create/Modify Health Summary Components
Select COMPONENT: CSQ HS TYPE
  Are you adding 'CSQ HS TYPE' as
    a new HEALTH SUMMARY COMPONENT? No// YES (Yes)
  HEALTH SUMMARY COMPONENT NUMBER: 442029//
Do you wish to duplicate an existing COMPONENT? YES// NO
NAME: CSQ HS TYPE//
PRINT ROUTINE: HS;VPSSRVY3
ABBREVIATION: CSQ
DESCRIPTION:
  No existing text
  Edit? NO//
TIME LIMITS APPLICABLE: YES yes
MAXIMUM OCCURRENCES APPLICABLE: YES yes
HOSPITAL LOCATION APPLICABLE:
ICD TEXT APPLICABLE:
PROVIDER NARRATIVE APPLICABLE:
LOCK:
DEFAULT HEADER NAME:
Select SELECTION FILE: VPS
  1 VPS CLINICAL SURVEY
  2 VPS QUESTIONNAIRE IDENTIFIERS
  3 VPS QUESTIONNAIRE NAME
CHOOSE 1-2: 3 VPS QUESTIONNAIRE NAME
  Are you adding 'VPS QUESTIONNAIRE NAME' as
    a new SELECTION FILE (the 1ST for this HEALTH SUMMARY COMPONENT)? No// YES (Yes)
  SELECTION COUNT LIMIT: 3
Select SELECTION FILE:

ADD new Component to the AD HOC Health Summary? NO// YES

>>> EDITING the GMTS HS ADHOC OPTION Health Summary Type
SUPPRESS PRINT OF COMPONENTS WITHOUT DATA: no// YES yes

Do you wish to review the Summary Type structure before continuing? NO// YES

                                HEALTH SUMMARY TYPE INQUIRY

                                Type Name: GMTS HS ADHOC OPTION
                                Title: Ad Hoc Health Summary Type
                                Owner: POSTMASTER          LOCK: GMTSMGR
SUPPRESS PRINT OF COMPONENTS WITHOUT DATA: yes
SUPPRESS SENSITIVE PRINT DATA:

                                Max          Hos   ICD   Pro   CPT
```



Abb	Ord	Component Name	Occ	Time	Loc	Text	Nar	Mod	Selection
	5	ACTIVE MEDS RECONCIL							
PLA	10	Active Problems							
CD	15	Advance Directive							
BADR	25	Brief Adv React/All							
ADR	35	Adv React/Allerg							
PSO2	45	Active/Pending/Expir							
BCMA	55	BCMA MED HISTORY	10						
BCML	65	BCMA MED LOG							
BCMS	75	BCMA Specific Drug L							
	85	BMI							
	95	Braden Scale	10	1Y					
PRF1	105	CAT I PT RECORD FLAG							

\* = Disabled Components

*There may be multiple pages of HS components.*

Select COMPONENT: CSQ HS TYPE// **CSQ HS TYPE**  
SUMMARY ORDER: 1345// ~~1345~~  
OCCURRENCE LIMIT: **5**  
TIME LIMIT: **1Y**  
HEADER NAME:

*The Site SUMMARY ORDER value may differ from the example shown..*

No selection items chosen.

Select new items one at a time in the sequence you want them displayed.  
You may select up to 1 items.

Select SELECTION ITEM:  
Please hold on while I resequence the summary order.....  
.....  
.....

>>> Returning to Create/Modify Health Summary Component Option.

Select COMPONENT: **CSQ HS CALC TYPE**

Are you adding 'CSQ HS CALC TYPE' as  
a new HEALTH SUMMARY COMPONENT? No// **YES** (Yes)  
HEALTH SUMMARY COMPONENT NUMBER: 442030//

*Your HEALTH SUMMARY COMPONENT NUMBER may differ from the example shown.*

Do you wish to duplicate an existing COMPONENT? YES// **NO**  
NAME: CSQ HS CALC TYPE//  
PRINT ROUTINE: **HSCAL;VPSSRVY3**  
ABBREVIATION: **CSQ**  
DESCRIPTION:  
No existing text  
Edit? NO//  
TIME LIMITS APPLICABLE: **YES** yes  
MAXIMUM OCCURRENCES APPLICABLE: **YES** yes  
HOSPITAL LOCATION APPLICABLE:  
ICD TEXT APPLICABLE:  
PROVIDER NARRATIVE APPLICABLE:  
LOCK:  
DEFAULT HEADER NAME:

Select SELECTION FILE: **VPS**

- 1 VPS CLINICAL SURVEY
- 2 VPS QUESTIONNAIRE IDENTIFIERS
- 3 VPS QUESTIONNAIRE NAME

CHOOSE 1-2: **3 VPS QUESTIONNAIRE NAME**

Are you adding 'VPS QUESTIONNAIRE NAME' as  
a new SELECTION FILE (the 1ST for this HEALTH SUMMARY COMPONENT)? No// **YES**  
(Yes)

SELECTION COUNT LIMIT: **3**

Select SELECTION FILE:

ADD new Component to the AD HOC Health Summary? NO// **YES**

>>> EDITING the GMTS HS ADHOC OPTION Health Summary Type

SUPPRESS PRINT OF COMPONENTS WITHOUT DATA: yes//

Do you wish to review the Summary Type structure before continuing? NO// **YES**

#### HEALTH SUMMARY TYPE INQUIRY

Type Name: GMTS HS ADHOC OPTION  
Title: Ad Hoc Health Summary Type  
Owner: POSTMASTER LOCK: GMTSMGR

SUPPRESS PRINT OF COMPONENTS WITHOUT DATA: **YES**

SUPPRESS SENSITIVE PRINT DATA:

Abb	Ord	Component Name	Max Occ	Hos Time	ICD Loc	Pro Text	CPT Nar	Mod	CPT Selection
-----									
	5	ACTIVE MEDS RECONCIL							
PLA	10	Active Problems							
CD	15	Advance Directive							
BADR	25	Brief Adv React/All							
ADR	35	Adv React/Allerg							
PSO2	45	Active/Pending/Expir							
BCMA	55	BCMA MED HISTORY	10						
BCML	65	BCMA MED LOG							
BCMS	75	BCMA Specific Drug L							
	85	BMI							
	95	Braden Scale	10	1Y					
PRF1	105	CAT I PT RECORD FLAG							

\* = Disabled Components

*There may be multiple pages of HS components.*

Select COMPONENT: CSQ HS CALC TYPE// **CSQ**

SUMMARY ORDER: 1350// 1350

OCCURRENCE LIMIT: **5**

TIME LIMIT: **1Y**

HEADER NAME:

No selection items chosen.

Select new items one at a time in the sequence you want them displayed.

You may select up to 1 items.

Select SELECTION ITEM:

Please hold on while I resequence the summary order.....

.....

.....

>>> Returning to Create/Modify Health Summary Component Option.

Select COMPONENT:

Press RETURN to continue.

Exit the HEALTH SUMMARY MAINTENANCE MENU.

## 3.4 Configure Default Clinical Survey Questionnaire Patient Data Object

Create a VPS Clinical Survey Questionnaire Patient Data Object (PDO) using the TIU Maintenance Menu Option.

Select TIU Maintenance Menu Option: **2 Document Definitions (Manager)**

--- Manager Document Definition Menu ---

- 1 Edit Document Definitions
- 2 Sort Document Definitions
- 3 Create Document Definitions
- 4 Create Objects

Select Document Definitions (Manager) Option: **4 Create Objects**

START WITH OBJECT: FIRST// <Enter>.....

.....

Objects Nov 17, 2014@14:49:55 Page:16 of 16 Status

1 A1C HGB

A

2	A1C LAST		A
3	ABD CAT SCAN		A
4	ABG		A
5	ACTIVE MEDICATIONS		A
6	ACTIVE MEDS COMBINED		A
7	ACTIVE PROBLEM		A
8	ACTIVE/PENDING/EXPIRED MEDICATIONS		A
9	ACTIVE/PENDING/EXPIRED MEDS		I
10	ACTIVE/PENDING/EXPIRING MEDICATIONS (W/O SUPPLIES)		A
11	ADMISSIONS PAST YR		A
12	ALBUMIN		A
13	ALBUMIN TIU OBJECT		A
14	ALLERGIES WITH DETAIL		A
+      ?Help    >ScrollRight    PS/PL PrintScrn/List    +/-      >>>			
	Find	Detailed Display/Edit	Copy/Move
	Change View	Try	Quit
	Create	Owner	

Select Action: Next Screen// **CREATE**    Create

Enter the Name of a new Object:**VPS CSQ PDO**

CLASS OWNER: CLINICAL COORDINATOR// @

PERSONAL OWNER:<your name>

Entry added

*Delete the Clinical Coordinator value and enter Yourlastname,Firstname to take ownership of the object. You must own the object to edit object values.*

Define the VPS CSQ Object method(s)

Objects	Nov 17, 2014@14:49:55	Page:16 of 16 Status
215	VPS CSQ PDO	I
217	ZOSTER VACCINE DATE	A

?Help	>ScrollRight	PS/PL PrintScrn/List	+/-
Find	Detailed Display/Edit	Copy/Move	
Change View	Try	Quit	
Create	Owner		

Select Action: Quit/ **DET=215**

*Your Object number may differ from 215 as show in the example.*

Detailed Display	Nov 17, 2014@15:00:03 Object VPS CSQ PDO	Page: 1 of 1
------------------	---	--------------

  

**Basics**

Name: VPS CSQ PDO  
 VHA Enterprise  
 Standard Title:  
 Abbreviation:  
 Print Name: VPS CSQ PDO  
 Type: OBJECT  
 IFN: 94  
 National  
 Standard: NO  
 Status: INACTIVE  
 Owner: WHELESS,CAROLYN

**Technical Fields**

Object Method:  
 ? Help      +, - Next, Previous Screen      PS/PL  
 Basics      Try      Delete  
 Technical Fields      Find      Quit  
 Select Action: Quit//

*In the Object Method, enter the VPS CSQ data routine shown in bold.*

Select Action: Quit// **Technical Fields**      Technical Fields

**OBJECT METHOD: S X=\$\$GETRPT^VPSSRVY3(DFN,"^TMP("VPSSRVY3",\$J)")**

## 3.5 MRAR Ad Hoc HS Report Definition

Create an Ad Hoc Health Summary (HS) report as shown in the following screen capture, using the HEALTH SUMMARY MAINTENANCE (GMTS IRM/ADPAC MAINT MENU) menu.

Health Summary Maintenance Menu	
1	Disable/Enable Health Summary Component
2	Create/Modify Health Summary Components
3	Edit Ad Hoc Health Summary Type
4	Rebuild Ad Hoc Health Summary Type
5	Resequence a Health Summary Type
6	Create/Modify Health Summary Type
7	Edit Health Summary Site Parameters
8	Health Summary Objects Menu ...
9	CPRS Reports Tab 'Health Summary Types List' Menu ...
10	CPRS Health Summary Display/Edit Site Defaults ...

Select option 2 **Create/Modify Health Summary Components.**

Select Health Summary Maintenance Menu <TEST ACCOUNT> Option: <b>2 Create/Modify Health Summary Components</b> Select COMPONENT: <b>VPS MRAR PDO</b> Are you adding 'VPS MRAR PDO' as a new HEALTH SUMMARY COMPONENT? No// <b>YES</b> (Yes) HEALTH SUMMARY COMPONENT NUMBER: 442031// <ENTER> Do you wish to duplicate an existing COMPONENT? YES// <b>NO</b> NAME: VPS MRAR PDO// <ENTER>
--

PRINT ROUTINE: **HS;VPSPD01**

ABBREVIATION: **MRAR**

DESCRIPTION:

No existing text

Edit? NO//<ENTER>

TIME LIMITS APPLICABLE: **YES** yes

MAXIMUM OCCURRENCES APPLICABLE: **YES** yes

HOSPITAL LOCATION APPLICABLE:

ICD TEXT APPLICABLE: <ENTER>

PROVIDER NARRATIVE APPLICABLE:

LOCK: <ENTER>

DEFAULT HEADER NAME:

Select SELECTION FILE: <ENTER>

ADD new Component to the AD HOC Health Summary? NO// **YES**

>>> EDITING the GMTS HS ADHOC OPTION Health Summary Type

SUPPRESS PRINT OF COMPONENTS WITHOUT DATA: no// **YES** yes

Do you wish to review the Summary Type structure before continuing? NO// **YES**

HEALTH SUMMARY TYPE INQUIRY										
Type Name: GMTS HS ADHOC OPTION										
Title: Ad Hoc Health Summary Type										
Owner: POSTMASTER LOCK: GMTSMGR										
SUPPRESS PRINT OF COMPONENTS WITHOUT DATA: yes										
SUPPRESS SENSITIVE PRINT DATA:										
Abb	Ord	Component Name	Max Occ	Time	Hos Loc	ICD Text	Pro Nar	CPT Mod	Selection	
	5	ACTIVE MEDS RECONCIL								
PLA	10	Active Problems								
CD	15	Advance Directive								
BADR	25	Brief Adv React/All								
ADR	35	Adv React/Allerg								
PSO2	45	Active/Pending/Expir								
BCMA	55	BCMA MED HISTORY	10							
BCML	65	BCMA MED LOG								
BCMS	75	BCMA Specific Drug L								
	85	BMI								
	95	Braden Scale	10	1Y						
PRF1	105	CAT I PT RECORD FLAG								
* = Disabled Components										

*There may be multiple pages of HS components.*

Select COMPONENT: VPS MRAR PDO// CSQ

SUMMARY ORDER: 1355// 1355

OCCURRENCE LIMIT: 5

TIME LIMIT: 7D

HEADER NAME: <ENTER>

Your SUMMARY ORDER number may differ from the number shown.

Select SELECTION ITEM: <ENTER>

Please hold on while I resequence the summary order.....

.....

>>> Returning to Create/Modify Health Summary Component Option.<ENTER>

Press the <ENTER> key until you exit the menu.

## 3.6 Create MRAR TIU PDO Object

Select TIU Maintenance Menu Option: **2 Document Definitions (Manager)**

--- Manager Document Definition Menu ---

- 1 Edit Document Definitions
- 2 Sort Document Definitions
- 3 Create Document Definitions
- 4 Create Objects

Select Document Definitions (Manager) Option: **4 Create Objects**

START WITH OBJECT: FIRST// <Enter>.....

**Objects**

Nov 17, 2014@14:42:07

Page: 1 of 16

		Status
1	A1C HGB	A
2	A1C LAST	A
3	ABD CAT SCAN	A
4	ABG	A
5	ACTIVE MEDICATIONS	A
6	ACTIVE MEDS COMBINED	A
7	ACTIVE PROBLEM	A
8	ACTIVE/PENDING/EXPIRED MEDICATIONS	A
9	ACTIVE/PENDING/EXPIRED MEDS	I
10	ACTIVE/PENDING/EXPIRING MEDICATIONS (W/O SUPPLIES)	A
11	ADMISSIONS PAST YR	A
12	ALBUMIN	A
13	ALBUMIN TIU OBJECT	A
14	ALLERGIES WITH DETAIL	A
+ ?Help >ScrollRight PS/PL PrintScrn/List +/-		>>>
Find	Detailed Display/Edit	Copy/Move
Change View	Try	Quit
Create	Owner	

Select Action: Next Screen// **CREATE** CreateEnter the Name of a new Object:**VPS MRAR PDO**

CLASS OWNER: CLINICAL COORDINATOR// @

PERSONAL OWNER:&lt;your name&gt;

Entry added

*Delete the Clinical Coordinator value and enter Yourlastname,Firstname to take ownership of the object. You must own the object to edit object values.*



# Define the VPS MRAR PDO Object method(s)

Objects	Nov 17, 2014@14:49:55	Page: 16 of 16
+ Status		
216 VPS MRAR PDO		A
217 ZOSTER VACCINE DATE		A
?Help >ScrollRight PS/PL PrintScrn/List +/- >>>		
Find	Detailed Display/Edit	Copy/Move
Change View	Try	Quit
Create	Owner	
Select Action: Quit// <b>DET=216 Detailed Display/Edit</b>		
Detailed Display Nov 17, 2014@15:00:03 Page: 1 of 1 Object VPS MRAR PDO		
<b>Basics</b> Name: VPS MRAR PDO VHA Enterprise Standard Title: Abbreviation: Print Name: VPS MRAR PDO Type: OBJECT IFN: 95 National Standard: NO Status: INACTIVE Owner: WHELESS,CAROLYN		
<b>Technical Fields</b> Object Method: ? Help +, - Next, Previous Screen PS/PL Basics Try Delete Technical Fields Find Quit Select Action: Quit//		
<div style="border: 1px solid black; padding: 5px; margin: 10px auto; width: 80%;"> <i>In the Object Method, enter the VPS MRAR PDO data routine shown in bold.</i> </div>		
Select Action: Quit// <b>Technical Fields Technical Fields</b> OBJECT METHOD: <b>S X=\$\$TIU^VPSPD01(DFN,"^TMP("VPSPD01",\$J))</b>		

Object Number may differ from the number shown in the example.

IFN value may differ from the IFN value shown in the example.

Detailed Display	Feb 15, 2015@13:45:24	Page: 1 of 1
Object VPS MRAR PDO		

  

**Basics**

Name: VPS MRAR PDO

VHA Enterprise

Standard Title:

Abbreviation:

Print Name: VPS MRAR PDO

Type: OBJECT

IFN: 95

National

Standard: NO

Status: INACTIVE

Owner: WHELESS,CAROLYN

  

**Technical Fields**

Object Method: S X=\$\$TIU^VPSPD01(DFN,"^TMP("VPSPD01",\$J)")

? Help +, - Next, Previous Screen PS/PL

Basics	Try	Delete
Technical Fields	Find	Quit

Select Action: Quit// **B Basics**

NAME: VPS MRAR PDO//

ABBREVIATION:

PRINT NAME: VPS MRAR PDO//

PERSONAL OWNER: WHELESS,CAROLYN// WHELESS,CAROLYN

STATUS: (A/I): INACTIVE// **A ACTIVE Entry Activated.**

Exit the TIU Maintenance Option.

Please see the VPS Technical Guide for instructions on using the VPS CSQ PDO objects or viewing VPS CSQ Health Summary Ad Hoc reports.

## Activate the VPS CSQ PDO

To activate the CSQ PDO, press the <ENTER> Key to return to the Detailed Display screen, and enter **Basics** at the Select Action prompt.

Detailed Display	Feb 26, 2015@16:12:45	Page: 1 of 2
Object VPS CSQ PDO		
<b>Basics</b> Name: VPS CSQ PDO VHA Enterprise Standard Title: Abbreviation: Print Name: VPS CSQ PDO Type: OBJECT IFN: 94 National Standard: NO Status: INACTIVE Owner: WHELESS, CAROLYN		
<b>Technical Fields</b> Object Method: S X=\$\$GETRPT^VPSSRVY3(DFN,"^TMP("VPSSRVY3",\$J)") + ? Help +, - Next, Previous Screen PS/PL Basics Try Delete Technical Fields Find Quit		
Select Action: Next Screen// <b>B</b> Basics NAME: VPS CSQ PDO// ABBREVIATION: PRINT NAME: VPS CSQ PDO// PERSONAL OWNER: CLINCAL COORDINATOR// <b>&lt;your name&gt;</b> STATUS: (A/I): INACTIVE// <b>ACTIVE</b> ACTIVE Entry Activated.		

Press the <ENTER> key and enter **ACTIVE** in the STATUS field as shown. Quit the TIU Maintenance menu.

Please see the VPS 1\*5 Technical Guide for instructions on using the VPS CSQ PDO objects or viewing VPS CSQ Health Summary Ad Hoc reports.