

Update_2_0_105

Clinical Reminders Pneumococcal Reminder Updates

Install Guide

December 2019

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

INTRODUCTION	1
INSTALL DETAILS	4
INSTALL EXAMPLE	5
POST INSTALLATION	

Introduction

The CDC has changed the recommendation for pneumococcal vaccination of patients 65 and older – PCV13 is no longer routinely recommended but can be used based on shared decision making with the patient. This requires changes to both pneumococcal vaccines. Changes to the performance measures and EPRP review criteria are in the works already. https://www.cdc.gov/mmwr/volumes/68/wr/mm6846a5.htm

Two other reminder definitions were changed for object displays. They are VA-OB PNEUMOCOCCAL PCV13 INDICATIONS and VA-OB PNEUMOCOCCAL PPSV23 INDICATIONS.

Changes to each definition outlined below.

VA-PNEUMOCOCCAL IMMUNIZATION PCV13

```
Cohort logic string changed From:

((FI(3)&FF(1))!(FI(11)&(FF(10)!FF(11)!FF(12)!FF(13)))!FI(4)!FI(13)!FI(7))&'FI
```

```
(9)&'FI(8)&'FI(14)
```

T0:

```
((FI(3)&FF(1))!(FI(11)&(FF(10)!FF(11)!FF(12)!FF(13)))!FI(4)!FI(13))&'FI(9)&'FI(8)&'FI(14)
```

VA-PNEUMOCOCCAL IMMUNIZATION PPSV23

```
Cohort logic string changed From:
```

```
(((FI(3)&FF(12))!FI(4)!FI(7)!FI(18)!(FI(16)&(FF(16)!FF(17)!FF(18)!FF(19))))&FF(22))!(((FI(2)&FF(13)&FF(23)))&'((FI(3)&FF(12))!FI(4)!FI(7)!FI(18)!(FI(16)&(FF(16)!FF(17)!FF(18)!FF(19)))))&'FI(8)
```

TO:

```
(((FI(3)&FF(12))!FI(4)!FI(7)!FI(18)!(FI(16)&(FF(16)!FF(17)!FF(18)!FF(19))))&(FF(22)!FF(32)))!(((FI(2)&FF(13)&FF(23)))&'((FI(3)&FF(12))!FI(4)!FI(7)!FI(18)!(FI(16)&(FF(16)!FF(17)!FF(18)!FF(19)))))&'FI(8)
```

```
Function Finding 21 text changed to:
Age 65 or older and no prior dose of PCV13
```

Function Finding 22 string changed. Requires PCV13 first and measures time periods from PC13 to TODAY.

```
(((DTIME_DIFF(7,1,"DATE",19,1,"DATE","D","A")>55)&(FI(17)!(DIFF_DATE(19,1)<23 742)))!(DTIME_DIFF(7,1,"DATE",19,1,"DATE","D","A")>364)&FI(19))!(FI(15)&'FI(19))
```

Function Finding 32 added as NEW. To be used in addition to FF(22) to not require PCV13 for >65 and not immunocompromised and no prior PCV13.

Function String: FI(7)&'(FI(4)!FI(17)!FI(19))

Age 65 or older and PCV13 not given. Patient is not immunocompromised. Patients age 65 and older with no immunocompromising condition may be vaccinated based on shared decision making.

Reminder Dialogs:

Changes were made to 3 dialog elements/groups. They are as follows: VA-TEXT PNEUMOCOC PCV13 DETAILED GUIDANCE VA-IM PNEUMOC VHA GUIDEANCE LINKS
VA-GP HF PNEUMOC PCV13 INCORRECT DX

Reminder Taxonomy:

Added SNOMED 300564004 to VA-ASPLENIA

UPDATE_2_0_105 contains 1 Reminder Exchange entry:

UPDATE_2_0_105 PNEUMOCOCCAL UPDATES

The exchange file contains the following components:

TIU TEMPLATE FIELD

- 1 IM PNEUMO PCV13 DIAGNOSES
- 2 IM PNEUMOCOCCAL VACCINE ALGORITHM
- 3 IM PNEUMOCOCCAL VACCINE NCP GUIDANCE
- 4 IM PCV13 CDC SHARED DECISION MAKING >64
- 5 BLANK TEXT FIELD FOR DIALOGS
- 6 IM PNEUMO PRECAUT WARNING
- 7 IM PNEUMO CONTRA WARNING
- 8 IM PNEUMO PPSV23 DIAGNOSES
- 9 IM PNEUMO PPSV23 OUTSIDE RECORD
- 10 IM PPSV23 LOT# EXP DATE
- 11 IM COMMENT COMPLICATIONS
- 12 IM VIS PPSV23 URL
- 13 IM VIS PPSV23 DT
- 14 IM PPSV23 MANUF
- 15 IM INJECTION RIGHT/LEFT
- 16 IM PCV13 LOT# EXP DATE
- 17 IM VIS PCV13 URL
- 18 IM VIS PCV13 DT
- 19 IM PCV13 MANUF
- 20 IM PCV13 WARNING

IMMUNIZATION

PNEUMOCOCCAL CONJUGATE PCV 13 PNEUMOCOCCAL POLYSACCHARIDE PPV23 ZOSTER LIVE

MENINGOCOCCAL MCV4, UNSPECIFIED FORMULATION MENINGOCOCCAL MCV4P

HEALTH FACTORS

- 21 VA-REMINDER UPDATES
- 22 VA-UPDATE_2_0_105
- 23 IMMUNIZATION
- 24 PNEUMOCOCCAL PCV13 DX INCORRECT
- 25 PNEUMOCOCCAL PPSV23 VACCINE PRECAUTION
- 26 PNEUMOCOCCAL PPSV23 VACCINE CONTRAIND
- 27 PNEUMOCOCCAL PPSV23 DX INCORRECT
- 28 REFUSED PNEUMOC VACCINE PPSV23
- 29 PNEUMOCOCCAL PCV13 VACCINE CONTRAIND
- 30 PNEUMOCOCCAL PCV13 VACCINE PRECAUTION
- 31 REFUSED PNEUMOC VACCINE PCV13

REMINDER SPONSOR

32 VA National Center for Health Promotion and Disease Prevention (NCP)

REMINDER COMPUTED FINDINGS

VA-AGE

VA-REMINDER DEFINITION

VA-ASU USER CLASS

VA-ALLERGY

VA-DATE OF BIRTH

REMINDER TAXONOMY

- 33 VA-PNEUMOC DZ RISK IMMUNOCOMPROMISED
- 34 VA-PNEUMOC DZ RISK HIGHEST/NOT IMMUNO COMP
- 35 VA-PNEUMOC DZ RISK CHEMOTHERAPY
- 36 VA-PNEUMOC DZ RISK HIGH
- 37 VA-PNEUMOC PPSV23 IMMUNIZATION
- 38 VA-PNEUMOC PCV13 IMMUNIZATION

REMINDER TERM

- 39 VA-REMINDER UPDATE 2 0 105
- 40 VA-PNEUMOC DZ RISK IMMUNOCOMPROMISED
- 41 VA-PNEUMOC DZ RISK HIGHEST/NOT IMMUNO COMP
- 42 STEROIDS PNEUMOCOCCAL DZ RISK
- 43 VA-PNEUMOC DZ RISK LONG TERM STEROIDS
- 44 VA-PNEUMOC DZ RISK CHEMO/IMMUNOSUPP DRUGS
- 45 VA-PNEUMOC DZ RISK HIGH
- 46 VA-BL PNEUMOC RECENT CHEMO/IMMUNOSUPPRESSION
- 47 VA-BL PNEUMOC RECENT CHEMOTHERAPY (ICD ONLY)
- 48 VA-PNEUMOC PCV13 IMMUNIZATION
- 49 VA-PNEUMOC PPSV23 IMMUNIZATION
- 50 VA-AGE >64
- 51 VA-PNEUMOC PPSV23 ORDER SUPPRESSION
- 52 VA-ZOSTER IMMUNIZATION 1Y
- 53 VA-PNEUMOC PCV13 DX INCORRECT
- 54 VA-BL PNEUMOC RISK IC/CH
- 55 VA-PNEUMOC PCV13 CONTRAINDICATION
- 56 VA-PNEUMOC PPSV23 DEFERRALS

- 57 VA-PNEUMOC PPSV23 INCORRECT DIAGNOSIS
- 58 VA-PNEUMOC PPSV23 CONTRAINDICATIONS
- 59 VA-PNEUMOC PPSV23 ORDERS
- 60 VA-PNEUMOC PCV13 ORDER SUPPRESSION
- 61 VA-MENING VACCINES DIPHTHERIA CONJUGATE
- 62 VA-PNEUMOC PCV13 DEFERRALS
- 63 VA-PNEUMOC PCV13 ORDERS

REMINDER DEFINITION

- 64 LONG TERM STEROID USE
- 65 VA-OB PNEUMOCOCCAL PPSV23 INDICATIONS
- 66 VA-OB PNEUMOCOCCAL PCV13 INDICATIONS
- 67 VA-BL PNEUMOC RECENT CHEMO/IMMUNOSUPPRESSION
- 68 VA-OB PNEUMOCOCCAL PRIOR VACCINATIONS
- 69 VA-BL PNEUMOC RISK IMMUNOCOMPROMISED
- 70 VA-PNEUMOCOCCAL IMMUNIZATION PPSV23
- 71 VA-PNEUMOCOCCAL IMMUNIZATION PCV13

REMINDER DIALOG

- 72 VA-UPDATE_2_0_105 DIALOG ITEMS
- 73 VA-PNEUMOCOCCAL IMMUNIZATION PPSV23 PNEUMOVAX
- 74 VA-PNEUMOCOCCAL IMMUNIZATION PCV13 PREVNAR

HEALTH SUMMARY COMPONENT

CLINICAL REMINDERS FINDINGS

HEALTH SUMMARY TYPE

- 75 OB PNEUMOC IMMUNIZATIONS
- 76 OB PPSV23 INDICATIONS
- 77 OB PCV13 INDICATIONS

HEALTH SUMMARY OBJECTS

- 78 PNEUMOCOCCAL IMMUNIZATIONS (TIU)
- 79 PPSV23 INDICATIONS (TIU)
- 80 PCV13 INDICATIONS (TIU)

TIU DOCUMENT DEFINITION

- 81 PNEUMOCOCCAL IMMUNIZATIONS
- 82 PPSV23 INDICATIONS
- 83 PCV13 INDICATIONS

Install Details

This update is being distributed as a web host file. The address for the host file is:

http://vista.med.va.gov/reminders/UPDATE_2_0_105.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

Installation:

This update can be loaded with users on the system. Installation will take less than 20 minutes.

Install Example

If your site is unable to use LWH functionality, you will use vista mail to install the exchange file. The subject of the email will be UPDATE_2_0_105. You will see a message similar to this one.

MailMan message 131677 successfully loaded.

To Load the Web Host File. Navigate to Reminder exchange in Vista

```
+ Next Screen - Prev Screen ?? More Actions
CFE Create Exchange File Entry
                                     LHF Load Host File
CHF Create Host File
                                     LMM Load MailMan Message
CMM Create MailMan Message
                                     LWH Load Web Host File
DFE Delete Exchange File Entry
                                          Reminder Definition Inquiry
                                     RI
IFE Install Exchange File Entry
                                     RP
                                          Repack
    Installation History
ΙH
Select Action: Next Screen// LWH Load Web Host File
Input the URL for the .prd file: http://vista.med.va.gov/reminders/UPDATE 2 0 105.PRD
```

At the <u>Select Action:</u> prompt, enter <u>LWH</u> for Load Web Host File
At the <u>Input the url for the .prd file:</u> prompt, type the following web address:

http://vista.med.va.gov/reminders/UPDATE_2_0_105.PRD

You should see a message at the top of your screen that the file successfully loaded. Search and locate an entry titled **UPDATE_2_0_105 PNEUMOCOCCAL UPDATES** in reminder exchange

+Item	Entry	Source	Date Packed		
306	UPDATE 2 0 105 PNEUMOCOCCAL	MONTGOMERY@SALT LAKE CI			
000	UPDATES	HONTGOTETTEONET EARE OF	12/00/2013@00.04		
307	UPDATE 2 0 105 PNEUMOCOCCAL	MONTGOMERY@SALT LAKE CI	12/05/2019@10:37		
307	UPDATES	HUNIGORENI WOALI LAKE UI	12/03/2019@10.37		
200		MONTCOMEDVACALT LAVE OF	10/06/0010005.01		
308	UPDATE_2_0_105 PNEUMOCOCCAL	MONTGOMERY@SALT LAKE CI	12/20/2019@05:31		
000	UPDATES O A 44 PENZODIAZEDINE (O	OTI VERMANOOALT LAVE OF	04/44/0046040-40		
309		SILVERMAN@SALT LAKE CI	04/14/2016@13:40		
040	PIOID ORDER CHECK	ODJECTIVOON TO AVE OF	0014010040044 40		
310	UPDATE_2_0_12 VA-DIFFICULT	GRIFFITH@SALT LAKE CI	03/10/2016@14:12		
	AIRWAY				
+	+ Next Screen - Prev Scree		>>>		
CFE C	reate Exchange File Entry	LHF Load Host File			
CHF C	CHF Create Host File LMM Load MailMan Message				
CMM C	CMM Create MailMan Message LWH Load Web Host File				
DFE D	elete Exchange File Entry	RI Reminder Definitio	n Inquiry		
IFE I	nstall Exchange File Entry	RP Repack			
IH Installation History					
Select Action: Next Screen// IFE					
	Enter a list or range of numbers (1-663): 308				

At the <u>Select Action</u> prompt, enter <u>IFE</u> for Install Exchange File Entry Enter the number that corresponds with your entry titled **UPDATE_2_0_105 PNEUMOCOCCAL UPDATES** (in this example it is entry 308, it will vary by site). Make sure the date of the exchange file is 12/26/2019@05:31:47

Category Exists Component MONTGOMERY, ALAN at SALT LAKE CITY Source: Date Packed: 12/26/2019@05:31:47 Package Version: 2.0P35 Description: The following Clinical Reminder items were selected for packing: REMINDER DIALOG VA-UPDATE 2 0 105 DIALOG ITEMS REMINDER TERM VA-REMINDER UPDATE 2 0 105 REMINDER DEFINITION VA-OB PNEUMOCOCCAL PCV13 INDICATIONS VA-OB PNEUMOCOCCAL PPSV23 INDICATIONS VA-PNEUMOCOCCAL IMMUNIZATION PPSV23 + Enter ?? for more actions Install all Components Install Selected Component IΑ IS Select Action: Next Screen// IA

At the <u>Select Action</u> prompt, type <u>IA</u> for Install all Components and hit enter. Select Action: Next Screen// <u>IA</u> Install all Components

<u>During the installation, you will see several prompts:</u> *Note that you will <u>Install</u> all new components*

- 1. Any component that is new, use the INSTALL action.
- 2. Any component that exists, but is different, use the OVERWRITE action.
 - a. Taxonomies
 - b. Reminder Definitions
 - c. Health Summary Type
- 3. For any Reminder Term, if the packed component exists, but is different, use the MERGE action

You will be promped to install first the dialog component: VA-UPDATE_2_0_105 DIALOG ITEMS

DIALO	G TIEMS					
Dialo	og Components_		Dec 05, 2019@08:4	4:02	Page: 1	of 1
Packe	ed reninder dialog: 🖡	/A-UPI	DATE 2 0 105 DIALO	G ITEMS [N	ATIONAL DIALOG	
	J					
Iter	ı Seq. Dialog Findir	nas			Type	Exists
1 (0)	VA-UPDATE_2_0_105		OR TITEMS		group	EXTOCO
			LOU TILIIS		gi oup	
	Finding: *NON	上 本				
	E IIA TEUT DUEUNOOG		U.O. DETAILED OUTDA	uor.		
2	5 VA-TEXT PNEUMOCO		113 DETATLED GOTDA	NCE	element	X
	Finding: *NOM	E*				
3	10 VA-IN PNEUMOC V	/HA GI	JIDANCE LINKS		elenent	X
	Finding: *NOM	E*				
4	15 VA-GP HF PNEUMO	IC PCI	113 INCORRECT DX		group	X
_			CAL PCV13 DX INCO	RRECT (HEA		X
5	15.5 VA-TEXT PNEUM				element	X
	Finding: *NON		JYIJ INCONNECT DA		Gronont	n
	rinaing. *nor	IEΨ				
		_				
			rev Screen ?? No			
DD	Dialog Details	DT	•		Install Selecte	ed
DF	Dialog Findings		Dialog Usage	QU	Quit	
DS	Dialog Summary	ΙA	Install All			
Selec	ct Action: Quit// IA					

At the <u>Select Action</u> prompt, type <u>IA</u> to install the dialog – <u>VA-UPDATE_2_0_105 DIALOG ITEMS</u>

Select Action: Next Screen// IA Install All

Install reminder dialog and all components with no further changes: Y// ES

Dialog Components_	Dec 05, 2019@08:46:07	Page: 1 o	of 1		
Packed reminder dialog: VA-UPDATE_2_0_105 DIALOG ITEMS [NATIONAL DIALOG]					
	(TEMS (group) installed from e	xchange file.			
Item Seq. Dialog Finding		Type	Exists		
1 VA-UPDATE_2_0_105		group	X		
Finding: *NONE	E*				
	PCV13 DETAILED GUIDANCE	e l e n ent	X		
Finding: *NONE	<u>*</u>				
a la lla TV BUEUVAG III	IA CUITAMES I TUNO				
3 10 VA-IM PNEUMOC VI		element	X		
Finding: *NONE	:*				
4 15 VA-GP HE PNEUMOO	PCV13 INCORRECT DX	anoun	X		
	, PCV13 INCORRECT DA 10COCCAL PCV13 DX INCORRECT (H	group Col tu Cocton)	x		
_	DC PCV13 INCORRECT DX	element	x		
Finding: *NONE		GIGHGHT	n		
i mang. Thom					
+ Next Screen	- Prev Screen ?? More Actio	ns			
DD Dialog Details	DT Dialog Text IS	Install Selected			
DF Dialog Findings	DU Dialog Usage QU	Quit			
DS Dialog Summary	IA Install All				
Select Action: Quit// Q					

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q.**


You will be promped to install second the dialog component: VA-PNEUMOCOCCAL IMMUNIZATION PPSV23 PNEUMOVAX. DO NOT INSTALL THIS!! USE THE QUIT ACTION

Dec 05, 2019@08:47:24 Dialog Components Page: 1 of Packed reminder dialog: VA-PNEUMOCOCCAL IMMUNIZATION PPSV23 PNEUMOVAX [NATIONAL Item Seq. Dialog Findings Exists Type VA-PNEUMOCOCCAL IMMUNIZATION PPSV23 PNEUMOVAX dialog 5 VA-TEXT PNEUMOVAX HEADER element X Finding: *NONE* 10 VA-GP TEXT PNEUMOC PPSV23 HARNING X group Finding: *NONE* 10.4 VA-GP IN PNEUMOC VHA GUIDANCE LINKS 4 group X Finding: *NONE* 5 10.4.5 VA-IM PNEUMOC VHA GUIDANCE LINKS element Х Finding: *NONE* 12 VA-TEXT BLANK LINE WITH TEMPLATE FIELD X element Finding: *NONE* + Next Screen - Prev Screen ?? More Actions DD Dialog Details DT Dialog Text IS Install Selected Dialog Findings DF DU Dialog Usage OU Ouit Dialog Sunnary Install All DS IA Select Action: Next Screen// Q

You will be promped to install third the dialog component: VA-PNEUMOCOCCAL IMMUNIZATION PCV13 PREVNAR. DO NOT INSTALL THIS!! USE THE QUIT ACTION

Dialo	g Components Dec 05, 2019@08:49:33	Page: 1	of 9	
Pack	d reninder dialog: VA-PNEUNOCOCCAL IMMUNIZATION PCV13	PREVNAR [NAT	IONAL DIA	
Ite	Seq. Dialog Findings	Туре	Exists	
1	VA-PNEUMOCOCCAL IMMUNIZATION PCV13 PREVNAR	dialog	X	
2	5 VA-TEXT PREVNAR13 HEADER Finding: *NONE*	elenent	x	
3	10 VA-GP TEXT PNEUMOC PCV13 MARNING Finding: *NONE*	group	x	
4	10.4 VA-GP TEXT PNEUMOC PCV13 INSTRUCTIONS PARENT Finding: *NONE*	group	X	
5	10.4.5 VA-TEXT PNEUMOCOC PCV13 DETAILED GUIDANCE Finding: *NONE*	elenent	X	
6	12 VA-TEXT BLANK LINE WITH TEMPLATE FIELD Finding: *NONE*	element	x	
	+ Next Screen - Prev Screen ?? More Actions			
DD		stall Select	ed	
DF	3	iit		
DS	Dialog Summary IA Install All			
Select Action: Next Screen// Q				

You will then use the QUIT action to exit the install



Post Installation

Check to make sure that all changes have been made from the introduction section of this guide.

NOTE: If you require further technical assistance, if there are any questions or problems during the installation, please notify your local IT support to log a national help desk ticket or contact the VA Service 520.

Desk and have them submit a national ticket to:

Category: Enterprise Applications

Enterprise Application: VistA - Clinical Reminders

Assignment Group: NTL SUP Clin 2