# **Enterprise Health Management Platform (eHMP)**

Version 1.2.14 Release Notes (Release of eHMP UI v1.2.5)



# **Department of Veterans Affairs**

August 2016 Version 1.2

# **Revision History**

Date	Version	Description	Author
08/27/2016	1.2	Updated field number references.	ASM Research
08/25/2016	1.1	Reclassified as 1.2.14	ASM Research
08/17/2016	1.0	Updated to document eHMP v1.2.13.	ASM Research

# **Deliverable (Product) Version History**

VDD Revision	Release Description	Date	eHMP User Interface (UI)	Health Management Platform (HMP) Patch	Pre-Requisite Patches	
1.2.14	eHMP UI 1.2.5	1-Aug-16	1.2.5.77365	HMP 2.0*1 T4	HMP*2.0 (HMP_2-0_20160223-02.KID)	
					PSB*3.0*94 (PSB3_0P94T6.KID)	
					PRB 2.9 (HMP_PREREQ_BUNDLE_2-0_V2-9.KID)	
1.2.13	HMP*2.0*1	25-Jul-16	1.2.4.70681	HMP 2.0*1 T4	HMP*2.0 (HMP_2-0_20160223-02.KID)	
					PSB*3.0*94 (PSB3_0P94T6.KID)	
					PRB 2.9 (HMP_PREREQ_BUNDLE_2-0_V2-9.KID)	
1.2.12	PSB*3.0*94	10-May-16	1.2.4.70681	HMP*2.0 v6.1.7 (HMP_2-0_20160223-	PSB*3.0*94 T6 (PSB3_0P94T6.KID)	
				02.KID)	PRB 2.9 (HMP_PREREQ_BUNDLE_2-0_V2-9.KID)	
1.2.11	eHMP UI 1.2.4	06-Apr-16	1.2.4.70681	HMP*2.0 v6.1.7 (HMP_2-0_20160223- 02.KID)	PRB 2.9 (HMP_PREREQ_BUNDLE_2-0_V2-9.KID)	
1.2.10	eHMP UI 1.2.3	17-Mar-16	1.2.3.64914	HMP*2.0 v6.1.7 (HMP_2-0_20160223- 02.KID)	PRB 2.9 (HMP_PREREQ_BUNDLE_2-0_V2-9.KID)	

VDD Revision	Release Description	Date	eHMP User Interface (UI)	Health Management Platform (HMP) Patch	Pre-Requisite Patches
1.2.9	HMP*2.0 PRB 2.9	04-Mar-16	1.2.2.49391	HMP*2.0 v6.1.7 (HMP_2-0_20160223- 02.KID)	PRB 2.9 (HMP_PREREQ_BUNDLE_2-0_V2-9.KID) (GMRC*3.0*80 MD*1.0*38 PSB*3.0*79 OR*3.0*390 TIU*1.0*106 TIU*1.0*298 USR*1.0*37)
1.2.8	HMP*2.0	17-Feb-16	1.2.2.49391	HMP*2.0 v6.1.6 (HMP_2-0_20160217- 01.KID)	PRB 2.8 (HMP_PREREQ_BUNDLE_2-0_V2-8.KID)
1.2.7	HMP*2.0	11-Feb-16	1.2.2.49391	HMP*2.0 v6.1.5 (HMP_2-0_20160201- 02.KID)	PRB 2.8 (HMP_PREREQ_BUNDLE_2-0_V2-8.KID)
1.2.6	HMP*2.0	27-Jan-16	1.2.2.49391	HMP*2.0 v6.1.4 (HMP_2-0_20160122- 01.KID)	PRB 2.8 (HMP_PREREQ_BUNDLE_2-0_V2-8.KID)
1.2.5	PRB 2.8	09-Jan-16	1.2.2.49391	HMP*2.0 v6.1.3 (HMP_2-0_20151030- 01.KID)	PRB 2.8 (HMP_PREREQ_BUNDLE_2-0_V2-8.KID) (GMRC*3.0*80 MD*1.0*38 PSB*3.0*79 OR*3.0*390 TIU*1.0*106 TIU*1.0*298 USR*1.0*37)
1.2.4	HMP*2.0	30-Dec-15	1.2.2.49391	HMP*2.0 v6.1.3 (HMP_2-0_20151030- 01.KID)	PRB 2.4 (HMP_PREREQ_BUNDLE_2-0_V2-4.KID)

VDD Revision	Release Description	Date	eHMP User Interface (UI)	Health Management Platform (HMP) Patch	Pre-Requisite Patches
1.2.3	eHMP UI 1.2.2	17-Nov-15	1.2.2.49391	HMP*2.0 v6.1.2.J (HMP_2-0_20150910- 04.KID)	PRB 2.4 (HMP_PREREQ_BUNDLE_2-0_V2-4.KID)
1.2.2	eHMP UI 1.2.1 HMP*2.0 PRB 2.4	14-Oct-15	1.2.1.47792	HMP*2.0 v6.1.2.J (HMP_2-0_20150910- 04.KID)	PRB 2.4 (HMP_PREREQ_BUNDLE_2-0_V2-4.KID) (GMRC*3.0*80 MD*1.0*38 PSB*3.0*79 OR*3.0*390 TIU*1.0*106 TIU*1.0*298 USR*1.0*37)
1.2.1	HMP*2.0	22-Aug-15	N/A	HMP*2.0 v6.1	N/A

## **Table of Contents**

1.	Introduction	1
	1.1. Purpose	1
	1.2. Scope	1
2.	•	
3.	Installation Requirements	3
	3.1. Prerequisites for Installation	3
	3.2. Needed DLLs	3
	3.3. M Triggers	3
	3.4. Files	3
	3.5. Approved Integration Control Registrations	3
	3.6. New Parameters	3
	3.7. Operational Data Sync and Patient Data Sync	3
4.	Known Issues	5
	4.1. Known Patient Safety Issues	5
	4.2. Other Known Issues	
5.	Included New Functionality and Defect Fixes	11
	5.1. Included User Stories	11
	5.2. Fixed Defects	12
	5.3. Fixed VA Defects	18
A.	Appendix 1 – M Triggers	20
В.		
C.	••	
D.		
	· · · · · · · · · · · · · · · · · · ·	🗸 🗕

## **Table of Tables**

Table 4-1 Other Known Issues	5
Table 5-1 Incorporated User Stories	11
Table 5-2 Fixed Defects	
Table 5-3 Fixed VA Defects	18
Table A-1 M Triggers	20
Table B-1 VA FileMan Files	
Table C-1 Approved Integration Control Registrations	57
Table D-1 New Parameters	

i

#### 1. Introduction

The Enterprise Health Management Platform (eHMP) project is a multi-year effort to evolve a modern, service-oriented platform which provides a web-based user interface (UI), clinical data services, and assembles patient clinical data from federated Veterans Health Information Systems and Technology Architecture (VistA) repositories, Department of Defense (DoD), and private partner data sources, reflective of each location providing care to the patient. This federated data is aggregated into an enterprise patient record. eHMP service components will span all application layers, including presentation, business and core services, and data access.

Release 1.1 was the first step in the plan to eventually replace the Computerized Patient Record System (CPRS) as the Department of Veterans Affairs (VA's) primary point of care application, and was the initial platform product supporting a web-based UI.

Release 1.2 introduces critical viewer edition enhancements to provide new capabilities to the VA beyond what is available today via CPRS, Joint Legacy Viewer (JLV), and VistAWeb. The system provides enhanced presentations of clinical data that range from trend views that provide a quick snapshot of easily understandable data, to detailed views that provide the user with a full range of options for examining longitudinal patient medical records. Users are able to configure these views into a limitless number of custom workspaces in order to support a variety of clinical workflows. There are multiple pre-configured workspaces available to the user, which are filtered for specific conditions. The workspaces provide the appropriate clinical information for a selected condition (e.g., COPD, Diabetes). Further enhancements included adding the Military History applet, improved text search across the entire patient record, and more extensive online help utilizing an expanded User Guide.

## 1.1. Purpose

These release notes pull together the approved Change Requests (CRs), feature and/or user story updates, and closed and known defects associated with a release.

This version of the release notes covers the release of eHMP Version 1.2.14 that incorporates the release of eHMP UI 1.2.5.

1

#### 1.2. Scope

These release notes associated with eHMP Release Version 1.2.14 are the first notes for this release.

### 2. Release Method

Release execution is dependent upon the type of code released. These consolidated release notes will cover both VistA (Kernel Installation and Distribution System (KIDS)) and eHMP User Interface (web-based) releases, as both comprise the totality of eHMP as an application. Releases will occur first in Pre-production/Test accounts and then in Production.

The rollout strategy for both types of code depends upon the complexity of the release. Complex releases will be executed as a controlled release by wave, while more routine releases will be executed simultaneously nation-wide, following the standard national patch release process.

VistA releases will occur via FORUM and eHMP User Interface releases will be executed by the Release Team installing eHMP code into the Austin Information Technology Center (AITC) accounts. Following successful deployment to AITC, the Release Team will install the same version into the Philadelphia Information Technology Center (PITC) Production account for a warm-based failover contingency.

## 3. Installation Requirements

### 3.1. Prerequisites for Installation

Sites up to date with nationally released patches installed. There are no other preconditions to install the PREREQUISITE BUNDLE. The bundle is, of course, the prerequisite to installing the HMP patch and PSB\*3.0\*94. The recommended sequence for installation is the prerequisite bundle, HMP patch, PSB\*3.0\*94.

#### 3.2. Needed DLLs

Not applicable to eHMP.

### 3.3. M Triggers

Appendix 1 lists a description of triggers/events that impact eHMP.

#### 3.4. Files

Appendix 2 provides a list of new/modified VA FileMan files that are exported with eHMP KIDS patches.

### 3.5. Approved Integration Control Registrations

Appendix 3 provides the eHMP Integration Control Registrations (ICRs).

#### 3.6. New Parameters

Appendix 4 provides a list of new parameters for eHMP VistA, exported using the Kernel Parameters File. There are no new parameters for the eHMP UI.

### 3.7. Operational Data Sync and Patient Data Sync

In the current eHMP system, all operational data from the primary VistA site must be complete before any patient sync can occur. The approach for handling operational data in VX-Sync, however, must eliminate blocking where possible, avoid bottlenecks, and contribute to the overall scalability of the system.

#### **Implementation Strategy for VX-Sync**

Operational Data Subscription Handler - The purpose of the Operational Data Subscription Handler is simply to initiate the operational data sync. It will accept an operational subscription job which contains a list of sites to subscribe for operational data. For each site in the given list, it will send out the appropriate RPC call so that the site will begin staging and sending operational data.

Integration of metastamps - Metastamps will be applied to operational data up to the "source" layer so that the system can keep track of the progress of the initial operational data sync per site. An operational data metastamp is used simply to ensure that all the operational data from a site is received during the initial sync with that site. Operational data does not have a last edit time to be used for the meta-stamp. Therefore, the operational data meta-stamp will be produced using the request time instead, similar to secondary site data.

Operational data pathway (Store Operational Data Handler and additions to Vista Site Data Poller) - Data sent by the VistA systems will be received by the Vista Site Data Pollers. The Data Pollers will receive both operational and patient data from the primary sources; however, it is not appropriate for operational data to be sent to the Record Enrichment Handler. Therefore, the Vista-Record-Processor determines which type of data it receives and subsequently send that data on the appropriate pathway. If the handler receives operational data, it will send it to a Store Operational Data Handler. The Store Operational Data Handler, of course, will send the operational data to JDS to be stored in the appropriate section of JDS.

Determining when a site is ready to sync patients - The Sync Rules Engine includes rules to make sure that a primary site is not synchronized until its operational data has been successfully loaded.

### 4. Known Issues

## 4.1. Known Patient Safety Issues

There are no registered patient safety issues addressed in this version of eHMP.

#### 4.2. Other Known Issues

At the time of this writing, all known issues are listed in Table 4-1.

**Table 4-1 Other Known Issues** 

Other Kı	Other Known Issues				
ID	Name	Opened Date	Severity		
DE2369	Missing freshness update for demographic information	09/15/2015	2-High		
DE2956	Conditions-Horizontal scroll thumb missing in conditions details form	10/27/2015	5-Cosmetic		
DE2957	Numeric Lab Results: Dates in graphs overlap in detail view	02/16/2016	3-Medium		
DE3057	Visit date showing up as 'Invalid Date' on patient select page	11/10/2015	4-Low		
DE3222	502 errors as pertaining to user message Server Error: The server encountered a temporary error and could not complete your request during RC13 Testing/Gating in VA IT 12/8/2015	12/10/2015	3-Medium		
DE3315	Badge "counter" doesn't match # records in Labs Details view	12/17/2015	3-Medium		
DE3395	Test Audit - PSI 10.A User Stories	01/06/2016	4-Low		
DE3400	Test Audit - PSI 10.A User Stories	01/06/2016	4-Low		
DE3409	MAXSTRING at STRING+7^HMPD in Portland Production	01/06/2016	3-Medium		
DE3430	GDT: Sparkline is visible but no records found (BAD test Data)	01/07/2016	3-Medium		
DE3463	Test Audit - PSI 10.B User Stories	01/12/2016	4-Low		
DE3600	Test Audit - PSI 10.C Defects	01/26/2016	4-Low		
DE3602	Test Audit - PSI 10.C Defects	01/26/2016	4-Low		
DE3742	Search has a synonym of g for the search term glucose	02/09/2016	4-Low		

Other Known Issues				
ID	Name	Opened Date	Severity	
DE3820	Remove line tag NAME in routine HMPDJ04E	02/18/2016	4-Low	
DE3824	Pre-Prod_Workspace 'Author' Field is Not Displaying Correctly	02/19/2016	4-Low	
DE3851	RDK: Change artifact from zip to tar	02/22/2016	4-Low	
DE3883	R1.2/R2.0: Narrative Text modified in Vista on Patient Flags not appearing in eHMP-UI	02/24/2016	2-High	
DE3944	Procedures (Surgery/SR) and their result documents do not trigger a freshness update	02/29/2016	2-High	
DE3996	HMP_2-0_Data Dictionary approval for HMP Subscription File (#800000)	03/03/2016	3-Medium	
DE4024	Allergy and Orders applet summary detail view not working	03/07/2016	4-Low	
DE4053	IV Medication Status does not accurately reflect status within the A&R and Meds Review Applets	03/10/2016	2-High	
DE4073	SDD Review: KIDS 6-1-7	03/11/2016	3-Medium	
DE4130	Depression/Hypertension/Pre-Procedure CBWs - Numeric Lab Results applet: "Count" listed twice in filter container	03/16/2016	5-Cosmetic	
DE4167	Pre-defined filters in CBWs: Numeric Lab Results applet in the Hypertension CBW displaying incorrect records	03/22/2016	3-Medium	
DE4170	Workspace Editor: "Select A View" pop-up gets partially obscured by other applets	03/22/2016	4-Low	
DE4173	Reports- Note text in reports is missing from the report in eHMP	03/29/2016	1-Critical	
DE4198	ICR 2048 Remediation - HMP should use the VPR 1.5+ improvements to use ENCEVENT^PXKENC	03/24/2016	3-Medium	
DE4210	VA-309 - MUMPS Error at sign in	03/25/2016	3-Medium	
DE4214	HMPUPD and HMP PUT DEMOGRAPHICS are unused and need to be removed	03/25/2016	4-Low	
DE4264	ICR 2686 - OE/RR direct reference to XTV(8989.5	03/31/2016	4-Low	
DE4314	Narrative Lab Results (all views): incorrect tooltips	04/05/2016	5-Cosmetic	
DE4382	ICR 6395 - HMP READ ACCESS TO PS(55	04/11/2016	4-Low	
DE4384	ICR 6277 - HMP ACCESS TO the MH Questions file (#601.72)	04/11/2016	4-Low	
DE4412	VA-336 - The partial workspace error is back	04/13/2016	2-High	

Other Known Issues				
ID	Name	Opened Date	Severity	
DE4474	GETKEYS^HMPCRPC1 does not handle broken key pointers or delegated keys	04/19/2016	3-Medium	
DE4486	Test Audit - PSI 11.A User Stories	04/19/2016	4-Low	
DE4487	Procedures (Clinical Procedures) and their result documents do not trigger a freshness update	04/20/2016	1-Critical	
DE4488	ICR 6369 - Accessing the MEDICATION ROUTES File (#51.2) using direct global reads	04/20/2016	4-Low	
DE4496	Patient loop exits prematurely during Operational Data Synch if DFN is less than zero. (pt-select domain)	04/20/2016	2-High	
DE4547	Site hash algorithm produces collisions on production sites	04/25/2016	2-High	
DE4611	checkHealth does not included commas between list elements	04/28/2016	3-Medium	
DE4630	GDT: After selecting dates, cannot select enter to exit date fields	06/02/2016	4-Low	
DE4777	Undefined Error in DC Production	05/11/2016	4-Low	
DE4827	1.2 - Cosmetic: UDW: Scrollbar is not Moving all the way right in UDW	05/17/2016	3-Medium	
DE4833	deprecate HMP LOCAL GETCORRESPONDINGIDS	05/17/2016	3-Medium	
DE4864	VA-354 - Patient Selection - An error has occurred	05/18/2016	1-Critical	
DE5033	Replace calls to the CODECAICDCODE API to use CODECAICDEX API	05/27/2016	3-Medium	
DE5080	undefined error during ODS in orderable items domain	06/01/2016	4-Low	
DE5111	Undefined error retrieving child orders GET+8^ORQ12	06/03/2016	4-Low	
DE5131	VA-379 - Strange Facility names in the eHMP Data Sources	06/06/2016	3-Medium	
DE5139	undefined error in ORWPCE PCE4NOTE remote procedure (production)	06/06/2016	2-High	
DE5153	VA-391 - Meds Review - An error has occurred	06/07/2016	1-Critical	
DE5160	VA- 383/384 - Meds Review fields that are missing data/"No Data" label	06/07/2016	2-High	
DE5163	VA-387 - Inpatient meds showing in error	06/07/2016	2-High	
DE5189	SLA violation - resource server failed to retain 76 TPS	06/09/2016	1-Critical	
DE5319	1.2 Cosmetic: Kodak: Scroll bar is displaying in "Audiology" quick look and unable to scroll to view	06/16/2016	5-Cosmetic	

Other Known Issues				
ID	Name	Opened Date	Severity	
	the facility which is being cut off			
DE5353	Text Search suggestions throwing 500 error	06/17/2016	3-Medium	
DE5360	VA-421 'F281 Inpatient Immunizations Applet - Not able to ADD filter'	07/14/2016	4-Low	
DE5364	Locations resource using own version of pt-select	06/17/2016	3-Medium	
DE5368	Discontinuing Active meds displays the medication twice within the A&R applet (1.2 DIT)	06/17/2016	3-Medium	
DE5369	Sync Adverse Reaction Assessment data to JDS	06/17/2016	3-Medium	
DE5375	Vitals (Trend/Expanded/Maximized views): Only most recent BMI calculation is displayed when multiple height and/or weight entries are entered in the same day	06/20/2016	4-Low	
DE5376	1.2 - Cosmetic: ETS_Patient Flag is Missing Scroll Bar	06/20/2016	3-Medium	
DE5408	VA-382 - Meds Review data integrity issue (RDK/UI defect)	06/22/2016	1-Critical	
DE5409	VA-382 - Meds Review data integrity issue (New Test Data Defect)	06/22/2016	3-Medium	
DE5440	Military applet is missing the help icon in both environments 1.2 DIT and Combo	06/24/2016	3-Medium	
DE5443	VA-431 Problems applet, detailed view does not have a field for ICD 10	06/24/2016	4-Low	
DE5445	Search Records: Getting different search suggestions based on a Capital letter	06/24/2016	3-Medium	
DE5451	GDF (Timelime Summary) is not displaying the last Date/Events in the timeline when loaded with (ALL-Range)Data	06/24/2016	5-Cosmetic	
DE5465	1.2 - Cosmetic: Demographics and Primary Care header: arrow pointing in wrong direction	06/27/2016	4-Low	
DE5528	Pre-defined filters in CBWs: predefined filters are missing from Hypertension, Depression and other predefined screens	07/06/2016	3-Medium	
DE5549	Numeric Lab Result applet (Trend view) Dots disappearing after refreshing applet	07/07/2016	4-Low	
DE5603	RDK log configuration - multiple issues	07/11/2016	3-Medium	
DE5612	Performance (Numeric Lab Results/Orders applets): refresh triggered during infinite scrolling	07/11/2016	3-Medium	
DE5632	Vitals Applet: Trend View data does not match after switching to expanded view and back to trend view	07/11/2016	3-Medium	

Other Known Issues				
ID	Name	Opened Date	Severity	
DE5667	ETS_eHMP Data Sources Modal displays last update as 411 years ago	07/13/2016	3-Medium	
DE5674	VA-471 - Lab Error Upon Refresh Goes From Critical to Abnormal	07/13/2016	1-Critical	
DE5701	VA-443 Patient Selection Bar Disappears (error with Vitals)	07/14/2016	3-Medium	
DE5716	ETS: Quick Look tool- tip window displays if there is no dot within the orange diamond	07/14/2016	3-Medium	
DE5717	Med Review filter doesn't persist in a CBW after maximizing	07/14/2016	4-Low	
DE5718	No double arrows on the horizontal bar for CBWs	07/14/2016	4-Low	
DE5719	VA-480 More Strange orders in the meds applets	07/14/2016	3-Medium	
DE5720	No scroll bar on flags on a patients record	07/14/2016	4-Low	
DE5724	Diabetes Mellitus renders slow in VA Performance environment	07/15/2016	3-Medium	
DE5725	Meds Review renders slow in VA Performance environment	07/15/2016	3-Medium	
DE5749	Update rdk log location in rakefile	07/18/2016	3-Medium	
DE5776	VA-481 - Workspace Editor Naming Convention	07/19/2016	4-Low	
DE5780	Test Patient 9E7A; 230 does not complete - It appears that no response is received from JMeadows. 1.2	07/19/2016	2-High	
DE5793	ADT+20^HMPEHL7 Error during patient registration	07/19/2016	2-High	
DE5806	HMP*2.0*2 DD Review	07/20/2016	3-Medium	
DE5813	Production - Performance Lag loading applets	07/20/2016	2-High	
DE5815	Production - 500 error displays within applets	07/20/2016	2-High	
DE5819	HMP*2.0*2 T5 Issues	07/20/2016	2-High	
DE5820	TypeError: "Unable to get property 'destroy' of undefined or null reference" Unable to load certain Patients	07/20/2016	4-Low	
DE5854	Possible memory leak or garbage collection issue detected during endurance stress test against single RDK VM	07/21/2016	2-High	
DE5875	Data sources on Footer are disappearing after data in applets is loaded	07/21/2016	3-Medium	

Other Known Issues					
ID	Name	Opened Date	Severity		
DE5880	SNOMED CT external site unreachable in VA environments	07/22/2016	3-Medium		
DE5881	PEP Error Messages (1.2)	07/22/2016	3-Medium		
DE5882	Patient Search Logs Missing Demographics As An Error	07/22/2016	3-Medium		
DE5883	Numeric Lab Results: Lab Results are overlapping	07/22/2016	3-Medium		
DE5884	Osync is hardcoded to Vxsync Beanstalk instance	07/22/2016	4-Low		
DE5885	Consult order form should not allow user to select 'blank' for Location For Consultation	07/22/2016	3-Medium		
DE5886	R1.2 Documents Applet not displaying expected document types	07/22/2016	1-Critical		

# **5. Included New Functionality and Defect Fixes**

### 5.1. Included User Stories

User stories introduced in eHMP Release 1.2.14 are listed in Table 5-1.

**Table 5-1 Incorporated User Stories** 

ID	Name	Opened Date	Test Method/Test Case Identifier
F674	JDS Restructuring to support Shard by Patient	08/04/2015	TC3776, TC3911, TC4071, TC4157, TC4341, TC4342, TC4397
US14229	Auto Add Primary Sites to HDR Black List	03/16/2016	TC4599, TC4601
US14494	Sync Reimplementation	04/05/2016	TC4782, TC4783
US14630	Implement new JDS Service to support VX- Sync Sync Status Optimizations	04/08/2016	TC4350, TC4352
US14652	Performance Enhancements: Enable RDK Persistent Connections	04/11/2016	TC4584
US14805	Canceling unneeded network calls from the front end	04/18/2016	N/A
US14992	Update Online Help Links with latest V1.2 Help Content	04/28/2016	N/A
US15101	Add filter to JDS/vpr/all/index/pid/pid endpoint	05/03/2016	TC4568, TC4569, TC4570, TC4571
US15127	Add additional fields to combined syncStatus	05/05/2016	TC4572, TC4573
US15617	Work with RDK team to determine best way to clean out old sessions from JDS and Implement	06/01/2016	TC3151, TC5132
US15748	RDK to ASU utilization optimization	06/07/2016	N/A
US15843	F1045: Backport Patient Select Screen Formatting Changes from r2.0 into r1.2	06/15/2016	TC5152

### 5.2. Fixed Defects

Defects specifically resolved in Version 1.2.14 are listed in Table 5-2.

**Table 5-2 Fixed Defects** 

ID	Name	Opened Date	Severity	Test Method/Test Case Identifier
DE1862	Unvalidated data accepted directly from search UI	08/04/2015	3-Medium	TC4269
DE2383	Medication name is too big for Active Meds applet	09/16/2015	1-Critical	TC2880
DE3153	Wrong message is being printed for Crisis notes	11/30/2015	3-Medium	N/A
DE3184	Chief, MIS user class cannot view the text of unsigned addenda	12/07/2015	4-Low	N/A
DE3378	IOC Production - Record search does not return any results upon initial patient sync	01/04/2016	3-Medium	N/A
DE3511	Vitals Applet parses pain values incorrectly	01/15/2016	4-Low	TC5499
DE3536	eHMP UI: Active & Recent Meds Not Displaying Overlapping Active Orders	01/20/2016	1-Critical	TC4675
DE3562	Active and Recent Meds applet displaying some invalid dates	01/21/2016	2-High	TC4676
DE3568	1.2 eHMP UI: Active & Recent Meds Detail Form Data Overlapping	01/24/2016	4-Low	TC4345
DE3624	Search record data picker does not auto-close	01/27/2016	4-Low	TC4856
DE3647	Vitals and Stacked Graphs Applet: BMI details form modal - date order issue	01/29/2016	3-Medium	TC4605
DE3748	UI/Resource Server in R1.2 needs to send VX-Sync PID and not ICN	02/10/2016	2-High	TC3640, TC4299, TC4300, TC4301
DE3764	Unable to Remove Meds Review from Existing Workspace (MEDICATION_REVIEW_V2)	02/11/2016	4-Low	N/A
DE3800	CBWs and UDWs: visibility issue with applets at bottom of workspace	02/16/2016	3-Medium	TC3854 TC4077
DE3858	Clinical Reminders: When sorting by "Due Date", the dates are not sorting properly	02/23/2016	3-Medium	TC4904

ID	Name	Opened Date	Severity	Test Method/Test Case Identifier
DE3915	The help icon is missing from the reports applet	02/25/2016	4-Low	TC5280
DE3921	Medication Review applet: when maximized, user-entered search term is removed when clicking filter icon	02/26/2016	5-Cosmetic	TC4677
DE3953	R1.2 ONLY - Multiple Patient Record Flags and only top one collapses when bar is clicked on	03/01/2016	4-Low	TC4939
DE3990	VA-301 Refill error on Med applet	03/03/2016	3-Medium	N/A
DE4004	1.2 ONLY eHMP UI: Meds Review Graph Reference Range Misaligned for Red Line	03/04/2016	3-Medium	TC4839
DE4008	1.2 eHMP UI: Clinical Reminders Rapidly Clicking On Items Sometimes Makes eHMP Unusable	03/04/2016	4-Low	TC4678
DE4011	Postings (Patient Flags): "Next Review Date" populated in CPRS, but not in eHMP	03/04/2016	2-High	TC5067
DE4080	Narrative Lab Results applet: incorrect default sort order	03/13/2016	3-Medium	TC5039
DE4054	Pre Prod_User Name is Displaying Incorrectly (Only Displaying First Name)	03/10/2016	3-Medium	TC4786
DE4109	Applet pushing other applets off-screen when expanded	03/15/2016	3-Medium	TC4607
DE4131	1.2 eHMP UI: Immunizations Duplicate Tiles After Clearing the Filters	03/16/2016	3-Medium	TC4486
DE4147	Vitals applet (Summary/Expanded/Maximized Views): InfoButton directs users to incorrect info	03/18/2016	3-Medium	TC5353
DE4150	Pre-Prod lag is causing Clinical Reminders Detail View to appear on Patient Selection Screen	03/18/2016	2-High	TC4355
DE4172	Timeline Workspace - performance issues	03/22/2016	3-Medium	N/A
DE4174	1.2 Help icon focus indicator and highlight overlapped by the search button	03/22/2016	5-Cosmetic	TC4661
DE4187	Applet moves when there is a selection anywhere in the applet	03/23/2016	3-Medium	TC4493
DE4216	VA-308- Session loss after successful logon	03/25/2016	2-High	TC4219
DE4252	Performance issue: patient with numerous records in "Documents" applet	03/30/2016	3-Medium	TC4893
DE4260	VA - 314 - Patient selection screen shifted to the left	03/30/2016	4-Low	TC4425

ID	Name	Opened Date	Severity	Test Method/Test Case Identifier
DE4296	Tile sorting rows not draggable	04/04/2016	3-Medium	TC4483
DE4297	Add indexing to pJDS 'pidmeta' data store and change RDK code to use a range instead of filter parameter	04/04/2016	3-Medium	TC4047
DE4320	Filters: Numeric Lab Results Applet(trend view), not filtering by the word after a "-" dash	04/05/2016	2-High	TC4485
DE4329	VistaJS.authenticate logs a circular reference for invalid A/V codes	04/06/2016	4-Low	N/A
DE4352	VA-320 – Stacked Graphs take a really long time to load	04/07/2016	2-High	N/A
DE4377	VA-324 - Postings are not accurate for items (blank postings)	04/08/2016	4-Low	TC4679
DE4391	VA-323 - Meds review - word wrap the additives	04/11/2016	4-Low	TC4351
DE4394	VA-326 Active/Recent Meds - refills incorrect in trend view	04/11/2016	2-High	TC4618
DE4395	VA-327 -Meds review - refills wrong in the collapsed view	04/11/2016	2-High	TC4624
DE4413	VA-332 Medication Details view needs the facility name	04/13/2016	3-Medium	TC5123
DE4423	Missing JobStatus job type causes RDK crash	04/14/2016	2-High	N/A
DE4424	VA-337 - Medication details view - display an appropriate message for missing start date	04/14/2016	4-Low	TC5301
DE4425	VA-340 - Medication Details view-Use the same "No Data" label that is in the Order Number field in other fields with missing or null data	04/14/2016	5-Cosmetic	TC4894
DE4457	VA-322- Search for new allergies is not returning results (possible synch timing) OBE	04/18/2016	1-Critical	N/A
DE4473	ETS_Domain Data Status Bar does not Match Expanded eHMP Data Sources Status	04/19/2016	2-High	TC4384
DE4497	(1.2) vista-record-poller missing calls to send errors to JDS error storage	04/20/2016	4-Low	TC4383
DE4524	Numeric Lab Results: Flag icon does not consistently appear for records	04/22/2016	2-High	TC4492
DE4550	Internal IPs Disclosed in Public RDK API endpoint	04/25/2016	2-High	TC5196
DE4585	Add date comparison operators to JDS filters	04/27/2016	3-Medium	TC4604, TC4608

ID	Name	Opened Date	Severity	Test Method/Test Case Identifier
DE4587	Military History Applet: Infobutton should not be available in quickmenu for a record	04/27/2016	4-Low	TC4695
DE4601	Deleting a pJDS data item that is indexed doesn't remove the indexed data	04/28/2016	3-Medium	TC4494, TC4495
DE4626	Using Known Vulnerable Components - Upgrade RDK handlebars and node-uuid	04/29/2016	3-Medium	N/A
DE4639	Procedure Reports and Documents - Missing Details (UI work/related to DE1977): 1.2 only	05/02/2016	2-High	TC4768, TC5106
DE4648	Unable to retrieve data stored with JPID;{JPID}	05/02/2016	2-High	TC4538, TC4539
DE4651	CCOW_eHMP Link Icon Disappears When Switching Patients via CPRS	05/02/2016	3-Medium	N/A
DE4683	VX-Sync Healthcheck Configuration uses "path" instead of "url"	05/04/2016	3-Medium	N/A
DE4687	RDK: Intermittent Stack Graph pick list failure	05/04/2016	4-Low	TC4506
DE4689	Problems Applet Not Un-Filtering when clearing the Search filter after Navigating to a different applet and returning	05/04/2016	3-Medium	TC5101
DE4705	1.2 Patient Demographic section, email address is not wrapping in email box	05/04/2016	5-Cosmetic	TC4663
DE4747	Blood Pressure Stacked Graph can't be removed	05/09/2016	3-Medium	N/A
DE4753	1.2 Online User Guide: link to PDF version is missing	05/09/2016	4-Low	TC4662
DE4755	Move Patient Selection endpoint from vx-sync to rdk	05/10/2016	2-High	TC4497, TC4577, TC4579
DE4768	GDS indexes don't survive Cache restarts	05/11/2016	3-Medium	TC4558, TC4559
DE4775	Documents applet: user can't open PDF documents. (blocked by authorization enhancements)(DE4774)	05/11/2016	2-High	TC5463
DE4796	User Log-In - performance	05/12/2016	3-Medium	TC4728
DE4818	Error storing to Solr - "multiple values encountered for non-multiValued field drug_class"	05/16/2016	2-High	N/A
DE4821	Remote postings (CWAD) are not displaying in 1.2 DIT	05/16/2016	2-High	N/A

ID	Name	Opened Date	Severity	Test Method/Test Case Identifier
DE4830	Patient conflict when 2 primary pids are synced using doLoad endpoint simultaneously	05/17/2016	3-Medium	TC5231
DE4834	Security Manual Testing - HTTP Security Headers - Clickjacking & Others	05/17/2016	2-High	TC5341
DE4838	Un-synced patients in 1.2 DIT should display "syncing"	05/17/2016	3-Medium	TC4906, TC4907
DE4840	Information put into military history app disappears	05/17/2016	2-High	TC4756
DE4847	1.2 DIT: SSN masking issues	05/18/2016	3-Medium	TC4727
DE4890	Reset Sync causes pJDS data store indexes to disappear	05/20/2016	3-Medium	TC4740, TC4741
DE4896	Unable to Access Quick Menu in Allergies/Immunizations applet	05/22/2016	3-Medium	TC5122
DE4921	VX-Sync Log Files Are Duplicated	05/23/2016	3-Medium	TC5041, TC5221
DE4922	Facility Name should display on all Medication orders	05/23/2016	3-Medium	TC4958
DE4966	Operation data Re-sync Tool does not work on r1.2	05/24/2016	3-Medium	TC4914
DE4984	eHMP builds depend on HMP PATIENT SELECT	05/25/2016	1-Critical	TC4769
DE4994	Cannot open detail modal for Vitals applet from summary view. (r1.2)	05/25/2016	3-Medium	TC5099
DE5010	Numeric Lab Results details (Lab Test) not displaying toolbar menu	05/26/2016	3-Medium	TC4943
DE5011	Production_San Diego_Error Message is Misspelled	05/26/2016	5-Cosmetic	TC4777
DE5046	Meds Review applet, filter is not persisting	05/27/2016	3-Medium	TC5125
DE5075	Jobs incorrectly publishing to default tube 1.2	06/01/2016	2-High	TC4912
DE5103	VA-369 Lab site/specimen result	06/03/2016	1-Critical	N/A
DE5114	Full Name Patient Search Should Use Limit	06/03/2016	1-Critical	TC4962
DE5119	Prod_Military History is not Saving at Some Production Sites	06/06/2016	2-High	N/A
DE5120	VA-371- Multiple Errors for version 1.2.4.70681	06/06/2016	1-Critical	N/A
DE5149	pJDS indexes don't index when VX-Sync is deployed	06/07/2016	3-Medium	TC4910, TC4911
DE5150	Exclude all the integration test files from RDK while generating the eHMP production artifact	06/07/2016	2-High	N/A

ID	Name	Opened Date	Severity	Test Method/Test Case Identifier
DE5182	Production incorrectly sending ODS sync request to sites on deploy	06/08/2016	1-Critical	TC4979
DE5187	VA-414 - Access control using VistA option HMP UI Context is not working	06/06/2016	1-Critical	TC5145
DE5188	Disable JDS Journal deletion cron job in production like environments	06/09/2016	1-Critical	N/A
DE5211	Access/Verify codes accessible via chrome dev tools	06/09/2016	1-Critical	TC5070
DE5278	app cache solution in 1.2 was not implemented in the right place	06/13/2016	2-High	N/A
DE5287	Procedure Document UID does not correspond to actual Document	06/14/2016	2-High	N/A
DE5292	User login credentials being logged into RDK log files at normal logLevel	06/14/2016	2-High	N/A
DE5299	Documents applet in expanded view shows as summary view expanded	06/14/2016	3-Medium	N/A
DE5316	Creating an Infusion Order prevents Active & Recent Applet Meds from loading in 1.2 DIT	06/15/2016	2-High	N/A
DE5325	Military History applet (1.2 DIT and 2.0 DIT): Summary/Expanded View incorrect when changing the applet view within a UDW	06/16/2016	4-Low	TC5144
DE5346	Meds Infusion (1.2 DIT) - Additives/Solutions are displaying incorrectly within the UI	06/16/2016	2-High	N/A
DE5353	Text Search suggestions throwing 500 error	06/17/2016	3-Medium	N/A
DE5362	VA-426 Failure to rejoin CCOW through eHMP	06/17/2016	2-High	TC5442
DE5365	VA-427 Rejoin Context button for CCOW missing intermittently from Patient Demographic Screen	06/17/2016	2-High	TC5443
DE5366	VA-428 Leave Context button for CCOW missing intermittently in eHMP	06/17/2016	2-High	TC5444
DE5390	VA-425 - F304 Vista Health Summaries - Unable to run report	06/20/2016	2-High	N/A
DE5435	VA-430- Allergies without a severity are displaying like they are severe	06/23/2016	1-Critical	TC5342
DE5460	Patient loading and syncing status no longer appears for CCOW	06/27/2016	2-High	TC5441
DE5532	RDK 1.2 Crashes With Missing cleanJDSPatientAttributes Function	07/06/2016	1-Critical	TC5351

17

### 5.3. Fixed VA Defects

VA reported defects specifically resolved in Version 1.2.14 are listed in Table 5-3.

**Table 5-3 Fixed VA Defects** 

Fixed V	Fixed VA Defects				
VA ID	ID	Name	Opened Date	Severity	Test Method/Test Case Identifier
VA-308	DE4216	VA-308- Session loss after successful logon	03/25/2016	2-High	TC4219
VA-314	DE4260	VA-314 - Patient selection screen shifted to the left	03/30/2016	4-Low	TC4425
VA-320	DE4352	VA-320 – Stacked Graphs take a really long time to load (eHMP UI)	04/07/2016	2-High	N/A
VA-323	DE4391	VA-323 - Meds review - word wrap the additives	04/11/2016	4-Low	TC4351
VA-326	DE4394	VA-326 Active/Recent Meds - refills incorrect in trend view	04/11/2016	2-High	TC4618
VA-327	DE4395	VA-327 -Meds review - refills wrong in the collapsed view	04/11/2016	2-High	TC4624
VA-340	DE4425	VA-340 - Medication Details view-Use the same "No Data" label that is in the Order Number field in other fields with missing or null data	04/14/2016	5-Cosmetic	TC4894
VA-369	DE5103	VA-369 Lab site/specimen result	06/03/2016	1-Critical	N/A
VA-370	DE5128	VA-370 - Missing data in eHMP	06/06/2016	1-Critical	N/A
VA-371	DE5120	VA-371- Multiple Errors for version 1.2.4.70681	06/06/2016	1-Critical	N/A
VA-414	DE5187	VA-414 - Access control using VistA option HMP UI Context is not working	06/09/2016	1-Critical	TC5145
VA-425	DE5390	VA-425 - F304 Vista Health Summaries - Unable to run report	06/20/2016	2-High	N/A
VA-426	DE5362	VA-426 Failure to rejoin CCOW through eHMP	06/17/2016	2-High	TC5442
VA-427	DE5365	VA-427 Rejoin Context button for CCOW missing intermittently from Patient Demographic Screen	06/17/2016	2-High	TC5443
VA-428	DE5366	VA-428 Leave Context button for CCOW missing intermittently in eHMP	06/17/2016	2-High	TC5444

Fixed VA Defects					
VA ID	ID	Name	Opened Date	Severity	Test Method/Test Case Identifier
VA-430	DE5435	VA-430- Allergies without a severity are displaying like they are severe	06/23/2016	1-Critical	TC5342

## A. Appendix 1 – M Triggers

Table A-1 details the M Triggers.

#### **Table A-1 M Triggers**

```
M Triggers
PROTOCOL LIST
                                              MAR 3,2016 07:11
                                                                  PAGE 1
                                       NAME: HMP ADT-A04 CLIENT
NUMBER: nnnn
                                    TYPE: subscriber
 ITEM TEXT: HMP HL7 ADT-A04 Client
 CREATOR: PROGRAMMER, ONE
DESCRIPTION: This client protocol is used to process HL7 ADT/A04 messages
published by the VAFC ADT-A04 SERVER protocol.
The client causes a HMP 'freshness' event for each new patient registration
that occurs. This is especially important for new patients, as it is the only
MAS event mechanism available that can be used to discover new patient
Note: The ROUTING LOGIC does not send any HL7 messages. As mentioned above, It
 adds a HMP (Health Management Platform) 'freshness' event.
 IDENTIFIER: HMP ADT-A04 CLIENT TIMESTAMP: 63971,54512
  RECEIVING APPLICATION: HMP HL7
                                       RESPONSE MESSAGE TYPE: ADT
  ROUTING LOGIC: D ADT^HMPEHL7($G(HLFS), HLNEXT, $G(HLNODE), HLQUIT)
NUMBER: nnnn
                                       NAME: HMP ADT-A08 CLIENT
 ITEM TEXT: HMP HL7 ADT-A08 Client
                                       TYPE: subscriber
 CREATOR: PROGRAMMER, ONE
DESCRIPTION: This client protocol is used to process HL7 ADT/A08 messages
published by the VAFC ADT-A08 SERVER protocol.
 The client filters A08 events. It adds to the HMP 'freshness' queue only if
the A08 was the result of the patient's sensitivity being modified via the DG
SECURITY EDIT/EDIT option. All other A08 events are ignored and should not add
to the 'freshness' queue.
Note: The ROUTING LOGIC does not send any HL7 messages. As mentioned above, It
adds a HMP (Health Management Platform) 'freshness' event.
 TIMESTAMP: 63971,54512
                                       RECEIVING APPLICATION: HMP HL7
 RESPONSE MESSAGE TYPE: ADT
  ROUTING LOGIC: D ADT^HMPEHL7($G(HLFS), HLNEXT, $G(HLNODE), HLQUIT)
                                       NAME: HMP APPT EVENTS
NUMBER: nnnn
 ITEM TEXT: Appointment events for HMP
 TYPE: action
                                       CREATOR: PROGRAMMER, ONE
DESCRIPTION: This protocol will track appointments for HMP.
 IDENTIFIER: HMP APPT EVENTS
                                      ENTRY ACTION: D SDAM^HMPEVNT(SDATA)
 TIMESTAMP: 63971,54512
NUMBER: nnnn
                                       NAME: HMP DG UPDATES
 ITEM TEXT: DG updates for HMP
                                       TYPE: action
 CREATOR: PROGRAMMER, ONE
DESCRIPTION: This protocol will track Patient file changes for HMP.
 IDENTIFIER: HMP APPT EVENTS
 ENTRY ACTION: D DG^HMPEVNT(DGDA,DGFIELD,DGFILE)
 TIMESTAMP: 63971,54512
                                       NAME: HMP DGPF ASSIGN FLAG
NUMBER: nnnn
                                       CREATOR: PROGRAMMER, ONE
 TYPE: action
 PACKAGE: HEALTH MANAGEMENT PLATFORM
DESCRIPTION: Used to trigger a JDS update when the DGPF ASSIGN FLAG action
protocol is used. A patient must have been selected and the DFN value is in
```

#### **M** Triggers ENTRY ACTION: I \$G(DGDFN),\$L(\$T(POST^HMPEVNT)) D POST^HMPEVNT(DGDFN,"patient", DGDFN) NUMBER: nnnn NAME: HMP GMPL EVENT ITEM TEXT: Problem List events for HMP TYPE: action CREATOR: PROGRAMMER, ONE DESCRIPTION: This protocol will track new and updated problems for HMP. IDENTIFIER: HMP GMPL EVENT ENTRY ACTION: D GMPL^HMPEVNT(DFN,GMPIFN) TIMESTAMP: 63971,54512 NUMBER: nnnn NAME: HMP GMRA EVENTS ITEM TEXT: Allergy Events for HMP TYPE: action CREATOR: PROGRAMMER, ONE DESCRIPTION: This protocol will track Allergy data updates for HMP. ENTRY ACTION: D GMRA^HMPEVNT("") TIMESTAMP: 63971,54512 NAME: HMP INPT EVENTS NUMBER: nnnn ITEM TEXT: Inpatient Movement events for HMP TYPE: action CREATOR: PROGRAMMER, ONE DESCRIPTION: This protocol will track patient admissions and discharges for HMP. ENTRY ACTION: D DGPM^HMPEVNT(DGPMA,DGPMDA,DGPMP,DGPMT) TIMESTAMP: 63971,54512 NUMBER: nnnn NAME: HMP MDC EVENT ITEM TEXT: CLiO events for HMP TYPE: action CREATOR: PROGRAMMER, ONE DESCRIPTION: This protocol will track new and updated observations for HMP. ENTRY ACTION: D MDC^HMPEVNT(.MDCOBS) TIMESTAMP: 63971,54512 NUMBER: nnnn NAME: HMP NA EVENTS ITEM TEXT: XQOR HL7 events for HMP TYPE: action CREATOR: PROGRAMMER, ONE DESCRIPTION: This protocol monitors order events for HMP. It is placed on the OR EVSEND \* protocols to check for order numbers assigned to new orders placed from the ancillary packages. ENTRY ACTION: D NA^HMPEVNT(.XQORMSG) TIMESTAMP: 63971,54512 NAME: HMP PCE EVENTS NUMBER: nnnn ITEM TEXT: PCE events for HMP TYPE: action CREATOR: PROGRAMMER, ONE DESCRIPTION: This protocol will track PCE visit data for HMP. ENTRY ACTION: D PCE^HMPEVNT TIMESTAMP: 63971,54512 NUMBER: nnnn NAME: HMP PCMM TEAM ITEM TEXT: PCMM Team events for HMP TYPE: action CREATOR: PROGRAMMER, ONE ENTRY ACTION: D PCMMT^HMPEVNT(SCPTTMAF, SCPTTMB4) TIMESTAMP: 63971,54512 NUMBER: nnnn NAME: HMP PCMM TEAM POSITION ITEM TEXT: PCMM Team Position events for HMP TYPE: action CREATOR: PROGRAMMER, ONE ENTRY ACTION: D PCMMTP^HMPEVNT(SCPTTPAF,SCPTTPB4) TIMESTAMP: 63971,54512 NUMBER: nnnn NAME: HMP PSB EVENTS ITEM TEXT: BCMA events for HMP TYPE: action CREATOR: PROGRAMMER, ONE DESCRIPTION: This protocol will track medication administrations for HMP. ENTRY ACTION: D PSB^HMPEVNT(.PSBIEN) TIMESTAMP: 63971,54512 NAME: HMP XQOR EVENTS NUMBER: nnnn ITEM TEXT: XQOR HL7 events for HMP TYPE: action CREATOR: PROGRAMMER, ONE DESCRIPTION: This protocol monitors order events for HMP. It is placed on

the \* EVSEND OR protocols to check for updates being sent from ancillary

packages to Order Entry; it monitors when orders are completed.

ENTRY ACTION: D XQOR^HMPEVNT(.XQORMSG)

TIMESTAMP: 63971,54512

NUMBER: nnnn NAME: HMPM EVT QUE CHANGE DOMAIN

ITEM TEXT: Change Domain TYPE: action

CREATOR: PROGRAMMER, ONE

DESCRIPTION: Allows user to indicate only freshness events for a particular

domain, like med, task, visit, etc., or all domains should be listed in

freshness viewer.

ENTRY ACTION: D CD^HMPEQLM TIMESTAMP: 63971,54512

NUMBER: nnnn NAME: HMPM EVT QUE CHANGE MAX LISTED

ITEM TEXT: Change Max Limit TYPE: action

CREATOR: PROGRAMMER, ONE

DESCRIPTION: Allows user to select the maximum events to display in the

freshness queue viewer. (10 - 1000)

ENTRY ACTION: D CM^HMPEQLM TIMESTAMP: 63971,54512

NUMBER: nnnn NAME: HMPM EVT QUE CHANGE SERVER

ITEM TEXT: Change Server TYPE: action

CREATOR: PROGRAMMER, ONE

DESCRIPTION: Allows user to change which server's freshness queue events to

display in the viewer.

ITEM: HMPM EVT QUE FRESHNESS REPORT

ENTRY ACTION: D CS^HMPEQLM TIMESTAMP: 63971,54512

NUMBER: nnnn NAME: HMPM EVT OUE DISPLAY DETAILS

ITEM TEXT: Display Details TYPE: action

CREATOR: PROGRAMMER, ONE

DESCRIPTION: Display details related to an event listed in the freshness

queue viewer.

ENTRY ACTION: D DETAIL^HMPEQLM TIMESTAMP: 63971,54512

NUMBER: nnnn NAME: HMPM EVT QUE FILTER

ITEM TEXT: Filter Events TYPE: action

CREATOR: PROGRAMMER, ONE

DESCRIPTION: Allows user to indicate only freshness events with a state of 'processed' or 'waiting to be processed' or all events should be listed in

freshness viewer.

ENTRY ACTION: D FILTER^HMPEQLM TIMESTAMP: 63971,54512

NUMBER: nnnn NAME: HMPM EVT QUE FRESHNESS REPORT

ITEM TEXT: Freshness Report TYPE: action

CREATOR: PROGRAMMER, ONE

 ${\tt DESCRIPTION:} \quad {\tt View \ overview \ freshness \ queue \ information \ for \ all \ HMP \ servers.}$ 

ENTRY ACTION: D FSHRPT^HMPEQLM TIMESTAMP: 63971,54512

NUMBER: nnnn NAME: HMPM EVT QUE MGR MENU

ITEM TEXT: VPR Freshness Queue Viewer

TYPE: menu CREATOR: PROGRAMMER,ONE

 ${\tt DESCRIPTION:} \qquad {\tt Main protocol menu used by the VPRM EVT QUE MGR ListMan}$ 

template.

COLUMN WIDTH: 26 MNEMONIC WIDTH: 4

ITEM: HMPM EVT QUE FRESHNESS REPORT ITEM: HMPM EVT QUE CHANGE DOMAIN ITEM: HMPM EVT QUE REFRESH

ITEM: HMPM EVT QUE DISPLAY DETAILS

ITEM: HMPM EVT QUE FILTER

ITEM: HMPM EVT QUE SHOW TEMP GLOBALS
ITEM: HMPM EVT QUE SELECT PATIENT
ITEM: HMPM EVT QUE CHANGE MAX LISTED
ITEM: HMPM EVT QUE CHANGE SERVER
ENTRY ACTION: S XQORM("B")="Update"

SCREEN: I 1 X:\$D(^ORD(101,+\$P(^ORD(101,DA(1),10,DA,0),"^",1),24)) ^(24)

HEADER: D SHOW^VALM MENU PROMPT: Select Action:

TIMESTAMP: 63971,54512

NUMBER: nnnn NAME: HMPM EVT QUE REFRESH

ITEM TEXT: Update TYPE: action

CREATOR: PROGRAMMER, ONE

DESCRIPTION: Refresh/update the current list of freshness queue events using

the current criteria/filters specified.

ENTRY ACTION: D REFRESH^HMPEQLM TIMESTAMP: 63971,54512

NUMBER: nnnn NAME: HMPM EVT QUE SELECT PATIENT

ITEM TEXT: Select Patient TYPE: action

CREATOR: PROGRAMMER, ONE

DESCRIPTION: Allows user to specify that only the freshness events for the

selected patient should be used in the freshness queue event viewer.

ENTRY ACTION: D SELPT^HMPEQLM TIMESTAMP: 63971,54512

NUMBER: nnnn NAME: HMPM EVT QUE SHOW TEMP GLOBALS

ITEM TEXT: Temp Global Usage TYPE: action

CREATOR: PROGRAMMER, ONE

DESCRIPTION: Show VPR temporary global usage report.

The report displays summary information related to VPR processing use of  $^{\text{NTMP}}$ 

and ^TMP globals.

ENTRY ACTION: D SHOWHMPN^HMPEQLM TIMESTAMP: 63971,54512

Ρ

ROTOCOL SEARCH MAR 3,2016 07:12 PAGE 1

-----

NAME: DG FIELD MONITOR ITEM TEXT: DG Field Monitor
TYPE: extended action CREATOR: PROGRAMMER, ONE

PACKAGE: REGISTRATION

DESCRIPTION: This protocol is an event point which monitors the editing of fields in DG\* application files. At the time of this event point, the

following variables will be present in the environment:

Variable	Description
DGDA	DA array as exists during Fileman editing
DGFILE	File or subfile number where changed field resides
DGFIELD	Number of changed field
DGTYPE	Type of cross reference action (ADD, DELETE or UPDATE)
DGDTH	Date/time of change in \$Horolog format
DGUSER	DUZ of user that made the change
DGOPT	Current menu option in "option_name^menu_text" format
DGX	X array as documented for Fileman new style x-refs
DGX1	X1 array as documented for Fileman new style x-refs
DGX2	X2 array as documented for Fileman new style x-refs

This protocol is triggered by "listener" cross references on selected fields. By employing logic such as "If DGFILE=2, DGFIELD=.361, DGTYPE="ADD", then...", subscribers to this protocol may take action based on edit activity which involves those fields.

This event point is designed to occur only once per field editing activity. The DGTYPE variable can be interpreted as follows:

- o ADD transactions indicate that data has been added to a field that was previously null. The DGX, DGX1 and DGX2 arrays will contain the Fileman X, X1 and X2 arrays (respectively) as documented for the execution of 'SET' logic.
- o DELETE transactions indicate that previously existing data has been deleted without being replaced. The DGX, DGX1 and DGX2 arrays will contain the Fileman X, X1 and X2 arrays

(respectively) as documented for the execution of 'KILL' logic.

o UPDATE transactions indicate that existing data has been deleted and new data has been filed. The DGX, DGX1 and DGX2 arrays will contain the Fileman X, X1 and X2 arrays (respectively) as documented for the execution of 'SET' logic.

The naming convention used for these 'new style' cross-references for this Patch are as follows:

- All names will begin with the letter "A" to denote a non-lookup MUMPS cross-reference.
- 2. The next characters identify the name space (i.e. Registration ="DG").
- 3. The next two characters identify the field monitor utility ("FM").
- 4. The next character will be "D" if the field contains a decimal. If there is no decimal, there will not be a "D" character.
- 5. The next characters identify the field number.

The establishment of this naming convention is intended to assist with the easy identification of the field monitoring utility as implemented across multiple field definitions. It should be followed as additional instances of this utility are distributed.

ITEM: PSU PATIENT DEMOGRAPHIC CHANGE

ITEM: HMP DG UPDATES
TIMESTAMP: 63971,54512

NAME: DGPF ASSIGN FLAG ITEM TEXT: Assign Flag
TYPE: extended action CREATOR: PROGRAMMER,ONE
PACKAGE: REGISTRATION

DESCRIPTION: This action protocol permits the user to assign a flag to a patient within the Record Flag Assignment [DGPF RECORD FLAG ASSIGNMENT] option.

ITEM: HMP DGPF ASSIGN FLAG

ENTRY ACTION: D AF^DGPFLMA2 SCREEN: I \$G(DGDFN)

TIMESTAMP: 63971,45304

NAME: DGPM MOVEMENT EVENTS ITEM TEXT: MOVEMENT EVENTS v 5.0

PACKAGE: REGISTRATION

DESCRIPTION:

At the completion of a patient movement the following events take place through this option:

- The PTF record is updated when a patient is admitted, discharged or transfered.
- The appointment status for a patient is updated to 'inpatient' for admissions and 'outpatient' for discharges. Admissions to the domicilliary have an 'outpatient' appointment status.
- 3. When a patient is admitted, dietetics creates a dietetic patient file entry and creates an admission diet order. When a patient is discharged, all active diet orders are discontinued. If a patient is absent or on pass, the diet orders are suspended.
- 4. Inpatient Pharmacy cancels all active orders when a patient is admitted, discharged or on unauthorized absence. A patient can not be given Unit Dose meds unless s/he is admitted to a ward. The patient can receive IV meds; however. When a patient is transferred, an inpatient system parameter is used to determine whether or not the orders should be cancelled. When a patient goes on authorized absence, the

#### M Triggers inpatient system parameter is used to determine whether the orders should be cancelled, placed on hold or no action taken. When a patient returns from authorized absence any orders placed on hold will no longer be on hold. 5. With ORDER ENTRY/RESULTS REPORTING v2.2, MAS OE/RR NOTIFICATIONS may be displayed to USERS defined in an OE/RR LIST for the patient. These notifications are displayed for admissions and death discharges. ITEM: DGPM TREATING SPECIALTY EVENT ITEM: SD APPT STATUS ITEM: OCX ORDER CHECK PATIENT MOVE. ITEM: DGOERR NOTE SEQUENCE: 15 ITEM: DGJ INCOMPLETE EVENT ITEM: GMRADGPM MARK CHART ITEM: DG MEANS TEST DOM ITEM: IB MEANS TEST BILLING ITEM: ORU AUTOLIST SEQUENCE: 1 ITEM: FHWMAS SEQUENCE: 14 ITEM: GMRVOR DGPM ITEM: DVB ADMISSION HINQ MNEMONIC: DVBH SEQUENCE: 2 ITEM: PSJ OR PAT ADT ITEM: ORU PATIENT MOVMT ITEM: SC PCMM INPATIENT ACTIVITY ITEM: SC ASSIGN PC TEAM ON DISCHARGE ITEM: VSIT PATIENT STATUS ITEM: PSD PAT ADT ITEM: VAFH HL7 INPATIENT CAPTURE SEQUENCE: 3 ITEM: VAFC HL7 INPATIENT CAPTURE SEQUENCE: 4 ITEM: OR GUA EVENT PROCESSOR SEQUENCE: 999 ITEM: DG OERR TREATING TRANSFER SEQUENCE: 13 ITEM: IVM FINANCIAL QUERY FOR ADMISSION ITEM: DGRU INPATIENT CAPTURE SEQUENCE: 5 ITEM: RG ADT INPATIENT ENCOUNTER DRIVER ITEM: ROR EVENT PTF ITEM: EAS UE INP EVENT SEQUENCE: 100 ITEM: PSB BCBU PATIENT MOVEMENT ITEM: SPN ALERT ITEM: HMP INPT EVENTS TIMESTAMP: 63971,54512 NAME: FH EVSEND OR ITEM TEXT: FH --> OR event messages CREATOR: PROGRAMMER, ONE TYPE: extended action DESCRIPTION: This protocol is used to send HL7 message to Order Entry 3 or higher from Dietetics. ITEM: OR RECEIVE SEQUENCE: 1 ITEM: OCX ORDER CHECK HL7 RECIEVE ITEM: EDP MONITOR ITEM: HMP XQOR EVENTS TIMESTAMP: 63971,54512 NAME: GMPL EVENT ITEM TEXT: Problem List Update Event CREATOR: PROGRAMMER, ONE TYPE: extended action PACKAGE: PROBLEM LIST DESCRIPTION: This protocol will be invoked whenever a problem is added or modified via Problem List options or RPC's. It is triggered by setting the Date Last Modified field #.03 of the Problem file #9000011, in the DTMOD^GMPLX function. The following variables will be available to read and use, but do NOT kill: = Patient ien, file #2 GMPIFN = Problem ien, file #9000011 ITEM: HMP GMPL EVENT TIMESTAMP: 63971,54512 NAME: GMRA ENTERED IN ERROR

```
M Triggers
 ITEM TEXT: Reaction Data Entered in Error
  TYPE: extended action
                                      CREATOR: PROGRAMMER, ONE
 PACKAGE: ADVERSE REACTION TRACKING
DESCRIPTION: This protocol will be activated whenever a reaction is Entered
in Error. Listed below are the variables that will be defined for that
reaction.
 Variables:
     GMRAPA = The Internal Entry Number of the reaction in
              File 120.8 (PATIENT ALLERGIES)
   GMRAPA(0) = The zero node of the entry in File 120.8.
              Below is a description of the data for that node.
              $P Field name
                                        Field type
              1 PATIENT
                                        Pointer to File 2 (PATIENT)
              4 ORIGINATION DATE/TIME Date/Time (FileMan format)
              5
                  ORIGINATOR
                                         Pointer to File 200 (NEW PERSON)
              6 OBSERVED/HISTORICAL
                                         Set of Codes
                                          (o=Observed, h=Historical)
              12 ORIGINATOR SIGN OFF
                                         Set of Codes
                                          (1=Signed, (Zero or Null)=Unsigned)
              14 MECHANISM
                                          Set of Codes
 (U=Unknown, P=Pharmacologic, A=Allergy)
              16 VERIFIED
                                          Set of Codes
                                          (1=Verified,(0 or Null)=Not
Verified)
              17 VERIFICATION DATE/TIME Date/Time (FileMan format)
                                          Pointer to File 200
              18 VERIFIER
              20 ALLERGY TYPE
                                          Free Text/Set of Codes
                                          1 to 3 characters long
                                          (Where "D" = Drug,
                                                "F" = Food,
                                                 "0" = Other)
 *The GMR ALLERGY field is a variable pointer which points to one of five
 possible files. They are:
File Name
                       File Reference
 GMR ALLERGIES
PSNDF( DRUG
PS(50.605,
                    GMR(120.8, (e.g., 212;GMR(120.8,) NATIONAL DRUG
GMR ALLERGIES
                              PSDRUG( DRUG INGREDIENTS PS(50.416, VA
DRUG CLASS
ITEM: FH SIGNED REACTION CANCEL
ITEM: HMP GMRA EVENTS
 TIMESTAMP: 63971,54512
NAME: GMRA SIGN-OFF ON DATA
                                       ITEM TEXT: Sign-off on Reaction Data
                                       CREATOR: PROGRAMMER, ONE
 TYPE: extended action
 PACKAGE: ADVERSE REACTION TRACKING
DESCRIPTION: This protocol will be activated whenever a reaction is Signed.
 Listed below are the variables that will be defined for that reaction.
 Variables:
     GMRAPA = The Internal Entry Number of the reaction in
              File 120.8 (PATIENT ALLERGIES)
   GMRAPA(0) = The zero node of the entry in File 120.8.
              Below is a description of the data for that node.
              $P Field name
                                         Field type
              1 PATIENT Pointer to File 2 (PATIENT)
2 REACTANT Free Text of Reaction
3 GMR ALLERGY Variable Pointer *
```

```
M Triggers
                   ORIGINATION DATE/TIME
                                           Date/Time (FileMan format)
                   ORIGINATOR
               5
                                           Pointer to File 200 (NEW PERSON)
               6
                   OBSERVED/HISTORICAL
                                           Set of Codes
                                           (o=Observed, h=Historical)
               12 ORIGINATOR SIGN OFF
                                           Set of Codes
                                           (1=Signed, (Zero or Null)=Unsigned)
               14 MECHANISM
                                           Set of Codes
 (U=Unknown, P=Pharmacologic, A=Allergy)
               16 VERIFIED
                                           Set of Codes
                                           (1=Verified, (0 or Null)=Not
 Verified)
               17 VERIFICATION DATE/TIME Date/Time (FileMan format)
               18 VERIFIER
                                           Pointer to File 200
               20 ALLERGY TYPE
                                           Free Text/Set of Codes
                                           1 to 3 characters long
                                           (Where "D" = Drug,
                                                  "F" = Food,
                                                   "0" = Other)
 *The GMR ALLERGY field is a variable pointer which points to one of five
 possible files. They are:
 File Name
                        File Reference
 GMR ALLERGIES
                        GMR(120.8, (e.g., 212; GMR(120.8,)
 NATIONAL DRUG
                        PSNDF( DRUG
                                                      PSDRUG( DRUG INGREDIENTS
     PS(50.416, VA DRUG CLASS
                                       PS(50.605,
ITEM: FH SIGNED REACTION INTERFACE
ITEM: HMP GMRA EVENTS
  TIMESTAMP: 63971,54512
NAME: GMRC EVSEND OR
                                        ITEM TEXT: Consults event sent to OE/RR
  TYPE: extended action
                                        CREATOR: PROGRAMMER, ONE
  PACKAGE: CONSULT/REQUEST TRACKING
ITEM: OR RECEIVE
                                        SEQUENCE: 1
ITEM: OCX ORDER CHECK HL7 RECIEVE
                                        SEQUENCE: 2
ITEM: MAGD RECEIVE EVENTS
ITEM: MD RECEIVE GMRC
ITEM: EDP MONITOR
ITEM: HMP XQOR EVENTS
 TIMESTAMP: 63971,54512
NAME: HMPM EVT QUE CHANGE SERVER
                                        ITEM TEXT: Change Server
 TYPE: action
                                        CREATOR: PROGRAMMER, ONE
               Allows user to change which server's freshness queue events to
 DESCRIPTION:
 display in the viewer.
ITEM: HMPM EVT QUE FRESHNESS REPORT
  ENTRY ACTION: D CS^HMPEQLM
                                        TIMESTAMP: 63971,54512
NAME: HMPM EVT QUE MGR MENU
                                        ITEM TEXT: VPR Freshness Queue Viewer
                                        CREATOR: PROGRAMMER, ONE
 TYPE: menu
                Main protocol menu used by the VPRM EVT QUE MGR ListMan
 DESCRIPTION:
 template.
 COLUMN WIDTH: 26
                                        MNEMONIC WIDTH: 4
ITEM: HMPM EVT QUE FRESHNESS REPORT
ITEM: HMPM EVT QUE CHANGE DOMAIN
ITEM: HMPM EVT QUE REFRESH
ITEM: HMPM EVT QUE DISPLAY DETAILS
ITEM: HMPM EVT QUE FILTER
ITEM: HMPM EVT QUE SHOW TEMP GLOBALS
ITEM: HMPM EVT QUE SELECT PATIENT
ITEM: HMPM EVT QUE CHANGE MAX LISTED
ITEM: HMPM EVT QUE CHANGE SERVER
  ENTRY ACTION: S XQORM("B")="Update"
```

#### **M** Triggers SCREEN: I 1 X:\$D(^ORD(101,+\$P(^ORD(101,DA(1),10,DA,0),"^",1),24)) ^(24) HEADER: D SHOW^VALM MENU PROMPT: Select Action: TIMESTAMP: 63971,54512 NAME: LR70 CH EVSEND OR ITEM TEXT: LAB => OE/RR ORDER MESSAGE EVENT TYPE: extended action CREATOR: PROGRAMMER, ONE ITEM: OR RECEIVE SEQUENCE: 1 ITEM: OCX ORDER CHECK HL7 RECIEVE ITEM: EDP MONITOR ITEM: HMP XQOR EVENTS TIMESTAMP: 63971,54512 NAME: MDC OBSERVATION UPDATE ITEM TEXT: Observation update notification TYPE: extended action CREATOR: PROGRAMMER, ONE PACKAGE: CLINICAL PROCEDURES DESCRIPTION: This protocol will be triggered when an observation in the OBS file enters or leaves VERIFIED status. The local array "MDCOBS" will be populated as follows: MDCOBS("OBS\_ID","E")="{35627230-5C66-49E3-AD93-97C269CB257D}" MDCOBS("OBS\_ID","I")="{35627230-5C66-49E3-AD93-97C269CB257D}" MDCOBS("OLD\_STATUS","E")="Verified" MDCOBS("OLD\_STATUS","I")=1 MDCOBS("PATIENT\_ID","E")="SIMPSON,BARTHOLOMUE" MDCOBS("PATIENT\_ID","I")=2 MDCOBS("STATUS", "E")="Unverified" MDCOBS("STATUS", "I")=0 In case of an error, MDCOBS("ERROR") will be populated with the error number and error text from FileMan. ITEM: HMP MDC EVENT ENTRY ACTION: D EN^MDCPROTD TIMESTAMP: 63971,54512 NAME: OR EVSEND FH ITEM TEXT: OE/RR => DIET MESSAGE EVENT CREATOR: PROGRAMMER, ONE TYPE: extended action SEQUENCE: 1 ITEM: FH RECEIVE ITEM: OCX ORDER CHECK HL7 RECIEVE SEQUENCE: 2 ITEM: EDP OR MONITOR ITEM: HMP NA EVENTS TIMESTAMP: 63971,54512 NAME: OR EVSEND GMRC ITEM TEXT: OE/RR => CONSULTS MESSAGE EVENT TYPE: extended action CREATOR: PROGRAMMER, ONE SEQUENCE: 1 ITEM: GMRC RECEIVE ITEM: OCX ORDER CHECK HL7 RECIEVE SEQUENCE: 2 ITEM: RMPR RECEIVE ITEM: MD RECEIVE OR ITEM: EDP OR MONITOR ITEM: HMP NA EVENTS TIMESTAMP: 63971,54512 NAME: OR EVSEND LRCH ITEM TEXT: OE/RR => LAB MESSAGE EVENT CREATOR: PROGRAMMER, ONE TYPE: extended action ITEM: LR70 CH RECEIVE SEQUENCE: 1 ITEM: OCX ORDER CHECK HL7 RECIEVE SEQUENCE: 2 ITEM: EDP OR MONITOR ITEM: HMP NA EVENTS TIMESTAMP: 63971,54512 NAME: OR EVSEND ORG ITEM TEXT: OE/RR => GENERIC MESSAGE EVENT TYPE: extended action CREATOR: PROGRAMMER, ONE ITEM: OR RECEIVE SEQUENCE: 1 ITEM: OCX ORDER CHECK HL7 RECIEVE ITEM: EDP MONITOR ITEM: HMP XQOR EVENTS

TIMESTAMP: 63971,54512

NAME: OR EVSEND PS

ITEM TEXT: OE/RR => PHARMACY MESSAGE EVENT

TYPE: extended action CREATOR: PROGRAMMER,ONE

ITEM: PS RECEIVE OR SEQUENCE: 1
ITEM: OCX ORDER CHECK HL7 RECIEVE SEQUENCE: 2

ITEM: EDP OR MONITOR
ITEM: HMP NA EVENTS
TIMESTAMP: 63971,54512

NAME: OR EVSEND RA ITEM TEXT: OE/RR => RAD/NM MESSAGE EVENT

TYPE: extended action CREATOR: PROGRAMMER, ONE

ITEM: RA RECEIVE SEQUENCE: 1
ITEM: OCX ORDER CHECK HL7 RECIEVE SEQUENCE: 2

ITEM: EDP OR MONITOR
ITEM: HMP NA EVENTS
TIMESTAMP: 63971,54512

NAME: OR EVSEND VPR ITEM TEXT: OE/RR => VPR MESSAGE EVENT

TYPE: extended action CREATOR: PROGRAMMER,ONE

ITEM: HMP XQOR EVENTS TIMESTAMP: 63971,54512

NAME: PS EVSEND OR ITEM TEXT: Send Pharmacy orders to CPRS.

TYPE: extended action CREATOR: PROGRAMMER, ONE

PACKAGE: PHARMACY

DESCRIPTION: This protocol is for sending Inpatient and Outpatient Pharmacy

orders to CPRS.

ITEM: OR RECEIVE SEQUENCE: 1

ITEM: OCX ORDER CHECK HL7 RECIEVE

ITEM: IBAT TP RX MNEMONIC: TP SEQUENCE: 3

ITEM: PSB BCBU RECEIVE SEQUENCE: 4
ITEM: EDP MONITOR

ITEM: HMP XQOR EVENTS

EXIT ACTION: K ^TMP("HLS",\$J,"PS"),PSOC,MSG

TIMESTAMP: 63971,54512

NAME: PSB EVSEND VPR

ITEM TEXT: MEDICATION ADMINISTRATION EVENTS

 ${\tt DESCRIPTION:} \quad {\tt The \ purpose \ of \ this \ protocol \ is \ to \ send \ notification \ of \ events}$ 

that modify the BCMA MEDICATION LOG file (#53.79).

ITEM: HMP PSB EVENTS TIMESTAMP: 63971,54512

NAME: PXK VISIT DATA EVENT ITEM TEXT: VISIT RELATED DATA TYPE: extended action CREATOR: PROGRAMMER,ONE

DESCRIPTION: This is a Protocol that PIMS can hook onto to find the data

that was collected by PCE using List Manager, Scanning etc.

PIMS has developed a protocol, SDAM PCE EVENT, which will use the visit

related data to do an auto-checkout.

ITEM: IBDF PCE EVENT ITEM: SDAM PCE EVENT

ITEM: PXRM PATIENT DATA CHANGE

ITEM: ROR EVENT VISIT
ITEM: EAS UE PCE EVENT
ITEM: HMP PCE EVENTS

EXIT ACTION: K PXKSPX ENTRY ACTION: S PXKSPX=1

TIMESTAMP: 63971,54512

NAME: RA EVSEND OR ITEM TEXT: Radiology event sent to OE/RR

TYPE: extended action CREATOR: PROGRAMMER, ONE

PACKAGE: RADIOLOGY/NUCLEAR MEDICINE

DESCRIPTION: Invoked when a request is created or changed by the

#### M Triggers Radiology/Nuclear Medicine package (the "backdoor") and the data is passed to the Order Entry package, Version 3.0 or greater. IDENTIFIER: RA EVSEND ITEM: OR RECEIVE SEQUENCE: 1 ITEM: OCX ORDER CHECK HL7 RECIEVE ITEM: EDP MONITOR ITEM: HMP XQOR EVENTS EXIT ACTION: K:\$L(\$G(RAVARBLE)) @RAVARBLE, RAVARBLE TIMESTAMP: 63971,54512 NAME: SCMC PATIENT TEAM CHANGES ITEM TEXT: PCMM Patient Team Update Event Driver TYPE: extended action CREATOR: PROGRAMMER, ONE PACKAGE: SCHEDULING DESCRIPTION: This is fired off whenever the Patient Team Assignment File (#404.42) is updated. Available Output Variables: SCPCTM = 1 if it this is a primary care team assignment, 0 otherwise SCPTTMB4 = 0 Node of Patient Team Assignment (#404.42) Before SCPTTMAF = 0 Node of Patient Team Assignment (#404.42) After SCTMNDB4 = 0 Node of Team (#404.51) Before SCTMNDAF = 0 Node of Team (#404.51) After SCPTTM Pointer to Patient Team Assignment (#404.42) SCTMB4 = Pointer to Team (404.51) Before SCTMAF = Pointer to Team (404.51) After Notes: o The 7th piece of the Team File (i.e. \$P(SCTMND,U,7)) is a pointer to the institution file. The 8th piece of the Patient Team Assignment File is the Assignment Type Field (#.08). Its internal value is '1' if it is a primary care assignment. Its value could be either null or '99'. '99' is 'Other'. You can check the variable, SCPCTM (1 or 0) to see if this is a primary care team assignment. Note: Utility: \$\$INSTPCTM^SCAPMC(DFN,DATE,SCERR) Input: - ien of PATIENT File (#2) DATE - date to check (default=DT) SCERR - error array (default=^TMP("SCERR",\$J)) - contains info about bad data. It is only set if there is bad data. 0 if no Primary Care Team on Date or SC4^Institution Name^SCTM^Team Name SC4 = ien of Institution File SCTM = ien of Team File ITEM: SCMC PT TEAM CHANGE MAIL MESSAGE ITEM: HMP PCMM TEAM TIMESTAMP: 63971,54512 NAME: SCMC PATIENT TEAM POSITION CHANGES ITEM TEXT: PCMM Patient Team Position Update Event Driver CREATOR: PROGRAMMER, ONE TYPE: extended action DESCRIPTION: This should be fired off whenever the PATIENT TEAM POSITION ASSIGNMENT file (#404.43) is updated Protocol Name: SCMC Patient Team Position Changes, hang an entry off of this to use this protocol (I do not believe you will be using this one) Description: This should be fired off whenever the PATIENT TEAM POSITION ASSIGNMENT file (#404.43)is updated. Available Variables: ============ SCPCTP = null or 0 if not a primary care assignment 1 if a primary care practitioner assignment 2 if a primary care attending assignment SCPTTPB4 = 0 Node of

#### **M** Triggers

Patient Team Position Assignment (#404.43) Before SCPTTPAF = 0 Node of Patient Team Position Assignment (#404.43) After SCTMNDB4 = 0 Node of Team (#404.51) Before SCTMNDAF = 0 Node of Team (#404.51) After SCTPNDB4 = 0 Node of Team Position (#404.57) Before SCTPNDAF = 0 Node of Team Position (#404.57) After SCPTTP = Pointer to Patient Team Position Assignment (#404.43) SCTPB4 = Pointer to Team Position (404.57) Before SCTPAF = Pointer to Team Position (404.57) After

ITEM: SCMC PT POSITION CHANGE MAIL MESSAGE

ITEM: HMP PCMM TEAM POSITION TIMESTAMP: 63971,54512 DEFAULT WORD PROCESSING ANSWER:

NAME: SDAM APPOINTMENT EVENTS ITEM TEXT: Appointment Event Driver

TYPE: extended action CREATOR: PROGRAMMER, ONE

PACKAGE: SCHEDULING

DESCRIPTION: This extended action contains all the actions that need to be performed when an action is taken upon an appointment, such as checking in.

SEQUENCE: 99

ITEM: IBACM OP LINK SEQUENCE: 1

ITEM: ORU PATIENT MOVMT

ITEM: DG MEANS TEST REQUIRED

ITEM: DVBA C&P SCHD EVENT SEQUENCE: 8

ITEM: PXK SDAM TO V-FILES

ITEM: VAFH HL7 OUTPATIENT CAPTURE ITEM: VAFC HL7 OUTPATIENT CAPTURE ITEM: DGEN SD ENROLL PATIENT ITEM: IVM SEND FINANCIAL QUERY ITEM: EAS UE SCHED EVENT

ITEM: SDAM PFSS EVENT

ITEM: SDAM APPT TYPE VALIDATION

ITEM: MAGD APPOINTMENT ITEM: EDP CHECK-IN ITEM: HMP APPT EVENTS

EXIT ACTION: D EN^SCDXHLDR TIMESTAMP: 63971,54512

26 MATCHES FOUND.

## B. Appendix 2 - Files

Table B-1 details the new/modified VA FileMan files that are exported with eHMP KIDS patches.

#### Table B-1 VA FileMan Files

```
VA FileMan Files
STANDARD DATA DICTIONARY #800000 -- HMP SUBSCRIPTION FILE
                                                   FEB 23,2016@12:42:49 PAGE 1
STORED IN ^HMP(800000, *** NO DATA STORED YET *** SITE: VEHU MASTER UCI: VI
STA, ROU
                                                               (VERSION 2.0)
DATA
              NAME
                                    GLOBAL
                                                  DATA
ELEMENT
             TITLE
                                    LOCATION
                                                  TYPE
This file contains the data needed for eHMP data retrieval. The top level
fields store information about servers known to eHMP. Each patient's
subscription is stored in #800000.01 sub-file for a server
             DD ACCESS: @
              RD ACCESS: @
             WR ACCESS: @
             DEL ACCESS: @
           LAYGO ACCESS: @
           AUDIT ACCESS: @
        (NOTE: Kernel's File Access Security has been installed in this UCI.)
REFERENCED BY: SERVER(B)
INDEXED BY:
               PATIENT NAME & STATUS (ADFN), OPERATION DATA (AITEM), NAME & ON
               (AROS)
800000,.01
              SERVER
                                     0;1 FREE TEXT (Required)
              INPUT TRANSFORM: K:L(X)>64!(L(X)<1)!'(X'?1P.E) X
                                OCT 28, 2014
              LAST EDITED:
              HELP-PROMPT:
                                Answer must be 1-64 characters in length.
                                This is the name of the client system that is
              DESCRIPTION:
                                subscribing to data updates.
              CROSS-REFERENCE: 800000^B
                                1)= S ^HMP(800000, "B", $E(X,1,64), DA)=""
                                2)= K ^HMP(800000,"B",$E(X,1,64),DA)
                                Cross-reference, by DFN, of patients subscribed
                                to eHMP.
800000,.02
              LASTUPDATE
                                     0;2 FREE TEXT
              INPUT TRANSFORM:
                               K:$L(X)>100!($L(X)<3) X
                                OCT 28, 2014
              LAST EDITED:
              HELP-PROMPT:
                                Answer must be 3-100 characters in length. (Do
                                not modified)
              DESCRIPTION:
                                This field holds a flag indicating if this URL
                                should be notified via the nightly scheduled
                                option HMP APPOINTMENTS of the list of patients
                                expected to be seen tomorrow.
```

800000,.03 OPERATION DATA 0;3 SET

'0' FOR UNSUBCRIBED;
'1' FOR SUBSCRIBED;
'2' FOR INITIALIZED;

LAST EDITED: OCT 28, 2014

HELP-PROMPT: This field should not be edited manually

without consulting the development team.

DESCRIPTION: This field holds a flag indicating if this URL

should be notified via http when a patient is

admitted.

FIELD INDEX: AITEM (#413) MUMPS IR ACTION Short Descr: Index of operational data by server

Description: This cross-reference provides the index that is

used to find operational data for each HMP

server.

Set Logic: D HMPOSET^HMPDJFS(DA,X)

Set Cond: I X(1)'=""

Kill Logic: D HMPOKILL^HMPDJFS(DA)
Kill Cond: I X(1)'=""

Whole Kill: K ^HMP(800000, "AITEM")

X(1): OPERATION DATA (800000,.03) (forwards)

800000,.04 REPEAT POLLS 0;4 NUMBER

INPUT TRANSFORM: K:+X'=X!(X>99999999)!(X<0)!(X?.E1"."1N.N) X</pre>

LAST EDITED: OCT 28, 2014

HELP-PROMPT: Type a number between 0 and 99999999, 0 decimal

digits.

DESCRIPTION: This tracks the number of times the same "last

update" value has been repeated. A high repeat

may be normal if data are not changing.

800000,.05 DISK USAGE STATUS 0;5 SET

'0' FOR WITHIN LIMIT;
'1' FOR EXCEEDED LIMIT;

LAST EDITED: JUN 24, 2015

HELP-PROMPT: Enter current status of eHMP disk usage.

DESCRIPTION: The DISK USAGE STATUS flag is an indicator set

automatically in the eHMP subscription process. If the disk space usage in global ^XTMP by eHMP subscriptions is above the threshold in the HMP EXTRACT DISK SIZE LIMIT is exceeded this flag will be set. Similarly the flag is reset if

usage later falls below the threshold.

TECHNICAL DESCR: The field is updated from subscription process

by the STATUS^HMPMETA routine.

The field is referenced by the fetch process

using CHECK^HMPMETA routine.

800000,.06 DISK USAGE STATUS TIME 0;6 DATE

INPUT TRANSFORM: S %DT="ESTXR" D ^%DT S X=Y K:X<1 X</pre>

LAST EDITED: JUN 24, 2015

HELP-PROMPT: Enter the time the DISK USAGE STATUS field was

updated.

DESCRIPTION: The DISK USAGE STATUS TIME is a field set

automatically in the eHMP subscription process. If the disk space usage in global ^XTMP by eHMP

subscriptions is above the threshold in the HMP EXTRACT DISK SIZE LIMIT is exceeded the DISK USAGE STATUS field will be set and the time of the change recorded in this field. Similarly the flag and time fields will be reset if usage

later falls below the threshold.

TECHNICAL DESCR: The field is updated from subscription process

by the STATUS^HMPMETA routine.

The field is referenced by the fetch process

using CHECK^HMPMETA routine.

800000,.1 URL .1;1 FREE TEXT

INPUT TRANSFORM: K:L(X)>250!(L(X)<1) X

LAST EDITED: OCT 28, 2014

HELP-PROMPT: Answer must be 1-250 characters in length.

DESCRIPTION: This is the fully specified URL to call when

updates are available.

800000,1 PATIENT 1;0 POINTER Multiple #800000.01

DESCRIPTION: These are patients that will be monitored for

new data and updates.

INDEXED BY: STATUS & STATUS DATE-TIME (AP)

800000.01,.01 PATIENT NAME 0;1 POINTER TO PATIENT FILE (#2)

(Multiply asked)

INPUT TRANSFORM: S DINUM=X LAST EDITED: FEB 26, 2014

HELP-PROMPT: Enter the name of a patient to be tracked. DESCRIPTION: This is the name of the patient being

monitored for new data.

NOTES: XXXX--CAN'T BE ALTERED EXCEPT BY PROGRAMMER

RECORD INDEXES: ADFN (#412) (WHOLE FILE #800000)

800000.01,2 STATUS 0;2 SET

'0' FOR UNINITIALIZED;
'1' FOR INITIALIZING;
'2' FOR INITIALIZED;

LAST EDITED: MAY 21, 2014

HELP-PROMPT: Enter the tracking status of a patient sync.

(Do Not Modify)

DESCRIPTION: This field tracks the initialization progress

of the patient. When a patient is initially subscribed, they are added to this multiple. The status is "1" when the extracts start and

"2" when they finish. At that point,

freshness updates are moved into the stream.

RECORD INDEXES: ADFN (#412) (WHOLE FILE #800000), AP (#415)

800000.01,3 STATUS DATE-TIME 0;3 DATE

/LABEL

INPUT TRANSFORM: S %DT="ESTXR" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: NOV 16, 2015

HELP-PROMPT: Enter the date.time the status changed.

DESCRIPTION: This is the date.time of the last change in

extract status.

RECORD INDEXES: AP (#415)

800000.01,4 ORDERS 1;0 POINTER Multiple #800000.14

(Add New Entry without Asking)

DESCRIPTION: All data in this sub-file are to be

manipulated by software only. Users should not edit any data without consulting with the

developers.

800000.14,.01 ORDER NUMBER 0;1 POINTER TO ORDER FILE (#100)

INPUT TRANSFORM: S DINUM=X LAST EDITED: NOV 02, 2015

HELP-PROMPT: Enter the Order number.

DESCRIPTION: All the data in this sub-file are entered

programmatically.

The data are used to create timestamps with seconds in order to correctly sequence orders that are sync'd with the eHMP system. Timestamps with seconds captured are necessary in order to sequence order activity when using the lastUpdateTime. The lastUpdateTime is passed with the order data during a sync operation. Currently the VA Order file (#100) only captures a timestamp that includes hrs and minutes but not seconds. It is possible for two activities such as saving and signing to occur in the same minute, without seconds added the the activity timestamp it is impossible to determine which activity occured first.

The PURGE DATETIME is the date time to purge this record. The PURGE DATETIME is 24 hours after the record is created. Purging the data after 24 hours will prevent the file from growing too large.

NOTES: XXXX--CAN'T BE ALTERED EXCEPT BY PROGRAMMER

CROSS-REFERENCE: 800000.14^B

1)=  $S ^HMP(800000, DA(2), 1, DA(1), 1, "B", $E(X, 1, 30)$ 

),DA)=""

2)=  $K \sim MP(800000, DA(2), 1, DA(1), 1, "B", E(X, 1, 30)$ 

),DA)

800000.14,.02 CREATE DATE/TIME 0;2 DATE

INPUT TRANSFORM:S %DT="ESTX" D  $^{D}$  S X=Y K:Y<1 X

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the date and time the order was created. DESCRIPTION: The date/time to include seconds that the order

was created. This field is entered

programmatically.

800000.14,.03 SIGNED BY 0;3 POINTER TO NEW PERSON FILE (#200)

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the User who signed the order.

DESCRIPTION: The person signing the order. This field is

entered programmatically.

800000.14,.04 SIGNED DATE/TIME 0;4 DATE

INPUT TRANSFORM:S %DT="ESTX" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the date and time the order was signed. DESCRIPTION: The date/time with seconds the order was

signed. This field is entered

programmatically.

800000.14,.05 VERIFYING NURSE 0;5 POINTER TO NEW PERSON FILE (#200)

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the nurse who verified the order. DESCRIPTION: The date/time, including seconds, the nurse

verified the order. This field is entered

programmatically.

800000.14,.06 NURSE VERIFY DATE/TIME 0;6 DATE

INPUT TRANSFORM:S %DT="ESTX" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the date and time the nurse verified the

order.

DESCRIPTION: The date/time, including seconds, the nurse

verified the order. This field is entered

programmatically.

800000.14,.07 VERIFYING CLERK 0;7 POINTER TO NEW PERSON FILE (#200)

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the clerk who verified the order.

DESCRIPTION: The clerk who verified the order. This field

is entered programmatically.

800000.14,.08 CLERK VERIFY DATE/TIME 0;8 DATE

INPUT TRANSFORM:S %DT="ESTX" D  $^{D}$  S X=Y K:Y<1 X

LAST EDITED: DEC 17, 2015

HELP-PROMPT: Enter the date and time the clerk verified the

order.

DESCRIPTION: The date/time, including seconds, the clerk

verified the order. This field is entered

programmatically.

800000.14,.09 REVIEWED BY 0;9 POINTER TO NEW PERSON FILE (#200)

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the user who reviewed the order.

DESCRIPTION: The user who reviewed the order. This field is

entered programmatically.

800000.14,.1 REVIEWED DATE/TIME 0;10 DATE

INPUT TRANSFORM:S %DT="ESTR" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the date and time the order was reviewed.

DESCRIPTION: The date/time, including seconds, the order was

reviewed. This field is entered

programmatically.

800000.14,.11 RELEASED BY 0;11 POINTER TO NEW PERSON FILE (#200)

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the user who released the order.

DESCRIPTION: The user who released the order. This field is

entered programmatically.

800000.14,.12 RELEASED DATE/TIME 0;12 DATE

INPUT TRANSFORM:S %DT="ESTX" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the date and time the order was released. DESCRIPTION: The date/time, including seconds, the order was

released. This field is entered

programmatically.

800000.14,.13 PURGE DATE/TIME 0;13 DATE

INPUT TRANSFORM:S %DT="EST" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the date and time after which this entry

can be purged.

DESCRIPTION: The earliest date/time the order data can be

purged. This field is entered

programmatically.

800000.14,.14 ORDER ACTION 0;14 SET

'NW' FOR NEW;

'DC' FOR DISCONTINUED;

'HD' FOR HOLD;

'RL' FOR RELEASE HOLD;

'XX' FOR CHANGE;

'VA' FOR VALIDATE;

'IP' FOR TRANSFERRED TO IP;

'OP' FOR TRANSFERRED TO OP;

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the action performed on this order.

 $\label{eq:description:def} \textit{DESCRIPTION:} \quad \textit{The action taken on the order.} \quad \textit{This field is}$ 

entered programmatically.

800000.14,.15 ACTION DATE/TIME 0;15 DATE

INPUT TRANSFORM:S %DT="EST" D  $^{D}$  S X=Y K:Y<1 X

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the date and time this order action was

performed.

DESCRIPTION: The date/time of the order action. This field

is entered programmatically.

800000.14,1.01 TRACKING START 1;1 DATE

INPUT TRANSFORM:S %DT="ESTX" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: JAN 26, 2016

HELP-PROMPT: Enter the date and time that eHMP started

tracking this Order.

DESCRIPTION: This field is set to NOW when the Order is

first added to this sub-file. It is

 ${\tt uneditable.}$ 

UNEDITABLE

800000.14,2 ORDER FLAG/UNFLAG DATE/TIME 2;0 DATE Multiple #800000.142

(Add New Entry without Asking)

LAST EDITED: DEC 16, 2015

DESCRIPTION: This sub-file contains flagging /unflagging

actions on orders.

800000.142,.01 ORDER FLAG/UNFLAG DATE/TIME 0;1 DATE

INPUT TRANSFORM:S %DT="ESTR" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Enter the date and time the order was flagged

or unflagged.

DESCRIPTION: This is the date/time with seconds that an

order was flagged /unflagged. This field is entered programmatically. An order can be flagged or unflagged multiple times.

CROSS-REFERENCE:800000.142^B

1)= S ^HMP(800000,DA(3),1,DA(2),1,DA(1),2,"B",\$

E(X,1,30),DA)=""

2)= K  $^{\text{HMP}}(800000, DA(3), 1, DA(2), 1, DA(1), 2, "B", $$ 

E(X,1,30),DA)

800000.142,.02 FLAG ACTION 0;2 SET

'F' FOR FLAGGED;

'U' FOR UNFLAGGED; LAST EDITED: DEC 16, 2015

HELP-PROMPT:Indicate whether the order was flagged or

unflagged.

DESCRIPTION: The date/time, with seconds, the order was

flagged /unflagged. This field is entered

programmatically.

800000.142,.03 FLAG/UNFLAG USER 0;3 POINTER TO NEW PERSON FILE (#200)

LAST EDITED: DEC 16, 2015

 $\label{thm:help-prompt:enter} \mbox{ HELP-PROMPT:Enter the user who flagged or unflagged the} \\$ 

order.

 ${\tt DESCRIPTION:} The \ {\tt user} \ {\tt who} \ {\tt flagged} \ {\tt /unflagged} \ {\tt the} \ {\tt order.}$ 

This field is entered programmatically.

800000.142,.04 FLAG/UNFLAG REASON 0;4 FREE TEXT

REASON FOR FLAGGING /UNFLAGGING
INPUT TRANSFORM:K:\$L(X)>80!(\$L(X)<1) X

LAST EDITED: DEC 16, 2015

HELP-PROMPT: Answer must be 1-80 characters.

DESCRIPTION: This is why the order was flagged /unflagged.

This field is entered programmatically.

800000,2 ROSTER 2;0 POINTER Multiple #800000.02

LAST EDITED: APR 17, 2013

DESCRIPTION: These are rosters that will be monitored for

new patients and updates.

800000.02,.01 NAME 0;1 POINTER TO HMP ROSTER FILE (#800001.

2) (Multiply asked)

INPUT TRANSFORM: S DINUM=X LAST EDITED: APR 17, 2013

HELP-PROMPT: Enter the name of a roster to be tracked. DESCRIPTION: This is the name of the roster being

monitored for new patients.

NOTES: XXXX--CAN'T BE ALTERED EXCEPT BY PROGRAMMER

RECORD INDEXES: AROS (#414) (WHOLE FILE #800000)

800000.02,2 ON 0;2 SET

'1' FOR YES;
'0' FOR NO;

LAST EDITED: APR 17, 2013

HELP-PROMPT: Enter YES to turn on data tracking for this

roster.

DESCRIPTION: This field turns on the Data Monitor for this

roster and client system. If ON=true, a new snapshot of this roster will be sent to the client when new data updates are requested.

RECORD INDEXES: AROS (#414) (WHOLE FILE #800000)

800000,91 CONCURRENT UPDATE CALLS 91;1 NUMBER

INPUT TRANSFORM: K:+X'=X!(X>999)!(X<0)!(X?.E1"."1N.N) X</pre>

LAST EDITED: FEB 18, 2015

HELP-PROMPT: Type a number between 0 and 999, 0 decimal

digits.

DESCRIPTION: This field is used to track the number of

simultaneous calls to getPtUpdates in

 $\label{lem:api-hmpdjfs} \mbox{ API$^{\scriptsize{\mbox{\scriptsize{}}}}$HMPDJFS. This allows checkHealth to report}$ 

if a getPtUpdates RPC is in progress.

FILES POINTED TO FIELDS

HMP ROSTER (#800001.2) ROSTER:NAME (#.01)

NEW PERSON (#200) ORDERS:SIGNED BY (#.03)

VERIFYING NURSE (#.05) VERIFYING CLERK (#.07) REVIEWED BY (#.09) RELEASED BY (#.11)

ORDER FLAG/UNFLAG DATE/TIME:FLAG/UNFLAG USER (

#.03)

ORDER (#100) ORDERS:ORDER NUMBER (#.01)

PATIENT (#2) PATIENT:PATIENT NAME (#.01)

#### **VA FileMan Files** Subfile #800000.01 Record Indexes: ADFN (#412) RECORD MUMPS IR SORTING ONLY WHOLE FILE (#800000) Short Descr: Patients to track in the Data Monitor Description: This index will place the entry in the data monitor for this PATIENT. Set Logic: D HMPSET^HMPDJFS(.DA,.X) Set Cond: S X=0 I +X(1)>0 S X=1 Kill Logic: D HMPKILL^HMPDJFS(.DA,.X) Kill Cond: S X=0 I X(1)'="" S X=1 Whole Kill: K ^HMP(800000,"AITEM") X(1): PATIENT NAME (800000.01,.01) (Subscr 1) (forwards) X(2): STATUS (800000.01,2) (forwards) SORTING ONLY AP (#415) RECORD REGULAR IR Short Descr: Subscribed patients by server not yet initialized. Description: This index lists the patients who are not yet initialized: SERVER\_IEN, "AP", STATUS, STATUS TIME, DFN Patients with an initialized status (STATUS = 2) do not appear in this index. Set Logic: S ^HMP(800000,DA(1),1,"AP",X(1),X(2),DA)="" Set Cond: S X=(+X2(1)<2)Kill Logic: K ^HMP(800000,DA(1),1,"AP",X(1),X(2),DA) Whole Kill: K ^HMP(800000,DA(1),1,"AP") X(1): STATUS (800000.01,2) (Subscr 1) (forwards) X(2): STATUS DATE-TIME (800000.01,3) (Subscr 2) (forwards) Subfile #800000.02 Record Indexes: AROS (#414) RECORD MUMPS IR SORTING ONLY WHOLE FILE (#800000) Short Descr: Rosters to track in the Data Monitor Description: Cross-reference of rosters for groups of patients on wards. Set Logic: S:X2(2) ^HMP(800000,"AROS",X,DA(1))="" Kill Logic: K:X1(2) ^HMP(800000,"AROS",X,DA(1)) Whole Kill: K ^HMP(800000, "AROS") X(1): NAME (800000.02,.01) (Subscr 1) (forwards) X(2): ON (800000.02,2) (Subscr 2) INPUT TEMPLATE(S): PRINT TEMPLATE(S): SORT TEMPLATE(S): STANDARD DATA DICTIONARY #800000.1 -- HMP PATIENT OBJECT FILE FEB 23,2016@12:42:51 PAGE 1 STORED IN ^HMP(800000.1, \*\*\* NO DATA STORED YET \*\*\* SITE: VEHU MASTER UCI: VISTA, ROU (VERSION 2.0) GLOBAL DATA

TITLE

ELEMENT

TYPE

LOCATION

This file is used when transferring specific patient objects to JDS.

```
VA FileMan Files
             DD ACCESS: @
              RD ACCESS: @
             WR ACCESS: @
             DEL ACCESS: @
           LAYGO ACCESS: @
           AUDIT ACCESS: @
        (NOTE: Kernel's File Access Security has been installed in this UCI.)
REFERENCED BY: UID(B)
INDEXED BY:
               PATIENT & COLLECTION (C)
800000.1,.01 UID
                                     0;1 FREE TEXT (Required)
              INPUT TRANSFORM: K:$L(X)>63!($L(X)<3)!'(X'?1P.E) X
              LAST EDITED:
                                AUG 12, 2015
              HELP-PROMPT:
                                Answer must be 3-63 characters in length.
              DESCRIPTION:
                                The fully specified Universal ID string for
                                this object.
              TECHNICAL DESCR:
                                urn:va:{systemId}:{DFN}:{collection}:{ien}
              CROSS-REFERENCE: 800000.1^B
                                1)= S ^HMP(800000.1,"B",$E(X,1,63),DA)=""
                                2)= K ^HMP(800000.1,"B",$E(X,1,63),DA)
                                Index of COLLECTION by PATIENT (DFN).
800000.1,.02 PATIENT
                                     0;2 POINTER TO PATIENT FILE (#2)
                                 (Required)
              LAST EDITED:
                                NOV 29, 2012
              HELP-PROMPT:
                                Enter the patient that owns this object.
              DESCRIPTION:
                                Patient file #2 ien
                                C (#416)
              RECORD INDEXES:
800000.1,.03 COLLECTION
                                     0;3 FREE TEXT
              INPUT TRANSFORM: K:$L(X)>30!($L(X)<3) X
              LAST EDITED:
                                NOV 29, 2012
              HELP-PROMPT:
                                Answer must be 3-30 characters in length.
                                The name of the type or kind of data this
              DESCRIPTION:
                                object belongs to.
              RECORD INDEXES:
                               C (#416)
                                           WORD-PROCESSING #800000.101
800000.1,1
              DATA
                                     1;0
                     (IGNORE "|")
      FILES POINTED TO
                                            FIELDS
PATIENT (#2)
                                  PATIENT (#.02)
File #800000.1
 Record Indexes:
```

#### VA FileMan Files C (#416) RECORD LOOKUP & SORTING REGULAR IR Short Descr: Index by patient, collection Description: Index by patient, collection. Set Logic: S ^HMP(800000.1,"C",X(1),X(2),DA)="" Kill Logic: K ^HMP(800000.1,"C",X(1),X(2),DA) Whole Kill: K ^HMP(800000.1,"C") X(1): PATIENT (800000.1,.02) (Subscr 1) (forwards) X(2): COLLECTION (800000.1,.03) (Subscr 2) (forwards) INPUT TEMPLATE(S): PRINT TEMPLATE(S): SORT TEMPLATE(S): STANDARD DATA DICTIONARY #800000.11 -- HMP OBJECT FILE FEB 23,2016@12:42:52 PAGE 1 STORED IN ^HMP(800000.11, \*\*\* NO DATA STORED YET \*\*\* SITE: VEHU MASTER UCI: VISTA, ROU (VERSION 2.0) DATA NAME GLOBAL DATA ELEMENT TITLE LOCATION TYPE This file is a staging area for JSON uid objects. DD ACCESS: @ RD ACCESS: @ WR ACCESS: @ DEL ACCESS: @ LAYGO ACCESS: @ AUDIT ACCESS: @ (NOTE: Kernel's File Access Security has been installed in this UCI.) CROSS REFERENCED BY: COLLECTION(ACNT), UID(B), COLLECTION(C) 800000.11,.01 UID 0;1 FREE TEXT (Required) INPUT TRANSFORM: K:L(X)>63!(L(X)<3)!'(X'?1P.E) X LAST EDITED: NOV 29, 2012 HELP-PROMPT: Answer must be 3-63 characters in length. DESCRIPTION: The fully specified Universal ID string for this object. TECHNICAL DESCR: urn:va:{collection}:{systemId}:{ien} CROSS-REFERENCE: 800000.11^B 1)= S ^HMP(800000.11,"B",\$E(X,1,63),DA)="" 2)= K ^HMP(800000.11,"B",\$E(X,1,63),DA) Cross-reference by Universal IDentifier (UID). 800000.11,.03 COLLECTION 0;3 FREE TEXT INPUT TRANSFORM: K:\$L(X)>30!(\$L(X)<3) XLAST EDITED: MAY 03, 2014 **HELP-PROMPT:** Answer must be 3-30 characters in length. DESCRIPTION: The name of the type or kind of data this object belongs to.

```
VA FileMan Files
              CROSS-REFERENCE: 800000.11^C
                                 1)= S ^HMP(800000.11,"C",$E(X,1,30),DA)=""
2)= K ^HMP(800000.11,"C",$E(X,1,30),DA)
                                 Cross-reference by collection, VistA extracted
                                 domains.
              CROSS-REFERENCE: 800000.11^ACNT^MUMPS
                                 1)= S ^HMP(800000.11, "ACNT", $E(X,1,30)) = G(^HMP)
                                 (800000.11, "ACNT", $E(X,1,30)))+1
                                 2)= S ^{HMP}(800000.11, "ACNT", $E(X,1,30)) = G(^{HMP})
                                 (800000.11, "ACNT", $E(X,1,30)))-1
                                 Maintain a count of the number of items in each
                                 collection.
800000.11,1
              DATA
                                      1;0 WORD-PROCESSING #800000.111
                     (IGNORE "|")
              DESCRIPTION:
                                 Actual VistA domain data to be transmitted.
INPUT TEMPLATE(S):
PRINT TEMPLATE(S):
SORT TEMPLATE(S):
STANDARD DATA DICTIONARY #800000.2 -- HMP LIST FILE
                                                    FEB 23,2016@12:42:53 PAGE 1
STORED IN ^HMPD(800000.2, *** NO DATA STORED YET *** SITE: VEHU MASTER UCI:
VISTA, ROU
                                                                 (VERSION 2.0)
DATA
              NAME
                                     GLOBAL
                                                   DATA
ELEMENT
             TITLE
                                    LOCATION
                                                   TYPF
A translation table for use by eHMP to connect VistA data domains to JSON
objects for transmission.
              DD ACCESS: @
              RD ACCESS: @
              WR ACCESS: @
             DEL ACCESS: @
           LAYGO ACCESS: @
           AUDIT ACCESS: @
        (NOTE: Kernel's File Access Security has been installed in this UCI.)
CROSS
REFERENCED BY: DD NUMBER(ADD), REFRESH THRESHOLD(AREFRESH), NAME(B)
800000.2,.01 NAME
                                      0;1 FREE TEXT (Required)
              INPUT TRANSFORM: K:$L(X)>30!($L(X)<3)!'(X'?1P.E) X
              LAST EDITED:
                                SEP 23, 2015
              HELP-PROMPT:
                                Answer must be 3-30 characters in length.
              DESCRIPTION:
                                 This is the name of the HMP List.
```

CROSS-REFERENCE: 800000.2^B

1)= S ^HMPD(800000.2,"B",\$E(X,1,30),DA)=""
2)= K ^HMPD(800000.2,"B",\$E(X,1,30),DA)
Cross-reference by VistA domain name.

800000.2,.02 TYPE 0;2 SET

'0' FOR STATIC;
'1' FOR DYNAMIC;

LAST EDITED: OCT 11, 2012

HELP-PROMPT: This field should not be edited manually without consulting the development team.

DESCRIPTION: This field defines a data entry as static or

dynamic.

800000.2,.03 DD NUMBER 0;3 NUMBER

INPUT TRANSFORM: K:+X'=X!(X>99999999)!(X<1)!(X?.E1"."6N.N) X

LAST EDITED: OCT 22, 2012

HELP-PROMPT: Type a number between 1 and 99999999, 5 decimal

digits.

DESCRIPTION: This is the NUMBER of the File being

referenced.

CROSS-REFERENCE: 800000.2^ADD

1)= S ^HMPD(800000.2,"ADD",\$E(X,1,30),DA)=""
2)= K ^HMPD(800000.2,"ADD",\$E(X,1,30),DA)
Cross-reference by the File's Data Dictionary

number.

800000.2,.04 DOMAIN 0;4 POINTER TO HMP LIST DOMAIN FILE (#8000

00.21) (Required)

LAST EDITED: OCT 31, 2012

HELP-PROMPT: Enter a VistA data domain from the HMP LIST

DOMAIN File.

DESCRIPTION: A VistA data domain from the HMP LIST DOMAIN

File.

800000.2,.05 ATTRIBUTE 0;5 POINTER TO HMP LIST ATTRIBUTE FILE (#8

00000.22) (Required)

LAST EDITED: NOV 07, 2012

HELP-PROMPT: Enter an ATTRIBUTE from the HMP LIST ATTRIBUTE

File.

DESCRIPTION:

This is a pointer to the HMP ATTRIBUTE File.

800000.2,.08 REFRESH THRESHOLD 0;8 NUMBER

INPUT TRANSFORM: K:+X'=X!(X>1440)!(X<0)!(X?.E1"."1N.N) X

LAST EDITED: OCT 31, 2012

HELP-PROMPT: Type a number between 0 and 1440, 0 decimal

digits.

DESCRIPTION: Amount of time, in days, required to pass

before an automatic refresh will occur.

CROSS-REFERENCE: 800000.2^AREFRESH

1)= S ^HMPD(800000.2, "AREFRESH", \$E(X,1,30), DA)=

2)= K ^HMPD(800000.2, "AREFRESH", \$E(X,1,30),DA) Cross-reference by time (in days) until a

refresh happens.

800000.2,.09 NEXT REFRESH DATE 0;9 DATE

INPUT TRANSFORM: S %DT="ETXR" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: SEP 23, 2015

HELP-PROMPT: Enter a date up to T+1440.

DESCRIPTION: Date of next refresh based on the value of

REFRESH THRESHOLD.

800000.2,.11 GENERATION CODE .11;E1,245 MUMPS

INPUT TRANSFORM: K:\$L(X)>245 X D:\$D(X) ^DIM

LAST EDITED: OCT 11, 2012

HELP-PROMPT: This is Standard MUMPS code.

DESCRIPTION: MUMPS code to implement the refresh of a

domain.

WRITE AUTHORITY: @

800000.2,.2 COLUMNS 2;0 Multiple #800000.202

DESCRIPTION: These are references to data which will be

extracted.

800000.202,.01 COLUMN NAME 0;1 FREE TEXT (Multiply asked)

INPUT TRANSFORM: K:L(X)>30!(L(X)<3)!'(X?1UL.29ULN) X

LAST EDITED: OCT 15, 2014

HELP-PROMPT: Answer must be 3-30 characters in length.

**DESCRIPTION:** 

Name of the data column to be extracted.

CROSS-REFERENCE: 800000.202^B

1)= S ^HMPD(800000.2,DA(1),2,"B",\$E(X,1,30),DA)

=""

2)= K ^HMPD(800000.2,DA(1),2,"B",\$E(X,1,30),DA)

COLUMN cross-reference by name.

800000.202,.02 ORDER 0;2 NUMBER (Required)

INPUT TRANSFORM:K:+X'=X!(X>99)!(X<3)!(X?.E1"."1N.N) X

LAST EDITED: OCT 31, 2012

HELP-PROMPT: Type a number between 3 and 99, 0 decimal

digits.

DESCRIPTION:

Order in which data columns will be extracted.

CROSS-REFERENCE:800000.202^AORD

1)= S ^HMPD(800000.2,DA(1),2,"AORD",\$E(X,1,30),

DA)=""

2)= K ^HMPD(800000.2,DA(1),2,"AORD",\$E(X,1,30),

DA)

Cross-reference of data column extraction

order.

```
VA FileMan Files
800000.2,.3 DESCRIPTION
                                    3;0 WORD-PROCESSING #800000.203
                    (NOWRAP) (IGNORE "|")
             LAST EDITED:
                               NOV 17, 2015
             DESCRIPTION:
                               Description of the data to be extracted.
800000.2,.9 DATA
                                    9;0 WORD-PROCESSING #800000.209
                    (NOWRAP)
                               (IGNORE "|")
                               NOV 17, 2015
             LAST EDITED:
             DESCRIPTION:
                               The actual data being sent.
      FILES POINTED TO
                                           FIELDS
HMP LIST ATTRIBUTE (#800000.22) ATTRIBUTE (#.05)
HMP LIST DOMAIN (#800000.21)
                                 DOMAIN (#.04)
INPUT TEMPLATE(S):
PRINT TEMPLATE(S):
SORT TEMPLATE(S):
STANDARD DATA DICTIONARY #800000.21 -- HMP LIST DOMAIN FILE
                                                  FEB 23,2016@12:42:53 PAGE 1
STORED IN ^HMPD(800000.21, (10 ENTRIES) SITE: VEHU MASTER UCI: VISTA,ROU (V
ERSION 2.0)
DATA
             NAME
                                   GLOBAL
                                                 DATA
ELEMENT
            TITLE
                                  LOCATION
                                                TYPE
This File contains the extraction domains which can be transmitted.
             DD ACCESS: @
             RD ACCESS: @
             WR ACCESS: @
            DEL ACCESS: @
          LAYGO ACCESS: @
           AUDIT ACCESS: @
        (NOTE: Kernel's File Access Security has been installed in this UCI.)
POINTED TO BY: DOMAIN field (#.04) of the HMP LIST File (#800000.2)
CROSS
REFERENCED BY: NAME(B)
800000.21,.01 NAME
                                    0;1 FREE TEXT (Required)
             INPUT TRANSFORM: K:$L(X)>30!($L(X)<3)!'(X'?1P.E) X
             LAST EDITED:
                           SEP 23, 2015
```

```
VA FileMan Files
              HELP-PROMPT:
                                Answer must be 3-30 characters in length.
              DESCRIPTION:
                                This is the name of a VistA data domain which
                                can be extracted for transmission.
              CROSS-REFERENCE: 800000.21^B
                                1)= S ^HMPD(800000.21,"B",$E(X,1,30),DA)=""
2)= K ^HMPD(800000.21,"B",$E(X,1,30),DA)
                                The name cross-reference by its domain.
800000.21,.02 ABBREVIATION
                                      0;2 FREE TEXT
              INPUT TRANSFORM: K:L(X)>10!(L(X)<1) X
              LAST EDITED:
                                OCT 31, 2012
              HELP-PROMPT:
                                Answer must be 1-10 characters in length.
              DESCRIPTION:
                                This is the short name of the VistA data
                                domain.
800000.21,.03 DISPLAY NAME
                                     0;3 FREE TEXT
              INPUT TRANSFORM: K:L(X)>50!(L(X)<1) X
              LAST EDITED:
                                OCT 31, 2012
              HELP-PROMPT:
                                Answer must be 1-50 characters in length.
                                This is the actual name of the VistA data
              DESCRIPTION:
                                domain.
INPUT TEMPLATE(S):
PRINT TEMPLATE(S):
SORT TEMPLATE(S):
STANDARD DATA DICTIONARY #800000.22 -- HMP LIST ATTRIBUTE FILE
                                                    FEB 23,2016@12:42:54 PAGE 1
STORED IN ^HMPD(800000.22, (10 ENTRIES) SITE: VEHU MASTER UCI: VISTA,ROU (V
ERSION 2.0)
              NAME
                                    GLOBAL
ΠΔΤΔ
                                                   DATA
ELEMENT
              TITLE
                                    LOCATION
This file contains a list of the attributes of the eHMP data domains.
              DD ACCESS: @
              RD ACCESS: @
              WR ACCESS: @
             DEL ACCESS: @
           LAYGO ACCESS: @
           AUDIT ACCESS: @
        (NOTE: Kernel's File Access Security has been installed in this UCI.)
POINTED TO BY: ATTRIBUTE field (#.05) of the HMP LIST File (#800000.2)
REFERENCED BY: NAME(B)
800000.22,.01 NAME
                                      0;1 FREE TEXT (Required)
              INPUT TRANSFORM: K:L(X)>30!(L(X)<3)!'(X'?1P.E) X
```

#### **VA FileMan Files** LAST EDITED: SEP 23, 2015 HELP-PROMPT: Answer must be 3-30 characters in length. DESCRIPTION: This is the name of an eHMP data domain's attribute. CROSS-REFERENCE: 800000.22^B 1)= S ^HMPD(800000.22,"B",\$E(X,1,30),DA)="" 2)= K ^HMPD(800000.22,"B",\$E(X,1,30),DA) This is the cross-reference of the attribute by its name. 800000.22,.02 ABBREVIATION 0;2 FREE TEXT INPUT TRANSFORM: K:L(X)>10!(L(X)<1) XLAST FDTTFD: OCT 31, 2012 HELP-PROMPT: Answer must be 1-10 characters in length. DESCRIPTION: This is the short name of an eHMP data domain's attribute. 800000.22,.03 DISPLAY NAME 0;3 FREE TEXT INPUT TRANSFORM: K:L(X)>50!(L(X)<1) X LAST EDITED: OCT 31, 2012 HELP-PROMPT: Answer must be 1-50 characters in length. DESCRIPTION: This is the actual name of an eHMP data domain's attribute. INPUT TEMPLATE(S): PRINT TEMPLATE(S): SORT TEMPLATE(S): STANDARD DATA DICTIONARY #800001 -- HMP PANEL FILE FEB 23,2016@12:42:54 PAGE 1 STORED IN ^HMPPANEL( \*\*\* NO DATA STORED YET \*\*\* SITE: VEHU MASTER UCI: VIST A,ROU (VERSION 2.0) DATA NAME GLOBAL DATA ELEMENT TITLE LOCATION TYPE Contains the Rule Sets that contain the cohorts for creating patient panels. For example, panel which includes Diabetic patients will be created nightly to update the list of patients. All panels in this file will be updated nightly. DD ACCESS: @ RD ACCESS: @ WR ACCESS: @ DEL ACCESS: @ LAYGO ACCESS: @ AUDIT ACCESS: @ (NOTE: Kernel's File Access Security has been installed in this UCI.) POINTED TO BY: SOURCE field (#.02) of the SOURCES sub-field (#800001.21) of the HMP ROSTER File (#800001.2) **CROSS**

REFERENCED BY: NAME(B), PATIENT LIST NAME(C)

800001,.01 NAME 0;1 POINTER TO REMINDER LIST RULE FILE (#8

10.4) (Required)

INPUT TRANSFORM: S DIC("S")="I  $P(^(0),U,3)=3$ " D ^DIC K DIC S DI

C=DIE,X=+Y K:Y<0 X

LAST EDITED: JUN 29, 2011

HELP-PROMPT: Enter a Reminder List Rule.

DESCRIPTION:

This is the name of an applied rule set.

SCREEN: S DIC("S")="I  $P(^0), 0, 3$ =3" EXPLANATION: Only select RULE SET types

CROSS-REFERENCE: 800001^B

1)= S ^HMPPANEL("B",\$E(X,1,30),DA)="" 2)= K ^HMPPANEL("B",\$E(X,1,30),DA)

This is the cross-reference of rule sets by

name.

800001,.02 DISPLAY NAME 0;2 FREE TEXT (Required)

INPUT TRANSFORM: K:\$L(X)>50!(\$L(X)<3) X

LAST EDITED: JUN 30, 2011

HELP-PROMPT: Answer must be 3-50 characters in length.

DESCRIPTION:

This is the full name of the applied rule set.

800001,.03 PATIENT LIST NAME 0;3 FREE TEXT

INPUT TRANSFORM: K:\$L(X)>40!(\$L(X)<3) X

LAST EDITED: OCT 06, 2011

HELP-PROMPT: Answer must be 3-40 characters in length.

DESCRIPTION:

This is the name of the patient list.

CROSS-REFERENCE: 800001^C

1)= S ^HMPPANEL("C",\$E(X,1,30),DA)="" 2)= K ^HMPPANEL("C",\$E(X,1,30),DA)

This is the cross-reference by the name of the

patient list.

800001,5 ORDER DIALOGS ORDER DIALOGS;0 POINTER Multiple #800001.0

5

DESCRIPTION:

This sub-file contains ORDER DIALOG entries.

800001.05,.01 ORDER DIALOGS 0;1 POINTER TO ORDER DIALOG FILE (#101.4

1) (Multiply asked)

LAST EDITED: JUN 29, 2011

HELP-PROMPT: Select an entry in the ORDER DIALOG File.

DESCRIPTION: This is the IEN of an entry in the ORDER

DIALOG File. LAYGO is not allowed, the ORDER

DIALOG must be created first.

CROSS-REFERENCE: 800001.05^B

1)= S ^HMPPANEL(DA(1), "ORDER DIALOGS", "B", \$E(X,

1,30),DA)=""

```
VA FileMan Files
                                2)= K ^HMPPANEL(DA(1), "ORDER DIALOGS", "B", $E(X,
                                1,30),DA)
                                This is the cross-reference by the name of the
                                order dialog.
      FILES POINTED TO
                                           FIELDS
                                 ORDER DIALOGS:ORDER DIALOGS (#.01)
ORDER DIALOG (#101.41)
REMINDER LIST RULE (#810.4)
                               NAME (#.01)
INPUT TEMPLATE(S):
PRINT TEMPLATE(S):
SORT TEMPLATE(S):
STANDARD DATA DICTIONARY #800001.2 -- HMP ROSTER FILE
                                                  FEB 23,2016@12:42:55 PAGE 1
STORED IN ^HMPROSTR(800001.2, *** NO DATA STORED YET *** SITE: VEHU MASTER
UCI: VISTA, ROU
                                                              (VERSION 2.0)
                                  GLOBAL
                                                 DATA
                                   LOCATION
ELEMENT
            TITLE
                                                 TYPE
This file contains eHMP rosters which can be used by subscribed patients.
             DD ACCESS: @
             RD ACCESS: @
             WR ACCESS: @
             DEL ACCESS: @
           LAYGO ACCESS: @
           AUDIT ACCESS: @
        (NOTE: Kernel's File Access Security has been installed in this UCI.)
POINTED TO BY: NAME field (#.01) of the ROSTER sub-field (#800000.02) of the
                  HMP SUBSCRIPTION File (#800000)
               SOURCE field (#.02) of the SOURCES sub-field (#800001.21) of the
                   HMP ROSTER File (#800001.2)
REFERENCED BY: PATIENT(AB), OWNER(AC), SOURCE(AD), TIMESTAMP(ATS), NAME(B)
800001.2,.01 NAME
                                    0;1 FREE TEXT (Required)
              INPUT TRANSFORM: K:L(X)>104!(L(X)<3)!'(X'?1P.E) X
              LAST EDITED: FEB 20, 2013
              HELP-PROMPT:
                               Answer must be 3-104 characters in length.
              DESCRIPTION:
                               This is the name of an eHMP roster.
              CROSS-REFERENCE: 800001.2^B
                               1)= S ^HMPROSTR(800001.2, "B", $E(X,1,30), DA)=""
                                2)= K ^HMPROSTR(800001.2,"B",$E(X,1,30),DA)
                                This is the cross-reference of eHMP rosters by
```

name.

800001.2,.02 DISPLAY NAME 0;2 FREE TEXT

INPUT TRANSFORM: K:L(X)>45!(L(X)<3) X

LAST EDITED: AUG 30, 2011

HELP-PROMPT: Answer must be 3-45 characters in length.

DESCRIPTION:

This is the actual name of an eHMP roster.

800001.2,.03 DISABLE 0;3 SET

'1' FOR YES;

LAST EDITED: AUG 30, 2011

HELP-PROMPT: Enter '1' or 'Yes' to disable this roster.

DESCRIPTION:

This is a setting to disable an eHMP roster.

800001.2,.04 OWNER 0;4 POINTER TO NEW PERSON FILE (#200)

LAST EDITED: JAN 05, 2012

HELP-PROMPT: Enter the owner of this roster.

DESCRIPTION:

This is the DUZ of the HMP roster's owner.

CROSS-REFERENCE: 800001.2^AC

1)= S ^HMPROSTR(800001.2,"AC",\$E(X,1,30),DA)="" 2)= K ^HMPROSTR(800001.2,"AC",\$E(X,1,30),DA)

Cross-reference of rosters by owner.

800001.2,.05 TYPE 0;5 SET (Required)

'PU' FOR PUBLIC; 'PR' FOR PRIVATE;

LAST EDITED: NOV 15, 2011

HELP-PROMPT: Enter internally stored code for type of HMP

roster.

**DESCRIPTION:** 

The type of an HMP roster.

800001.2,.06 PATIENT LIST NAME 0;6 FREE TEXT

INPUT TRANSFORM: K:\$L(X)>40!(\$L(X)<3) X

LAST EDITED: JAN 20, 2012

HELP-PROMPT: Answer must be 3-40 characters in length.

DESCRIPTION:

The file containing the patient list names.

800001.2,1 SOURCES 1;0 Multiple #800001.21

DESCRIPTION:

The sources of the patient list.

INDEXED BY: (AC)

800001.21,.01 SEQUENCE 0;1 NUMBER (Multiply asked)

INPUT TRANSFORM: K:+X'=X!(X>9999999)!(X<1)!(X?.E1"."1N.N) X</pre>

```
VA FileMan Files
                LAST EDITED:
                                  SEP 23, 2015
                HELP-PROMPT:
                                  Type a number between 1 and 99999999, 0
                                  decimal digits.
                DESCRIPTION:
                                  The sequence number of a patient list source.
                CROSS-REFERENCE: 800001.21^B
                                1)= S ^HMPROSTR(800001.2,DA(1),1,"B",$E(X,1,30)
                                ,DA)=""
                                2)= K ^HMPROSTR(800001.2,DA(1),1,"B",$E(X,1,30)
                                ,DA)
                                The name cross-reference of patient lists.
                CROSS-REFERENCE:800001.21^AS
                                1)= S ^HMPROSTR(800001.2,DA(1),1,"AS",$E(X,1,30
                                ),DA)=""
                                2)= K ^HMPROSTR(800001.2,DA(1),1,"AS",$E(X,1,30
                                ),DA)
                                The sequence cross-reference of patient lists.
800001.21,.02
               SOURCE
                                     0;2
                                                  VARIABLE POINTER (Required)
                FILE ORDER PREFIX
                                       LAYGO MESSAGE
                             PAT
                                              PATTENT
                   2
                       1
                                          n
                   42
                       2
                             WARD
                                          n
                                              WARD LOCATION
                   44
                             CL
                       3
                                          n
                                              CLINIC
                   200
                       5
                             PROV
                                              PROVIDER
                                          n
              100.21
                             CPRS
                                              CPRS
                        6
                                          n
              404.51
                             PCMM
                                              PCMM TEAM
                                          n
                                              REMINDER'S LIST RULE FILE
               810.4
                        22
                             PXRM
                                          n
            800001.2
                             ROST
                                              HMP ROSTER FILE
                                          n
                   45.7 70
                             SPEC
                                          n
                                              SPECIALTY
              800001
                            HMPPAN
                                          n Select HMP Panel List Rule
                        80
                SCREEN ON FILE 2:
                SCREEN ON FILE 42:
                SCREEN ON FILE 44:
                SCREEN ON FILE 200:
                SCREEN ON FILE 100.21:
                SCREEN ON FILE 404.51:
                SCREEN ON FILE 810.4: S DIC("S")="I P(^(0),U,3)=3"
                LAST EDITED:
                                NOV 26, 2013
                HELP-PROMPT:
                                Enter the file which will be the source for
                                this roster.
                DESCRIPTION:
                                The source of the patient list.
                CROSS-REFERENCE:800001.2^AD
                                1)= S ^HMPROSTR(800001.2, "AD", $E(X,1,30), DA(1),
                                DA)=""
                                2)= K ^HMPROSTR(800001.2, "AD", $E(X,1,30), DA(1),
                                DA)
                                The file number cross-reference of patient
                                lists.
800001.21,.03
               OPERATION
                                     0;3 SET
                                '0' FOR UNION;
```

#### is to be performed on the Patient List. DESCRIPTION: This is the type of operation to be performed on the patient list file. 800001.21,.04 0;4 SET FILTER 'T' FOR TODAY; LAST EDITED: SEP 01, 2011 Enter 'T' to set the filter. **HELP-PROMPT: DESCRIPTION:** This is a date filter for the patient list file. 800001.21,.05 REFRESH FREQUENCY 0;5 SET 'D' FOR DAILY; 'H' FOR HOURLY; LAST EDITED: JAN 19, 2012 **HELP-PROMPT:** This code is used to specify the refresh rate for the Patient List. **DESCRIPTION:** The frequency by which to refresh the patient list. 800001.2,2 SPECIAL HANDLING 3;E1,245 MUMPS INPUT TRANSFORM: K:\$L(X)>245 X D:\$D(X) ^DIM LAST EDITED: JAN 03, 2012 XXXX--CAN'T BE ALTERED EXCEPT BY PROGRAMMER. HELP-PROMPT: DESCRIPTION: This is MUMPS code for filtering and refreshing patient lists. WRITE AUTHORITY: @ 800001.2,3 **PATIENT** 4;0 POINTER Multiple #800001.23 **DESCRIPTION:** Patients which are members of this roster. 800001.23,.01 0;1 POINTER TO PATIENT FILE (#2) PATIENT (Multiply asked) LAST EDITED: DEC 20, 2012 Select an entry from the PATIENT File (#2). HFI P-PROMPT: **DESCRIPTION:** This field identifies a roster member patient

by its DFN in the PATIENT File (#2).

1)= S ^HMPROSTR(800001.2,DA(1),4,"B",\$E(X,1,30)

2)= K ^HMPROSTR(800001.2,DA(1),4,"B",\$E(X,1,30)

1)= S ^HMPROSTR(800001.2, "AB", \$E(X,1,30), DA(1),

HMP Roster File cross-reference by patient

'1' FOR INTERSECTION;
'2' FOR DIFFERENCE;

This code is used to determine which operation

AUG 30, 2011

CROSS-REFERENCE: 800001.23^B

CROSS-REFERENCE:800001.2^AB

,DA)=""

,DA)

name.

**VA FileMan Files** 

LAST EDITED:

HELP-PROMPT:

```
VA FileMan Files
                                DA)=""
                                2)= K ^HMPROSTR(800001.2,"AB",$E(X,1,30),DA(1),
                                Index of all rosters patient is in.
800001.23,.02 SRCSEQ
                                     0;2 NUMBER
                INPUT TRANSFORM:K:+X'=X!(X>999999)!(X<1)!(X?.E1"."1N.N) X</pre>
                                JUL 17, 2013
                LAST EDITED:
                HELP-PROMPT:
                                Type a number between 1 and 999999, 0 decimal
                                digits.
                DESCRIPTION:
                                The sequence number of this patient roster.
800001.2,99
             TIMESTAMP
                                     2;1 DATE
              INPUT TRANSFORM: S %DT="ESTXR" D ^%DT S X=Y K:Y<1 X</pre>
              LAST EDITED:
                                SEP 23, 2015
              HELP-PROMPT:
                                Type a date not earlier than AUG 30,
                                2011@08:39.
              DESCRIPTION:
                                The date.time of a patient's entry in the HMP
                                Roster file.
              CROSS-REFERENCE: 800001.2^ATS
                                1)= S ^HMPROSTR(800001.2, "ATS", $E(X,1,30), DA)="
                                2)= K ^HMPROSTR(800001.2, "ATS", $E(X,1,30),DA)
                                The date.time cross-reference of patients in
                                the HMP Roster file.
      FILES POINTED TO
                                            FIELDS
NEW PERSON (#200)
                                  OWNER (#.04)
PATIENT (#2)
                                  PATIENT: PATIENT (#.01)
INPUT TEMPLATE(S):
PRINT TEMPLATE(S):
SORT TEMPLATE(S):
STANDARD DATA DICTIONARY #800001.5 -- HMP ACTIVITY FILE
                                                  FEB 23,2016@12:42:56 PAGE 1
STORED IN ^HMP(800001.5,"PTAPPT", *** NO DATA STORED YET *** SITE: VEHU MASTE
R UCI: VISTA, ROU
                                                                (VERSION 2.0)
DATA
              NAME
                                                  ΠΔΤΔ
                                    GLOBAL
ELEMENT
                                    LOCATION
             TITLE
The HMP Activity File contains appointments for patients which are subscribed
to eHMP.
```

DD ACCESS: @ RD ACCESS: @ WR ACCESS: @ DEL ACCESS: @ LAYGO ACCESS: @

AUDIT ACCESS: @

(NOTE: Kernel's File Access Security has been installed in this UCI.)

REFERENCED BY: PATIENT NAME(B), HMP PROCESS FLAG(HMP)

800001.5,.01 PATIENT NAME 0;1 POINTER TO PATIENT FILE (#2)

(Required)

LAST EDITED: JUL 31, 2014

HELP-PROMPT: Select a patient from the PATIENT File (#2). DESCRIPTION: The PATIENT File (#2) DFN of an eHMP subscribed

patient with appointments.

CROSS-REFERENCE: 800001.5^B

1)= S ^HMP(800001.5,"PTAPPT","B",\$E(X,1,30),DA)

2)= K ^HMP(800001.5, "PTAPPT", "B", \$E(X,1,30), DA)

PATIENT File (#2) DFN cross-reference of the

HMP Activity File.

0;2 DATE 800001.5,2 APPOINTMENT DATE

INPUT TRANSFORM: S %DT="EST" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: AUG 04, 2014

HELP-PROMPT: Enter the date.time of the appointment.

DESCRIPTION:

The date.time of a patient's appointment.

800001.5,3 APPOINTMENT STATUS 0;3 FREE TEXT

INPUT TRANSFORM: K:L(X)>5!(L(X)<1) X

LAST EDITED: AUG 04, 2014

Answer must be 1-5 characters in length. **HELP-PROMPT:** 

DESCRIPTION:

This is the status of a patient's appointment.

800001.5,4 DATE RECORD CREATED 0;4 DATE

INPUT TRANSFORM: S %DT="EST" D ^%DT S X=Y K:Y<1 X</pre>

LAST EDITED: AUG 04, 2014

HELP-PROMPT: Enter the date.time the activity record was

created.

DESCRIPTION: The date.time of creation of the activity

record.

800001.5,5 DATE RECORD RETREIVED 0;5 DATE

INPUT TRANSFORM: S %DT="EST" D ^%DT S X=Y K:Y<1 X

LAST EDITED: AUG 04, 2014

Do not prompt. Field is stuffed by [TBD]. HELP-PROMPT: DESCRIPTION: This is the date.time that activity data was

retrieved from VistA.

#### **VA FileMan Files** TRIGGERED by the HMP PROCESS FLAG field of the NOTES: HMP ACTIVITY File 800001.5,6 HMP PROCESS FLAG 0;6 NUMBER INPUT TRANSFORM: K:+X'=X!(X>1)!(X<0)!(X?.E1"."1N.N) X</pre> AUG 04, 2014 LAST EDITED: **HELP-PROMPT:** Type a number between 0 and 1, 0 decimal digits. **DESCRIPTION:** This is a system HMP Process Flag indicating an activity was processed. CROSS-REFERENCE: 800001.5^HMP^MUMPS 1)= I +X=0 S ^HMP(800001.5,"PTAPPT","HMP",+DA)= 2)= K ^HMP(800001.5, "PTAPPT", "HMP", +DA) This is a cross-reference of patient activities by process flag. CROSS-REFERENCE: ^^TRIGGER^800001.5^5 1) = 02)= K DIV S DIV=X,D0=DA,DIV(0)=D0 S Y(1)=\$S(\$D( ^HMP(800001.5,"PTAPPT",D0,0)):^(0),1:"") S X=\$P (Y(1),U,5),X=X S DIU=X K Y S X=DIV N %I,%H,% D NOW^%DTC S X=% X ^DD(800001.5,6,1,2,2.4) 2.4)= S DIH=\$G(^HMP(800001.5,"PTAPPT",DIV(0),0) ),DIV=X S \$P(^(0),U,5)=DIV,DIH=800001.5,DIG=5 D ^DICR CREATE VALUE) = NO EFFECT DELETE VALUE) = NOW FIELD) = DATE RECORD RETREIVED This trigger causes an activity file entry to be skipped, deleted, or processed. 800001.5,7 JSON MESSAGE JSON; 1 FREE TEXT INPUT TRANSFORM: K:L(X)>200!(L(X)<1) X LAST EDITED: AUG 05, 2014 HELP-PROMPT: Answer must be 1-200 characters in length. DESCRIPTION: This is a JSON message indicating the status of the corresponding patient activity record. FILES POINTED TO FIELDS PATIENT (#2) PATIENT NAME (#.01) INPUT TEMPLATE(S): PRINT TEMPLATE(S): SORT TEMPLATE(S): FORM(S)/BLOCK(S):

# C. Appendix 3 – Approved Integration Control Registrations

Table C-1 details the Approved Integration Control Registrations.

**Table C-1 Approved Integration Control Registrations** 

Resource	DBIA#	Date Approved
^LAB(60	91	27-Jan-2016
ADM^VADPT2	325	18-Dec-2015
^DG(40.8	417	11-Apr-2016
LAB(61	524	19-Nov-2015
LRO(69	532	13-Nov-2015
^DIC(40.7	557	16-Dec-2015
EN^ORX8	871	30-Mar-2016
^RADPT("AO"	1172	18-Mar-2016
DGPM MOVEMENT EVENTS	1181	13-Apr-2016
SDAM APPOINTMENTS EVENTS	1320	19-Apr-2016
EN1^GMRVUT0	1446	05-Dec-2015
GMRA ENTERED IN ERROR	1467	23-Feb-2016
GMRA SIGN-OFF ON DATA	1469	23-Feb-2016
ORQPT CLINIC PATIENTS	1652	22-Jan-2016
ORWU USERINFO	1791	27-Jan-2016
ORWRP REPORT LISTS	1840	27-Jan-2016
ORWRP REPORT TEXT	1841	27-Jan-2016
^DGPM(	1865	15-Apr-2016
^DGPM("APCA", ^DGPM("APMV", ^DGPM("ATID1"	1865	15-Apr-2016
\$\$GETENC^PXAPI	1894	09-Oct-2015
ENCEVENT^PXAPI	1894	09-Oct-2015
\$\$TEAMCNT^SCAPMCU1	1918	29-Oct-2015
^AUPNVSIT	2028	25-Nov-2015
^GMR(120.8	2166	02-Dec-2015
MAIN^PXRM	2182	09-Oct-2015
\$\$TSDATA^DGACT	2248	30-Nov-2015
^AUPNVPRV(	2316	02-Jan-2016
WHATIS^USRLM	2324	29-Mar-2016
OCL^PSOORRL	2400	04-Nov-2015

Resource	DBIA#	Date Approved
OEL^PSOORRL	2400	04-Nov-2015
LRO(69	2407	26-Nov-2015
PS EVSEND OR	2415	17-Feb-2016
\$\$OI^ORX8	2467	30-Mar-2016
\$\$VALUE^ORX8	2467	30-Mar-2016
RR^LR7OR1	2503	04-Nov-2015
^XTV(8989.5	2686	30-Mar-2016
TEAMPTS^ORQPTQ1	2692	16-Oct-2015
EXTRACT^TIULQ	2693	28-Mar-2016
TIU(8925.1	2700	23-Nov-2015
^AUPNPROB(	2727	30-Mar-2015
OER^GMRCSLM1	2740	02-Feb-2016
DETAIL^GMPLUTL2	2741	19-Oct-2015
LIST^GMPLUTL2	2741	19-Oct-2015
EDIT^VAFCPTED	2784	06-Apr-2016
\$\$CWAD^ORQPT2	2831	20-Jan-2016
\$\$RESOLVE^TIUSRVLO	2834	14-Oct-2015
^ORD(101.43	2843	02-Dec-2015
CONTEXT^TIUSRVLO	2865	23-Nov-2015
TGET^TIUSRVR1	2944	16-Oct-2015
EXPAND^LR7OU1	2955	15-Nov-2015
DOCLIST^GMRCGUIB	2980	02-Feb-2015
\$\$ISA^TIULX	3058	15-Oct-2015
\$\$PKGID^ORX8	3071	30-Mar-2016
^AUPNVPOV(	3094	25-Nov-2015
OR EVSEND GMRC	3135	13-Mar-2016
GMRC EVSEND OR	3140	16-Feb-2016
EN^ORQ1	3154	30-Mar-2016
DG FIELD MONITOR	3344	19-Apr-2016
^GMR(120.86	3449	01-Dec-2015
RA(79.2	3505	24-Feb-2016
LIST^SROESTV	3533	16-Nov-2015
ONE^SROESTV	3533	16-Nov-2015
CPCLASS^TIUCP	3568	08-Oct-2015

Resource	DBIA#	Date Approved
ISCP^TIUCP	3568	08-Oct-2015
DOSE^PSSOPKI1	3739	11-May-2015
^DGS(41.1	3796	13-Apr-2016
\$\$GETACT^DGPFAPI	3860	18-Nov-2015
DEFLIST^ORQPTQ11	4204	03-Mar-2016
WARDPTS^ORQPTQ2	4207	03-Mar-2016
CLINPTS^ORQPTQ2	4207	03-Mar-2016
PROVPTS^ORQPTQ2	4207	03-Mar-2016
SPECPTS^ORQPTQ2	4207	03-Mar-2016
PCE4NOTE^ORWPCE3	4214	03-Mar-2016
EN1^MDPS1	4230	13-Jan-2016
PR690^MDPS1	4230	16-Dec-2015
LRPXRM^LRPXAPI	4245	05-Nov-2015
\$\$LRDN^LRPXAPIU	4246	05-Nov-2015
VHF^PXPXRM	4250	15-Oct-2015
VIMM^PXPXRM	4250	15-Oct-2015
VPEDU^PXPXRM	4250	15-Oct-2015
VSKIN^PXPXRM	4250	15-Oct-2015
VXAM^PXPXRM	4250	15-Oct-2015
^PXRMINDX(63	4290	19-Nov-2015
\$\$CREATE^XUSAP	4677	14-Apr-2016
EIE^GMRAGUI1	4682	01-Jun-2016
NKA^GMRAGUI1	4682	01-Jun-2016
UPDATE^GMRAGUI1	4682	01-Jun-2016
EN1^GMVDCSAV	4815	13-Nov-2015
ORQQPX REMINDERS LIST	4898	29-Mar-2016
ORQQPX REMINDER DETAIL	4899	06-Apr-2016
BYWARD^ORWPT	4904	27-Jan-2016
ORWPT BYWARD	4904	27-Jan-2016
PTTEST^YTQPXRM2	5035	01-Jun-2016
ENDAS71^YTQPXRM6	5043	07-Nov-2015
^YTT(601.71	5044	03-Mar-2016
^YTT(601.71	5044	08-Jan-2016
\$\$FDEFSRC^ORQPTQ11	5137	03-Mar-2016

Resource	DBIA#	Date Approved
GETDLG1^ORCD	5493	06-Apr-2016
GETORDER^ORCD	5493	06-Apr-2016
\$\$CLASS^TIUCNSLT	5546	13-Oct-2015
ISCNSLT^TIUCNSLT	5546	13-Oct-2015
ISSURG^TIUSROI	5676	13-Oct-2015
^TIU(8926.1	5676	30-Dec-2015
\$\$CLASS^TIUSROI	5676	21-Oct-2015
TIU(8925.1	5677	25-Nov-2015
\$\$START^SCMCMHTC	5697	14-Oct-2015
RPC^GMVRPCM	5702	11-May-2015
GET^ORQ12	5704	03-Mar-2016
\$\$ICDDX^ICDEX	5747	13-Oct-2015
^MDC(704.102	5748	08-Jan-2016
^ORA(102.4	5769	04-Jul-2016
OR(100	5771	03-Mar-2016
^WV(790.05	5772	04-Feb-2016
^MDC(704.117	5810	19-Apr-2016
^MDC(704.118	5811	16-Dec-2015
ADMIN^PSBVPR	6038	13-Apr-2016
GMPL EVENT	6065	08-Feb-2016
GET^TIUVPR	6077	04-May-2016
\$\$IFC^GMRCAPI	6082	30-Mar-2016
ACT^GMRCAPI	6082	30-Mar-2016
GET^GMRCAPI	6082	19-Apr-2016
MDC OBSERVATION UPDATE	6084	20-Apr-2016
RA EVSEND OR	6086	16-Feb-2016
LR70 CH EVSEND OR	6087	16-Feb-2016
^USR(8930	6088	02-Feb-2016
^USR(8930.1	6089	01-Dec-2015
OR EVSEND FH	6090	03-Mar-2016
OR EVSEND LRCH	6091	16-Feb-2016
OR EVSEND ORG	6092	13-Mar-2016
OR EVSEND PS	6093	13-Mar-2016
OR EVSEND RA	6094	04-Mar-2016

Resource	DBIA#	Date Approved
OR EVSEND VPT	6095	29-Mar-2016
^TIU(8925	6154	20-Jan-2016
\$\$ACTLOC	6251	07-Mar-2016
\$\$LEXXFRM	6254	01-Feb-2016
DEFSORT	6261	07-Feb-2016
COMBPTS	6268	07-Mar-2016
IMTYPSEL	6269	07-Mar-2016
INPLOC	6272	07-Mar-2016
PCDETAIL	6273	07-Mar-2016
GETLIST	6274	07-Mar-2016
^EDP(230,"V"	6275	26-Apr-2016
^YTT(601.72	6277	15-Mar-2016
^TIU(8925.5	6279	25-Nov-2015
LAB(64.5	6280	17-Dec-2015
^OR(100.24	6283	06-Apr-2016
^PSB(53.79	6298	15-Apr-2016
TIU^HMPEVNT	6299	11-Jan-2016
POSTX^HMPEVNT	6301	11-Jan-2016
ORQQPL4 LEX	6348	02-Feb-2016
DGPF ASSIGN FLAG	6354	06-Apr-2016
GMRD(120.83	6357	04-Feb-2016
^ORD(100.98	6358	07-Feb-2016
STATUS^SDAMA308	6359	20-Apr-2016
GMRD(120.53	6364	24-Feb-2016
GMRD(120.52	6365	24-Feb-2016
GMRD(120.51	6366	24-Feb-2016
ORD(101.41	6367	03-Mar-2016
ORD(101.42	6368	04-Mar-2016
PS(51.2	6369	04-Mar-2016
PS(55	6395	21-Mar-2016
SCTM(404.51	6396	07-Apr-2016
FASTUSER	6397	06-Apr-2016
ORD(101	6400	07-Apr-2016

## D. Appendix 4 – New Parameters

Table D-1 details the new parameters.

**Table D-1 New Parameters** 

```
New Parameters
PARAMETER DEFINITION LIST
                                              MAR 3,2016 07:20
                                                                  PAGE 1
                                       NAME: HMP CPRS PATH
NUMBER: nnn
 DISPLAY TEXT: CPRS Location
                                      MULTIPLE VALUED: No
 INSTANCE TERM: FREE TEXT
 VALUE TERM: PIV Link Message after success
                                      INSTANCE DATA TYPE: free text
 VALUE DATA TYPE: word processing
PRECEDENCE: 1
                                       ENTITY FILE: USER
                                       ENTITY FILE: SYSTEM
PRECEDENCE: 4
NUMBER: nnn
                                       NAME: HMP DOMAIN SIZES
 DISPLAY TEXT: HMP Average Domain Sizes
 MULTIPLE VALUED: Yes
                                       INSTANCE TERM: Domain
                                       VALUE DATA TYPE: numeric
 VALUE TERM: Size (in bytes)
 VALUE HELP: Enter the average size in bytes for each domain item.
  INSTANCE DATA TYPE: free text
                                  INSTANCE DOMAIN: 1:30
 INSTANCE HELP: Enter the internal name for the domain (3rd UID piece).
 This parameter contains a list of VPR extract domains and their average
  sizes. The sizes are used in computing the approximate size of an item
 with limiting the freshness calls by size.
PRECEDENCE: 10
                                       ENTITY FILE: PACKAGE
NUMBER: nnn
                                       NAME: HMP EXTRACT DISK SIZE LIMIT
 DISPLAY TEXT: Extracts Size Limit (MBs)
 VALUE TERM: HMP XTMP Megabytes
                                       VALUE DATA TYPE: numeric
 VALUE DOMAIN: 10:2000:0
 VALUE HELP: Enter the # of megabytes of data that triggers a requeue (10-2000)
DESCRIPTION:
Maximum size (megabytes) of all VPR extracts in ^XTMP("VPRFX~*") waiting
 to be sent to HMP servers as part of getPtUpdates.
 If maximum is reached, patient domain extract TasKman jobs will be
  requeued to a future time, as specified in the VPR EXTRACT TASK REQUEUE
  SECS parameter. At that time, this maximum check will be performed again.
 Also, this maximum check occurs when an executing extract job is about to
  start another domain extract. If maximum size has been reached, the job
 will hang the number of seconds specified by the VPR EXTRACT TASK REQUEUE
 SECS parameter. The maximum check will occur again after the hang time
 has expired.
  This limit is needed to insure the ^XTMP global does not get too big
 during initial/resync domain extract processing and cause disk full
  errors.
PRECEDENCE: 1
                                       ENTITY FILE: SYSTEM
NUMBER: nnn
                                       NAME: HMP EXTRACT TASK REQUEUE SECS
 DISPLAY TEXT: seconds to requeue task or hang job
 VALUE TERM: Requeue/Hang seconds
                                       VALUE DATA TYPE: numeric
 VALUE DOMAIN: 5:60:0
                                       VALUE HELP: Enter 5 to 60 seconds
DESCRIPTION:
When extract task cannot be run because of possible ^XTMP disk concerns,
 this parameter is used to requeue the task to a future date/time or hang
  an extract job currently executing.
```

# **New Parameters**

^XTMP disk space frees up as other already generated extracts are sent to the various HMP servers. Allowed Values: 5 to 60 (5 seconds to 1 minute) (if parameter not set) Default: 10 Initialized: 10 (set in post-init during first install) ENTITY FILE: SYSTEM PRECEDENCE: 1 NUMBER: nnn NAME: HMP JSON SCHEMA DISPLAY TEXT: HMP JSON Extract Schema VALUE TERM: JSON Schema Version VALUE DATA TYPE: numeric VALUE DOMAIN: 1:999:4 VALUE HELP: Enter the version / build number for the HMP Schema **DESCRIPTION:** This contains the version number of the HMP schema which describes the JSON objects produced by the HMP extracts. The whole number increments whenever the schema changes in a way that requires a conversion or re-extraction of objects. The fractional piece increments whenever the schema is extended. PRECEDENCE: 1 ENTITY FILE: PACKAGE NUMBER: nnn NAME: HMP LOCATIONS DISPLAY TEXT: HMP Locations MULTIPLE VALUED: Yes INSTANCE TERM: Clinic VALUE TERM: Synchronized VALUE DATA TYPE: yes/no INSTANCE DATA TYPE: pointer INSTANCE DOMAIN: 44 INSTANCE HELP: Enter clinic to synch with HMP PRECEDENCE: 5 ENTITY FILE: DIVISION NAME: HMP PARAMETERS NUMBER: nnn DISPLAY TEXT: HMP SYSTEM PARAMETERS MULTIPLE VALUED: Yes INSTANCE TERM: System Parameters VALUE TERM: System Parameters Name VALUE DATA TYPE: word processing INSTANCE DATA TYPE: free text **DESCRIPTION:** This parameter stores a list of parameters used by the HMP middle teir and the HMP UI. whenever the schema changes in a way that requires a conversion or re-extraction of objects. The fractional piece increments whenever the schema is extended. PRECEDENCE: 6 ENTITY FILE: SYSTEM PRECEDENCE: 1 ENTITY FILE: USER NAME: HMP SYSTEM NAME NUMBER: nnn DISPLAY TEXT: Hashed System Name VALUE DATA TYPE: free text VALUE DOMAIN: 1:10 VALUE HELP: Enter the CRC hashed name for this system. DESCRIPTION: This parameter holds the name of this VistA system, as a hashed base 16 value. It is calculated by a HMP patch post-init and stuffed into the SYStem level value, and should NOT be modified. PRECEDENCE: 1 ENTITY FILE: SYSTEM NAME: HMP TASK WAIT TIME NUMBER: nnn DISPLAY TEXT: HMP TASK WAIT TIME VALUE TERM: #SECONDS VALUE DATA TYPE: numeric VALUE DOMAIN: 1:9999 VALUE HELP: Enter the number of seconds to wait before the HMP Data Monitor re -queues KEYWORD: HMP INSTANCE DATA TYPE: free text DESCRIPTION . This is the number of seconds that the system will wait before re-queuing the HMP Data Monitor background job. PRECEDENCE: 1 ENTITY FILE: PACKAGE

PRECEDENCE: 2

NUMBER: nnn

**ENTITY FILE: SYSTEM** NAME: HMP VERSION

#### **New Parameters**

DISPLAY TEXT: HMP Version VALUE TERM: Version: VALUE DATA TYPE: numeric VALUE DOMAIN: 1:99:2

VALUE HELP: Enter the current version number of the HMP data extracts.

INSTANCE DATA TYPE: free text

**DESCRIPTION:** 

This parameter holds the current version number of the eHMP Patient Record (HMP) data extract RPC's, in the form V.PP where V is the package version number and PP is the latest patch number.

PRECEDENCE: 1 ENTITY FILE: PACKAGE
PRECEDENCE: 1 ENTITY FILE: USER