



Update _2_0_49

Clinical Reminders

VA-SUICIDE BEHAVIOR AND OVERDOSE REPORT

Install Guide

February 2019

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

INTRODUCTION	1
PRE-INSTALL.....	10
INSTALL DETAILS	10
INSTALL EXAMPLE.....	10
POST INSTALLATION.....	14

Introduction

Description:

Description:

The Suicide Behavior and Overdose Report (SBOR) Template was developed by the Veterans Affairs Office of Mental Health and Suicide Prevention (OMHSP) with input from field providers, suicide prevention leadership, and mental health leadership.

When clinicians learn that a Veteran has attempted or died by suicide, or has had a non-suicidal overdose event, the SBOR note template will be used to report that information into the patient's medical record. The national SBOR note template will replace local Suicide Behavior Report (SBR) notes, and will be used to facilitate reporting on two main topics: suicidal behaviors (including preparatory behaviors, suicide attempts, and suicide deaths) and overdoses (including those with suicidal intent as well as accidental overdoses and those of undetermined intent).

The national template is designed to:

- Standardize the process of suicide behavior and overdose reporting
- Streamline reporting of suicidal behaviors and ensure that VA mandated reporting requirements are met
- Improve tracking and surveillance of overdose events
- Reduce duplicate entry of information

It is anticipated that the template will be completed during or after an encounter with a patient who has had a suicide attempt or overdose event, as well as after a clinician learns of a patient's death by suicide or overdose.

One reminder dialog is being distributed with this update:

VA-OSP SBOR NOTE

UPDATE_2_0_49 contains 1 Reminder Exchange entry:

UPDATE_2_0_49 VA-SUICIDE BEHAVIOR AND OVERDOSE REPORT

The exchange file contains the following components:

REMINDER DIALOG

VA-OSP SBOR NOTE

TIU TEMPLATE FIELD

VA-OSP DATE EG

VA-OSP BLANK SBOR

BLANK SPACE1

VA SP 3 LINES R

VA-OSP SP TEAM

VA-OSP SELECT ALL

VA-OPIOID TAPER

VA-NALOXONE OTRR LINK
VA-NALOXONE STORM LINK
VA-OPIOID NALOXONE AUTO
VA-OPIOID NALOXONE NASAL
VA-OPIOID INTRO TO NALOXONE PRESCRIBE
VA-OPIOID INTRO TO NALOXONE DISORDER
VA-OPIOID SAFETY EDUCATION SPANISH
VA-OPIOID SAFETY EDUCATION ENGLISH
VA-OPIOID OVERDOSE ED SPANISH
VA-OPIOID OVERDOSE ED ENGLISH
VA-OSP EDIT 30

HEALTH FACTORS

VA-REMINDER UPDATES
VA-UPDATE_2_0_49
VA-SUICIDE BEHAVIOR AND OVERDOSE REPORT
VA-SBOR EVENT DATE
VA-SBOR REVIEW VA ADERS POC
VA-SBOR REVIEW MHR RTP TEAM
VA-SBOR REVIEW OSI TEAM
VA-SBOR REVIEW SPC TEAM
VA-SBOR EVENT LOCATION VA PROPERTY UNK
VA-SBOR EVENT LOCATION VA PROPERTY YES
VA-SBOR EVENT LOCATION VA PROPERTY NO
VA-SBOR EVENT 7 DAYS DISCHARGE YES
VA-SBOR EVENT 7 DAYS DISCHARGE UNK
VA-SBOR EVENT 7 DAYS DISCHARGE NO
VA-SBOR METHOD NONE
VA-SBOR INJ BY OTHER UNKNOWN
VA-SBOR INJ BY OTHER
VA-SBOR INJ BY OTHER POLICE
VA-SBOR METHOD TYPE INJ BY OTHER
VA-SBOR METHOD OTHER
VA-SBOR METHOD OTHER UNKNOWN
VA-SBOR METHOD TYPE OTHER
VA-SBOR AUTO UNKNOWN
VA-SBOR AUTO OTHER
VA-SBOR AUTO DROVE OFF ROAD
VA-SBOR AUTO DROVE INTO OBJECT
VA-SBOR METHOD TYPE AUTO
VA-SBOR FIREARM UNKNOWN
VA-SBOR FIREARM OTHER
VA-SBOR FIREARM TO HEAD
VA-SBOR FIREARM TO BODY
VA-SBOR METHOD TYPE FIREARM
VA-SBOR PHYS INJURY BURN SELF
VA-SBOR PHYS INJURY UNKNOWN
VA-SBOR PHYS INJURY OTHER
VA-SBOR PHYS INJURY SUFFOCATION
VA-SBOR PHYS INJURY JUMP FO AUTO/TRAIN

VA-SBOR PHYS INJURY JUMP FROM HEIGHT
 VA-SBOR PHYS INJURY HANGING
 VA-SBOR PHYS INJURY POISON CHEMICAL
 VA-SBOR PHYS INJURY EXPLOSION
 VA-SBOR PHYS INJURY ELECTROCUTION
 VA-SBOR PHYS INJURY DROWNING
 VA-SBOR PHYS INJURY STABBED CUT SELF
 VA-SBOR PHYS INJURY CARBON MONOXIDE
 VA-SBOR METHOD TYPE PHYS INJ
 VA-SBOR OD REFERRAL DECLINED
 VA-SBOR OD REFERRAL NONE
 VA-SBOR OD REFERRAL OTHER
 VA-SBOR OD REFERRAL PAIN
 VA-SBOR OD REFERRAL SUD
 VA-SBOR OD REFERRAL PCMHI/MH
 VA-SBOR OD REFERRAL PCP
 VA-SBOR OD IMMEDIATE CARE NEED NO
 VA-SBOR OD IMMEDIATE CARE NEED OTHER
 VA-SBOR OD IMMEDIATE CARE NEED ED
 VA-SBOR OD IMMEDIATE CARE NEED PCMHI
 VA-SBOR OD IMMEDIATE CARE NEED YES
 VA-SBOR OVERDOSE TREATMENT PLAN
 VA-SBOR OD RF-PAIN DECLINED FOLLOW UP
 VA-SBOR OD RF-PAIN FOLLOW UP
 VA-SBOR OD RISK FACTOR PAIN
 VA-SBOR OD ABSTINENCE RF-DISCUSS RISK
 VA-SBOR OD RISK FACTOR PRIOR ABSTINENCE
 VA-SBOR OD OPIOID TAPER RF-DISCUSS RISK
 VA-SBOR OD RISK FACTOR OPIOID TAPERING
 VA-SBOR OD PREV OD RF-DISCUSS PT SAFETY
 VA-SBOR OD RISK FACTOR PRIOR OVERDOSE
 VA-SBOR OD SEDATIVE RF-DISCUSS TAPER
 VA-SBOR OD SEDATIVE RF-DISCUSS ALT TX
 VA-SBOR OD SEDATIVE RF-DISCUSS RISKS
 VA-SBOR OD RISK FACTOR SEDATIVES
 VA-SBOR OD RISK FACTOR OTHER
 VA-SBOR OD RISK FACTOR FINANCE
 VA-SBOR OD RISK FACTOR FAMILY
 VA-SBOR OD RISK FACTOR HOMELESS
 VA-SBOR OD RISK FACTOR HIV
 VA-SBOR OD RISK FACTOR ED
 VA-SBOR OD RISK FACTOR FALLS
 VA-SBOR OD RISK FACTOR MEDICAL
 VA-SBOR OD DUAL OPI RX RF-OTHER
 VA-SBOR OD DUAL OPI RX RF-SLOW TAPER
 VA-SBOR OD DUAL OPI RX RF-CHANGE RX TX
 VA-SBOR OD DUAL OPI RX RF-REVIEW/CONSENT
 VA-SBOR OD DUAL OPI RX RF-NO TX CHANGE
 VA-SBOR OD DUAL OPI RX RF-NONOPIOID TX
 VA-SBOR OD DUAL OPI RX RF-CARE COORD
 VA-SBOR OD DUAL OPI RX RF-ALT STRATEGY

VA-SBOR OD DUAL OPI RX RF-DISCUSS RISK
 VA-SBOR OPIOID SOURCE VA AND NON VA
 VA-SBOR OD NONVA OPI RX RF-NONOPIOID TX
 VA-SBOR OD NONVA OPI RX RF-CARE COORD
 VA-SBOR OD NONVA OPI RX RF-ALT STRATEGY
 VA-SBOR OD NONVA OPI RX RF-DISCUSS RISK
 VA-SBOR OPIOID SOURCE NON VA
 VA-SBOR OD VA OPIOID RX RF-ALT STRATEGY
 VA-SBOR OD VA OPIOID RX RF-OTHER
 VA-SBOR OD VA OPIOID RX RF-SLOW TAPER
 VA-SBOR OD VA OPIOID RX RF-CHANGE RX TX
 VA-SBOR OD VA OPIOID RX RF-NO TX CHANGE
 VA-SBOR OD VA OPIOID RX RF-NONOPIOID TX
 VA-SBOR OD VA OPIOID RX RF-DISCUSS RISK
 VA-SBOR OPIOID SOURCE VA
 VA-SBOR OD RISK FACTOR PRE OPIOIDS
 VA-SBOR OD NONRX OPIOID RF-DISCUSS RISK
 VA-SBOR OD RISK FACTOR NON PRE OPIOIDS
 VA-SBOR OD MH RF-PT DECLINES MH TX
 VA-SBOR OD MH RF-MH TX REFERRAL
 VA-SBOR OD MH RF-MH ADDRESSED
 VA-SBOR OD RISK FACTOR MENTAL HEALTH
 VA-SBOR OD SUD INITIATED MAT
 VA-SBOR OD PT DECLINES SUD TREAT
 VA-SBOR OD SUD RF-SUD TX REFERRAL
 VA-SBOR OD SUD RF-SUD ADDRESSED
 VA-SBOR OD RISK FACTOR SUD
 VA-SBOR OVERDOSE RISK FACTORS
 VA-SBOR NALOXONE ADMINISTERED UNK
 VA-SBOR NALOXONE ADMINISTERED NO
 VA-SBOR NALOXONE DOSE UNK
 VA-SBOR NALOXONE DOSE 5+
 VA-SBOR NALOXONE DOSE 4
 VA-SBOR NALOXONE DOSE 3
 VA-SBOR NALOXONE DOSE 2
 VA-SBOR NALOXONE DOSE 1
 VA-NALOXONE - OTHER LAY PERSON
 VA-NALOXONE
 VA-NALOXONE - TYPE OTHER
 VA-NALOXONE - TYPE NON VA
 VA-NALOXONE - OUTPATIENT RX
 VA-NALOXONE - VA FACILITY OTHER
 VA-NALOXONE - VA POLICE
 VA-NALOXONE - AED
 VA-NALOXONE - CLINIC/CBOC
 VA-NALOXONE - MH/RRTP
 VA-NALOXONE - ED/UCC
 VA-NALOXONE ADMIN BY NONVA 1ST RESPONDER
 VA-NALOXONE ADMIN BY BYSTANDER
 VA-NALOXONE ADMIN BY VA STAFF
 VA-NALOXONE ADMIN BY DECLINED

VA-NALOXONE ADMIN BY OTHER
VA-NALOXONE ADMIN BY PATIENT
VA-NALOXONE USED
VA-OVERDOSE CONS FALLS
VA-OVERDOSE CONS ARREST PERSON GIVING
VA-OVERDOSE CONS NONE
VA-OVERDOSE CONS UNKNOWN
VA-OVERDOSE CONS OTHER
VA-OVERDOSE CONS ANGER
VA-OVERDOSE CONS FIRST RESPONDER ISSUES
VA-OVERDOSE CONS ARREST PATIENT
VA-OVERDOSE CONS INJURIES
VA-OVERDOSE CONS PROFOUND WITHDRAWAL
VA-NALOXONE REVERSAL OTHER OUTCOME
VA-NALOXONE REVERSAL OUTCOME UNKNOWN
VA-NALOXONE REVERSAL UNSUCCESSFUL
VA-NALOXONE REVERSAL SUCCESSFUL
VA-NALOXONE ADMINISTERED TO PATIENT
VA-NALOXONE NEED UNKNOWN
VA-NALOXONE NOT INDICATED
VA-NALOXONE NOT NEEDED
VA-PATIENT DECLINED NALOXONE
VA-NALOXONE RX REQUEST PROVIDER NOTIFIED
VA-NALOXONE RX ORDERED
VA-SBOR OD ED TEACH BACK
VA-SBOR OD RESOURCES OTHER
VA-NALOXONE VIDEO-AUTO-INJECTOR
VA-NALOXONE VIDEO-SPRAY
VA-NALOXONE VIDEO-RX OPIOIDS
VA-NALOXONE VIDEO-OD
VA-NALOXONE RESOURCES-DVD
VA-NALOXONE RESOURCES-OPIOID SAFETY
VA-NALOXONE RESOURCES-OD PREVENTION
VA-SBOR OD EDUCATION TO CAREGIVER/OTHER
VA-SBOR OD EDUCATION TO PATIENT
VA-SBOR OD EDUCATION NOT PROVIDED
VA-SBOR OD CANNABIS
VA-SBOR OD LAMOTRIGINE
VA-SBOR OD VALPROATE
VA-SBOR OD CARBAMAZEPINE
VA-SBOR OD OTHER MOOD STABILIZER
VA-SBOR OD MOOD STABILIZER UNK
VA-SBOR OD LITHIUM
VA-SBOR OD MOOD STABILIZERS
VA-SBOR OD NON RX OPIOID UNK
VA-SBOR OD OTHER NON RX OPIOID
VA-SBOR OD ILLICIT FENTANYL
VA-SBOR OD CARFENTANIL
VA-SBOR OD HEROIN
VA-SBOR OD NON RX OPIOIDS
VA-SBOR OD OTHER MUSCLE RELAXANT

VA-SBOR OD TIZANIDINE
VA-SBOR OD METHOCARBAMOL
VA-SBOR OD METAXOLONE
VA-SBOR OD MUSCLE RELAXANT UNK
VA-SBOR OD CYCLOBENZAPRINE
VA-SBOR OD BACLOFEN
VA-SBOR OD MUSCLE RELAXANTS
VA-SBOR OD OTHER NON BENZO SED
VA-SBOR OD ZALEPLON
VA-SBOR OD ZOLPIDEM
VA-SBOR OD NON BENZO SED UNK
VA-SBOR OD RAMELTEON
VA-SBOR OD ESZOPLICLONE
VA-SBOR OD NON BENZO SEDATIVES
VA-SBOR OD OTHER ANTIPSYCHOTIC
VA-SBOR OD ANTIPSYCHOTIC UNK
VA-SBOR OD CLOZAPINE
VA-SBOR OD ATYPICAL ANTIPSYCH
VA-SBOR OD TYPICAL ANTIPSYCH
VA-SBOR OD ANTIPSYCHOTICS
VA-SBOR OD ANTIHISTAMINE UNK
VA-SBOR OD OTHER ANTIHISTAMINE
VA-SBOR OD DIPHENHYDRAMINE
VA-SBOR OD ANTIHISTAMINES
VA-SBOR OD OTHER ANTIDEPRESSANT
VA-SBOR OD ANTIDEPRESSANT UNK
VA-SBOR OD MAO INHIBITOR
VA-SBOR OD ATYPICAL ANTIDEPRESS
VA-SBOR OD SNRI
VA-SBOR OD SSRI
VA-SBOR OD TRICYCLIC ANTIDEPRESS
VA-SBOR OD ANTIDEPRESSANTS
VA-SBOR OD ANTICONVULSANT UNK
VA-SBOR OD OTHER ANTICONVULSANT
VA-SBOR OD GABAPENTIN
VA-SBOR OD BARBITURATES
VA-SBOR OD ANTICONVULSANTS
VA-SBOR OD UNKNOWN
VA-SBOR OD OTHER NON-OPIOID OTHER
VA-SBOR OD ANTIDIABETIC
VA-SBOR OD ANTICOAGULANT
VA-SBOR OD ANTIHYPERTENSIVE
VA-SBOR OD OTHER NON-OPIOIDS
VA-SBOR OD RX OPIOID UNK
VA-SBOR OD OTHER RX OPIOID
VA-SBOR OD OXYCODONE
VA-SBOR OD MORPHINE
VA-SBOR OD HYDROCODONE
VA-SBOR OD METHADONE
VA-SBOR OD SUBOXONE
VA-SBOR OD RX FENTANYL

VA-SBOR OD RX OPIOIDS
VA-SBOR OD ACETAMINOPHEN
VA-SBOR OD COCAINE
VA-SBOR OD OTHER BENZODIAZEPINE
VA-SBOR OD MIDAZOLAM
VA-SBOR OD ESTAZOLAM
VA-SBOR OD CLONAZEPAM
VA-SBOR OD CHLORDIAZEPOXIDE
VA-SBOR OD ALPRAZOLAM
VA-SBOR OD BENZODIAZEPINE UNK
VA-SBOR OD BENZODIAZEPINES
VA-SBOR OD AMPHETAMINES
VA-SBOR OD ALCOHOL
VA-SBOR METHOD TYPE OVERDOSE
VA-SBOR METHOD UNKNOWN TO AUTHOR
VA-SBOR EVENT INTERRUPTED UNK
VA-SBOR EVENT INTERRUPTED YES BY OTHER
VA-SBOR EVENT INTERRUPTED YES BY SELF
VA-SBOR EVENT INTERRUPTED NO
VA-SBOR EVENT OUTCOME UNK
VA-SBOR EVENT OUTCOME OTHER
VA-SBOR EVENT OUTCOME REMAINED OUTPT
VA-SBOR EVENT OUTCOME HOSPITALIZATION
VA-SBOR EVENT OUTCOME DIED
VA-SBOR EVENT STATUS CONTRACT BED
VA-SBOR EVENT STATUS CLC
VA-SBOR EVENT STATUS RRTP
VA-SBOR EVENT STATUS UNK
VA-SBOR EVENT STATUS OTHER
VA-SBOR EVENT STATUS INPATIENT
VA-SBOR EVENT STATUS OUTPATIENT
VA-SBOR EVENT INJURY UNK
VA-SBOR EVENT INJURY YES
VA-SBOR EVENT INJURY NO
VA-SBOR PREP ONLY UNK
VA-SBOR PREP ONLY YES
VA-SBOR PREP ONLY NO
VA-SBOR TREATMENT PLAN MODIFIED UNK
VA-SBOR TREATMENT PLAN MODIFIED YES
VA-SBOR TREATMENT PLAN MODIFIED NO
VA-SBOR EVENT TYPE SUICIDE ATT UNK
VA-SBOR EVENT TYPE SUICIDE ATT YES
VA-SBOR TYPE OD ADVERSE EFFECT
VA-SBOR TYPE OD ACCIDENTAL
VA-NALOXONE ED-TEACH BACK
VA-NALOXONE RESOURCES-OTHER
VA-NALOXONE ED TO CAREGIVER OR OTHER
VA-NALOXONE ED TO PATIENT
VA-OVERDOSE REFERRAL DECLINED
VA-OVERDOSE REFERRAL NONE
VA-OVERDOSE REFERRAL OTHER

VA-OVERDOSE REFERRAL PAIN
 VA-OVERDOSE REFERRAL SUD
 VA-OVERDOSE REFERRAL PCMHI/MH
 VA-OVERDOSE REFERRAL PCP
 VA-NALOXONE IMMEDIATE CARE NEEDED-NO
 VA-OVERDOSE IMMEDIATE CARE NEEDED OTHER
 VA-OVERDOSE IMMEDIATE CARE NEEDED ED
 VA-OVERDOSE IMMEDIATE CARE NEEDED PCMHI
 VA-NALOXONE IMMEDIATE CARE NEEDED-YES
 VA-NALOXONE REFERRALS
 VA-NALOXONE IMPACT OR TX CHANGE-NO
 VA-NALOXONE IMPACT OR TX CHANGE-YES
 VA-NALOXONE IMPACT OR TX CHANGE
 VA-NALOXONE TREATMENT PLAN
 VA-OVERDOSE OPIOID TAPER RF-DISCUSS RISK
 VA-OVERDOSE RISK FACTOR OPIOID TAPERING
 VA-OVERDOSE ABSTINENCE RF-DISCUSS RISK
 VA-OVERDOSE RISK FACTOR PRIOR ABSTINENCE
 VA-OVERDOSE PREV OD RF-DISCUSS PT SAFETY
 VA-OVERDOSE RISK FACTOR PRIOR OVERDOSE
 VA-OVERDOSE SEDATIVE RF-DISCUSS TAPER
 VA-OVERDOSE SEDATIVE RF-DISCUSS ALT TX
 VA-OVERDOSE SEDATIVE RF-DISCUSS RISKS
 VA-OVERDOSE RISK FACTOR SEDATIVES
 VA-OVERDOSE RISK FACTOR OTHER
 VA-OVERDOSE RISK FACTOR FINANCE
 VA-OVERDOSE RISK FACTOR FAMILY
 VA-OVERDOSE RISK FACTOR HOMELESS
 VA-OVERDOSE RISK FACTOR HIV
 VA-OVERDOSE RISK FACTOR ED
 VA-OVERDOSE RISK FACTOR FALLS
 VA-OVERDOSE RISK FACTOR MEDICAL
 VA-OVERDOSE DUAL OPI RX RF-OTHER
 VA-OVERDOSE DUAL OPI RX RF-SLOW TAPER
 VA-OVERDOSE DUAL OPI RX RF-CHANGE RX TX
 VA-OVERDOSE DUAL OPI RX RF-REVIEWCONSENT
 VA-OVERDOSE DUAL OPI RX RF-NO TX CHANGE
 VA-OVERDOSE DUAL OPI RX RF-NONOPIOID TX
 VA-OVERDOSE DUAL OPI RX RF-CARE COORD
 VA-OVERDOSE DUAL OPI RX RF-ALT STRATEGY
 VA-OVERDOSE DUAL OPI RX RF-DISCUSS RISK
 VA-OPIOID SOURCE VA AND NON VA
 VA-OVERDOSE NONVA OPI RX RF-NONOPIOID TX
 VA-OVERDOSE NONVA OPI RX RF-CARE COORD
 VA-OVERDOSE NONVA OPI RX RF-ALT STRATEGY
 VA-OVERDOSE NONVA OPI RX RF-DISCUSS RISK
 VA-OPIOID SOURCE NON VA
 VA-OVERDOSE VA OPIOID RX RF-ALT STRATEGY
 VA-OVERDOSE VA OPIOID RX RF-OTHER
 VA-OVERDOSE VA OPIOID RX RF-SLOW TAPER
 VA-OVERDOSE VA OPIOID RX RF-CHANGE RX TX

VA-OVERDOSE VA OPIOID RX RF-NO TX CHANGE
VA-OVERDOSE VA OPIOID RX RF-NONOPIOID TX
VA-OVERDOSE VA OPIOID RX RF-DISCUSS RISK
VA-OPIOID SOURCE VA
VA-OVERDOSE RISK FACTOR PRE OPIOIDS
VA-OVERDOSE NONRX OPIOID RF-DISCUSS RISK
VA-OVERDOSE RISK FACTOR NON PRE OPIOIDS
VA-OVERDOSE MH RF-PT DECLINES MH TX
VA-OVERDOSE MH RF-MH TX REFERRAL
VA-OVERDOSE MH RF-MH ADDRESSED
VA-OVERDOSE RISK FACTOR MENTAL HEALTH
VA-OVERDOSE PATIENT DECLINES SUD TREAT
VA-OVERDOSE SUD RF-SUD TX REFERRAL
VA-OVERDOSE SUD RF-SUD ADDRESSED
VA-NALOXONE OD RF SUD-SUD TX IN TX PLAN
VA-OVERDOSE RISK FACTOR SUD
VA-NALOXONE RISK FACTORS

REMINDER SPONSOR

Mental Health Services

REMINDER TERM

VA-REMINDER UPDATE_2_0_49
VA-NALOXONE USE
VA-BL NALOXONE GIVEN TO PATIENT

REMINDER DEFINITION

VA-NALOXONE OBJECT
VA-NALOXONE TREATING PROVIDER

REMINDER DIALOG

VA-OSP SBOR NOTE
VA-NALOXONE TREATMENT PROVIDER

HEALTH SUMMARY TYPE

VA-NALOXONE
VA-NALOXONE DATE

HEALTH SUMMARY OBJECTS

VA-NALOXONE (TIU)
VA-NALOXONE DATE (TIU)

TIU DOCUMENT DEFINITION

VA-NALOXONE
VA-NALOXONE DATE

Pre-Install

1. Using the Vista menu, Reminder Dialog Management, Reminder Dialogs, change your view to dialog element and do an inquire/print on the following reminder elements; you will need to use these as references during post-install:
 - a. VAL-OVERDOSE IMM CARE NEEDED WARM HANDOFF
 - b. VAL-OVERDOSE IMM CARE NEEDED ED
 - c. VAL-OVERDOSE REFERRAL PCP
 - d. VAL-OVERDOSE REFERRAL MH
 - e. VAL-OVERDOSE REFERRAL SUD
 - f. VAL-OVERDOSE REFERRAL SUD RISK
 - g. VAL-OVERDOSE REFERRAL PAIN
 - h. VAL-OVERDOSE OTHER REFERRAL
 - i. VAL-NALOXONE REQUEST

Install Details

This update is being distributed as a web host file. The address for the host file is:

http://vista.med.va.gov/reminders/UPDATE_2_0_49.PRD

The file will be installed using Reminder Exchange, programmer access is not required.


Installation:

=====

This update can be loaded with users on the system. Installation will take 30-45 minutes.

Install Example

To Load the Web Host File. Navigate to Reminder exchange in Vista



The screenshot shows a terminal window with a blue background and white text. At the top, there is a header bar with the following text: '+ + Next Screen - Prev Screen ?? More Actions >>>'. Below this, there is a list of menu items, each with a three-letter code, a description, and a three-letter code. The items are: CFE Create Exchange File Entry LHF Load Host File, CHF Create Host File LMM Load MailMan Message, CMM Create MailMan Message LR List Reminder Definitions, DFE Delete Exchange File Entry LWH Load Web Host File, IFE Install Exchange File Entry RI Reminder Definition Inquiry, and IH Installation History. The 'LWH Load Web Host File' option is highlighted with a red arrow pointing to it. Below the list, there is a prompt 'Select Action: Next Screen// LWH Load Web Host File' and a red arrow pointing to it. Below that, there is a prompt 'Input the URL for the .prd file: http://vista.med.va.gov/reminders/UPDATE_2_0_49.PRD'.

At the **Select Action:** prompt, enter **LWH** for Load Web Host File

At the **Input the url for the .prd file:** prompt, type the following web address:

http://vista.med.va.gov/reminders/UPDATE_2_0_49.PRD

You should see a message at the top of your screen that the file successfully loaded.

Search and locate an entry titled **UPDATE_2_0_49 VA-SUICIDE BEHAVIOR AND OVERDOSE REPORT** in reminder exchange

+Item	Entry	Source	Date Packed
117	UPDATE_2_0_49 VA-SUICIDE BEHAVIOR AND OVERDOSE REPORT	GRIFFITH@SALT LAKE CI	01/17/2019@06:50
118	UPDATE_2_0_5 MISC UPDATE 1	GRIFFITH@SALT LAKE CI	05/03/2016@09:42
119	UPDATE_2_0_51 VA-DOD HOSPITAL NOTIFICATION NOTE	GRIFFITH@SALT LAKE CI	11/20/2018@07:23
120	UPDATE_2_0_52 VA-RELATIONSHIP HEALTH AND SAFETY ASSESSMENT NOTE	GRIFFITH@SALT LAKE CI	12/11/2018@08:18
121	UPDATE_2_0_53 MH UPDATES 5.0	MONTGOMERY@SALT LAKE CI	08/29/2018@08:21
122	UPDATE_2_0_54 VA-TERATOGENIC	GRIFFITH@SALT LAKE CI	06/25/2018@08:36
+ + Next Screen - Prev Screen ?? More Actions >>>			
CFE	Create Exchange File Entry	LHF	Load Host File
CHF	Create Host File	LMM	Load MailMan Message
CMM	Create MailMan Message	LR	List Reminder Definitions
DFE	Delete Exchange File Entry	LWH	Load Web Host File
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry
IH	Installation History		
Select Action: Next Screen// ife Install Exchange File Entry			
Enter a list or range of numbers (1-233): 117			

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry
Enter the number that corresponds with your entry titled **UPDATE_2_0_49 VA-SUICIDE BEHAVIOR AND OVERDOSE REPORT** (in this example it is entry 117, it will vary by site)

Component	Category	Exists
Source: GRIFFITH,ELIZABETH A at SALT LAKE CITY		
Date Packed: 01/17/2019@06:50:06		
Package Version: 2.0P35		
Description:		
The following Clinical Reminder items were selected for packing:		
REMINDER DIALOG		
VA-OSP SBOR NOTE		
REMINDER TERM		
VA-REMINDER UPDATE_2_0_49		
REMINDER DEFINITION		
VA-NALOXONE TREATING PROVIDER		
Keywords:		
+ Enter ?? for more actions >>>		
IA	Install all Components	IS Install Selected Component
Select Action: Next Screen// IA		

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.
Select Action: Next Screen// **IA** Install all Components

You will see several prompts, for all new entries you will choose **I to Install**
If the component already exists but the packed component is different, choose O to overwrite except for REMINDER TERM entry VA-NALOXONE USE which you can **skip**.

You will be prompted to install the FIRST reminder dialog component:

Packed reminder dialog: VA-OSP SBOR NOTE [NATIONAL DIALOG]				
Item	Seq. Dialog Findings	Type	Exists	
1	VA-OSP SBOR NOTE	dialog		
2	10 VA-GP SBOR EVENT TYPE Finding: *NONE*	group		
3	10.10 VA-GP SBOR TYPE OVERDOSE Finding: *NONE*	group		
4	10.10.10 VA-GP SBOR EVENT SUICIDAL INTENT Finding: *NONE*	group		
5	10.10.10.10 VA-EL SBOR EVENT OD SUICIDAL INTENT NO Finding: VA-SBOR EVENT TYPE OVERDOSE NO (HEALTH FACTOR)	element	X	
6	10.10.10.20 VA-EL SBOR EVENT OD SUICIDAL INTENT YES Finding: VA-SBOR EVENT TYPE OVERDOSE YES (HEALTH FACTOR)	element	X	
7	10.10.10.30 VA-EL SBOR EVENT OD SUICIDAL INTENT UNKNOWN Finding: VA-SBOR EVENT TYPE OVERDOSE UND (HEALTH FACTOR)	element	X	
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	
Select Action: Next Screen// IA				

At the **Select Action** prompt, type **IA** to install the dialog – **VA-OSP SBOR NOTE**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: Y// **Yes**

Packed reminder dialog: VA-OSP SBOR NOTE [NATIONAL DIALOG]				
VA-OSP SBOR NOTE (reminder dialog) installed from exchange file.				
Item	Seq. Dialog Findings	Type	Exists	
1	VA-OSP SBOR NOTE	dialog	X	
2	2 VA-GP SBOR EVENT DATE	group	X	
	Finding: VA-SBOR EVENT DATE (HEALTH FACTOR)		X	
3	PXRMZ BLANK	prompt	X	
4	2.20 VA-EL SBOR EVENT DATE APPROX	element	X	
	Finding: *NONE*			
5	3 VA-GP SBOR EVENT TIME	group	X	
	Finding: VA-SBOR EVENT TIME (HEALTH FACTOR)		X	
6	PXRMZ BLANK	prompt	X	
7	3.10 VA-EL SBOR EVENT TIME APPROX	element	X	
	Finding: *NONE*			
8	5 VA-GP SBOR REPORTING SOURCE	group	X	
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	
Select Action: Next Screen// Q				

After the dialog installs, you will be returned to this prompt, at the **Select Action** prompt, type **Q** to quit.

You will be prompted to install the SECOND reminder dialog component –
YOU DO NOT NEED TO INSTALL THIS DIALOG:

Packed reminder dialog: VA-NALOXONE TREATMENT PROVIDER [NATIONAL DIALOG]

Item	Seq.	Dialog Findings	Type	Exists
1		VA-NALOXONE TREATMENT PROVIDER	dialog	X
2	5	VA-NALOXONE OVERDOSE PRIOR Finding: *NONE*	element	X
3	10	VA-GP OVERDOSE RISK FACTORS TREATING PROVIDER Finding: VA-NALOXONE RISK FACTORS (HEALTH FACTOR)	group	X
4	10.5	VA-GP OVERDOSE RISK FACTOR PREVIOUS OVERDOSE Finding: VA-OVERDOSE RISK FACTOR PRIOR OVERDOSE (HEALTH FACTOR)	group	X
5		PXRM COMMENT	prompt	X
6	10.5.10	VA-OVERDOSE PRIOR RISKS Finding: VA-OVERDOSE PREV OD RF-DISCUSS PT SAFETY (HEALTH FACTOR)	element	X
7	10.10	VA-GP OVERDOSE RISK FACTOR TAPERING	group	X

+ + Next Screen - Prev Screen ?? More Actions

DD Dialog Details DT Dialog Text IS Install Selected

DF Dialog Findings DU Dialog Usage QU Quit

DS Dialog Summary IA Install All

Select Action: Next Screen// Q

At the Select Action prompt, type **Q to quit**

You will then be prompted to install the health summary components, you can **SKIP these**.

Component	Category	Exists
Source: GRIFFITH,ELIZABETH A at SALT LAKE CITY		
Date Packed: 01/17/2019@06:50:06		
Package Version: 2.0P35		
Description:		
The following Clinical Reminder items were selected for packing:		
REMINDER DIALOG		
VA-OSP SBOR NOTE		
REMINDER TERM		
VA-REMINDER UPDATE_2_0_49		
REMINDER DEFINITION		
VA-NALOXONE TREATING PROVIDER		
Keywords:		
+ Enter ?? for more actions		>>>
IA Install all Components	IS Install Selected Component	
Select Action: Next Screen// Q		

You will then be returned to this screen. At the Select Action prompt, type **Q**.

Install complete.

Post Installation

1. Make the Dialog able to be attached to a Personal/Shared template or to a progress note title.

From the Reminders Manager Menu:

Select Reminder Managers Menu Option: **CP CPRS Reminder Configuration**

- CA Add/Edit Reminder Categories
- CL CPRS Lookup Categories
- CS CPRS Cover Sheet Reminder List
- MH Mental Health Dialogs Active
- PN Progress Note Headers
- RA Reminder GUI Resolution Active
- TIU TIU Template Reminder Dialog Parameter**
- DL Default Outside Location
- PT Position Reminder Text at Cursor

Select CPRS Reminder Configuration Option: **TIU TIU Template Reminder Dialog Parameter**

Reminder Dialogs allowed as Templates may be set for the following:

- 1 User USR [choose from NEW PERSON]
- 3 Service SRV [choose from SERVICE/SECTION]
- 4 Division DIV [choose from INSTITUTION]
- 5 System SYS [NATREM.FO-SLC.MED.VA.GOV]

Enter selection: **5** *Choose the appropriate number for your site. Your site may do this by System or other levels. The example below uses SYSTEM level*

Setting Reminder Dialogs allowed as Templates for System:

Select Display Sequence: **?**

148 VA-VETERANS CHOICE NOTE

149 VA-TBI SCREENING

*When you type a question mark above, you will see the list of #'s (with dialogs) that are already taken. Choose a number **NOT** on this list. For this example, looking above I see the number 150 is not present, so I will use 150.*

Select Display Sequence: **150**

Are you adding 150 as a new Display Sequence? Yes// **Y YES**

Display Sequence: 150// **<Enter>** 150

Clinical Reminder Dialog: **type in the name of the dialog**

VA-OSP SBOR NOTE then **<enter>** reminder dialog NATIONAL

OK? Yes// **<Enter>** (Yes)

2. Setup of Note title

The Suicide Behavior and Overdose Report note *will replace* any local Suicide Behavior Report notes that your site may have in use.

Name: SUICIDE BEHAVIOR AND OVERDOSE REPORT

VHA Enterprise Standard Title: SUICIDE PREVENTION NOTE

Comprehensive information on Creating Document Definitions can be found beginning on page 47 of the [TIU/ASU Implementation Guide](#).

3. Associate the reminder dialog with the note title or shared template in CPRS.


To do this, go to Template Editor, then Document Titles, select the appropriate folder (if applicable), and choose New Template (top right-hand corner).

Type in the following information:

Name: **Suicide Behavior and Overdose Report**

Template Type: **Reminder Dialog**


Reminder Dialog: **VA-OSP SBOR NOTE**



Next, type in the Associated Title, which in this case is:

SUICIDE BEHAVIOR AND OVERDOSE REPORT

Hit Apply and OK




4. Add the orderable items and local information within the dialog:

There are several components for local information, identification of local contacts, and/or referrals. These groups and elements are all classified as local so that you can update, add to, or remove elements if needed. If you are unsure what information and/or order(s) to add, consult with your local services to determine what is appropriate for each section.

Using the menu, Reminder Dialog Management → Reminder Dialogs, Change the view to dialog and search for the reminder dialog VA-OSP SBOR NOTE. Within that dialog, you can search for the following components and edit.

a. VAL-EL SBOR REVIEW TO SP TEAM INFO

This element includes a hyperlink intended to contain the email address for your site's Suicide Prevention team. An Excel spreadsheet has been distributed with each site's email address. To set this up for your site, edit the following template field in CPRS with the appropriate address: {FLD:VA-OSP SP TEAM}



If your system is integrated and/or consists of several facilities, you may have more than one Suicide Prevention team. In this case, you can copy the original template field, modify it with the second email address, and add the copied template field to this element below the original. Repeat as necessary.

Other local information about contacting the Suicide Prevention team may be added to this element. Further, if you use an order to notify these staff members, add that order as an additional finding to this element.

b. VAL-EL SBOR REVIEW TO OSI TEAM INFO

Local information related to contacting your site's Overdose Review team can be added to this element. If you have an email address for contacting this team, a hyperlink can be set up in the same manner as for the Suicide Prevention team. Further, if you use an order to notify these staff members, add that order as an additional finding to this element.

c. VAL-EL SBOR REVIEW ADERS POC INFO

Local information related to contacting your facility's POC for the Adverse Drug Event Reporting System can be added to this element. If you have an email address for this team, a hyperlink can be set up in the same manner as for the Suicide Prevention team. Further, if you use an order to notify your facility's POC, add that order as an additional finding to this element.

d. VAL-EL SBOR REVIEW TO MHR RTP TEAM INFO

Local information related to contacting your site's Mental Health Residential Rehabilitation Treatment Program (MHR RTP) can be added to this element. If you have an email address for contacting this team, a hyperlink can be set up in the same manner as for the Suicide Prevention team. Further, if you use an order to notify these staff members, add that order as an additional finding to this element.

For the elements listed below, please review your saved inquiry from the pre-install. If you are unsure what order(s) to add, consult with your local services to determine what would be the appropriate order for each section. **Do NOT remove the national health factors attached to these elements.**

a. VAL-OVERDOSE IMM CARE NEEDED WARM HANDOFF SBOR

If you use an order for a warm handoff to PCMH, add that order as an additional finding here.

Use for reference: VAL-OVERDOSE IMM CARE NEEDED WARM HANDOFF

b. VAL-OVERDOSE IMM CARE NEEDED ED SBOR

If you use an order when a patient is taken to ED, add that order as an additional finding here.

Use for reference: VAL-OVERDOSE IMM CARE NEEDED ED

c. VAL-OVERDOSE REFERRAL PCP SBOR

If you use an order for a PC referral, add that order as an additional finding here.

Use for reference: VAL-OVERDOSE REFERRAL PCP

d. VAL-OVERDOSE REFERRAL MH SBOR

Add order for a MH referral/consult here.

Use for reference: VAL-OVERDOSE REFERRAL MH

- e. VAL-OVERDOSE REFERRAL SUD PROVIDER SBOR
Add order for a SUD referral/consult here.
Use for reference: VAL-OVERDOSE REFERRAL SUD
- f. VAL-OVERDOSE REFERRAL SUD SBOR
Add order for a SUD referral/consult here.
Use for reference: VAL-OVERDOSE REFERRAL SUD RISK
- g. VAL-OVERDOSE REFERRAL PAIN SBOR
Add order for Pain Management referral/consult here.
Use for reference: VAL-OVERDOSE REFERRAL PAIN
- h. VAL-OVERDOSE OTHER REFERRAL SBOR
Add your local consult ordering menu here.
Use for reference: VAL-OVERDOSE OTHER REFERRAL
- i. VAL-NALOXONE REQUEST
Add your local quick order or menu for ordering naloxone to this element.
Use for reference: VAL-NALOXONE REQUEST (same element)

5. Lastly, inactivate any local notes/templates related to Suicide Behavior reporting.

NOTE: If you require further technical assistance, if there are any questions or problems during the installation, please notify your local IT support to log a national help desk ticket or contact the VA Service Desk and have them submit a national ticket to:

Category: Enterprise Applications

Subcategory: Applications

Enterprise Application: VistA - Clinical Reminders

Assignment Group: NTL SUP Clin 2