SNOMED ONLY By: Nancy Vining Van Ness

In some instances on the Cypress Meaningful Use Stage 2 test, codes from several code systems will meet the requirements. There are significant numbers of exceptions to that where codes from a single code system are the only option. Below is an analysis of the code lists on the Ricky Todd test patient that only include SNOMED codes.

The Ricky Todd test patient was generated by the Cypress version 1.1 QRDA test. It included all EP and EH measures. Beginning with Cypress 1.2, all of the data elements will be distributed across a number of test patients instead of occurring in one clinically improbable one. The composite test patient did, however, allow comprehensive analysis of the elements of the test.

What follows are the SNOMED codes that were the only codes which meet the test requirement and the Code Lists from which they are drawn found on the Ricky Todd test patient record. Some of these specific codes appeared more than one time, and of those some figured in more than one code list.

This analysis shows the status of the code lists on the Ricky test patient record in the code lists for Cypress 1.2, the revised one. There are 13 fewer code lists in this version; some of the code lists found on Ricky are not included among the new ones and are noted.

CODE	DESCRIPTION	CODE LIST
SNOMED-CT: 293790002	Tamoxifen allergy (disorder	2.16.840.1.113883.3.526.3.1317 only SNOMED codes
SNOMED-CT code: 107724000,	Patient transfer	2.16.840.1.113883.3.526.3.1009 only SNOMED codes
SNOMED-CT: 428331000124103	Anaphylaxis due to rotavirus vaccine	2.16.840.1.113883.3.464.1003.199.12.1021 only SNOMED codes
SNOMED-CT: 20568009	Urinary catheter, device (physical object	2.16.840.1.113883.3.666.5.820 only SNOMED codes
SNOMED-CT: 315640000	Influenza vaccination declined	2.16.840.1.113883.3.526.3.1255 only SNOMED codes
SNOMED-CT: 183919006	Urgent admission to hospice	2.16.840.1.113883.3.666.5.717 only SNOMED codes this code list is not in the new data
SNOMED-CT: 20733006	Living place	2.16.840.1.113883.3.67.1.101.11.725 only SNOMED codes
SNOMED-CT code: 160734000	Lives in a nursing home	2.16.840.1.113883.3.67.1.101.11.722 only SNOMED codes
SNOMED-CT: 236901008	Counseling for depression	2.16.840.1.113883.3.1257.1.1616 only SNOMED codes
SNOMED-CT:	Terminal illness - early stage	2.16.840.1.113883.3.526.3.1259 only SNOMED codes

162607003		
SNOMED-CT:	Angiotensin-	2.16.840.1.113883.3.526.3.1212
293500009	converting-enzyme	only SNOMED codes
	inhibitor adverse reaction	
SNOMED-CT:	Primary health care	2.16.840.1.113883.3.464.1003.118.12.1028
408422004	team falls	only SNOMED codes
400422004	assessment	_
SNOMED-CT:	Recommendation to	2.16.840.1.113883.3.117.1.7.1.413
428501000124101	continue current	only SNOMED codes
420301000124101	diet	
SNOMED-CT:	Distance vision	2.16.840.1.113883.3.526.3.1483
422497000	20/20	only SNOMED codes
SNOMED-CT:	Single bright white	2.16.840.1.113883.3.464.1003.115.12.1088
252779009	flash	only SNOMED codes
SNOMED-CT:	electroretinography Graduated	2.16.840.1.113883.3.117.1.7.1.256
348681001	compression elastic	only SNOMED codes
348081001	hosiery	
SNOMED-CT:	Venous foot pump,	2.16.840.1.113883.3.117.1.7.1.230
442023007	device	only SNOMED codes
SNOMED-CT:	Urinary catheter,	2.16.840.1.113883.3.666.5.820
20568009	device	only SNOMED codes
SNOMED-CT	Urethral structure	2.16.840.1.113883.3.666.5.1130
code: 13648007		only SNOMED codes
SNOMED-CT:	History and	2.16.840.1.113883.3.464.1003.118.12.1035
103736005	physical	only SNOMED codes
	examination, sports participation	
SNOMED-CT:	Palliative care	2.16.840.1.113883.3.526.3.1024
103735009		2.16.840.1.113883.3.526.2.1076
		both only SNOMED codes
SNOMED-CT:	Mixed diabetic	2.16.840.1.113883.3.526.3.1323
385857005	maculopathy	only SNOMED codes
SNOMED-CT:	Preproliferative	2.16.840.1.113883.3.526.3.1324
193349004	diabetic retinopathy	only SNOMED codes
SNOMED-CT:	Insertion of intra-	2.16.840.1.113883.3.666.5.1151
16965008	aortic balloon	only SNOMED codes
SNOMED-CT:	Cardiac pacemaker,	2.16.840.1.113883.3.526.3.1193
	device	only SNOMED codes
14106009 SNOMED-CT:	Pedal pulse taking	2.16.840.1.113883.3.464.1003.103.12.1015
SNOMED-C1: 91161007	redar purse canning	only SNOMED codes
	Restrictive lung	2.16.840.1.113883.3.666.5.778
SNOMED-CT:	disease	only SNOMED codes NOT IN NEW LIST
36485005		-
SNOMED-CT:	Depression Screening Negative	2.16.840.1.113883.3.600.794 only SNOMED codes
428171000124102		-
SNOMED-CT:	Psychiatric interview and	2.16.840.1.113883.3.600.1542 2.16.840.1.113883.3.600.1545
10197000	evaluation	2.10.840.1.113883.3.600.1545 only SNOMED codes
•	- v a = u u c = O11	OTILY STOTILD COUCD

SNOMED-CT:	Counseling for	2.16.840.1.113883.3.1257.1.1616
428201000124103	depression	only SNOMED codes
SNOMED-CT:	Pathologist	2.16.840.1.113883.3.526.3.1098
116783008	evaluation	only SNOMED codes
SNOMED-CT:	Hospital admission,	2.16.840.1.113883.3.666.5.3001
112689000	elective, with complete pre-	2.16.840.1.113883.3.464.1003.101.12.1060 2.16.840.1.113883.3.666.5.307
	admission work-up	2.16.840.1.113883.3.666.5.625
	damiesion work up	all only SNOMED codes
SNOMED-CT	Patient discharge,	2.16.840.1.113883.3.666.5.1106
code: 30164005	signed out against	only SNOMED codes
	medical advice	
SNOMED-CT:	Pregnancy prolonged	2.16.840.1.113883.3.117.1.7.1.403
310592002	- 41 weeks	only SNOMED codes
SNOMED-CT:	Under care of	2.16.840.1.113883.3.600.467
305443003	mental health counselor	2.16.840.1.113883.3.600.468
SNOMED-CT	Intensive care unit	both only SNOMED codes 2.16.840.1.113883.3.666.5.684
snowied-C1 code: 309904001	intensive cale unit	only SNOMED codes
	Child examination:	2.16.840.1.114222.4.1.214079.1.1.2
SNOMED-CT: 170198007	hearing	only SNOMED codes
SNOMED-CT:	Encouragement of	2.16.840.1.113883.3.117.1.7.1.301
385772001	compliance with	only SNOMED codes
385//2001	medication regimen	-
SNOMED-CT	Ambulatory	2.16.840.1.113883.3.464.1003.122.12.1003
code: 255327002		only SNOMED codes
SNOMED-CT:	Refer to weight	2.16.840.1.113883.3.600.1.1529
408289007	management program	only SNOMED codes
SNOMED-CT:	Poliomyelitis	2.16.840.1.113883.3.464.1003.199.12.1023
293117006	vaccine adverse reaction	only SNOMED codes
SNOMED-CT:	Subsequent hospital	2.16.840.1.113883.3.464.1003.101.12.1048
12843005	visit by physician	only SNOMED codes
SNOMED-CT:	Emergency	2.16.840.1.113883.3.666.5.737
414089002	percutaneous	only SNOMED codes
12100>002	coronary	
SNOMED-CT:	intervention Documentation of	2.16.840.1.113883.3.600.1.462
SNOWLED-C1: 428191000124101	current medications	only SNOMED codes
SNOMED-CT:	Cesarean section	2.16.840.1.113883.3.117.1.7.1.401
11466000	30020	only SNOMED codes
SNOMED-CT:	Water	2.16.840.1.113883.3.117.1.7.1.27
11713004		only SNOMED codes
SNOMED-CT:	Angiotensin-	2.16.840.1.113883.3.526.3.1211
295036000	converting-enzyme	only SNOMED codes
	inhibitor	
SNOMED-CT:	Streptomycin	2.16.840.1.113883.3.464.1003.199.12.1028
292925004	adverse reaction	only SNOMED codes
E/E/EJUUT		

SNOMED-CT:	Lifestyle education	2.16.840.1.113883.3.600.1508
313204009		only SNOMED codes
SNOMED-CT: 134397009	Angiotensin converting enzyme inhibitor declined	2.16.840.1.113883.3.526.3.1140 only SNOMED codes
SNOMED-CT: 183446009	Admission to cardiac intensive care unit	2.16.840.1.113883.3.117.1.7.1.305 only SNOMED codes
SNOMED-CT: 401191002	Diabetic foot examination	2.16.840.1.113883.3.526.3.1009 only SNOMED codes
SNOMED-CT: 416053008	Estrogen receptor positive tumor	2.16.840.1.113883.3.526.3.1303 only SNOMED codes
SNOMED-CT: 113094008	Diagnostic radiography of chest, lateral	2.16.840.1.113883.3.666.5.678 only SNOMED codes
SNOMED-CT: 10378005	Hospital admission, emergency, from emergency room, accidental injury	2.16.840.1.113883.3.117.1.7.1.23 only SNOMED codes 2.16.840.1.113883.3.117.1.7.1.295 only SNOMED codes
SNOMED-CT code: 306699001	Discharge Disposition	2.16.840.1.113883.3.117.1.7.1.87 only SNOMED codes
SNOMED-CT code: 405269005	Neonatal intensive care unit	2.16.840.1.113883.3.117.1.7.1.75 only SNOMED codes
SNOMED-CT Code: 3950001	Birth	2.16.840.1.113883.3.117.1.7.1.70 only SNOMED codes
SNOMED-CT: 134401001	Left ventricular systolic dysfunction	2.16.840.1.113883.3.526.3.1091 only SNOMED codes
SNOMED-CT: 111816002	Pneumococcal tonsillitis	2.16.840.1.113883.3.666.5.1057 code list not in new data only SNOMED codes in old list
SNOMED-CT: 219084006	Adverse reaction to tetanus vaccine	2.16.840.1.113883.3.464.1003.199.12.1031 only SNOMED codes
SNOMED-CT: 13798002	Gestation period, 38 weeks	2.16.840.1.113883.3.117.1.7.1.287 only SNOMED codes
SNOMED-CT: 11932001	Stabilizing hemodialysis	2.16.840.1.113883.3.526.3.358 2.16.840.1.113883.3.666.5.718 code list not in new data only SNOMED codes in previous code lists
SNOMED-CT: 370858005	Following clinical pathway protocol	2.16.840.1.113883.3.117.1.7.1.253 only SNOMED codes
SNOMED-CT: 385972005	Dialysis care education	2.16.840.1.113883.3.464.1003.109.12.1016 only SNOMED codes
SNOMED-CT: 428231000124106	Maternal postpartum depression care	2.16.840.1.113883.3.464.1003.111.12.1013 only SNOMED codes
SNOMED-CT: 185900003	Receipt of Influenza Vaccine	2.16.840.1.113883.3.526.3.1185 only SNOMED codes

CNOMED CT.	Suspected pulmonary	2.16.840.1.113883.3.117.1.7.1.277
SNOMED-CT:	embolism	only SNOMED codes
417113001		_
SNOMED-CT:	Suicide risk	2.16.840.1.113883.3.600.559
225337009	assessment	only SNOMED codes 2.16.840.1.113883.3.526.3.1484
		2.16.840.1.113883.3.526.3.1484 only SNOMED codes
CNOMED CT.	Severe dementia	2.16.840.1.113883.3.526.3.1025
SNOMED-CT:	Severe dementra	only SNOMED codes
428351000124105		1
SNOMED-CT	Patient requests	2.16.840.1.113883.3.600.1564
code: 182890002	alternative treatment	only SNOMED codes
SNOMED-CT:	Alcoholism	2.16.840.1.113883.3.600.823
24165007	counseling	only SNOMED codes
SNOMED-CT	Subcutaneous route	2.16.840.1.113883.3.117.1.7.1.223
code: 34206005	Subcutaneous foute	only SNOMED codes
code: 34200003		_
SNOMED-CT:	Clinical	2.16.840.1.113883.3.464.1003.121.12.1006
371530004	consultation report	only SNOMED codes
SNOMED-CT:	Macular edema	2.16.840.1.113883.3.526.3.1286
	absent	only SNOMED codes
428341000124108		
SNOMED-CT:	Follow-up 1 day	2.16.840.1.113883.3.600.1537
183617005		only SNOMED codes
103017003		2.16.840.1.113883.3.600.1474
		only SNOMED codes
SNOMED-CT:	Bakers' asthma	2.16.840.1.113883.3.464.1003.199.12.1032
34015007		only SNOMED codes
SNOMED-CT:	Chemotherapy	2.16.840.1.113883.3.666.5.1937
367336001		code list not in new data
207220001		only SNOMED codes in previous code lists
SNOMED-CT:	Hepatitis B vaccine	2.16.840.1.113883.3.464.1003.199.12.1029
293110008	adverse reaction	only SNOMED codes
SNOMED-CT:	Mixed diabetic	2.16.840.1.113883.3.526.3.1323
314015001	maculopathy	only SNOMED codes
SNOMED-CT:	Vitamin K dietary	2.16.840.1.113883.3.117.1.7.1.302
428691000124107	intake education	only SNOMED codes
	Assessment and	2.16.840.1.113883.3.526.3.1332
SNOMED-CT:	interpretation of	only SNOMED codes
113024001	higher cerebral	Only SNORED Codes
	function, cognitive	
	testing	
SNOMED-CT:	Baseline state	2.16.840.1.113883.3.117.1.7.1.417
128974000		only SNOMED codes
SNOMED-CT:	Dependent drug	2.16.840.1.113883.3.464.1003.101.12.1059
182969009	detoxification	only SNOMED codes
		2.16.840.1.113883.3.117.1.7.1.377
SNOMED-CT:	Emergency treatment education	2.16.840.1.113883.3.11/.1./.1.3// only SNOMED codes
385867000		-
SNOMED-CT:	Telephone call by	2.16.840.1.113883.3.526.3.1012
11797002	physician to	only SNOMED codes
	patient or for	

	consultation	
SNOMED-CT:	Term birth of	2.16.840.1.114222.4.1.214079.1.1.1
15467003	identical twins,	only SNOMED codes
1540/003	both living	1
SNOMED-CT:	Breast milk	2.16.840.1.113883.3.117.1.7.1.30
226789007		only SNOMED codes
SNOMED-CT:	International	2.16.840.1.113883.3.117.1.7.1.416
	normalized ratio	only SNOMED codes
428401000124102	monitoring	
	education	
SNOMED-CT:	Intermittent	2.16.840.1.113883.3.117.1.7.1.214
428411000124104	pneumatic	only SNOMED codes
420411000124104	compression boot	
SNOMED-CT:	Influenza split	2.16.840.1.113883.3.526.3.1257
293112000	virion vaccine	only SNOMED codes
	adverse reaction	
SNOMED-CT:	Liveborn born in	2.16.840.1.113883.3.117.1.7.1.29
442311008	hospital	only SNOMED codes
SNOMED-CT:	Referral to	2.16.840.1.113883.3.600.537
183524004	psychiatry service	only SNOMED codes
SNOMED-CT:	History and	2.16.840.1.113883.3.600.538
14129001	physical	only SNOMED codes
14127001	examination,	
	follow-up for	
	emotional or mental	
	disease	
SNOMED-CT:	Electrocardiogram	2.16.840.1.113883.3.600.1483
164846002	requested	only SNOMED codes
SNOMED-CT	Ambulatory	2.16.840.1.113883.3.464.1003.122.12.1003
code: 255327002	-	only SNOWMED codes
SNOMED-CT:	Family history:	2.16.840.1.113883.3.600.1557
134439009	premature coronary	only SNOWMED codes
101107007	heart disease	
SNOMED-CT	Maternal substance	2.16.840.1.113883.3.117.1.7.1.84
code:	abuse	only SNOWMED codes
428561000124100		
CNOMED CT.	Hemoperfusion	2.16.840.1.113883.3.464.1003.109.12.1015
SNOMED-CT:	110 WODELL USTOIL	only SNOWMED codes
233591003		-
SNOMED-CT:	Pneumococcal	2.16.840.1.113883.3.464.1003.110.12.1028
310578008	vaccination given	only SNOWMED codes
SNOMED-CT:	Emergency	2.16.840.1.113883.3.526.2.900
4525004	department patient	only SNOWMED codes
	visit	2.16.840.1.113883.3.117.1.7.1.293
		only SNOWMED codes 2.16.840.1.113883.3.117.1.7.1.292
		2.10.840.1.113883.3.117.1.7.1.292 code list not in new data
		only SNOWMED codes in the previous lists
		2.16.840.1.113883.3.666.5.900
		only SNOWMED codes
SNOMED-CT:	Follow-up warfarin	2.16.840.1.113883.3.117.1.7.1.303
170916008	assessment	only SNOWMED codes
1/0/1000	1	

SNOMED-CT: 421139008	Hold	2.16.840.1.113883.3.666.5.1145
SNOMED-CT: 293127000	Haemophilus influenzae Type B vaccine adverse reaction	2.16.840.1.113883.3.464.1003.199.12.1030 only SNOWMED codes
SNOMED-CT: 173476009	Examination of oral cavity under general anesthesia	1.3.6.1.4.1.33895.1.3.0.31 code list not in new data only SNOWMED codes in previous code list
SNOMED-CT: 160685001	Bed-ridden	2.16.840.1.113883.3.464.1003.118.12.1009 only SNOWMED codes
SNOMED-CT: 292196008	Antineoplastic adverse reaction	2.16.840.1.113883.3.526.3.1287 only SNOWMED codes
SNOMED-CT: 293126009	Hepatitis A vaccine adverse reaction	2.16.840.1.113883.3.464.1003.199.12.1026 only SNOWMED codes
SNOMED-CT: 385858000	Tracheostomy care	2.16.840.1.113883.3.666.5.781 only SNOWMED codes
SNOMED-CT: 286861005	Suprapubic catheter	2.16.840.1.113883.3.666.5.827 only SNOWMED codes
SNOMED-CT: 103301009	Vertigo, acute onset with vomiting and inability to stand	2.16.840.1.113883.3.117.1.7.1.399 only SNOWMED codes
SNOMED-CT: 433611000124109	Procedure reason	2.16.840.1.113883.3.526.3.1494 only SNOWMED codes
SNOMED-CT: 441924001	record Gestational age unknown	2.16.840.1.113883.3.117.1.7.1.307 only SNOWMED codes
SNOMED-CT: 428221000124108	Maternal postpartum depression screening	2.16.840.1.113883.3.464.1003.111.12.1014 only SNOWMED codes
SNOMED-CT: 293739003	Antineoplastic allergy	2.16.840.1.113883.3.526.3.1280 only SNOWMED codes
SNOMED-CT: 420113004	Influenza virus vaccine adverse reaction	2.16.840.1.113883.3.464.1003.199.12.1022 only SNOWMED codes
SNOMED-CT: 225103006	Intermittent urethral catheterization	2.16.840.1.113883.3.666.5.825 only SNOMED codes
SNOMED-CT: 14684005	Peritoneal dialysis excluding cannulation	2.16.840.1.113883.3.526.2.592 code list not in new data only SNOMED codes in previous code list
SNOMED-CT: 1104006	Triad knee repair	2.16.840.1.113883.3.666.5.704 code list not in new data only SNOMED codes in previous code list
SNOMED-CT: 1163003	Ureteroenterostomy	2.16.840.1.113883.3.666.5.1050 code list not in new data only SNOMED codes in previous code list 2.16.840.1.113883.3.666.5.822 only SNOMED codes
SNOMED-CT:	Patient given written information	2.16.840.1.113883.3.117.1.7.1.415 only SNOMED code

413318004		
SNOMED-CT: 171047005	Drugs of addiction education	2.16.840.1.113883.3.464.1003.106.12.1005 only SNOMED codes
SNOMED-CT: 133918004	Comfort measures	2.16.840.1.113883.3.666.5.3002 only SNOMED codes
SNOMED-CT: 417886001	Treatment adjusted per protocol	2.16.840.1.113883.3.117.1.7.1.278 only SNOMED codes
SNOMED-CT: 169826009	Single live birth	2.16.840.1.113883.3.117.1.7.1.25 only SNOMED codes
SNOMED-CT: 15993004	Alveolar hypoventilation	2.16.840.1.113883.3.666.5.673 code list not in new data only SNOMED codes in previous code list
SNOMED-CT: 294647003	Influenza vaccine allergy	2.16.840.1.113883.3.526.3.1256 only SNOMED codes
SNOMED-CT: 428024001	Clinical trial participant	2.16.840.1.113883.3.526.2.643 only SNOMED codes
SNOMED-CT: 213020009	Egg protein allergy	2.16.840.1.113883.3.526.3.1253 only SNOMED codes
SNOMED-CT: 105539002	Non-smoker for personal reasons	2.16.840.1.113883.3.526.3.1189 only SNOMED codes
SNOMED-CT: 981000124106	Moderate left ventricular systolic	2.16.840.1.113883.3.526.3.1090 only SNOMED codes
SNOMED-CT: 428521000124106	Patient informed - arrange follow-up care	2.16.840.1.113883.3.117.1.7.1.378 only SNOMED codes
SNOMED-CT: 223413005	Signs and symptoms education	2.16.840.1.113883.3.117.1.7.1.381 only SNOMED codes
SNOMED-CT: 428181000124104	Depression Screening Positive	2.16.840.1.113883.3.600.793 only SNOMED codes
SNOMED-CT: 228518000	Chews products containing tobacco	2.16.840.1.113883.3.526.3.1170 only SNOMED codes
SNOMED-CT: 235513003	Palliative procedure for pancreatic pain relief	1.3.6.1.4.1.33895.1.3.0.45 This code list does have the title given here and on the Ricky patient record, but the 235513003 code is not in that list. All the codes are, however SNOMED codes.
SNOMED-CT: 293116002	Pneumococcal vaccine adverse reaction	2.16.840.1.113883.3.464.1003.199.12.1027 only SNOMED codes
SNOMED-CT: 12866006	Pneumococcal vaccination	2.16.840.1.113883.3.464.1003.110.12.1034 only SNOMED codes
SNOMED-CT: 161663000	History of tissue/organ recipient	2.16.840.1.113883.3.666.5.802 code list not in new data only SNOMED codes in previous code list
SNOMED-CT: 160603005	Light cigarette smoker (1-9 cigs/day)	2.16.840.1.113883.3.600.1559 only SNOMED codes

CNOMED CT.	Beta-adrenoceptor	2.16.840.1.113883.3.526.3.1178
SNOMED-CT:	blocking drug	only SNOMED codes
292419005	adverse reaction	Only snomed codes
CNONTER OF		2.16.840.1.113883.3.117.1.7.1.379
SNOMED-CT:	Prescribed	
386465007	medication education	only SNOMED codes
CNONTED CT		2.16.840.1.113883.3.464.1003.199.12.1024
SNOMED-CT:	Neomycin adverse	
292927007	reaction	only SNOMED codes
SNOMED-CT:	Gestation period,	2.16.840.1.113883.3.117.1.7.1.402
13763000	34 weeks	only SNOMED codes
	Computerized axial	2.16.840.1.113883.3.666.5.680
SNOMED-CT:	tomography of	This code does not appear in the new
113105001	thoracic spine with	code list with this number, but the
	contrast	previous list with this number does
	Concrast	include it. The code itself may occur in
		the new test in another code list.
		only SNOMED codes in previous code list
CNOMED OT	Newborn death	2.16.840.1.113883.3.666.5.1618
SNOMED-CT	newborn death	only SNOMED codes
code: 276506001		1
SNOMED-CT:	Automatic	2.16.840.1.113883.3.666.5.1087
233169004	defibrillator	not found in the new data
255107004	procedure	only SNOMED codes in previous code list
SNOMED-CT:	Tamoxifen adverse	2.16.840.1.113883.3.526.3.1318
292248002	reaction	only SNOMED codes
SNOMED-CT:	Monofilament foot	2.16.840.1.113883.3.464.1003.103.12.1014
	sensation test	only SNOMED codes
134388005		-
SNOMED-CT:	Patient referral	2.16.840.1.113883.3.464.1003.101.12.1046
103697008	for dental care	only SNOMED codes
SNOMED-CT:	Urgent referral	2.16.840.1.113883.3.600.1475
134403003		does not appear in new data
134403003		only SNOMED codes in previous list
SNOMED-CT:	Chronic wound care	2.16.840.1.113883.3.666.5.719
428431000124105		only SNOMED codes
SNOMED-CT:	Patient referral to	2.16.840.1.113883.3.600.1.1527
	non-physician	only SNOMED codes
103698003	provider	only bhomb codes
SNOMED-CT:	Eastern Cooperative	2.16.840.1.113883.3.526.3.1279
	Oncology Group	only SNOMED codes
422894000	performance status	
	- grade 2	
SNOMED-CT:	Bilateral	2.16.840.1.113883.3.464.1003.198.12.1005
14693006	subcutaneous	only SNOMED codes
14023000	mammectomy	
SNOMED-CT:	Medication	2.16.840.1.113883.3.117.1.7.1.414
428381000124102	interaction with	only SNOMED codes
720301000124102	food education	
SNOMED-CT:	Insertion of	2.16.840.1.113883.3.666.5.747
112798008	endotracheal tube	only SNOMED codes
	Percutaneous	2.16.840.1.113883.3.666.5.819
SNOMED-CT:		2.16.840.1.113883.3.666.5.819 code list not found on new data
426697007	radiofrequency ablation of lesion	only SNOMED codes in previous list
	of kidney	outh anough codes in bienions itse
	or vranch	

SNOMED-CT:	Obstructed labor	2.16.840.1.113883.3.117.1.7.1.281
199746004		only SNOMED codes
SNOMED-CT:	Medication side effects education	2.16.840.1.113883.3.117.1.7.1.304 only SNOMED codes
396080005		1
SNOMED-CT	History of a drug	2.16.840.1.113883.3.117.1.7.1.18
code: 161590003	allergy	only SNOMED codes 2.16.840.1.113883.3.526.3.1007
		only SNOMED codes
		2.16.840.1.113883.3.117.1.7.1.473
		only SNOMED codes
		2.16.840.1.113883.3.117.1.7.1.412
		only SNOMED codes
		2.16.840.1.113883.3.526.2.313 only SNOMED codes
		2.16.840.1.113883.3.666.5.3003
		only SNOMED codes
SNOMED-CT	Refusal of treatment by	2.16.840.1.113883.3.117.1.7.1.93
code: 105480006	patient	only SNOMED codes
couc. 10340000	patient	2.16.840.1.113883.3.526.3.1008
		only SNOMED codes
		2.16.840.1.113883.3.526.2.311
		only SNOMED codes 2.16.840.1.113883.3.117.1.7.1.474
		code list not in new data
		only SNOMED codes in previous list
		2.16.840.1.113883.3.600.791
		only SNOMED codes
		2.16.840.1.113883.3.666.5.3004
CAVOA FRANCE		only SNOMED codes
SNOMED-CT	Gastrostomy route	2.16.840.1.113883.3.666.5.1072 only SNOMED codes
code: 127490009		2.16.840.1.113883.3.666.5.1112
		only SNOMED codes
		2.16.840.1.113883.3.666.5.1111
		only SNOMED codes
SNOMED-CT	Principal (qualifier	2.16.840.1.113883.3.666.5.3010
code: 63161005	value)	only SNOMED codes
	·	2.16.840.1.113883.3.526.2.8001 only SNOMED codes
		2.16.840.1.113883.3.117.1.7.1.14
		only SNOMED codes
		2.16.840.1.113883.3.67.1.101.11.724
		only SNOMED codes
SNOMED-CT	Intravenous	2.16.840.1.113883.3.666.5.1108
code: 255560000		only SNOMED codes 2.16.840.1.113883.3.666.5.1111
		only SNOMED codes
		2.16.840.1.113883.3.666.5.1109
		only SNOMED codes
		2.16.840.1.113883.3.666.5.1112
		only SNOMED codes
SNOMED-CT	Patient transfer	2.16.840.1.113883.3.526.3.1009
code: 107724000		only SNOMED codes
		2.16.840.1.113883.3.666.5.3005
		only SNOMED codes

SNOMED-CT	Procedure	2.16.840.1.113883.3.600.792
code: 183932001	contraindicated	only SNOMED codes
2040. 100302001		2.16.840.1.113883.3.600.1.1502
		only SNOMED codes
SNOMED-CT	Intravenous central	2.16.840.1.113883.3.117.1.7.1.222
code: 418114005	route	only SNOMED codes
SNOMED-CT	Medical	2.16.840.1.114222.4.1.214079.1.1.7
code: 397745006	contraindication	only SNOMED codes
Couc. 37//43000	Contramereation	2.16.840.1.113883.3.600.1521
		only SNOMED codes
SNOMED-CT	Severe	2.16.840.1.113883.3.526.3.1092
code: 24484000		only SNOMED codes
COUC. 27707000		2.16.840.1.113883.3.666.5.1153
		code list not found in new data
		only SNOMED codes in previous list