SNOMED ONLY

In some instances on the Cypress Meaningful Use Stage 2 test, codes from several code systems will meet the requirements. There are significant numbers of exceptions to that where codes from a single code system are the only option. Below is an analysis of the code lists on the Ricky Todd test patient that only include SNOMED codes.

The Ricky Todd test patient was generated by the Cypress version 1.1 QRDA test. It included all EP and EH measures. Beginning with Cypress 1.2, all of the data elements will be distributed across a number of test patients instead of occurring in one clinically improbable one. The composite test patient did, however, allow comprehensive analysis of the elements of the test.

What follows are the SNOMED codes that were the only codes which meet the test requirement and the Code Lists from which they are drawn found on the Ricky Todd test patient record. Some of these specific codes appeared more than one time, and of those some figured in more than one code list.

This analysis shows the status of the code lists on the Ricky test patient record in the code lists for Cypress 1.2, the revised one. There are 13 fewer code lists in this version; some of the code lists found on Ricky are not included among the new ones and are noted.

CODE	DESCRIPTION	CODE LIST
SNOMED-CT: 293790002	Tamoxifen allergy (disorder	2.16.840.1.113883.3.526.3.1317 only SNOMED codes
SNOMED-CT code: 107724000,	Patient transfer	2.16.840.1.113883.3.526.3.1009 only SNOMED codes
SNOMED-CT: 428331000124103	Anaphylaxis due to rotavirus vaccine	2.16.840.1.113883.3.464.1003.199.12.1021 only SNOMED codes
SNOMED-CT: 20568009	Urinary catheter, device (physical object	2.16.840.1.113883.3.666.5.820 only SNOMED codes
SNOMED-CT: 315640000	Influenza vaccination declined	2.16.840.1.113883.3.526.3.1255 only SNOMED codes
SNOMED-CT: 183919006	Urgent admission to hospice	2.16.840.1.113883.3.666.5.717 only SNOMED codes this code list is not in the new data
SNOMED-CT: 20733006	Living place	2.16.840.1.113883.3.67.1.101.11.725 only SNOMED codes
SNOMED-CT code: 160734000	Lives in a nursing home	2.16.840.1.113883.3.67.1.101.11.722 only SNOMED codes
SNOMED-CT: 236901008	Counseling for depression	2.16.840.1.113883.3.1257.1.1616 only SNOMED codes
SNOMED-CT: 162607003	Terminal illness - early stage	2.16.840.1.113883.3.526.3.1259 only SNOMED codes

SNOMED-CT:	Angiotensin-	2.16.840.1.113883.3.526.3.1212
	converting-enzyme	only SNOMED codes
293500009	inhibitor adverse	only shones codes
	reaction	
SNOMED-CT:	Primary health care	2.16.840.1.113883.3.464.1003.118.12.1028
408422004	team falls	only SNOMED codes
400422004	assessment	
SNOMED-CT:	Recommendation to	2.16.840.1.113883.3.117.1.7.1.413
428501000124101	continue current	only SNOMED codes
420501000124101	diet	-
SNOMED-CT:	Distance vision	2.16.840.1.113883.3.526.3.1483
422497000	20/20	only SNOMED codes
SNOMED-CT:	Single bright white	2.16.840.1.113883.3.464.1003.115.12.1088
252779009	flash	only SNOMED codes
	electroretinography	
SNOMED-CT:	Graduated	2.16.840.1.113883.3.117.1.7.1.256
348681001	compression elastic	only SNOMED codes
CNOMED CE	hosiery	2.16.840.1.113883.3.117.1.7.1.230
SNOMED-CT:	Venous foot pump, device	only SNOMED codes
442023007		1
SNOMED-CT:	Urinary catheter,	2.16.840.1.113883.3.666.5.820
20568009	device	only SNOMED codes
SNOMED-CT	Urethral structure	2.16.840.1.113883.3.666.5.1130
code: 13648007		only SNOMED codes
SNOMED-CT:	History and	2.16.840.1.113883.3.464.1003.118.12.1035
103736005	physical	only SNOMED codes
103730003	examination, sports	
	participation	
SNOMED-CT:	Palliative care	2.16.840.1.113883.3.526.3.1024
103735009		2.16.840.1.113883.3.526.2.1076
CNOMED CT.	Mixed diabetic	both only SNOMED codes 2.16.840.1.113883.3.526.3.1323
SNOMED-CT:	maculopathy	only SNOMED codes
385857005		
SNOMED-CT:	Preproliferative diabetic	2.16.840.1.113883.3.526.3.1324 only SNOMED codes
193349004	retinopathy	only snomed codes
SNOMED-CT:	Insertion of intra-	2.16.840.1.113883.3.666.5.1151
16965008	aortic balloon	only SNOMED codes
SNOMED-CT:	Cardiac pacemaker,	2.16.840.1.113883.3.526.3.1193
	device	only SNOMED codes
14106009		2.16.840.1.113883.3.464.1003.103.12.1015
SNOMED-CT:	Pedal pulse taking	2.16.840.1.113883.3.464.1003.103.12.1015 only SNOMED codes
91161007		1
SNOMED-CT:	Restrictive lung	2.16.840.1.113883.3.666.5.778
36485005	disease	only SNOMED codes NOT IN NEW LIST
SNOMED-CT:	Depression	2.16.840.1.113883.3.600.794
428171000124102	Screening Negative	only SNOMED codes
SNOMED-CT:	Psychiatric	2.16.840.1.113883.3.600.1542
10197000	interview and	2.16.840.1.113883.3.600.1545
1017/000	evaluation	only SNOMED codes
SNOMED-CT:	Counseling for	2.16.840.1.113883.3.1257.1.1616

428201000124103	depression	only SNOMED codes
SNOMED-CT:	Pathologist	2.16.840.1.113883.3.526.3.1098
116783008	evaluation	only SNOMED codes
SNOMED-CT: 112689000	Hospital admission, elective, with complete pre-admission work-up	2.16.840.1.113883.3.666.5.3001 2.16.840.1.113883.3.464.1003.101.12.1060 2.16.840.1.113883.3.666.5.307 2.16.840.1.113883.3.666.5.625 all only SNOMED codes
SNOMED-CT code: 30164005	Patient discharge, signed out against medical advice	2.16.840.1.113883.3.666.5.1106 only SNOMED codes
SNOMED-CT: 310592002	Pregnancy prolonged - 41 weeks	2.16.840.1.113883.3.117.1.7.1.403 only SNOMED codes
SNOMED-CT: 305443003	Under care of mental health counselor	2.16.840.1.113883.3.600.467 2.16.840.1.113883.3.600.468 both only SNOMED codes
SNOMED-CT code: 309904001	Intensive care unit	2.16.840.1.113883.3.666.5.684 only SNOMED codes
SNOMED-CT: 170198007	Child examination: hearing	2.16.840.1.114222.4.1.214079.1.1.2 only SNOMED codes
SNOMED-CT: 385772001	Encouragement of compliance with medication regimen	2.16.840.1.113883.3.117.1.7.1.301 only SNOMED codes
SNOMED-CT code: 255327002	Ambulatory	2.16.840.1.113883.3.464.1003.122.12.1003 only SNOMED codes
SNOMED-CT: 408289007	Refer to weight management program	2.16.840.1.113883.3.600.1.1529 only SNOMED codes
SNOMED-CT: 293117006	Poliomyelitis vaccine adverse reaction	2.16.840.1.113883.3.464.1003.199.12.1023 only SNOMED codes
SNOMED-CT: 12843005	Subsequent hospital visit by physician	2.16.840.1.113883.3.464.1003.101.12.1048 only SNOMED codes
SNOMED-CT: 414089002	Emergency percutaneous coronary intervention	2.16.840.1.113883.3.666.5.737 only SNOMED codes
SNOMED-CT: 428191000124101	Documentation of current medications	2.16.840.1.113883.3.600.1.462 only SNOMED codes
SNOMED-CT: 11466000	Cesarean section	2.16.840.1.113883.3.117.1.7.1.401 only SNOMED codes
SNOMED-CT: 11713004	Water	2.16.840.1.113883.3.117.1.7.1.27 only SNOMED codes
SNOMED-CT: 295036000	Angiotensin- converting-enzyme inhibitor	2.16.840.1.113883.3.526.3.1211 only SNOMED codes
SNOMED-CT: 292925004	Streptomycin adverse reaction	2.16.840.1.113883.3.464.1003.199.12.1028 only SNOMED codes
SNOMED-CT:	Lifestyle education	2.16.840.1.113883.3.600.1508 only SNOMED codes

313204009		
SNOMED-CT:	Angiotensin	2.16.840.1.113883.3.526.3.1140
134397009	converting enzyme	only SNOMED codes
	inhibitor declined	
SNOMED-CT:	Admission to	2.16.840.1.113883.3.117.1.7.1.305
183446009	cardiac intensive care unit	only SNOMED codes
	care unit	
SNOMED-CT:	Diabetic foot	2.16.840.1.113883.3.526.3.1009
401191002	examination	only SNOMED codes
401171002		
SNOMED-CT:	Estrogen receptor	2.16.840.1.113883.3.526.3.1303
416053008	positive tumor	only SNOMED codes
SNOMED-CT:	Diagnostic	2.16.840.1.113883.3.666.5.678
113094008	radiography of	only SNOMED codes
	chest, lateral	
SNOMED-CT:	Hospital admission,	2.16.840.1.113883.3.117.1.7.1.23
10378005	emergency, from emergency room,	only SNOMED codes 2.16.840.1.113883.3.117.1.7.1.295
	accidental injury	only SNOMED codes
SNOMED-CT	Discharge Disposition	2.16.840.1.113883.3.117.1.7.1.87
code: 306699001	Discussion Disposition	only SNOMED codes
code. 500077001		
SNOMED-CT	Neonatal intensive	2.16.840.1.113883.3.117.1.7.1.75
code: 405269005	care unit	only SNOMED codes
SNOMED-CT	Birth	2.16.840.1.113883.3.117.1.7.1.70
Code: 3950001		only SNOMED codes
SNOMED-CT:	Left ventricular	2.16.840.1.113883.3.526.3.1091
134401001	systolic	only SNOMED codes
	dysfunction	
SNOMED-CT:	Pneumococcal	2.16.840.1.113883.3.666.5.1057
111816002	tonsillitis	code list not in new data only SNOMED codes in old list
SNOMED-CT:	Adverse reaction to	2.16.840.1.113883.3.464.1003.199.12.1031
219084006	tetanus vaccine	only SNOMED codes
219004000		-
SNOMED-CT:	Gestation period,	2.16.840.1.113883.3.117.1.7.1.287
13798002	38 weeks	only SNOMED codes
SNOMED-CT:	Stabilizing	2.16.840.1.113883.3.526.3.358
11932001	hemodialysis	2.16.840.1.113883.3.666.5.718
11701		code list not in new data
CNOMED OT	Following clinical	only SNOMED codes in previous code lists 2.16.840.1.113883.3.117.1.7.1.253
SNOMED-CT:	pathway protocol	2.16.840.1.113883.3.117.1.7.1.233 only SNOMED codes
370858005		_
SNOMED-CT:	Dialysis care education	2.16.840.1.113883.3.464.1003.109.12.1016
385972005		only SNOMED codes
SNOMED-CT:	Maternal postpartum	2.16.840.1.113883.3.464.1003.111.12.1013
428231000124106	depression care	only SNOMED codes
SNOMED-CT:	Receipt of Influenza	2.16.840.1.113883.3.526.3.1185
185900003	Vaccine	only SNOMED codes
SNOMED-CT:	Suspected pulmonary	2.16.840.1.113883.3.117.1.7.1.277
	embolism	only SNOMED codes

417113001		
SNOMED-CT:	Suicide risk	2.16.840.1.113883.3.600.559
225337009	assessment	only SNOMED codes
		2.16.840.1.113883.3.526.3.1484
CNOVED CE	Q	only SNOMED codes
SNOMED-CT:	Severe dementia	2.16.840.1.113883.3.526.3.1025 only SNOMED codes
428351000124105		_
SNOMED-CT	Patient requests	2.16.840.1.113883.3.600.1564
code: 182890002	alternative treatment	only SNOMED codes
SNOMED-CT:	Alcoholism	2.16.840.1.113883.3.600.823
24165007	counseling	only SNOMED codes
SNOMED-CT	Subcutaneous route	2.16.840.1.113883.3.117.1.7.1.223
code: 34206005		only SNOMED codes
SNOMED-CT:	Clinical	2.16.840.1.113883.3.464.1003.121.12.1006
371530004	consultation report	only SNOMED codes
SNOMED-CT:	Macular edema	2.16.840.1.113883.3.526.3.1286
428341000124108	absent	only SNOMED codes
SNOMED-CT:	Follow-up 1 day	2.16.840.1.113883.3.600.1537
	rollow up i day	only SNOMED codes
183617005		2.16.840.1.113883.3.600.1474
		only SNOMED codes
SNOMED-CT:	Bakers' asthma	2.16.840.1.113883.3.464.1003.199.12.1032
34015007		only SNOMED codes
SNOMED-CT:	Chemotherapy	2.16.840.1.113883.3.666.5.1937
367336001		code list not in new data
	**	only SNOMED codes in previous code lists
SNOMED-CT:	Hepatitis B vaccine adverse reaction	2.16.840.1.113883.3.464.1003.199.12.1029 only SNOMED codes
293110008		_
SNOMED-CT:	Mixed diabetic	2.16.840.1.113883.3.526.3.1323
314015001	maculopathy	only SNOMED codes
SNOMED-CT:	Vitamin K dietary	2.16.840.1.113883.3.117.1.7.1.302
428691000124107	intake education	only SNOMED codes
SNOMED-CT:	Assessment and	2.16.840.1.113883.3.526.3.1332
113024001	interpretation of	only SNOMED codes
	higher cerebral	
	function, cognitive testing	
SNOMED-CT:	Baseline state	2.16.840.1.113883.3.117.1.7.1.417
128974000		only SNOMED codes
SNOMED-CT:	Dependent drug	2.16.840.1.113883.3.464.1003.101.12.1059
182969009	detoxification	only SNOMED codes
	Emergency treatment	2.16.840.1.113883.3.117.1.7.1.377
SNOMED-CT:	education	only SNOMED codes
385867000		•
SNOMED-CT:	Telephone call by physician to	2.16.840.1.113883.3.526.3.1012 only SNOMED codes
11797002	patient or for	Only Shoring codes
	consultation	

CNOMED OF	Term birth of	2.16.840.1.114222.4.1.214079.1.1.1
SNOMED-CT:	identical twins,	only SNOMED codes
15467003	both living	only sworld codes
SNOMED-CT:	Breast milk	2.16.840.1.113883.3.117.1.7.1.30
226789007		only SNOMED codes
	International	2.16.840.1.113883.3.117.1.7.1.416
SNOMED-CT:	normalized ratio	only SNOMED codes
428401000124102	monitoring	only should codes
	education	
SNOMED-CT:	Intermittent	2.16.840.1.113883.3.117.1.7.1.214
428411000124104	pneumatic	only SNOMED codes
420411000124104	compression boot	
SNOMED-CT:	Influenza split	2.16.840.1.113883.3.526.3.1257
293112000	virion vaccine	only SNOMED codes
	adverse reaction	
SNOMED-CT:	Liveborn born in	2.16.840.1.113883.3.117.1.7.1.29
442311008	hospital	only SNOMED codes
SNOMED-CT:	Referral to	2.16.840.1.113883.3.600.537
183524004	psychiatry service	only SNOMED codes
SNOMED-CT:	History and	2.16.840.1.113883.3.600.538
14129001	physical	only SNOMED codes
14129001	examination,	
	follow-up for	
	emotional or mental	
	disease	
SNOMED-CT:	Electrocardiogram	2.16.840.1.113883.3.600.1483
164846002	requested	only SNOMED codes
SNOMED-CT	Ambulatory	2.16.840.1.113883.3.464.1003.122.12.1003
code: 255327002	j	only SNOWMED codes
SNOMED-CT:	Family history:	2.16.840.1.113883.3.600.1557
134439009	premature coronary	only SNOWMED codes
15457007	heart disease	
SNOMED-CT	Maternal substance	2.16.840.1.113883.3.117.1.7.1.84
code:	abuse	only SNOWMED codes
428561000124100		
CNOMED OF	Homonorfucion	2.16.840.1.113883.3.464.1003.109.12.1015
SNOMED-CT:	Hemoperfusion	only SNOWMED codes
233591003		-
SNOMED-CT:	Pneumococcal	2.16.840.1.113883.3.464.1003.110.12.1028
310578008	vaccination given	only SNOWMED codes
SNOMED-CT:	Emergency	2.16.840.1.113883.3.526.2.900
4525004	department patient	only SNOWMED codes
	visit	2.16.840.1.113883.3.117.1.7.1.293
		only SNOWMED codes
		2.16.840.1.113883.3.117.1.7.1.292 code list not in new data
		only SNOWMED codes in the previous lists
		2.16.840.1.113883.3.666.5.900
		only SNOWMED codes
SNOMED-CT:	Follow-up warfarin	2.16.840.1.113883.3.117.1.7.1.303
170916008	assessment	only SNOWMED codes
SNOMED-CT:	Hold	2.16.840.1.113883.3.666.5.1145
NI IIVIH II-(` I •	I 11010	~ · · · · · · · · · · · · · · · · · · ·

A21139008
SNOMED-CT: Examination of oral cavity under general anesthesia Code list not in new data only SNOWMED codes in previous code list
SNOMED-CT: 173476009
Cavity under general anesthesia Code list not in new data Code list not in previous code Cod
SNOMED-CT: 103301009 SNOMED-CT: 286861005 SNOMED-CT: 280861005 SNOMED-CT: 2809 SNOMED-CT: 28
NOMED-CT: Antineoplastic adverse reaction 2.16.840.1.113883.3.526.3.1287 only SNOWMED codes
SNOMED-CT: Antineoplastic adverse reaction 2.16.840.1.113883.3.526.3.1287 only SNOMMED codes colly SNOMMED codes 2.16.840.1.113883.3.464.1003.199.12.1026 only SNOMMED codes only SNOMMED codes only SNOMMED codes only SNOMMED codes SNOMED-CT: 385858000 SNOMED-CT: Suprapubic catheter 2.16.840.1.113883.3.666.5.781 only SNOMMED codes
292196008
SNOMED-CT: Hepatitis A vaccine adverse reaction 2.16.840.1.113883.3.464.1003.199.12.1026 SNOMED-CT: Tracheostomy care 2.16.840.1.113883.3.666.5.781 385858000 SNOMED-CT: Suprapubic catheter 2.16.840.1.113883.3.666.5.827 SNOMED-CT: Suprapubic catheter 2.16.840.1.113883.3.117.1.7.1.399 SNOMED-CT: Vertigo, acute onset with vomiting and inability to stand 2.16.840.1.113883.3.526.3.1494 SNOMED-CT: Procedure reason record 2.16.840.1.113883.3.526.3.1494 SNOMED-CT: Gestational age unknown 2.16.840.1.113883.3.117.1.7.1.307 SNOMED-CT: Maternal postpartum depression screening 2.16.840.1.113883.3.464.1003.111.12.1014 SNOMED-CT: Antineoplastic allergy 2.16.840.1.113883.3.3.464.1003.111.12.1012 SNOMED-CT: Influenza virus 2.16.840.1.113883.3.464.1003.199.12.1022
293126009 adverse reaction only SNOWMED codes
SNOMED-CT: 286861005
SNOMED-CT: Suprapubic catheter 2.16.840.1.113883.3.666.5.827 SNOMED-CT: Vertigo, acute onset with vomiting and inability to stand 2.16.840.1.113883.3.117.1.7.1.399 SNOMED-CT: Procedure reason record 2.16.840.1.113883.3.526.3.1494 SNOMED-CT: Procedure reason record 2.16.840.1.113883.3.117.1.7.1.307 SNOMED-CT: Gestational age unknown 2.16.840.1.113883.3.117.1.7.1.307 SNOMED-CT: Maternal postpartum depression screening 2.16.840.1.113883.3.464.1003.111.12.1014 SNOMED-CT: Antineoplastic allergy 2.16.840.1.113883.3.526.3.1280 SNOMED-CT: Influenza virus 2.16.840.1.113883.3.464.1003.199.12.1022
SNOMED-CT:
103301009 onset with vomiting and inability to stand only SNOWMED codes
And inability to stand SNOMED-CT: Procedure reason record 2.16.840.1.113883.3.526.3.1494 Only SNOWMED codes
SNOMED-CT: Procedure reason 2.16.840.1.113883.3.526.3.1494 433611000124109 record 2.16.840.1.113883.3.526.3.1494 SNOMED-CT: Gestational age unknown 2.16.840.1.113883.3.117.1.7.1.307 SNOMED-CT: Maternal postpartum depression screening 2.16.840.1.113883.3.464.1003.111.12.1014 SNOMED-CT: Antineoplastic allergy 2.16.840.1.113883.3.526.3.1280 SNOMED-CT: Influenza virus 2.16.840.1.113883.3.464.1003.199.12.1022
433611000124109 record only SNOWMED codes SNOMED-CT: Gestational age unknown 2.16.840.1.113883.3.117.1.7.1.307 only SNOWMED codes SNOMED-CT: Maternal postpartum depression screening 2.16.840.1.113883.3.464.1003.111.12.1014 only SNOWMED codes SNOMED-CT: Antineoplastic allergy 2.16.840.1.113883.3.526.3.1280 only SNOWMED codes SNOMED-CT: Influenza virus 2.16.840.1.113883.3.464.1003.199.12.1022
SNOMED-CT: Gestational age unknown 2.16.840.1.113883.3.117.1.7.1.307 only SNOWMED codes
441924001 unknown only SNOWMED codes SNOMED-CT: Maternal postpartum depression screening 2.16.840.1.113883.3.464.1003.111.12.1014 only SNOWMED codes SNOMED-CT: Antineoplastic allergy 2.16.840.1.113883.3.526.3.1280 only SNOWMED codes SNOMED-CT: Influenza virus 2.16.840.1.113883.3.464.1003.199.12.1022
SNOMED-CT: Maternal postpartum depression screening 2.16.840.1.113883.3.464.1003.111.12.1014 only SNOWMED codes SNOMED-CT: Antineoplastic allergy 2.16.840.1.113883.3.526.3.1280 only SNOWMED codes SNOMED-CT: Influenza virus 2.16.840.1.113883.3.464.1003.199.12.1022
428221000124108 depression screening only SNOWMED codes SNOMED-CT: 293739003 Antineoplastic allergy 2.16.840.1.113883.3.526.3.1280 only SNOWMED codes SNOMED-CT: Influenza virus 2.16.840.1.113883.3.464.1003.199.12.1022
SNOMED-CT: 293739003 Snomed Snome
293739003 allergy only SNOWMED codes SNOMED-CT: Influenza virus 2.16.840.1.113883.3.464.1003.199.12.1022
SNOMED-CT: Influenza virus 2.16.840.1.113883.3.464.1003.199.12.1022
SINONIED-CI.
TIDGGING OCTIONGS ON LIT CNOWMED COCCC
420113004 vaccine adverse only SNOWMED codes reaction
SNOMED-CT: Intermittent 2.16.840.1.113883.3.666.5.825
225103006 urethral only SNOMED codes catheterization
SNOMED-CT: Peritoneal dialysis 2.16.840.1.113883.3.526.2.592
14684005 excluding code list not in new data
cannulation only SNOMED codes in previous code list SNOMED-CT: Triad knee repair 2.16.840.1.113883.3.666.5.704
SNOMED-CT: Triad knee repair 2.16.840.1.113883.3.666.5.704 code list not in new data
only SNOMED codes in previous code list
SNOMED-CT: Ureteroenterostomy 2.16.840.1.113883.3.666.5.1050 code list not in new data
1163003 Code list not in new data only SNOMED codes in previous code list
2.16.840.1.113883.3.666.5.822
only SNOMED codes
SNOMED-CT: Patient given 2.16.840.1.113883.3.117.1.7.1.415 written information only SNOMED code
413318004 written information only SNOMED code

SNOMED-CT:	Drugs of addiction	2.16.840.1.113883.3.464.1003.106.12.1005
171047005	education	only SNOMED codes
SNOMED-CT: 133918004	Comfort measures	2.16.840.1.113883.3.666.5.3002 only SNOMED codes
SNOMED-CT: 417886001	Treatment adjusted per protocol	2.16.840.1.113883.3.117.1.7.1.278 only SNOMED codes
SNOMED-CT: 169826009	Single live birth	2.16.840.1.113883.3.117.1.7.1.25 only SNOMED codes
SNOMED-CT: 15993004	Alveolar hypoventilation	2.16.840.1.113883.3.666.5.673 code list not in new data only SNOMED codes in previous code list
SNOMED-CT: 294647003	Influenza vaccine allergy	2.16.840.1.113883.3.526.3.1256 only SNOMED codes
SNOMED-CT: 428024001	Clinical trial participant	2.16.840.1.113883.3.526.2.643 only SNOMED codes
SNOMED-CT: 213020009	Egg protein allergy	2.16.840.1.113883.3.526.3.1253 only SNOMED codes
SNOMED-CT: 105539002	Non-smoker for personal reasons	2.16.840.1.113883.3.526.3.1189 only SNOMED codes
SNOMED-CT: 981000124106	Moderate left ventricular systolic	2.16.840.1.113883.3.526.3.1090 only SNOMED codes
SNOMED-CT: 428521000124106	Patient informed - arrange follow-up care	2.16.840.1.113883.3.117.1.7.1.378 only SNOMED codes
SNOMED-CT: 223413005	Signs and symptoms education	2.16.840.1.113883.3.117.1.7.1.381 only SNOMED codes
SNOMED-CT: 428181000124104	Depression Screening Positive	2.16.840.1.113883.3.600.793 only SNOMED codes
SNOMED-CT: 228518000	Chews products containing tobacco	2.16.840.1.113883.3.526.3.1170 only SNOMED codes
SNOMED-CT: 235513003	Palliative procedure for pancreatic pain relief	1.3.6.1.4.1.33895.1.3.0.45 This code list does have the title given here and on the Ricky patient record, but the 235513003 code is not in that list. All the codes are, however SNOMED codes.
SNOMED-CT: 293116002	Pneumococcal vaccine adverse reaction	2.16.840.1.113883.3.464.1003.199.12.1027 only SNOMED codes
SNOMED-CT: 12866006	Pneumococcal vaccination	2.16.840.1.113883.3.464.1003.110.12.1034 only SNOMED codes
SNOMED-CT: 161663000	History of tissue/organ recipient	2.16.840.1.113883.3.666.5.802 code list not in new data only SNOMED codes in previous code list
SNOMED-CT: 160603005	Light cigarette smoker (1-9 cigs/day)	2.16.840.1.113883.3.600.1559 only SNOMED codes
SNOMED-CT:	Beta-adrenoceptor blocking drug	2.16.840.1.113883.3.526.3.1178 only SNOMED codes

292419005	adverse reaction	
SNOMED-CT:	Prescribed	2.16.840.1.113883.3.117.1.7.1.379
386465007	medication	only SNOMED codes
CNOMED OF	education	2.16.840.1.113883.3.464.1003.199.12.1024
SNOMED-CT: 292927007	Neomycin adverse reaction	2.16.840.1.113883.3.464.1003.199.12.1024 only SNOMED codes
SNOMED-CT:	Gestation period,	2.16.840.1.113883.3.117.1.7.1.402
13763000	34 weeks	only SNOMED codes
SNOMED-CT:	Computerized axial	2.16.840.1.113883.3.666.5.680
113105001	tomography of thoracic spine with contrast	This code does not appear in the new code list with this number, but the previous list with this number does include it. The code itself may occur in the new test in another code list. only SNOMED codes in previous code list
SNOMED-CT code: 276506001	Newborn death	2.16.840.1.113883.3.666.5.1618 only SNOMED codes
SNOMED-CT: 233169004	Automatic defibrillator procedure	2.16.840.1.113883.3.666.5.1087 not found in the new data only SNOMED codes in previous code list
SNOMED-CT: 292248002	Tamoxifen adverse reaction	2.16.840.1.113883.3.526.3.1318 only SNOMED codes
SNOMED-CT: 134388005	Monofilament foot sensation test	2.16.840.1.113883.3.464.1003.103.12.1014 only SNOMED codes
SNOMED-CT: 103697008	Patient referral for dental care	2.16.840.1.113883.3.464.1003.101.12.1046 only SNOMED codes
SNOMED-CT: 134403003	Urgent referral	2.16.840.1.113883.3.600.1475 does not appear in new data only SNOMED codes in previous list
SNOMED-CT: 428431000124105	Chronic wound care	2.16.840.1.113883.3.666.5.719 only SNOMED codes
SNOMED-CT: 103698003	Patient referral to non-physician provider	2.16.840.1.113883.3.600.1.1527 only SNOMED codes
SNOMED-CT: 422894000	Eastern Cooperative Oncology Group performance status - grade 2	2.16.840.1.113883.3.526.3.1279 only SNOMED codes
SNOMED-CT: 14693006	Bilateral subcutaneous mammectomy	2.16.840.1.113883.3.464.1003.198.12.1005 only SNOMED codes
SNOMED-CT: 428381000124102	Medication interaction with food education	2.16.840.1.113883.3.117.1.7.1.414 only SNOMED codes
SNOMED-CT: 112798008	Insertion of endotracheal tube	2.16.840.1.113883.3.666.5.747 only SNOMED codes
SNOMED-CT: 426697007	Percutaneous radiofrequency ablation of lesion of kidney	2.16.840.1.113883.3.666.5.819 code list not found on new data only SNOMED codes in previous list
SNOMED-CT:	Obstructed labor	2.16.840.1.113883.3.117.1.7.1.281 only SNOMED codes

199746004	<u> </u>	T
SNOMED-CT:	Medication side	2.16.840.1.113883.3.117.1.7.1.304
	effects education	only SNOMED codes
396080005		-
SNOMED-CT	History of a drug	2.16.840.1.113883.3.117.1.7.1.18 only SNOMED codes
code: 161590003	allergy	2.16.840.1.113883.3.526.3.1007
		only SNOMED codes
		2.16.840.1.113883.3.117.1.7.1.473
		only SNOMED codes
		2.16.840.1.113883.3.117.1.7.1.412
		only SNOMED codes
		2.16.840.1.113883.3.526.2.313
		only SNOMED codes
		2.16.840.1.113883.3.666.5.3003
		only SNOMED codes
SNOMED-CT	Refusal of treatment by	2.16.840.1.113883.3.117.1.7.1.93
code: 105480006	patient	only SNOMED codes
		2.16.840.1.113883.3.526.3.1008 only SNOMED codes
		2.16.840.1.113883.3.526.2.311
		only SNOMED codes
		2.16.840.1.113883.3.117.1.7.1.474
		code list not in new data
		only SNOMED codes in previous list
		2.16.840.1.113883.3.600.791
		only SNOMED codes
		2.16.840.1.113883.3.666.5.3004
		only SNOMED codes
SNOMED-CT	Gastrostomy route	2.16.840.1.113883.3.666.5.1072
code: 127490009		only SNOMED codes 2.16.840.1.113883.3.666.5.1112
		only SNOMED codes
		2.16.840.1.113883.3.666.5.1111
		only SNOMED codes
SNOMED-CT	Principal (qualifier	2.16.840.1.113883.3.666.5.3010
code: 63161005	value)	only SNOMED codes
couc. 05101005	varae)	2.16.840.1.113883.3.526.2.8001
		only SNOMED codes
		2.16.840.1.113883.3.117.1.7.1.14
		only SNOMED codes
		2.16.840.1.113883.3.67.1.101.11.724 only SNOMED codes
CNOMED CT	Intravanaus	2.16.840.1.113883.3.666.5.1108
SNOMED-CT	Intravenous	only SNOMED codes
code: 255560000		2.16.840.1.113883.3.666.5.1111
		only SNOMED codes
		2.16.840.1.113883.3.666.5.1109
		only SNOMED codes
		2.16.840.1.113883.3.666.5.1112
		only SNOMED codes
SNOMED-CT	Patient transfer	2.16.840.1.113883.3.526.3.1009
code: 107724000		only SNOMED codes
		2.16.840.1.113883.3.666.5.3005
CNOLER CE	D 1	only SNOMED codes
SNOMED-CT	Procedure	2.16.840.1.113883.3.600.792

code: 183932001	contraindicated	only SNOMED codes 2.16.840.1.113883.3.600.1.1502
SNOMED-CT	Intravenous central	only SNOMED codes 2.16.840.1.113883.3.117.1.7.1.222
code: 418114005	route	only SNOMED codes
SNOMED-CT code: 397745006	Medical contraindication	2.16.840.1.114222.4.1.214079.1.1.7 only SNOMED codes 2.16.840.1.113883.3.600.1521 only SNOMED codes
SNOMED-CT code: 24484000	Severe	2.16.840.1.113883.3.526.3.1092 only SNOMED codes 2.16.840.1.113883.3.666.5.1153 code list not found in new data only SNOMED codes in previous list