

Mental Health: Positive Suicide Risk Screening Order Set

Order Set: Conceptual Structure

Contract: VA118-16-D-1008, Task Order (TO): VA-118-16-F-1008-0007, CLIN0008BA

Department of Veterans Affairs (VA)



**Knowledge Based Systems (KBS)
Office of Informatics and Information Governance (OIIG)
Clinical Decision Support (CDS)**

Publication date 04/27/2018

Version: 1.0

Mental Health: Positive Suicide Risk Screening Order Set: Order Set: Conceptual Structure

by Knowledge Based Systems (KBS), Office of Informatics and Information Governance (OIIG), and Clinical Decision Support (CDS)

Publication date 04/27/2018

Table of Contents

Preface	v
Artifact Applicability	vi
Models	vii
1. External Data Definitions	1
2. Expression Definitions	2
3. Consults	3
4. Follow up	4
5. Tabular List	5
6. Behavior Symbols	6
A. References	8

List of Tables

1. Revision History	v
2. Clinical White Paper Contributors	v
3. Artifact Identifier	v
4. Applicability Foci, Description and Codes	vi
5. Model References	vii
5.1. Terminology Versions	5
5.2. Terminology References	5
6.1. Group Organizational Behavior	6
6.2. Group Selection Behavior	6
6.3. Required Behavior	6
6.4. Precheck Behavior	7
6.5. Cardinality Behavior	7
6.6. Item Flags	7
6.7. Read Only Behavior	7

Preface

Table 1. Revision History

Date	Life Cycle Event
April 27, 2018	Published
April 27, 2018	Created
April 6, 2018	Created
April 6, 2018	Pre-published

Table 2. Clinical White Paper Contributors

Name	Role	Affiliation
Rani Hoff, PhD MPH	Reviewer	Director, Northeast Program Evaluation Center Office of Mental Health and Suicide Prevention (10NC5) VA Central Office; Professor of Psychiatry Yale University School of Medicine
Bridget Matarazzo	Reviewer	Director of Clinical Services Rocky Mountain Mental Illness Research, Education and Clinical Center (MIRECC) Denver, CO 80220
Ira Katz	Reviewer	Senior Consultant for Mental Health Program Analysis
Edd Post	Reviewer	VA HSR&D

Table 3. Artifact Identifier

Domain	Artifact ID	Name
urn:va.gov:kbs:knart:artifact:r1	88b26417-85e5-5de4-9267-28980af52e71	88b26417-85e5-5de4-9267-28980af52e71

Artifact Applicability

Table 4. Applicability Foci, Description and Codes

Focus	Description	Code System	Code	Value Set	Value Set Version
TargetUser	Mental health providers; other physicians and nurses performing screening			N/A	N/A
ClinicalFocus	Patients identified as being at risk for suicide; members of patient cohorts identified for suicide risk screening			N/A	N/A
ClinicalVenue	Mental Health Primary Care			N/A	N/A
ClinicalVenue	Outpatient	SNOMED CT	33022008 Hospital-based outpatient department (environment)	N/A	N/A

Models

Table 5. Model References

Referenced Model	Description
urn:solor.io:anf-model:1.0	VA Analysis Normal Form Model

Chapter 1. External Data Definitions

No external data expression definitions and no trigger definitions are present.

Chapter 2. Expression Definitions

No expression definitions are present.

Chapter 3. Consults

- Refer to mental health provider (routine)

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

"statementType:Precoordinated Expression topic:Precoordinated Expression , priority:Pre-coordinated Expression"

(Codes: 385644000 |Requested (qualifier value)| 390866009 |Referral to mental health team (procedure)| 50811001 |Routine (qualifier value)|)

- Refer to mental health provider now (same day)

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

"statementType:Precoordinated Expression topic:Precoordinated Expression"

(Codes: 385644000 |Requested (qualifier value)| 390866009 |Referral to mental health team (procedure)|)

Chapter 4. Follow up

Return Instructions

☐ Timeframe

⊗ prompt: Enter number of time intervals

response: Integer (Single)

responseBinding: Property ("returnTimeFrame")

⊗ prompt: Select time interval

response: EntityName (Single)

response range: EnumerationConstraint (List)

item: Days(258703001 |day (qualifier value)|)

item: Weeks(258705008 |week (qualifier value)|)

item: Months(258706009 |month (qualifier value)|)

responseBinding: Property ("returnTimeFrameUnit")

☐ Details?

prompt:

re- String (Single)

sponse:

☐ Return to clinic in a specified time frame

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

"statementType:Precoordinated Expression topic:Precoordinated Expression , timing.lower-Bound: returnTimeFrame , timing.upperBound: returnTimeFrame , timing.includeLowerBound: TRUE , timing.includeUpperBound: TRUE , timing.measureSemantic: returnTimeFrameUnit"

(Codes: 385644000 |Requested (qualifier value)| 185389009 |Follow-up visit (procedure)|)

Chapter 5. Tabular List

Terminology Service Request (TSR) Mappings

Table 5.1. Terminology Versions

Name	Identifier	Version
SNOMED CT	2.16.840.1.113883.6.96	United States Edition 20180301

Table 5.2. Terminology References

System	Code	Display Text	References
SNOMED CT	185389009 Follow-up visit (procedure)	Precoordinated Expression	1
SNOMED CT	258703001 day (qualifier value)	Days	1
SNOMED CT	258705008 week (qualifier value)	Weeks	1
SNOMED CT	258706009 month (qualifier value)	Months	1
SNOMED CT	33022008 Hospital-based outpatient department (environment)	Outpatient	1
SNOMED CT	385644000 Requested (qualifier value)	Precoordinated Expression	3
SNOMED CT	390866009 Referral to mental health team (procedure)	Precoordinated Expression	2
SNOMED CT	50811001 Routine (qualifier value)	Precoordinated Expression	1

Chapter 6. Behavior Symbols

Table 6.1. Group Organizational Behavior

Sym- bol	Name	Definition
▶	Sentence Group	A group of related alternative actions is a sentence group if the item referenced by the action is the same in all the actions, and each action simply constitutes a different variation on how to specify the details for that item. For example, two actions that could be in a SentenceGroup are "aspirin, 500 mg, 2 times per day" and "aspirin, 300 mg, 3 times per day". In both cases, aspirin is the item referenced by the action, and the two actions represent two different options for how aspirin might be ordered for the patient. Note that a SentenceGroup would almost always have an associated selection behavior of "AtMostOne", unless it's a required action, in which case, it would be "ExactlyOne".
▷	Logical Group	A group with this behavior logically groups its sub-elements, and may be shown as a visual group to the end user, but it is not required to do so.
➤	Visual Group	Any group marked with this behavior should be displayed as a visual group to the end user.

Table 6.2. Group Selection Behavior

Sym- bol	Name	Definition
□	Any	Any number of the items in the group may be chosen, from zero to all.
⊙	All	All the items in the group must be selected as a single unit.
⊙	AllOrNone	All the items in the group are meant to be chosen as a single unit: either all must be selected by the end user, or none may be selected.
○	ExactlyOne	The end user must choose one and only one of the selectable items in the group. The user may not choose none of the items in the group.
⊛	AtMostOne	The end user may choose zero or at most one of the items in the group.
⊛	OneOrMore	The end user must choose a minimum of one, and as many additional as desired.

Table 6.3. Required Behavior

Sym- bol	Name	Definition
◆	Must	An action with this behavior must be included in the actions processed by the end user; the end user may not choose not to include this action.

Sym- bol	Name	Definition
◇	Could	An action with this behavior may be included in the set of actions processed by the end user.
➤	MustUnlessDocumented	An action with this behavior must be included in the set of actions processed by the end user, unless the end user provides documentation as to why the action was not included.

Table 6.4. Precheck Behavior

Sym- bol	Name	Definition
▲	Yes	An action with this behavior is one of the most frequent actions that is, or should be, included by an end user, for the particular context in which the action occurs. The system displaying the action to the end user should consider "pre-checking" such an action as a convenience for the user.
▽	No	An action with this behavior is one of the less frequent actions included by the end user, for the particular context in which the action occurs. The system displaying the actions to the end user would typically not "pre-check" such an action.

Table 6.5. Cardinality Behavior

Sym- bol	Name	Definition
◆	Single	An action with this behavior may only be completed once.
❖	Multiple	An action with this behavior may be repeated multiple times.

Table 6.6. Item Flags

Sym- bol	Name	Definition
☞	fillIn	This item, in a list entry, allows the user to enter a fill in value that is not present in the set of presented choices.

Table 6.7. Read Only Behavior

Sym- bol	Name	Definition
☆	true	For a particular action or action group, specifies whether the elements are read only.

Appendix A. References

This appendix contains the list of related resources and supporting documents used in creating this KNART.

List of References

Related Resources

[CCWP] *Mental Health: Suicidality Clinical Content White Paper*

[CSD] *Mental Health: Positive Suicide Risk Screening Order Set Conceptual Structure Document*

[KVRpt] *Mental Health: Positive Suicide Risk Screening Order Set KNART Validation Report*

Supporting Evidence

[Columbia Lighthouse Project 2017] *Columbia–Suicide Severity Rating Scale Screen Version – Recent*. Columbia Lighthouse Project website. Accessed October 2017 (link [<https://cssrs.columbia.edu/the-columbia-scale-cssrs/cssrs-for-communities-and-healthcare>])

[Committee on the Assessment of the Readjustment Needs of Military Personnel, Veterans, and Their Families, Board on the Health of Select Populations, Institute of Medicine 2013] *Committee on the Assessment of the Readjustment Needs of Military Personnel, Veterans, and Their Families, Board on the Health of Select Populations, Institute of Medicine. Returning Home from Iraq and Afghanistan: Assessment of Readjustment Needs of Veterans, Service Members, and Their Families*. Washington (DC): National Academies Press (US); Mar 2013. Available from <https://www.ncbi.nlm.nih.gov/books/NBK206864/>. (link [<https://www.ncbi.nlm.nih.gov/books/NBK206864/>])

[Kroenke 2001] Kroenke K, Spitzer RL, Williams JB. *The PHQ-9: validity of a brief depression severity measure*. *J Gen Intern Med*. 2001;16(9):606-613. (link [[J Gen Intern Med.](#)])

[Office of Mental Health and Suicide Prevention 2017] *Office of Mental Health and Suicide Prevention. Suicide Among Veterans and Other Americans 2001–2014*. U.S. Department of Veterans Affairs Mental Health website. <https://www.mentalhealth.va.gov/docs/2016suicidedatareport.pdf>. Updated August 2017. (link [<https://www.mentalhealth.va.gov/docs/2016suicidedatareport.pdf>])

[FedRegist 2006 2010 2012] *Title 42 - Public Health. Condition of participation: Patient's rights*. 71 FedRegist 71426, Dec. 8, 2006, as amended at 75 FedRegist 70844, Nov. 19, 2010; 77 FedRegist 29074, May 16, 2012. 42 CFR §482.13. (link [<https://www.federalregister.gov/>])

[Tri-Service Workflow 2017] *Tri-Service Workflow (TSWF). TSWF-CORE AIM Form Version Jan-Apr 2017. TSWF CORE Paper Backup Jan Apr 2017.pdf*. (Veterans Administration, materials provided in *Mental Health-20170921T220116Z-001.zip*, September 21, 2017). (link [[Mental Health-20170921T220116Z-001.zip](#) September 21, 2017])

[U.S. Department of Veterans Affairs 2016] *U.S. Department of Veterans Affairs. VA Suicide Prevention Program Facts about Veteran Suicide*. U.S. Department of Veterans Affairs Office of Public and Intergovernmental Affairs website. https://www.va.gov/opa/publications/factsheets/Suicide_Prevention_FactSheet_New_VA_Stats_070616_1400.pdf. Published July 2016. (link [https://www.va.gov/opa/publications/factsheets/Suicide_Prevention_FactSheet_New_VA_Stats_070616_1400.pdf])

- [U.S. Department of Veterans Affairs and Department of Defense 2013] *U.S. Department of Veterans Affairs; U.S. Department of Defense (DoD). VA/DoD Clinical Practice Guideline for the Assessment and Management of Patients at Risk for Suicide. Version 1.0 – June 2013. VA/DoD Clinical Practice Guidelines website. https://www.healthquality.va.gov/guidelines/MH/srb/VADODCP_SuicideRisk_Full.pdf. Published June 2013.* (link [https://www.healthquality.va.gov/guidelines/MH/srb/VADODCP_SuicideRisk_Full.pdf])
- [U.S. Department of Veterans Affairs and Department of Defense 2016] *U.S. Department of Veterans Affairs; U.S. Department of Defense. VA/DoD Clinical Practice Guideline for the Management of Major Depressive Disorder. Version 3.0 – 2016. VA/DoD Clinical Practice Guidelines website. <https://www.healthquality.va.gov/guidelines/MH/mdd/VADoDMDDCPGFINAL82916.pdf>. Published April 2016.* (link [<https://www.healthquality.va.gov/guidelines/MH/mdd/VADoDMDDCPGFINAL82916.pdf>])