Women's Health: Cervical Cancer Screening

Rule: Conceptual Structure

Contract: VA118-16-D-1008, Task Order (TO): VA-118-16-F-1008-0007, CLIN0007BA

Department of Veterans Affairs (VA)



Knowledge Based Systems (KBS)
Office of Informatics and Information Governance (OIIG)
Clinical Decision Support (CDS)

Publication date 06/14/2018

Version: 1.0

Women's Health: Cervical Cancer Screening Rule: Rule: Conceptual Structure

by Knowledge Based Systems (KBS), Office of Informatics and Information Governance (OIIG), and Clinical Decision Support (CDS)

Publication date 06/14/2018 Copyright © 2018 B3 Group, Inc. Copyright © 2018 Cognitive Medical Systems, Inc.

B3 Group, Inc.

NOTICE OF GOVERNMENT COPYRIGHT LICENSE AND UNLIMITED RIGHTS LICENSE

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Portions of this content are derivative works from content produced by Cognitive Medical Systems, Inc. licensed under the Apache License, Version 2.0

Additional portions of this content are derivative works from content contributed by Motive Medical Intelligence Inc., under Creative Commons Attribution-ShareAlike 4.0.

Contributions from 2013-2018 were performed either by US Government employees, or under US Veterans Health Administration contracts.

US Veterans Health Administration contributions by government employees are work of the U.S. Government and are not subject to copyright protection in the United States. Portions contributed by government employees are USGovWork (17USC §105). Not subject to copyright.

 $See: \ https://www.usa.gov/government-works$

Contribution by contractors to the US Veterans Health Administration during this period are contractually contributed under the Apache License, Version 2.0 and US Government sponsorship is acknowledged under Contract VA118-16-D-1008, Task Order VA11817F10080007.

Cognitive Medical Systems, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This and related content produced by Cognitive Medical Systems, Inc. licensed under the Apache License, Version 2.0 is available at: https://bitbucket.org/cogmedsys/hl7-kas-examples

Additional portions of this content are derivative works from content contributed by Motive Medical Intelligence Inc., under Creative Commons Attribution-ShareAlike 4.0. https://bitbucket.org/cogmedsys/kas-source-material

Contributions from 2013-2018 were performed either by US Government employees, or under US Veterans Health Administration contracts.

US Veterans Health Administration contributions by government employees are work of the U.S. Government and are not subject to copyright protection in the United States. Portions contributed by government employees are USGovWork (17USC §105). Not subject to copyright. See: https://www.usa.gov/government-works

Contribution by contractors to the US Veterans Health Administration during this period are contractually contributed under the Apache License, Version 2.0 and US Government sponsorship is acknowledged under Contract VA118-16-D-1008-0007.

Table of Contents

| Preface | v |
|------------------------------|-----|
| Artifact Applicability | vi |
| Models | vii |
| 1. External Data Definitions | |
| Definitions | |
| Triggers | |
| 2. Expression Definitions | 3 |
| 3. Actions | 6 |
| 4. Tabular List | 9 |
| 5. Behavior Symbols | |
| A. References | |

List of Tables

| 1. Revision History | . V |
|----------------------------------------------|-----|
| 2. Clinical White Paper Contributors | . v |
| 3. Artifact Identifier | . v |
| 4. Applicability Foci, Description and Codes | vi |
| 5. Model References | vii |
| 1.1. Exclusions | |
| 1.2. LifeExpectancyLT10Y | . 1 |
| 1.3. CervicalCytologyExams | |
| 1.4. duringOutpatientVisit | 1 |
| 1.5. preventiveScreeningTrigger | 2 |
| 2.1. PatientAge | . 3 |
| 2.2. PatientFemale | |
| 2.3. CotestsWithInPast5Years | |
| 2.4. CotestsWithInPast10Years | . 3 |
| 2.5. CervicalCytologyExam | |
| 2.6. NoCervicalCytologyExamWithinPast3Years | |
| 2.7. NoCotestsWithInPast5Years | |
| 2.8. NegativeCytologyResults | |
| 2.9. NegativeCotestResults | |
| 2.10. MostRecentNegativeCytologyResult | |
| 2.11. MostRecentNegativeCotestResult | |
| 2.12. historyOfAdequateScreening | |
| 2.13. cytologyScreeningDueMinus30To60Days | |
| 2.14. hpvScreeningDueMinus30To60Days | |
| 2.15. CytologyScreeningDueIn60Days | |
| 4.1. Terminology Versions | |
| 4.2. Terminology References | |
| 5.1. Group Organizational Behavior | |
| 5.2. Group Selection Behavior | |
| 5.3. Required Behavior | |
| 5.4. Precheck Behavior | |
| 5.5. Cardinality Behavior | |
| 5.6. Item Flags | 13 |
| 5.7. Read Only Behavior | 13 |

Preface

Table 1. Revision History

| Date | Life Cycle Event | |
|----------------|------------------|--|
| June 14, 2018 | Published | |
| May 3, 2018 | Published | |
| May 3, 2018 | Reviewed | |
| March 27, 2018 | Created | |

Table 2. Clinical White Paper Contributors

| Name | Role | Affiliation | |
|-----------------------------------------|--------|--------------------------------------------------------------------------------------------------------------------------------------|--|
| C. Yvette Williams-Harris, MD MPH | Author | Physician, 1670 Clairmont Rd Atlanta, GA 30033 | |
| Megan Gerber, MD MPH | Author | Physician, VA Boston Healthcare System, 150 South Huntington Ave Boston, MA 02130 | |
| Caitlin M. Cusack, MD MPH | Author | Contractor- Physician Informaticist, Office of Women's Health Services, 8455 Colesville Rd, 12th Floor Silver Spring, MD 20910 | |

Table 3. Artifact Identifier

| Domain | Artifact ID | Name | |
|----------------------------------|--------------------------------------|------|--|
| urn:va.gov:kbs:knart:artifact:r1 | 60a234fb-b0c0-5834-bb76-38ff0c1b46c8 | O5 | |

Artifact Applicability

Table 4. Applicability Foci, Description and Codes

| Focus | Description | Code System | Code | Value Set | Value Set Version |
|-----------------|---------------------------------------------------|----------------|---------------------------------------------------------------------|-----------|----------------------|
| PatientAgeGroup | Female outpatients 21 years of age or older | | | N/A | N/A |
| PatientGender | Female outpatients 21 years of age or older | SNOMED CT | 248152002 Female (finding) | N/A | N/A |
| ClinicalVenue | Primary Care | SNOMED CT | 5351000124100 Primary care clinic (environment) | N/A | N/A |
| ClinicalVenue | Obstetrics/ Gynecology | SNOMED CT | 702892004 Obstetrics and gynecology clinic (environment) | N/A | N/A |
| ClinicalVenue | Women's Health | SNOMED CT | 2651000175101 Women's health service (qualifier value) | N/A | N/A |

Models

Table 5. Model References

| Referenced Model | Description |
|----------------------------|-------------------------------|
| urn:solor.io:anf-model:1.0 | VA Analysis Normal Form Model |

Chapter 1. External Data Definitions

Definitions

Table 1.1. Exclusions

 $Expression: type=elm: Retrieve\ ,\ data Type=anf: Clinical Statement,\ code Property=topic$

Annotation:

Codes: elm:element[elm:Code]: [116140006 | Total hysterectomy (procedure)|]elm:element[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure (procedure)] ->(363702006 | Has focus (attribute))->[37687000 | Congenital absence of cervix (disorder)]]elm:element[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure (procedure)] ->(363702006 |Has focus (attribute))->[86406008 |Human immunodeficiency virus infection (disorder)]]elm:element[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure (procedure)] ->(363702006 |Has focus (attribute))->[38013005 | Immunosuppression (finding)]]elm:element[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure (procedure)] ->(363702006 |Has focus (attribute))->[698582007 |Fetal or neonatal effect of diethylstilbestrol transmitted via placenta (disorder)]]elm:element[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure (procedure)] ->(363702006 |Has focus (attribute))->[252991009 |Cervical intraepithelial neoplasia grade III with severe dysplasia (disorder)]]elm:element[elm:Code]: [[277132007 | Therapeutic procedure (procedure)] ->(363702006 | Has focus (attribute))->[285838002 | Cervical intraepithelial neoplasia grade 2 (disorder)]]elm:element[elm:Code]: [[277132007 |Therapeutic procedure (procedure)] ->(363702006 | Has focus (attribute))->[92564006 | Carcinoma in situ of uterine cervix (disorder)]]

Table 1.2. LifeExpectancyLT10Y

Expression: type=elm:Query

Annotation:

Codes: elm:value[elm:Code]: [398166005 | Performed (qualifier value)|]elm:value[elm:Code]:

[729d3508-98ba-4a1d-8334-9e024a0a760e | Prognosis of life expectancy (finding)]

Table 1.3. CervicalCytologyExams

Expression: type=elm:Retrieve, dataType=anf:ClinicalStatement, codeProperty=topic, dateProperty=timing.lowerBound

Annotation:

Codes: elm:element[elm:Code]: [416107004 | Cervical cytology test (procedure)|] dateRange[elm:Interval] low: elm:Add(elm:Today() elm:Quantity(-10 year))

high: elm:Today()

Triggers

Table 1.4. duringOutpatientVisit

Trigger: type=DataEventTrigger, DataElementAccessed

Expression: type=elm:Instance

Annotation:

Codes:

Table 1.5. preventiveScreeningTrigger

| Trigger: type=PeriodicEventTrigger, |
|-------------------------------------|
| Expression: type=elm:Instance |
| Annotation: |
| Codes: |

Chapter 2. Expression Definitions

Table 2.1. PatientAge

Expression: type=elm:SingletonFrom

Annotation:

Codes: elm:value[elm:Code]: [398166005 |Performed (qualifier value)|]elm:value[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure (procedure)] ->(363702006 |Has focus (attribute))->[105726004 |Age AND/OR growth finding (finding)]]

Table 2.2. PatientFemale

Expression: type=elm:SingletonFrom

Annotation:

Codes: elm:value[elm:Code]: [398166005 | Performed (qualifier value)|]elm:value[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a | Observation procedure (procedure)] ->(363702006 | Has focus (attribute))->[248152002 | Female (finding)]]

Table 2.3. CotestsWithInPast5Years

 $Expression: type = elm: Retrieve\ ,\ data Type = anf: Clinical Statement,\ code Property = topic,$

dateProperty=timing.lowerBound

Annotation:

Codes: elm:element[elm:Code]: [416107004 | Cervical cytology test

(procedure)|]elm:element[elm:Code]: [700152009 |Human papillomavirus screening (procedure)|]

dateRange[elm:Interval] low: elm:Add(elm:Today() elm:Quantity(-5 year))

high: elm:Today()

Table 2.4. CotestsWithInPast10Years

Expression: type=elm:Retrieve , dataType=anf:ClinicalStatement, codeProperty=topic, dateProperty=timing.lowerBound

Annotation:

Codes: elm:element[elm:Code]: [416107004 | Cervical cytology test

(procedure)|]elm:element[elm:Code]: [416032004 |Cervicovaginal cytology normal or benign

(finding)|]

dateRange[elm:Interval] low: elm:Add(elm:Today() elm:Quantity(-10 year))

high: elm:Today()

Table 2.5. CervicalCytologyExam

Expression: type=elm:Retrieve , dataType=anf:ClinicalStatement, codeProperty=topic,

dateProperty=result.lowerBound

Annotation:

Codes: elm:element[elm:Code]: [416107004 | Cervical cytology test (procedure)|]

dateRange[elm:Interval] low: elm:Add(elm:Today() elm:Quantity(-3 year))

high: elm:Add(elm:Today() elm:Quantity(60 day))

Table 2.6. NoCervicalCytologyExamWithinPast3Years

Expression: type=elm:Not
Annotation:
Codes:

Table 2.7. NoCotestsWithInPast5Years

Expression: type=elm:Not
Annotation:
Codes:

Table 2.8. NegativeCytologyResults

Expression: type=elm:Query
Annotation:

Codes: elm:value[elm:Code]: [398166005 |Performed (qualifier value)|]elm:value[elm:Code]: [416032004 |Cervicovaginal cytology normal or benign (finding)|]

Table 2.9. NegativeCotestResults

Expression: type=elm:Query

Annotation:

Codes: elm:value[elm:Code]: [398166005 | Performed (qualifier value)|]elm:value[elm:Code]: [TSR-

NoCode]

Table 2.10. MostRecentNegativeCytologyResult

Expression: type=elm:Indexer
Annotation:
Codes:

Table 2.11. MostRecentNegativeCotestResult

Expression: type=elm:Indexer
Annotation:
Codes:

Table 2.12. historyOfAdequateScreening

Expression: type=elm:AnyTrue
Annotation:
Codes:

Table 2.13. cytologyScreeningDueMinus30To60Days

Expression: type=elm:Query

Annotation:

Codes: elm:value[elm:Code]: [385644000 |Requested (qualifier value)|]elm:value[elm:Code]: [416107004 |Cervical cytology test (procedure)|]

Table 2.14. hpvScreeningDueMinus30To60Days

Expression: type=elm:Query

Annotation:

Codes: elm:value[elm:Code]: [385644000 | Requested (qualifier value)|]elm:value[elm:Code]:

[700152009 | Human papillomavirus screening (procedure)|]

Table 2.15. CytologyScreeningDueIn60Days

Expression: type=elm:Query

Annotation:

Codes: elm:value[elm:Code]: [385644000 | Requested (qualifier value)|]elm:value[elm:Code]:

[416107004 | Cervical cytology test (procedure)|]

Chapter 3. Actions

Condition:elm:And (elm:GreaterOrEqual(PatientAge elm:Quantity(21 year)) elm:Less(PatientAge elm:Quantity(30 year)))

Condition:elm:Or (NoCervicalCytologyExamWithinPast3Years

elm:Exists(CytologyScreeningDueIn60Days))

Cervical Cancer Screening for 21-29 Years of Age: In Person

Cervical Cancer Screening for 21-29 Years of Age: In Person

Open Cervical Cancer Screening Documentation Template

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |

Requested (qualifier value)

topic: Precoordinated Expression TSR-NoCode

Open Cervical Cancer Screening Order Set

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |

Requested (qualifier value)

topic: Precoordinated Expression TSR-NoCode

Condition:elm:And (elm:GreaterOrEqual(PatientAge elm:Quantity(30 year))

elm:LessOrEqual(PatientAge elm:Quantity(65 year)))

 $\textbf{Condition:} elm: Or \ (No Cervical Cytology Exam Within Past 3 Years \ No Cotests With In Past 5 Years)$

Cervical Cancer Screening for 30-65 Years of Age: In Person

Cervical Cancer Screening for 30-65 Years of Age: In Person

Open Cervical Cancer Screening Documentation Template

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |

Requested (qualifier value)

topic: Precoordinated Expression TSR-NoCode

Open Cervical Cancer Screening Order Set

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |

Requested (qualifier value)

topic: Precoordinated Expression TSR-NoCode

Condition:elm:GreaterOrEqual (PatientAge elm:Quantity(65 year))

Condition:elm:IsFalse (historyOfAdequateScreening)

Cervical Cancer Screening for over 65 Years of Age: In Person

Cervical Cancer Screening for over 65 Years of Age: In Person

Open Cervical Cancer Screening Documentation Template

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |

Requested (qualifier value)

topic: Precoordinated Expression TSR-NoCode

Open Cervical Cancer Screening Order Set

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |

Requested (qualifier value)

topic: Precoordinated Expression TSR-NoCode

Condition:elm:Exists (preventiveScreeningTrigger)

Condition:elm:And (elm:GreaterOrEqual(PatientAge elm:Quantity(21 year))

elm:Less(PatientAge elm:Quantity(30 year)))

Condition:elm:Or (NoCervicalCytologyExamWithinPast3Years NoCotestsWithInPast5Years)

Condition:elm:Or (cytologyScreeningDueMinus30To60Days

hpvScreeningDueMinus30To60Days)

Cervical Cancer Screening for 21-29 Years of Age: Reporting

Cervical Cancer Screening for 21-29 Years of Age: Reporting

Send patient cervical cancer screening due notification

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |

Requested (qualifier value)|

topic: Precoordinated Expression TSR-NoCode

Condition:elm:Exists (preventiveScreeningTrigger)

Condition:elm:And (elm:GreaterOrEqual(PatientAge elm:Quantity(30 year))

elm:Less(PatientAge elm:Quantity(65 year)))

Condition:elm:ExpressionRefNoCervicalCytologyExamWithinPast3Years

 $\textbf{Condition:} elm: Or\ (cytology Screening Due Minus 30 To 60 Days$

hpvScreeningDueMinus30To60Days)

Cervical Cancer Screening for 30-65 Years of Age: Reporting

Cervical Cancer Screening for 30-65 Years of Age: Reporting

Send patient cervical cancer screening "due" notification

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |

Requested (qualifier value)|

topic: Precoordinated Expression TSR-NoCode

Condition:elm:Exists (preventiveScreeningTrigger)

Condition:elm:GreaterOrEqual (PatientAge elm:Quantity(65 year))

Condition:elm:IsFalse (historyOfAdequateScreening)

Condition:elm:Or (NoCervicalCytologyExamWithinPast3Years NoCotestsWithInPast5Years)

Condition:elm:Or (cytologyScreeningDueMinus30To60Days

hpvScreeningDueMinus30To60Days)

Cervical Cancer Screening for over 65 Years of Age: Reporting

Cervical Cancer Screening for over 65 Years of Age: Reporting

Send patient cervical cancer screening due notification

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |

Requested (qualifier value)

topic: Precoordinated Expression TSR-NoCode

Chapter 4. Tabular List

Terminology Service Request (TSR) Mappings

Table 4.1. Terminology Versions

| Name | Identifer | Version |
|-----------|------------------------|--------------------------------|
| SNOMED CT | 2.16.840.1.113883.6.96 | United States Edition 20180301 |

Table 4.2. Terminology References

| System | Code | Display Text ^a | References ^b |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------|
| SNOMED CT | 116140006 Total hysterectomy (procedure) | Precoordinated Expression | 1 |
| SNOMED CT | 248152002 Female (finding) | Female outpatients 21 years of age or older | 1 |
| SNOMED CT | 2651000175101 Women's health service (qualifier value) | Women's Health | 1 |
| SNOMED CT | 385644000 Requested (qualifier value) | Precoordinated Expression | 12 |
| SNOMED CT | 398166005 Performed (qualifier value) | Precoordinated Expression | 5 |
| SNOMED CT | 416032004 Cervicovaginal cytology normal or benign (finding) | Precoordinated Expression | 2 |
| SNOMED CT | 416107004 Cervical cytology test (procedure) | Precoordinated Expression | 6 |
| SNOMED CT | 5351000124100 Primary care clinic (environment) | Primary Care | 1 |
| SNOMED CT | 700152009 Human papillomavirus screening (procedure) | Precoordinated Expression | 2 |
| SNOMED CT | 702892004 Obstetrics and gynecology clinic (environment) | Obstetrics/Gynecology | 1 |
| SNOMED CT | 729d3508-98ba-4a1d-8334- Prognosis of life expectancy (finding) | ในใช้ (Med Expression | 1 |
| SNOMED CT | TSR-NoCode ^c | Precoordinated Expression | 10 |
| SNOMED CT | [277132007 Therapeutic procedure (procedure)] - >(363702006 Has focus (attribute))->[285838002 Cervical intraepithelial neoplasia grade 2 (disorder)] | Postcoordinated Expression | 1 |

| System | Code | Display Text ^a | References ^b |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------------------|
| SNOMED CT | [277132007 Therapeutic procedure (procedure)] - >(363702006 Has focus (attribute)) -> [92564006 Carcinoma in situ of uterine cervix (disorder)] | Postcoordinated Expression | 1 |
| SNOMED CT | [a997cc03-3e99-40eb-833a Observation procedure (procedure)] ->(363702006 Has focus (attribute))- >[105726004 Age AND/ OR growth finding (finding)] | ଫିରିୟିକ୍ଟିମିମିମିନ ିୟିଷ୍ଟ Expression | 1 |
| SNOMED CT | [a997cc03-3e99-40eb-833a Observation procedure (procedure)] ->(363702006 Has focus (attribute))- >[248152002 Female (finding)] | ଫିଅନ୍ୟୁପୌ ମସିହାରି Expression | 1 |
| SNOMED CT | [a997cc03-3e99-40eb-833a Observation procedure (procedure)] ->(363702006 Has focus (attribute))- >[252991009 Cervical intraepithelial neoplasia grade III with severe dysplasia (disorder)] | ങ്ങൾ ഗ് റ്റ് in a ted Expression | 1 |
| SNOMED CT | [a997cc03-3e99-40eb-833a Observation procedure (procedure)] ->(363702006 Has focus (attribute))- >[37687000 Congenital absence of cervix (disorder)] | ଫିରିୟ-୦ଟି7ଫିଡିଲିସେ Expression | 1 |
| SNOMED CT | [a997cc03-3e99-40eb-833a Observation procedure (procedure)] - >(363702006 Has focus (attribute))->[38013005 Immunosuppression (finding)] | ଫିଅନ୍ୟୁଟ୍ଟୋମିମିମିମିମିଟିଟେ Expression | 1 |
| SNOMED CT | [a997cc03-3e99-40eb-833a Observation procedure (procedure)] ->(363702006 Has focus (attribute))- >[698582007 Fetal or neonatal effect of diethylstilbestrol transmitted via placenta (disorder)] | ്ങർഗ്രീദിമ ങ്കർ Expression | 1 |

| System | Code | Display Text ^a | References ^b |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------------|
| SNOMED CT | [a997cc03-3e99-40eb-833a- Observation procedure (procedure)] ->(363702006 Has focus (attribute))- >[86406008 Human immunodeficiency virus infection (disorder)] | ്റ്രൂടി റ്റ് വ്വാദ്യാൻ Expression | 1 |

^aIf a code is used multiple times in the KNART, only the display text of the first instance is shown.

^bCount of the number of times the given code system and code pair is used in the KNART.

^cTSR-NoCode is a placeholder indicating a code was requested, but was not provided.

Chapter 5. Behavior Symbols

Table 5.1. Group Organizational Behavior

| Symbol | Name | Definition |
|--------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| # | Sentence Group | A group of related alternative actions is a sentence group if the item referenced by the action is the same in all the actions, and each action simply constitutes a different variation on how to specify the details for that item. For example, two actions that could be in a SentenceGroup are "aspirin, 500 mg, 2 times per day" and "aspirin, 300 mg, 3 times per day". In both cases, aspirin is the item referenced by the action, and the two actions represent two different options for how aspirin might be ordered for the patient. Note that a SentenceGroup would almost always have an associated selection behavior of "AtMostOne", unless it's a required action, in which case, it would be "ExactlyOne". |
| # | Logical Group | A group with this behavior logically groups its sub-elements, and may be shown as a visual group to the end user, but it is not required to do so. |
| > | Visual Group | Any group marked with this behavior should be displayed as a visual group to the end user. |

Table 5.2. Group Selection Behavior

| Symbol | Name | Definition |
|--------|------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| # | Any | Any number of the items in the group may be chosen, from zero to all. |
| # | All | All the items in the group must be selected as a single unit. |
| # | AllOrNone | All the items in the group are meant to be chosen as a single unit: either all must be selected by the end user, or none may be selected. |
| # | ExactlyOne | The end user must choose one and only one of the selectable items in the group. The user may not choose none of the items in the group. |
| 0 | AtMostOne | The end user may choose zero or at most one of the items in the group. |
| * | OneOrMore | The end user must choose a minimum of one, and as many additional as desired. |

Table 5.3. Required Behavior

| Symbol | Name | Definition |
|-----------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| * | Must | An action with this behavior must be included in the actions processed by the end user; the end user may not choose not to include this action. |
| \$ | Could | An action with this behavior may be included in the set of actions processed by the end user. |

| Sy | mbol | Name | Definition |
|----|------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | * | | An action with this behavior must be included in the set of actions processed by the end user, unless the end user provides documentation as to why the action was not included. |

Table 5.4. Precheck Behavior

| Symbol | Name | Definition |
|--------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • | Yes | An action with this behavior is one of the most frequent actions that is, or should be, included by an end user, for the particular context in which the action occurs. The system displaying the action to the end user should consider "prechecking" such an action as a convenience for the user. |
| # | No | An action with this behavior is one of the less frequent actions included by the end user, for the particular context in which the action occurs. The system displaying the actions to the end user would typically not "pre-check" such an action. |

Table 5.5. Cardinality Behavior

| | Symbol | Name | Definition |
|---|----------|----------|--------------------------------------------------------------|
| | ♦ | Single | An action with this behavior may only be completed once. |
| Ì | * | Multiple | An action with this behavior may be repeated multiple times. |

Table 5.6. Item Flags

| S | ymbol | Name | Definition |
|---|-------|--------|----------------------------------------------------------------------|
| | 4 | fillIn | This item, in a list entry, allows the user to enter a fill in value |
| | | | that is not present in the set of presented choices. |

Table 5.7. Read Only Behavior

| Symbol | Name | Definition |
|--------|------|----------------------------------------------------------------------------------------|
| # | | For a particular action or action group, specifies whether the elements are read only. |

Appendix A. References

This appendix contains the list of related resources and supporting documents used in creating this KNART.

List of References

Related Resources

[CCWP] Women's Health: Cervical Cancer Screening Clinical Content White Paper

[CSD] Women's Health: Cervical Cancer Screening Rule Conceptual Structure Document

[KVRpt] Women's Health: Cervical Cancer Screening Rule KNART Validation Report

Supporting Evidence

- [ACOG 2016] Practice Bulletin No. 168: Cervical Cancer Screening and Prevention. Committee on Practice Bulletins—Gynecology. Obstet Gynecol. 2016;128(4):e111-e130 (link [https://doi.org/10.1097/AOG.00000000001708])
- [VHA 2013] Provider Fact Sheet: Cervical Cancer Screening. National Center for Health Promotion and Disease Prevention. June 2013 (link [https://www.prevention.va.gov/docs/CervicalCProvider.pdf])
- [CDC 2017] Cervical Cancer Screening Guidelines for Average Risk Women. July 2017 (link [https://www.cdc.gov/cancer/cervical/pdf/guidelines.pdf])
- [ACOG 2012] Committee Opinion No. 534: Well-Woman Visit. Obstetrics and Gynecology. Committee on Gynecologic Practice. August 2012;120(2 Pt 1):421 (link [https://doi.org/10.1097/AOG.0b013e3182680517])
- [VHA 2017] Department of Veteran Affairs National Center for Health Promotion and Disease Prevention, Cervical Cancer Screening. July 2017 (link [https://www.prevention.va.gov/Preventing_Diseases/Screening_for_Cervical_Cancer.asp])
- [Massad 2013] Massad LS, Einstein MH, Huh WK, Katki HA, Kinney WK, Schiffman M, Solomon D, Wentzensen N, Lawson HW. 2012 Updated Consensus Guidelines For The Management Of Abnormal Cervical Cancer Screening Tests And Cancer Precursors. stetrics and Gynecology. April 1, 2013;121(4):829-46 (link [https://doi.org/10.1097/AOG.0b013e3182883a34])
- [USPTF 2017] United States Preventive Task Force (USPTF) Cervical Cancer Screening Guidelines. July 2017 (link [https://www.uspreventiveservicestaskforce.org/Page/Document/UpdateSummaryFinal/cervical-cancer-screening])