Endocrinology: Hypoglycemia Documentation Template

Documentation Template: Conceptual Structure

Contract: VA118-16-D-1008, Task Order (TO): VA-118-16-F-1008-0007, CLIN0005AF

Department of Veterans Affairs (VA)



Knowledge Based Systems (KBS)
Office of Informatics and Information Governance (OIIG)
Clinical Decision Support (CDS)

Publication date 05/25/2018

Version: 1.0

Endocrinology: Hypoglycemia Documentation Template: Documentation Template: Conceptual Structure

by Knowledge Based Systems (KBS), Office of Informatics and Information Governance (OIIG), and Clinical Decision Support (CDS)

Publication date 05/25/2018

Table of Contents

Preface	v
Artifact Applicability	
Models	
1. External Data Definitions	
Definitions	
Triggers	
2. Expression Definitions	
3. History of Present Illness	3
4. Past Medical History	11
5. Medications	
6. Lifestyle	
7. Patient Preferences	14
8. Plan	
9. Tabular List	
10. Behavior Symbols	
A References	28

List of Tables

1. Revision History	v
2. Clinical White Paper Contributors	
3. Artifact Identifier	v
4. Applicability Foci, Description and Codes	vi
5. Model References	vii
1.1. creatinine	
1.2. glomerular filtration rate	1
1.3. albumin-to-creatinine ratio	
9.1. Terminology Versions	16
9.2. Terminology References	16
10.1. Group Organizational Behavior	26
10.2. Group Selection Behavior	26
10.3. Required Behavior	26
10.4. Precheck Behavior	27
10.5. Cardinality Behavior	27
10.6. Item Flags	27
10.7 Read Only Behavior	

Preface

Table 1. Revision History

Date	Life Cycle Event	
May 25, 2018	Published	
May 25, 2018	Reviewed	
April 20, 2018	Pre-published	
April 20, 2018	Created	

Table 2. Clinical White Paper Contributors

Name	Role	Affiliation
Leonard Pogach, MD	Author	National Director Medicine VA Central Office (VACO), 810 Vermont Ave. NW, Room 662 Washington, DC 20420
Paul Conlin, MD	Author	Endocrinologist; Chief of Medicine, Boston VA Medical Center (VAMC); Chair of the Field Advisory Committee for Diabetes/Endocrinology, 1400 Veterans of Foreign Wars

Table 3. Artifact Identifier

Domain	Artifact ID	Name	
urn:va.gov:kbs:knart:artifact:r1	a3d8ea14-b1d9-56ec-9774-239ba16e16e4	B45	

Artifact Applicability

Table 4. Applicability Foci, Description and Codes

Focus	Description	Code Sys- tem	Code	Value Set	Value Set Version
TargetUser	Clinical Providers			N/A	N/A
PatientAgeGroup	Adult outpatient with an active problem of either diabetes mellitus, type 1 or type 2	SNOMED CT	133936004 Adult (person)	N/A	N/A
WorkflowSetting	Emergency Department (ED), inpatient hospital, urgent care, or ambulatory care clinic			N/A	N/A
WorkflowTask	Care and Management of the Diabetic Patient			N/A	N/A

Models

Table 5. Model References

Referenced Model	Description
urn:solor.io:anf-model:1.0	VA Analysis Normal Form Model

Chapter 1. External Data Definitions

Definitions

Table 1.1. creatinine

Expression: type=elm:SingletonFrom

Annotation:

Codes: elm:value[elm:Code]: [398166005 | Performed (qualifier value)|]elm:value[elm:Code]:

[70901006 | Creatinine measurement (procedure)|]

Table 1.2. glomerular filtration rate

Expression: type=elm:SingletonFrom

Annotation:

Codes: elm:value[elm:Code]: [398166005 | Performed (qualifier value)|]elm:value[elm:Code]:

[167181009 | Measurement of renal clearance of creatinine (procedure)|]

Table 1.3. albumin-to-creatinine ratio

Expression: type=elm:SingletonFrom

Annotation:

Codes: elm:value[elm:Code]: [398166005 | Performed (qualifier value)|] elm:value[elm:Code]:

[271075006 | Urine albumin/creatinine ratio measurement (procedure)|]

Triggers

No trigger definitions are present.

Chapter 2. Expression Definitions

No expression definitions are present.

Chapter 3. History of Present Illness

```
Reason for Evaluation
         ♦ Select
   prompt:
  response: Code (Single)
  response EnumerationConstraint (List)
     range:
      item: Recent hypoglycemic episode([a997cc03-3e99-40eb-833a-6374c7750a3a |Observation
            procedure (procedure)] ->(363702006 |Has focus (attribute))->[317006 |Reactive hypo-
            glycemia (disorder)])
      item: At risk for hypoglycemia without recent episode([a997cc03-3e99-40e-
            b-833a-6374c7750a3a |Observation procedure (procedure)] ->(363702006 |Has focus
            (attribute))->[b91c7da2-cb27-42e5-8ae9-3b7dacecbb7f | At risk for hypoglycemia (dis-
            order)])
      item: Other reason
         ◆ Provide details of other reason for evaluation
   prompt:
 response: String (Single)
Diabetes Control Status
 □ prompt: Type of Diabetes
 response: Code (Single)
  response EnumerationConstraint (List)
     range:
      item: Type I Diabetes([a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure
            (procedure)] ->(363702006 | Has focus (attribute))->[46635009 | Diabetes mellitus type
            1 (disorder)])
      item: Type II Diabetes([a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure
            (procedure)] ->(363702006 | Has focus (attribute))->[44054006 | Diabetes mellitus type
            2 (disorder)])
 □ prompt: Glycated Hemoglobin (HbA1c) goal
 itemCode: [225294001 | Identifying goals (procedure)] --> (363702006 | Has focus (at-
            tribute))->[243860001 | Diabetic monitoring status (finding)]- ->(363714003 | Interprets
            (attribute))->[408591000 | Hemoglobin A1c target (observable entity)]
 response: Real (Single)
         o prompt: Most recent HbA1c (%)
             itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a | Observation procedure (proce-
                        dure)] ->(363702006 |Has focus (attribute))->[43396009 |Hemoglobin A1c
                        measurement (procedure)]
              response: Ratio (Single)
             o prompt: Date
              response: Timestamp (Single)
 ☐ prompt: Preprandial blood glucose target range (goal)
```

	nemcode.	tribute))->[2	Identifying goals (procedure)]>(363702006 Has focus (at-43860001 Diabetic monitoring status (finding)]>(363714003 Interprets			
	response:	IntegerInterv	val (Single)			
	□ prompt:	Preprandial	blood glucose target range (actual)			
	itemCode:		e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] - 6 Has focus (attribute))->[271062006 Fasting blood glucose measurement			
	response:	IntegerInterv	val (Single)			
*			n: Potential medication interactions with antiglycemic agents and/or med- ycemic awareness			
	□ prompt:	Description	of reaction/interactions			
	response:	String (Sing	(e)			
♦ prompt:	Prior Hypog	glycemic Epis	odes?			
	-		3a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has 06 Reactive hypoglycemia (disorder)]			
re-	Boolean (Si	ngle)				
sponse:						
	Enumeration	nConstraint (List)			
sponse range:						
range.	No					
item:	No					
item:	Yes	ng: Property	("hasPriorHypoglycemicEpisodes")			
item:	Yes sponseBindi		("hasPriorHypoglycemicEpisodes")			
item:	Yes sponseBindi Condition:	elm:Property				
item:	Yes sponseBindi Condition:	elm:Property	oglycemic episode(s)			
item:	Yes sponseBindi Condition:	elm:Property ils about hyp Episode type	oglycemic episode(s)			
item:	Yes sponseBindi Condition:	elm:Property ils about hyp Episode type □ prompt:	oglycemic episode(s) e(s) Hypoglycemia requiring paramedics, emergency department evaluation, or hospitalization			
item:	Yes sponseBindi Condition:	elm:Property ils about hyp Episode type □ prompt: itemCode:	oglycemic episode(s) e(s) Hypoglycemia requiring paramedics, emergency department evaluation, or			
item:	Yes sponseBindi Condition:	elm:Property ils about hyp Episode type □ prompt: itemCode:	e(s) Hypoglycemia requiring paramedics, emergency department evaluation, or hospitalization [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[401082004 Hypoglycemic attack requiring third party assistance (finding)]>(363714003 Interprets (attribute))->acd5c50a-e40a-47cd-bf34-d02bdb9f0342 Frequency of			
item:	Yes sponseBindi Condition:	elm:Property ils about hype Episode type □ prompt: itemCode:	boglycemic episode(s) Hypoglycemia requiring paramedics, emergency department evaluation, or hospitalization [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[401082004 Hypoglycemic attack requiring third party assistance (finding)]>(363714003 Interprets (attribute))->acd5c50a-e40a-47cd-bf34-d02bdb9f0342 Frequency of emergency department treated hypoglycemia attack (observable entity)]; [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[401082004 Hypoglycemic attack requiring third party assistance (finding)]>(363714003 Interprets (attribute))->[712660009 Frequency of hospital-treated hypoglycemia at-			
item:	Yes sponseBindi Condition:	elm:Property ils about hype Episode type □ prompt: itemCode:	hypoglycemia requiring paramedics, emergency department evaluation, or hospitalization [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[401082004 Hypoglycemic attack requiring third party assistance (finding)]>(363714003 Interprets (attribute))->acd5c50a-e40a-47cd-bf34-d02bdb9f0342 Frequency of emergency department treated hypoglycemia attack (observable entity)]; [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[401082004 Hypoglycemic attack requiring third party assistance (finding)]>(363714003 Interprets (attribute))->[712660009 Frequency of hospital-treated hypoglycemia attack (observable entity)];			

	response: Integer (Single)			
	□ prompt: Number of episodes during past year			
	response: Integer (Single)			
□ prompt: Hypoglycemia requiring bystander intervention				
itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[401082004 Hypoglycemic attack requiring third party assistance (finding)]>(363714003 Interprets (attribute))->[06cf6868-d29b-4586-9e30-fabe9594642e Frequency of bystander assisted hypoglycemia attack (observable entity)];			
response:	Boolean (Single)			
	□ prompt: Number of episodes since last visit			
	response: Integer (Single)			
	□ prompt: Number of episodes during past year			
	response: Integer (Single)			
□ prompt:	Self-managed hypoglycemic episode			
itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[317006 Reactive hypoglycemia (disorder)]>(363714003 Interprets (attribute))->[1b7c2726-74d4-48e7-a5b6-be5992196203 Frequency of self-managed hypoglycemia attack (observable entity)];			
response:	Boolean (Single)			
	□ prompt: Number of episodes since last visit			
	response: Integer (Single)			
	□ prompt: Number of episodes during past year			
	response: Integer (Single)			
	☐ prompt: Typical number of hypoglycemic episodes per week			
	response: Integer (Single)			
Methods Us	ed to Treat Hypoglycemia			
□ prompt:	Carbohydrate-rich snacks or drinks			
itemCode:	[381be1bc-0c9d-4dc2-aa6f-56183c4123bd Self-administration of substance (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[99ca8d24-6e83-4619-863b-1e2378229ff6 Carbohydrate-rich snack (substance)]			
response:	Boolean (Single)			
□ prompt:	Glucose tablets, gels, or drinks			
itemCode:	[225425006 Self-administration of medication (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[Rx;1165824 Glucose Pill]			
itemCode:	[225425006 Self-administration of medication (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier val-			

```
ue)] ->(363701004 |Direct substance (attribute))->[Rx;377980 Glucose
                        Oral Gel]
             itemCode: [225425006 |Self-administration of medication (procedure)] ->(260686004
                        |Method (attribute))->[129445006 | Administration - action (qualifier val-
                        ue)] ->(363701004 |Direct substance (attribute))->[Rx;1165822 Glucose
                        Oral Liquid Product]
              response: Boolean (Single)
                     prompt: Glucagon injections
                         itemCode: [225425006 | Self-administration of medication (procedure)] -
                                    >(260686004 | Method (attribute))->[129445006 | Administra-
                                    tion - action (qualifier value)] ->(363701004 | Direct substance
                                    (attribute))->[Rx;1165209 Glucagon Injectable Product]
                          response: Boolean (Single)
                          o prompt: Number of injections since last visit
                          response: Integer (Single)
                          o prompt: Number of injections during past year
                          response: Integer (Single)
            How good is your ability to recognize your hypoglycemia symptoms?
             □ prompt: How good is your ability to recognize your hypoglycemia symptoms?
             itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a | Observation procedure (proce-
                        dure)] ->(363702006 | Has focus (attribute))->[719732004 | Able to recog-
                        nize own symptoms (finding)]
              response: String (Single)
              response EnumerationConstraint (List)
                 range:
                  item: None
                  item: Poor
                  item: Good
             □ prompt: Hypoglycemic symptoms
              response: String (Single)
             \square prompt: Most common cause(s)
              response: String (Single)
Hypoglycemic Assessment and Risk Factors
 □ prompt: Age
 itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a | Observation procedure (procedure)] -
            >(363702006 | Has focus (attribute))->[105726004 | Age AND/OR growth finding (find-
            ing)]
 response: Integer (Single)
 □ prompt: Life Expectancy
 itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure (procedure)] -
            >(363702006 | Has focus (attribute))->[729d3508-98ba-4a1d-8334-9e024a0a760e |
            Prognosis of life expectancy (finding)]
```


	response:	Integer (Single)
	-	Cognitive Impairment/Dementia
	itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[386806002 Impaired cognition (finding)]
	itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[52448006 Dementia (disorder)]
	response:	Boolean (Single)
		o prompt: Major neurologic disorder
		itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[118940003 Disorder of nervous system (disorder)]
		response: Boolean (Single)
		⊚ prompt: Description
		response: String (Single)
		⊚ prompt: Major Depression
		itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[370143000 Major depressive disorder (disorder)]
		response: Boolean (Single)
		© prompt: Description
		response: String (Single)
		□ prompt: Cardiovascular Disease
		itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[49601007 Disorder of cardiovascular system (disorder)]
		response: Boolean (Single)
		□ prompt: Description
		response: String (Single)
		□ prompt: Chronic Kidney Disease
		itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[709044004 Chronic kidney disease (disorder)]
		response: Boolean (Single)
		□ prompt: Description
		response: String (Single)
		□ prompt: Most recent creatinine (mg/dL)
		itemCode: 70901006 Creatinine measurement (procedure)
1		

		response: Tuple (Single)
		initalValue: creatinine
		□ prompt: Date
		response: Timestamp (Single)
		□ prompt: Most recent glomerular filtration rate (GFR) (mL/min/1.73 m^2)
		itemCode: 167181009 Measurement of renal clearance of creatinine (procedure)
		response: Real (Single)
		initalValue: glomerular filtration rate
		□ prompt: Date
		response: Timestamp (Single)
		□ prompt: Most recent urinary albumin-to-creatinine ratio (mg/g)
		itemCode: 271075006 Urine albumin/creatinine ratio measurement (procedure)
		response: Ratio (Single)
		initalValue: albumin-to-creatinine ratio
		□ prompt: Date
		response: Timestamp (Single)
□ prompt:	Fall history	or risk
itemCode:	-	8e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] - 6 Has focus (attribute))->[161898004 Falls (finding)]
itemCode:	-	8e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] - 6 Has focus (attribute))->[129839007 At risk for falls (finding)]
response:	Boolean (Si	ngle)
□ prompt:	Potential Se	lf-Management Difficulties
response:	Boolean (Si	ngle)
	□ prompt:	Poor manual dexterity
	itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[306741005 Poor manual dexterity (finding)]
	response:	Boolean (Single)
	□ prompt:	Active mental health diagnosis
	itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[413307004 Mental health problem (finding)]
	response:	Boolean (Single)
	□ prompt:	Advanced eye disease, including but not limited to visual loss and retinopathy

	itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[371405004 Disorder of eye proper (disorder)]
	response:	Boolean (Single)
	□ prompt:	Food insufficiency
	itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[706875005 Insufficient food supply (finding)]
	response:	Boolean (Single)
	□ prompt:	Other
	response:	Boolean (Single)
		□ prompt: Description
		response: String (Single)
□ prompt:	Social Risk	Factors
response:	Boolean (Si	ngle)
		□ prompt: Alcoholism/Substance Abuse
		itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[7200002 Alcoholism (disorder)]
		itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[66214007 Substance abuse (disorder)]
		response: Boolean (Single)
		□ prompt: Description
		response: String (Single)
	□ prompt:	Homelessness
	itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[32911000 Homeless (finding)]
	response:	Boolean (Single)
	□ prompt:	Living alone
	itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[105529008 Lives alone (finding)]
	response:	Boolean (Single)
	□ prompt:	Social isolation
	itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[422650009 Social isolation (finding)]
	response:	Boolean (Single)

	□ prompt: Other
	response: Boolean (Single)
	□ prompt: Description
	response: String (Single)
□ prompt:	Patient has fears or concerns regarding their diabetes management
itemCode:	[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[247808006 Anxiety about body function or health (finding)]>(363714003 Interprets (attribute))->[405096004 Diabetes self-management behavior (observable entity)]
response:	Boolean (Single)
□ prompt:	Description
response:	String (Single)
□ prompt:	Other
response:	Boolean (Single)
□ prompt:	Description
response:	String (Single)


Chapter 4. Past Medical History



Chapter 5. Medications

prompt: Insulin itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[126210001 Human insulin product (product)] response: Boolean (Single) prompt: Details of current prescription response: String (Single) prompt: Adverse effects to taking medication response: String (Single) prompt: Sulfonylureas itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[34012005 Product containing sulfonylurea (medicinal product)] response: Boolean (Single) prompt: Details of current prescription response: String (Single) prompt: Adverse effects to taking medication response: String (Single) prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) prompt: Details of current prescription			
Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[126210001 Human insulin product (product)]	Ī	© prompt:	Insulin
□ prompt: Details of current prescription response: String (Single) □ prompt: Adverse effects to taking medication response: String (Single) □ prompt: Sulfonylureas itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[34012005 Product containing sulfonylurea (medicinal product)] response: Boolean (Single) □ prompt: Details of current prescription response: String (Single) □ prompt: Adverse effects to taking medication response: String (Single) □ prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription		itemCode:	Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (at-
response: String (Single) prompt: Adverse effects to taking medication response: String (Single) prompt: Sulfonylureas itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[34012005 Product containing sulfonylurea (medicinal product)] response: Boolean (Single) prompt: Details of current prescription response: String (Single) prompt: Adverse effects to taking medication response: String (Single) prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) prompt: Details of current prescription		response:	Boolean (Single)
		prompt:	Details of current prescription
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		response:	String (Single)
□ □ prompt: Sulfonylureas itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[34012005 Product containing sulfonylurea (medicinal product)] response: Boolean (Single) prompt: Details of current prescription response: String (Single) prompt: Adverse effects to taking medication response: String (Single) □ prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription		prompt:	Adverse effects to taking medication
o prompt: Sulfonylureas itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[34012005 Product containing sulfonylurea (medicinal product)] response: Boolean (Single) o prompt: Details of current prescription response: String (Single) o prompt: Adverse effects to taking medication response: String (Single) □ prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription		response:	String (Single)
itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[34012005 Product containing sulfonylurea (medicinal product)] response: Boolean (Single) prompt: Details of current prescription response: String (Single) prompt: Adverse effects to taking medication response: String (Single) prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription			
Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[34012005 Product containing sulfonylurea (medicinal product)] response: Boolean (Single) prompt: Details of current prescription response: String (Single) prompt: Adverse effects to taking medication response: String (Single) prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) prompt: Details of current prescription		o prompt:	Sulfonylureas
 prompt: Details of current prescription response: String (Single) prompt: Adverse effects to taking medication response: String (Single) □ prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription 		itemCode:	Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[34012005 Product containing sulfonylurea (medici-
response: String (Single) prompt: Adverse effects to taking medication response: String (Single) prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) prompt: Details of current prescription		response:	Boolean (Single)
 prompt: Adverse effects to taking medication response: String (Single) □ prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription 		prompt:	Details of current prescription
response: String (Single) □ prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription		response:	String (Single)
□ prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription		prompt:	Adverse effects to taking medication
□ prompt: Other glucose-lowering agents itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription		response:	String (Single)
itemCode: [416118004 Administration (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription			
Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)] response: Boolean (Single) □ prompt: Details of current prescription			
□ prompt: Details of current prescription		itemCode:	Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (at-
		response:	Boolean (Single)
rognongo: String (Single)		□ prompt:	Details of current prescription
response. String (Single)		response:	String (Single)
□ prompt: Adverse effects to taking medication		□ prompt:	Adverse effects to taking medication
response: String (Single)		response:	String (Single)

Chapter 6. Lifestyle



Chapter 7. Patient Preferences

□ prompt:	1	ucose-lowering agent assessed
re- sponse:	Boolean (Single)	
	□ prompt:	Patient preferences for glucose-lowering agents
	response:	String (Single)

Chapter 8. Plan

	o prompt:	6.0% to 7.0% (Recommended for those with absent or mild microvascular dis-	
	r - r	ease, no major comorbidity, and life expectancy greater than 10 years)	
	response:	Boolean (Single)	
	o prompt:	7.0% to 8.0% (Recommended for those with moderate microvascular disease, no major comorbidity, and life expectancy greater than 10 years or with absen or mild microvascular disease, major comorbidity present but manageable, and life expectancy of 5 to 10 years)	
	response:	Boolean (Single)	
	o prompt:	7.5% to $8.5%$ (Recommended for those with moderate microvascular disease, major comorbidity present but manageable, and life expectancy of 5 to 10 years or with advanced microvascular disease, major comorbidity present and challenging to manage or end-stage, and life expectancy of at least 5 years)	
	response:	Boolean (Single)	
	o prompt:	8.0% to 9.0% (Recommended for those with major comorbidity present and challenging to manage or end-stage and life expectancy less than 5 years)	
	response:	Boolean (Single)	
o prompt:		Other	
	response:	Boolean (Single)	
	0		
		o prompt: Description	
		response: String (Single)	
	o prompt:	Preprandial blood glucose target range	
	response:	IntegerInterval (Single)	
		Self-management plan changes	
	response:	String (Single)	
		Recommended lifestyle changes	
	response:	String (Single)	
		Consultations	
	•	String (Single)	
	prompt:		
	response:	String (Single)	

Chapter 9. Tabular List

Terminology Service Request (TSR) Mappings

Table 9.1. Terminology Versions

Name	Identife	r	Version	
SNOMED CT	2.16.840).1.113883.6.96	United States Edition	on 20180301

Table 9.2. Terminology References

System	Code	Display Text ^a	References ^b
SNOMED CT	133936004 Adult (person)	Adult outpatient with an active prob- lem of either diabetes mellitus, type 1 or type 2	1
SNOMED CT	167181009 Measurement of renal clearance of creati- nine (procedure)	Precoordinated Expression	2
SNOMED CT	226029000 Exercises (regime/therapy)	Postcoordinated Expression	1
SNOMED CT	271075006 Urine albumin/creatinine ratio measurement (procedure)	Precoordinated Expression	2
SNOMED CT	398166005 Performed (qualifier value)	Precoordinated Expression	3
SNOMED CT	70901006 Creatinine measurement (procedure)	Precoordinated Expression	2
SNOMED CT	TSR-NoCode ^c	None	1
SNOMED CT	[225294001 Identifying goals (procedure)]>(363702006 Has focus (attribute))->[243860001 Diabetic monitoring status (finding)]>(363714003 Interprets (attribute))->[408591000 Hemoglobin A1c target (observable entity)]	Postcoordinated Expression	1
SNOMED CT	[225294001 Identifying goals (procedure)]>(363702006 Has focus (attribute))->[243860001 Diabetic monitoring status (finding)]>(363714003 Interprets (attribute))->[787bb747-3d69-b69d-68937ad61f24 Fasting blood glucose target (observable entity)]	Postcoordinated Expression 4383-	1

System	Code	Display Text ^a	References ^b
SNOMED CT	[225425006 Self-administration of medication (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[Rx;1165209 Glucagon Injectable Product]	Postcoordinated Expression	1
SNOMED CT	[225425006 Self-administration of medication (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[Rx;1165822 Glucose Oral Liquid Product]	Postcoordinated Expression	1
SNOMED CT	[225425006 Self-administration of medication (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[Rx;1165824 Glucose Pill]	Postcoordinated Expression	1
SNOMED CT	[225425006 Self-administration of medication (procedure)] ->(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[Rx;377980 Glucose Oral Gel]	Postcoordinated Expression	1
SNOMED CT	[381be1bc-0c9d-4d- c2-aa6f-56183c4123bd Self-administration of substance (procedure)] -	Postcoordinated Expression	1

System	Code	Display Text ^a	References ^b
	>(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[99ca8d24-6e83- Carbohydrate-rich snack (substance)]	4619-863b-1e2378229ff6	
SNOMED CT	[416118004 Administration (procedure)] - >(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[126210001 Human insulin product (product)]	Postcoordinated Expression	1
SNOMED CT	[416118004 Administration (procedure)] - >(260686004 Method (attribute))->[129445006 Administration - action (qualifier value)] ->(363701004 Direct substance (attribute))->[312064005 Hypoglycemic agent (product)]	Postcoordinated Expression	1
SNOMED CT	[416118004 Administration (procedure)] - > (260686004 Method (attribute)) -> [129445006 Administration - action (qualifier value)] -> (363701004 Direct substance (attribute)) -> [34012005 Product containing sulfonylurea (medicinal product)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[105529008 Lives alone (finding)]	Postcoordinated Expression	1

System	Code	Display Text ^a	References ^b
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[105726004 Age AND/OR growth finding (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[110483000 Tobacco user (finding)]		1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[118940003 Disorder of nervous system (disorder)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[129839007 At risk for falls (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[161898004 Falls (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[219006 Current drinker of alcohol (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus	Postcoordinated Expression	1

System	Code	Display Text ^a	References ^b
	(attribute))->[271062006 Fasting blood glucose measurement (procedure)]		
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] - >(363702006 Has focus (attribute))->[306741005 Poor manual dexterity (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[317006 Reactive hypoglycemia (disorder)]	Recent hypoglycemic episode	2
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[32911000 Homeless (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[36823005 Normal diet (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[370143000 Major depressive disorder (disorder)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[371405004 Disorder of eye proper (disorder)]	Postcoordinated Expression	1

System	Code	Display Text ^a	Referencesb
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[386806002 Impaired cognition (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[413307004 Mental health problem (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[422650009 Social isolation (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[43396009 Hemoglobin A1c measurement (procedure)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[44054006 Diabetes mellitus type 2 (disorder)]	Type II Diabetes	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[46635009 Diabetes mellitus type 1 (disorder)]	Type I Diabetes	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce-	Postcoordinated Expression	1

System	Code	Display Text ^a	References ^b
	dure (procedure)] - >(363702006 Has focus (attribute))->[49601007 Disorder of cardiovascular system (disorder)]		
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[52448006 Dementia (disorder)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[66214007 Substance abuse (disorder)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[706875005 Insufficient food supply (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[709044004 Chronic kidney disease (disorder)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[719732004 Able to recognize own symptoms (finding)]	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus	Postcoordinated Expression	1

System	Code	Display Text ^a	Referencesb
	(attribute))->[7200002 Alcoholism (disorder)]		
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[729d3508-98ba-Prognosis of life expectancy (finding)]	Postcoordinated Expression 4a1d-8334-9e024a0a760e	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[b91c7da2-cb27-42e5-8ae9-3b7dacecb At risk for hypoglycemia (disorder)]	At risk for hypoglycemia without recent episode	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[247808006 Anxiety about body function or health (finding)]>(363714003 Interprets (attribute))->[405096004 Diabetes self-management behavior (observable entity)]	Postcoordinated Expression	1
SNOMED CT [a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[317006 Reactive hypoglycemia (disorder)]>(363714003 Interprets (attribute))->[1b7c2726-74d4-a5b6-be5992196203 Frequency of self-managed hypoglycemia attack (observable entity)];		Postcoordinated Expression 48e7-	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)]	Postcoordinated Expression	1

System	Code	Display Text ^a	References ^b
	>(363702006 Has focus (attribute))->[401082004 Hypoglycemic attack requiring third party assistance (finding)]>(363714003 Interprets (attribute))->[06cf6868-d29b-4586-9e30-fabe9594642e Frequency of bystander assisted hypoglycemia attack (observable entity)];		
SNOMED CT [a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[401082004 Hypoglycemic attack requiring third party assistance (finding)]>(363714003 Interprets (attribute))->[712660009 Frequency of hospital-treated hypoglycemia attack (observable entity)];		Postcoordinated Expression	1
SNOMED CT [a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)]> (363702006 Has focus (attribute))->[401082004 Hypoglycemic attack requiring third party assistance (finding)]> (363714003 Interprets (attribute))->acd5c50a-e40a-47cd-bf34-d02bd-b9f0342 Frequency of emergency department treated hypoglycemia attack (observable entity)];		Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] >(363702006 Has focus (attribute))->[58729003 Disorder of capil- laries (disorder)] >(246112005 Severity (at-	Advanced (renal insufficiency, proliferative retinopathy/prior laser treatment; peripheral neuropathy with insensate extremities, and/or autonomic neuropathy)	1

System	Code	Display Text ^a	References ^b
	tribute))->[24484000 Severe (severity modifier) (qualifier value)];		
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[58729003 Disorder of capillaries (disorder)]>(246112005 Severity (attribute))->[255604002 Mild (qualifier value)];	Mild (microalbuminuria, back- ground retinopathy, and/or mild nephropathy)	1
SNOMED CT [a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce-		Moderate (persistent, fixed proteinuria; pre-proliferative retinopathy; and/or peripheral neuropathy with sensory loss)	1

^aIf a code is used multiple times in the KNART, only the display text of the first instance is shown.

^bCount of the number of times the given code system and code pair is used in the KNART.

^cTSR-NoCode is a placeholder indicating a code was requested, but was not provided.

Chapter 10. Behavior Symbols

Table 10.1. Group Organizational Behavior

Sym- bol	Name	Definition
•	Sentence Group	A group of related alternative actions is a sentence group if the item referenced by the action is the same in all the actions, and each action simply constitutes a different variation on how to specify the details for that item. For example, two actions that could be in a SentenceGroup are "aspirin, 500 mg, 2 times per day" and "aspirin, 300 mg, 3 times per day". In both cases, aspirin is the item referenced by the action, and the two actions represent two different options for how aspirin might be ordered for the patient. Note that a SentenceGroup would almost always have an associated selection behavior of "AtMostOne", unless it's a required action, in which case, it would be "ExactlyOne".
D	Logical Group	A group with this behavior logically groups its sub-elements, and may be shown as a visual group to the end user, but it is not required to do so.
>	Visual Group	Any group marked with this behavior should be displayed as a visual group to the end user.

Table 10.2. Group Selection Behavior

Sym- bol	Name	Definition
	Any	Any number of the items in the group may be chosen, from zero to all.
•	All	All the items in the group must be selected as a single unit.
©	AllOrNone	All the items in the group are meant to be chosen as a single unit: either all must be selected by the end user, or none may be selected.
0	ExactlyOne	The end user must choose one and only one of the selectable items in the group. The user may not choose none of the items in the group.
•	AtMostOne	The end user may choose zero or at most one of the items in the group.
•	OneOrMore	The end user must choose a minimum of one, and as many additional as desired.

Table 10.3. Required Behavior

Sym- bol	Name	Definition
+	Must	An action with this behavior must be included in the actions processed by the end user; the end user may not choose not to include this action.

Sym- bol	Name	Definition
\langle	Could	An action with this behavior may be included in the set of actions processed by the end user.
>	MustUnlessDocumented	An action with this behavior must be included in the set of actions processed by the end user, unless the end user provides documentation as to why the action was not included.

Table 10.4. Precheck Behavior

Sym- bol	Name	Definition
•	Yes	An action with this behavior is one of the most frequent actions that is, or should be, included by an end user, for the particular context in which the action occurs. The system displaying the action to the end user should consider "pre-checking" such an action as a convenience for the user.
▽	No	An action with this behavior is one of the less frequent actions included by the end user, for the particular context in which the action occurs. The system displaying the actions to the end user would typically not "pre-check" such an action.

Table 10.5. Cardinality Behavior

Sym- bol	Name	Definition
•	Single	An action with this behavior may only be completed once.
*	Multiple	An action with this behavior may be repeated multiple times.

Table 10.6. Item Flags

Syn	- Name	Definition
137	fillIn	This item, in a list entry, allows the user to enter a fill in value that is not present in the set of presented choices.

Table 10.7. Read Only Behavior

Sym- bol	Name	Definition
*	true	For a particular action or action group, specifies whether the elements are read only.

Appendix A. References

This appendix contains the list of related resources and supporting documents used in creating this KNART.

List of References

Related Resources

[CCWP] Endocrinology: Hypoglycemia Clinical Content White Paper

[CSD] Endocrinology: Hypoglycemia Documentation Template Conceptual Structure Document

[KVRpt] Endocrinology: Hypoglycemia Documentation Template KNART Validation Report

Supporting Evidence

- [ADA, 2017] *American Diabetes Association. Diabetes Care. Standards of medical care in diabetes-20172017;40(sup-pl 1):S1-S135* (link [http://care.diabetesjournals.org/content/diacare/suppl/2016/12/15/40.Supplement_1.D-C1/DC_40_S1_final.pdf])
- [O'Neil 2015] O'Neil G. V1-High Risk for Hypoglycemia. June 4, 2015 VISN 1 hypoglycemia reminder Power-Point (Linda Wedemeyer, MD, email communication, July 10, 2017) (link [V1_HIGH RISK FOR HYPO-GLYCEMIA.PowerPoint.ppt.])
- [Seaquist 2013] Seaquist ER, Anderson J, Childs B, et al. Hypoglycemia and diabetes: a report of a workgroup of the American Diabetes Association and the Endocrine Society. Diabetes Care. 2013;36(5):1384-1395 (link [https://doi.org/10.2337/dc12-2480])
- [NLM 2015a] U.S. National Libray of Medicine. GLIPIZIDE- glipizide tablet (Actavis Pharma, Inc.). DailyMed Website. Revised June 2015 (link [https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=ad55dfd7-ff-b5-478a-aa84-1009fa921e22])
- [NLM 2017a] U.S. National Library of Medicine. GLUCAGON- glucagon [Eli Lilly and Company]. Daily-Med Website. Revised May 2017 (link [https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=f143d-b10-e889-41c3-84ed-603a0ab02f61])
- [NLM 2015b] U.S. National Library of Medicine. LANTUS- insulin glargine injection, solution, LANTUS SOLOSTAR-insulin glargine injection, solution [sanofi-aventis U.S. LLC]. DailyMed WebsiteRevised August 2015 (link [https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=d5e07a0c-7e14-4756-9152-9fea485d654a])
- [NLM 2015c] U.S. National Library of Medicine. LEVEMIR- insulin detemir injection, solution [Novo Nordisk]. DailyMed Website Revised February 2015 (link [https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=d38d65c1-25bf-401d-9c7e-a2c3222da8af])
- [NLM 2017b] U.S. National Library of Medicine. NOVOLOG- insulin aspart injection, solution [Novo Nordisk]. DailyMed Website. Revised March 2017 (link [https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=3a1e73a2-3009-40d0-876c-b4cb2be56fc5])
- [VA 5.0-2017] U.S. Department of Veterans Affairs and U.S. Department of Defense. VA/DoD Clinical Practice Guideline for the Management of Type 2 Diabetes Mellitus in Primary Care, version 5.0—2017. VA/DoD Clinical Practice Guidelines website (link [https://www.healthquality.va.gov/guidelines/CD/diabetes/VADoD-DMCPGFinal508.pdf])