Mental Health: Post-traumatic Stress Disorder (PTSD) Screening and Assessment Documentation Template

Documentation Template: Conceptual Structure

Contract: VA118-16-D-1008, Task Order (TO): VA-118-16-F-1008-0007, CLIN0009CA

Department of Veterans Affairs (VA)



Knowledge Based Systems (KBS)
Office of Informatics and Information Governance (OIIG)
Clinical Decision Support (CDS)

Publication date 06/29/2018

Version: 1.0

Mental Health: Post-traumatic Stress Disorder (PTSD) Screening and Assessment Documentation Template: Documentation Template: Conceptual Structure

by Knowledge Based Systems (KBS), Office of Informatics and Information Governance (OIIG), and Clinical Decision Support (CDS)

Publication date 06/29/2018 Copyright © 2018 B3 Group, Inc. Copyright © 2018 Cognitive Medical Systems, Inc.

B3 Group, Inc.

NOTICE OF GOVERNMENT COPYRIGHT LICENSE AND UNLIMITED RIGHTS LICENSE

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Portions of this content are derivative works from content produced by Cognitive Medical Systems, Inc. licensed under the Apache License, Version 2.0

Additional portions of this content are derivative works from content contributed by Motive Medical Intelligence Inc., under Creative Commons Attribution-ShareAlike 4.0.

Contributions from 2013-2018 were performed either by US Government employees, or under US Veterans Health Administration contracts.

US Veterans Health Administration contributions by government employees are work of the U.S. Government and are not subject to copyright protection in the United States. Portions contributed by government employees are USGovWork (17USC §105). Not subject to copyright.

See: https://www.usa.gov/government-works

Contribution by contractors to the US Veterans Health Administration during this period are contractually contributed under the Apache License, Version 2.0 and US Government sponsorship is acknowledged under Contract VA118-16-D-1008, Task Order VA11817F10080007.

Cognitive Medical Systems, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This and related content produced by Cognitive Medical Systems, Inc. licensed under the Apache License, Version 2.0 is available at: https://bitbucket.org/cogmedsys/hl7-kas-examples

Additional portions of this content are derivative works from content contributed by Motive Medical Intelligence Inc., under Creative Commons Attribution-ShareAlike 4.0. https://bitbucket.org/cogmedsys/kas-source-material

Contributions from 2013-2018 were performed either by US Government employees, or under US Veterans Health Administration contracts.

US Veterans Health Administration contributions by government employees are work of the U.S. Government and are not subject to copyright protection in the United States. Portions contributed by government employees are USGovWork (17USC §105). Not subject to copyright. See: https://www.usa.gov/government-works

Contribution by contractors to the US Veterans Health Administration during this period are contractually contributed under the Apache License, Version 2.0 and US Government sponsorship is acknowledged under Contract VA118-16-D-1008-0007.

Table of Contents

Preface	
Artifact Applicability	vi
Models	vii
1. External Data Definitions	1
Definitions	1
Triggers	1
2. Expression Definitions	
3. Initial Screening	3
4. Evaluation	9
5. Assessment	
6. Plan	17
7. Tabular List	19
8. Behavior Symbols	22
A. References	

List of Tables

1. Revision History	v
2. Clinical White Paper Contributors	v
3. Artifact Identifier	v
4. Applicability Foci, Description and Codes	vi
5. Model References	
1.1. FemaleGender	
2.1. isFemale	2
7.1. Terminology Versions	19
7.2. Terminology References	
8.1. Group Organizational Behavior	
8.2. Group Selection Behavior	
8.3. Required Behavior	
8.4. Precheck Behavior	
8.5. Cardinality Behavior	23
8.6. Item Flags	
8.7 Read Only Behavior	

Preface

Table 1. Revision History

Date	Life Cycle Event	
June 29, 2018	Published	
June 18, 2018	Published	
June 6, 2018	Published	
June 5, 2018	Reviewed	
March 10, 2018	Created	
March 10, 2018	Pre-published	

Table 2. Clinical White Paper Contributors

Name	Role	Affiliation
Rani Hoff, PhD	Reviewer	Director, Northeast Program Evaluation Center Office of
MPH		Mental Health and Suicide Prevention (10NC5) VA Central
		Office; Professor of Psychiatry, Yale University School of
		Medicine

Table 3. Artifact Identifier

Domain	Artifact ID	Name	
urn:va.gov:kbs:knart:artifact:r1	62bfd568-9741-5d6d-b944-f66d28abc59a	O37	

Artifact Applicability

Table 4. Applicability Foci, Description and Codes

Focus	Description	Code Sys- tem	Code	Value Set	Value Set Version
TargetUser	Mental Health Providers	SNOMED CT	310190000 Mental health counselor (occupation)	N/A	N/A
TargetUser	Primary Care Providers (PCPs)	SNOMED CT	453231000124104 Primary care provider (occupa- tion)	N/A	N/A
PatientAgeGroup	All patients			N/A	N/A
ClinicalVenue	Outpatient	SNOMED CT	33022008 Hospital-based outpatient department (environment)	N/A	N/A

Models

Table 5. Model References

Referenced Model	Description
urn:solor.io:anf-model:1.0	VA Analysis Normal Form Model

Chapter 1. External Data Definitions

Definitions

Table 1.1. FemaleGender

Expression: type=elm:SingletonFrom

Annotation:

Codes: elm:element[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure

(procedure)] ->(363702006 | Has focus (attribute))->[248152002 | Female (finding)]]

Triggers

No trigger definitions are present.

Chapter 2. Expression Definitions

Table 2.1. isFemale

Expression: type=elm:Equal

Annotation:

Codes: elm:operand[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a |Observation procedure

(procedure)] ->(363702006 | Has focus (attribute))->[248152002 | Female (finding)]]

Chapter 3. Initial Screening

Primary Care Posttraumatic Stress Disorder Screen for DSM-5 (PC-PTSD-5).

The PC-PTSD-5 score is calculated by totaling the numbers following each response option below. A score of \geq 3 on any of the five questions about how the traumatic event(s) have affected him or her over the past month is a positive result.

prompt: Ask the patient the following questions: Sometimes things happen to people that are unusually or especially frightening, horrible, or traumatic. For example: a serious accident or fire; a physical or sexual assault or abuse; an earthquake or flood; a war; seeing someone be killed or seriously injured; having a loved one die through homicide or suicide. Have you ever experienced this kind of event?

response: Boolean (Single)

responseBinding: Property ("PTSDRisk")

```
# | Condition:elm:Property
     # \( \phi \) prompt: In the past month, have you had nightmares about the event(s) or
                   thought about the event(s) when you did not want to?
        response: Integer (Single)
  response range: EnumerationConstraint (List)
             item: Yes (score = 1)
             item: No (score = 0)
  responseBinding: Property ("PCPTSD1")
     # \( \phi \) prompt: Tried hard not to think about the event(s) or went out of your way
                   to avoid situations that reminded you of the event(s)?
        response: Integer (Single)
  response range: EnumerationConstraint (List)
             item: Yes (score = 1)
            item: No (score = 0)
  responseBinding: Property ("PCPTSD2")
     # \( \phi \) prompt: Been constantly on guard, watchful, or easily startled?
        response: Integer (Single)
  response range: EnumerationConstraint (List)
             item: Yes (score = 1)
             item: No (score = 0)
  responseBinding: Property ("PCPTSD3")
     # \( \phi \) prompt: Felt numb or detached from people, activities, or your surround-
                   ings?
        response: Integer (Single)
  response range: EnumerationConstraint (List)
             item: Yes (score = 1)
             item: No (score = 0)
```

responseBinding: Property ("PCPTSD4")

```
# \( \phi \) prompt: Felt guilty or unable to stop blaming yourself or others for the
                                event(s) or any problems the event(s) may have caused?
                      response: Integer (Single)
                response range: EnumerationConstraint (List)
                          item: Yes (score = 1)
                          item: No (score = 0)
                responseBinding: Property ("PCPTSD5")
                      # prompt: PC-PTSD-5 screening score
                                 Total score (0-5) is number of affirmative responses. A total \geq 3
                                is considered positive.
                     itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a |Ob-
                                 servation procedure (procedure)]- ->(363702006 |
                                 Has focus (attribute))->[365856005 |Screening
                                 finding (finding)]- ->(363714003 |Interprets (at-
                                 tribute))->[42679737-748d-4564-9ffd-6801afeeeef4 | Primary
                                Care Posttraumatic Stress Disorder Screen for Diagnostic and
                                Statistical Manual of Mental Disorders score (observable entity)];
                      response: Integer (Single)
                responseBinding: Property ("PCPTSDScore")
                initalValue: elm:SumTotal score (0-5) is number of affirmative responses.
                      # prompt: PC-PTSD-5 result
                                 A total \geq 3 is considered positive.
                      response: Integer (Single)
                initalValue: elm:GreaterOrEqualA total >= 3 is considered positive. elm:Proper-
                ty("PCPTSDScore") elm:Literal()
Patient Health Questionnaire-Plus (PHQ-plus)
              # Patient Health Questionnaire-plus (PHQ-plus)
                Calculated by totaling the form label values (indicated by a number following
                each response option) for the form labels selected by the user. Note that the fol-
                lowing form components are adapted from Kroenke 2001.
                              # Over the past two weeks, how often have you been bothered by
                                 any of the following problems:
                                   # • prompt: Little interest or pleasure in doing things?
                                       response: Integer (Single)
                                 response range: EnumerationConstraint (List)
                                           item: Not at all (score = 0)
                                           item: Several days (score = 1)
                                           item: More than half the days (score = 2)
                                           item: Nearly every day (score = 3)
                                 responseBinding: Property ("PHQPlus1")
                                   # \( \rightarrow\) prompt: Feeling down, depressed, or hopeless?
                                       response: Integer (Single)
                                 response range: EnumerationConstraint (List)
```

item: Not at all (score = 0)

item: Several days (score = 1)

item: More than half the days (score = 2)

item: Nearly every day (score = 3)

responseBinding: Property ("PHQPlus2")

• prompt: Thoughts that you would be better off dead or of

hurting yourself in some way?

response: Integer (Single)

response range: EnumerationConstraint (List)

item: Not at all (score = 0)

item: Several days (score = 1)

item: More than half the days (score = 2)

item: Nearly every day (score = 3)

responseBinding: Property ("PHQPlus3")

* prompt: PHQ-plus total score

A score weighting > 0 constitutes a positive re-

sult on the PHQ-plus screen.

itemCode: TSR-NoCode response: Integer (Single)

responseBinding: Property ("PHQPlusScore")

initalValue: elm:Sum

• prompt: PHQ-plus results (positive or negative)

A positive screen is defined as either (a) a total score of 3 or more, or (b) a score above 0 on the third question (regardless of the score from the

other questions).

response: Boolean (Single)

responseBinding: Property ("PHQPlusPositive")

initalValue: elm:IsTrue elm:Or(elm:GreaterOrEqual(elm:Property("PHQPlusScore") elm:Literal()) elm:Greater(elm:Property("PHQPlus3") elm:Literal()))

Condition:elm:And (elm:Property("PHQPlusPositive") elm:AnyTrue())

prompt: For positive responses to depressive symptom questions consider the following:

response: URL (Single)

response range: EnumerationConstraint (List)

item: Order Set: Mental Health Consult for Depression KNART

item: Documentation Template Consult Request: Mental Health Consult for Depression KNART

Condition:elm:And (elm:Property("PHQPlusPositive") elm:Greater(elm:Property("PHQPlus3") elm:Literal()))

prompt: For positive responses to suicidal ideation questions consider the following:

response: URL (Single)

response range: EnumerationConstraint (List) item: Documentation Template: Mental Health Suicide Risk Assessment KNART item: Order Set: Mental Health Positive Suicide Risk Screening KNART GAD-2 (Optional Screening Tool for Generalized Anxiety Disorder) 2 item (GAD-2) screen score is calculated by totaling the numbers following each response option below; a positive screen is 3 or more. # prompt: Feeling nervous anxiety or on edge? response: Integer (Single) response range: EnumerationConstraint (List) item: Not at all (score = 0) item: Several days (score = 1) item: More than half the days (score = 2) item: Nearly every day (score = 3) responseBinding: Property ("GAD1") # prompt: Not being able to stop or control worrying? response: Integer (Single) response range: EnumerationConstraint (List) item: Not at all (score = 0) item: Several days (score = 1) item: More than half the days (score = 2) item: Nearly every day (score = 3) responseBinding: Property ("GAD2") # prompt: GAD-2 score itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a | Observation procedure (procedure)] -->(363702006 | Has focus (attribute))->[365856005 | Screening finding (finding)]-->(363714003 | Interprets (attribute))->[2a591b1f-5344-4567-a315-3bc0c3a9419b | Generalized anxiety disorder 2 item scale score (observable entity)]; response: Integer (Single) responseBinding: Property ("GAD2Score") initalValue: elm:SumGAD-2 score is sum of scores associated with each response. # prompt: GAD-2 score result (positive or negative) response: Boolean (Single) initalValue: elm:GreaterOrEqualA GAD-2 score of 3 or greater is considered positive. elm:Property("GAD2Score") elm:Literal() (Optional Screening Tool) Alcohol Use Disorders Identification Test—Consumption (AUDIT-C) AUDIT-C score calculated based on weighting for responses below. Males with a score of 4 or more are at increased risk of harm from drinking, Females with a score of 3 or more are at increased risk of harm from drinking. Scores are calculated by totaling the numbers following each response # prompt: How often did you have a drink containing alcohol in the past year? Consider a drink to be a can or bottle of beer, a glass of wine, a wine cooler, or one cocktail or a shot of hard liquor (like scotch, gin, or vodka)?

```
response: Integer (Single)
response range: EnumerationConstraint (List)
          item: Never (score = 0)
          item: Monthly or less (score = 1)
          item: 2 \text{ to } 4 \text{ times a month (score} = 2)
          item: 2 to 3 times a week (score = 3)
          item: 4 or more times a week (score = 4)
responseBinding: Property ("AUDITC1")
     # prompt: How many drinks did you have on a typical day when you were drinking in the
                past year?
      response: Integer (Single)
response range: EnumerationConstraint (List)
          item: 0 \text{ drinks (score} = 0)
          item: 1 to 2 drinks (score = 0)
          item: 3 \text{ to } 4 \text{ drinks (score} = 1)
          item: 5 to 6 drinks (score = 2)
          item: 7 \text{ to } 9 \text{ drinks (score} = 3)
          item: 10 \text{ or more drinks (score} = 4)
responseBinding: Property ("AUDITC2")
     # prompt: How often did you have 6 or more drinks on one occasion in the past year?
      response: Integer (Single)
response range: EnumerationConstraint (List)
          item: Never (score = 0)
          item: Less than monthly (score = 1)
          item: Monthly (score = 2)
          item: Weekly (score = 3)
          item: Daily or almost daily (score = 4)
responseBinding: Property ("AUDITC3")
     # prompt: AUDIT-C score
     itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a | Observation procedure (procedure)]-
                ->(363702006 | Has focus (attribute))->[365856005 | Screening finding (finding)]-
                ->(363714003 | Interprets (attribute))->[5ff6281a-52c9-4004-9c28-dc806cc7fbf1 |
                Alcohol Use Disorders Identification Test C score (observable entity)];
      response: Integer (Single)
responseBinding: Property ("AUDITCScore")
initalValue: elm:SumAUDIT-C score is the sum of the scores associated with each response.
     # prompt: AUDIT-C result
                Males with a score of 4 or more are at increased risk of harm from drinking. Fe-
                males with a score of 3 or more are at increased risk of harm from drinking.
      response: Integer (Single)
initalValue: elm:OrMales with a score of 4 or more are at increased risk of harm from drinking.
Females with a score of 3 or more are at increased risk of harm from drinking. elm:GreaterOrE-
```

Chapter 4. Evaluation

PCL-5 with Criterion A

The PCL-5 may be used either for monitoring the severity of symptoms of PTSD or as a screening tool. The recommended screening threshold (for diagnosis of PTSD) is 33 points. The instructions and questions on the PCL-5 with Criterion A may be read to the patient and answers recorded by the tool administrator or may be printed, read, and completed by the patient

• prompt: The following written or verbal instructions should be provided to the patient with administration of the Criterion A questions: "This questionnaire asks about problems you may have had after a very stressful experience involving actual or threatened death, serious injury, or sexual violence. It could be something that happened to you directly, something you witnessed, or something you learned happened to a close family member or close friend. Some examples are a serious accident; fire; disaster such as a hurricane, tornado, or earthquake; physical or sexual attack or abuse; war; homicide; or suicide. First, please answer a few questions about your worst event, which for this questionnaire means the event that currently bothers you the most. This could be one of the examples above or some other very stressful experience. Also, it could be a single event (for example, a car crash) or multiple similar events (for example, multiple stressful events in a war-zone or repeated sexual abuse.

response: Boolean (Single)

prompt: Briefly identify the worst event (if you feel comfortable doing

so).

response: String (Single)

prompt: How long ago did it happen? (please estimate if you are not

sure).

response: String (Single)

prompt: Did it involve actual or threatened death, serious injury, or sex-

ual violence?

response: Boolean (Single)

prompt: How did you experience it?

response: String (Single)

response range: EnumerationConstraint (List)

item: It happened to me directly

item: I witnessed it

item: I learned about it happening to a close family member or close

friend

item: I was repeatedly exposed to details about it as part of my job (for example, paramedic, police, military, or other first respon-

der)

ritem: Other

prompt: If the event involved the death of a close family member or

close friend, was it due to some kind of accident or violence, or

was it due to natural causes?]

response: String (Single)

response range: EnumerationConstraint (List)

item: Accident or violence

item: Natural causes

item: Not applicable (the event did not involve the death of a close

family member or close friend)

PTSD Checklist for DSM-5 (PCL-5)

The following written or verbal instructions should be provided to the patient with administration of the PCL-5 questions: PCL-5 score is calculated by adding the numbers following each response option below.

prompt: The following written or verbal instructions should be provided to the patient: below is a list of problems that people sometimes have in response to a very stressful experience. Keeping your worst event in mind, please read each problem carefully and then select one of the answers to indicate how much you have been bothered by that problem in the past month.

response: Boolean (Single)

prompt: In the past month, how much were you bothered by: Repeat-

ed, disturbing, and unwanted memories of the stressful experi-

ence?

response: Integer (Single)

response range: EnumerationConstraint (List)

item: Not at all (score = 0)

item: A little bit (score = 1)

item: Moderately (score = 2)

item: Quite a bit (score = 3)

item: Extremely (score = 4)

responseBinding: Property ("PTSDCL1")

prompt: Repeated, disturbing dreams of the stressful experience?

response: Integer (Single)

response range: EnumerationConstraint (List)

item: Not at all (score = 0)

item: A little bit (score = 1)

item: Moderately (score = 2)

item: Quite a bit (score = 3)

item: Extremely (score = 4)

responseBinding: Property ("PTSDCL2")

prompt: Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there re-

living it)?

```
response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL3")
                    # prompt: Feeling very upset when something reminded you of the stress-
                               ful experience?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL4")
                    # prompt: Having strong physical reactions when something reminded
                               you of the stressful experience (for example, heart pounding,
                               trouble breathing, sweating)?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL5")
                    # prompt: Avoiding memories, thoughts, or feelings related to the stress-
                               ful experience?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL6")
                    # prompt: Avoiding external reminders of the stressful experience (for
                               example, people, places, conversations, activities, objects, or
                               situations)?
```

```
response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL7")
                    # prompt: Trouble remembering important parts of the stressful experi-
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL8")
                    # prompt: Having strong negative beliefs about yourself, other people,
                               or the world (for example, having thoughts such as: I am bad,
                               there is something seriously wrong with me, no one can be
                               trusted, the world is completely dangerous)?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL9")
                    # prompt: Blaming yourself or someone else for the stressful experience
                               or what happened after it?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL10")
                    # prompt: Having strong negative feelings such as fear, horror, anger,
                               guilt, or shame?
```

```
response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL11")
                     # prompt: Loss of interest in activities that you used to enjoy?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL12")
                     # prompt: Feeling distant or cut off from other people?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL13")
                     # prompt: Trouble experiencing positive feelings (for example, being un-
                               able to feel happiness or have loving feelings for people close
                               to you)?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL14")
                     # prompt: Irritable behavior, angry outbursts, or acting aggressively?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
```

```
item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL15")
                    # prompt: Taking too many risks or doing things that could cause you
                               harm?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL16")
                    # prompt: Being "super alert" or watchful or on guard?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL17")
                    # prompt: Feeling jumpy or easily startled?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
                         item: Extremely (score = 4)
responseBinding: Property ("PTSDCL18")
                    # prompt: Having difficulty concentrating?
                     response: Integer (Single)
               response range: EnumerationConstraint (List)
                         item: Not at all (score = 0)
                         item: A little bit (score = 1)
                         item: Moderately (score = 2)
                         item: Quite a bit (score = 3)
```

item: Extremely (score = 4)

responseBinding: Property ("PTSDCL19")

prompt: Trouble falling or staying asleep?

response: Integer (Single)

response range: EnumerationConstraint (List)

item: Not at all (score = 0) item: A little bit (score = 1) item: Moderately (score = 2)

item: Quite a bit (score = 3)

item: Extremely (score = 4)

responseBinding: Property ("PTSDCL20")

prompt: PCL-5 score

itemCode: [a997cc03-3e99-40eb-833a-6374c7750a3a |Observation

procedure (procedure)]- ->(363702006 |Has focus (attribute))->[365856005 |Screening finding (finding)]- ->(363714003 |Interprets (attribute))->[3145d9ad-ef9c-4d74-b7a0-86fb93a4b438 |Posttraumatic Stress Disorder Checklist Version 5 for Diagnostic and Statistical Manual of Mental Dis-

orders Version 5 score (observable entity)];

response: Integer (Single)

responseBinding: Property ("PTSDCLScore")

initalValue: elm:SumThe PCL-5 score is the sum of scores associated with each response.

prompt: PCL-5 PTSD screening results (positive or negative)

The recommended screening threshold (for diagnosis of PTSD)

is 33 points.

response: Boolean (Single)

initalValue: elm:GreaterOrEqualThe recommended screening threshold (for diagnosis of

PTSD) is 33 points. elm:Property("PTSDCLScore") elm:Literal()

Chapter 5. Assessment

```
# prompt: Assessment
response: String (Single)
response EnumerationConstraint (List)
range:
    item: Provisional diagnosis of PTSD
    item: Established diagnosis of PTSD
    item: Other
# prompt: History
response: String (Single)
# prompt: Symptom concerns
response: String (Single)
# prompt: Comorbidities
response: String (Single)
# prompt: Additional information
response: String (Single)
```

Chapter 6. Plan

```
# Plan
prompt:
    re- String (Single)
sponse:
    re- EnumerationConstraint (List)
sponse
 range:
  item: Risks and benefits of recommended treatment(s) discussed with patient
  item: Patient expresses understanding and agrees with plan
  item: Patient education
  responseBinding: Property ("PlanResponse")
  Condition:elm:Contains (elm:Property("PlanResponse") elm:Literal())
      # Patient Education Details
prompt:
    re- String (Single)
sponse:
      # Specific therapeutic modalities
                      # prompt: Individual trauma-focused psychotherapy
                     itemCode: 406185000 |Trauma therapy (regime/therapy)|
                      response: Boolean (Single)
                      # prompt: Individual non-trauma-focused psychotherapy
                     itemCode: 75516001 |Psychotherapy (regime/therapy)|
                      response: Boolean (Single)
                      # prompt: Pharmacotherapy
                      response: Tuple (Multiple)
                response range: EnumerationConstraint (List)
                          item: Selective serotonin reuptake inhibitors([416118004 | Administration
                                (procedure)] ->(260686004 | Method (attribute))->[129445006 | Admin-
                                istration - action (qualifier value)] ->(363701004 |Direct substance (at-
                                tribute))->[349854005 |Selective serotonin re-uptake inhibitor (prod-
                                uct)])
                          item: Serotonin and norepinephrine reuptake inhibitors (e.g., sertraline, parox-
                                etine, fluoxetine, or venlafaxine)([416118004 | Administration (pro-
                                cedure)] ->(260686004 | Method (attribute))->[129445006 | Adminis-
                                tration - action (qualifier value)] ->(363701004 |Direct substance (at-
                                tribute))->[61ef43af-65b8-4ba4-9002-2059fe82747f |Serotonin and nor-
                                epinephrine reuptake inhibitor (product)])
                       ritem: Other Pharmacotherapy
                      # prompt: Other Specific therapeutic modalities
                      response: String (Single)
      # Principal Treatment Setting
                      # prompt: Mental health clinic
```

```
response: String (Single)
                response range: EnumerationConstraint (List)
                          item: General mental health(702882007 |Mental health clinic (environment)|)
                          item: PTSD clinic(44e06a3e-798d-4a16-8af0-392f4e5b05d3 | Posttraumatic
                                stress disorder clinic (environment)|)
                      # prompt: Primary care clinic
                     itemCode: 5351000124100 |Primary care clinic (environment)|
                      response: String (Single)
                response range: EnumerationConstraint (List)
                          item: Mental health provider embedded in primary care practice set-
                                ting(310190000 | Mental health counselor (occupation)|)
                          item: Primary care provider(453231000124104 | Primary care provider (occu-
                                pation)|)
                       ritem: Other
      # Arrangements and timing for follow-up
prompt:
    re- String (Single)
sponse:
      # Consult mental health for PTSD
prompt:
    re- String (Single)
sponse:
      # Consult mental health for substance use disorder
prompt:
    re- String (Single)
sponse:
      # Other
prompt:
    re- String (Single)
sponse:
```

Chapter 7. Tabular List

Terminology Service Request (TSR) Mappings

Table 7.1. Terminology Versions

Name	Identifer	Version
SNOMED CT	2.16.840.1.113883.6.96	United States Edition 20180301

Table 7.2. Terminology References

System	Code	Display Text ^a	References ^b
SNOMED CT	310190000 Mental health counselor (occupation)	Mental health provider embedded in primary care practice setting	2
SNOMED CT	33022008 Hospital-based outpatient department (en- vironment)	Outpatient	1
SNOMED CT	406185000 Trauma therapy (regime/therapy)	Precoordinated Expression	1
SNOMED CT	44e06a3e-798d-4a16-8af0-3 Posttraumatic stress disor- der clinic (environment)	УЛЕНТОВНЕЕ	1
SNOMED CT	453231000124104 Primary care provider (occupation)	Primary care provider	2
SNOMED CT	5351000124100 Primary care clinic (environment)	Postcoordinated Expression	1
SNOMED CT	702882007 Mental health clinic (environment)	General mental health	1
SNOMED CT	75516001 Psychotherapy (regime/therapy)	Precoordinated Expression	1
SNOMED CT	TSR-NoCode ^c	Precoordinated Expression	1
SNOMED CT	[416118004 Administration (procedure)] - > (260686004 Method (attribute)) -> [129445006 Administration - action (qualifier value)] -> (363701004 Direct substance (attribute)) -> [349854005 Selective serotonin re-uptake inhibitor (product)]	Selective serotonin reuptake inhibitors	1
SNOMED CT	[416118004 Administration (procedure)] - >(260686004 Method (attribute))->[129445006 Administration - ac-	Serotonin and norepinephrine re- uptake inhibitors (e.g., sertraline, paroxetine, fluoxetine, or venlafax- ine)	1

System	Code	Display Text ^a	References ^b
	tion (qualifier val- ue)] ->(363701004 Direct substance (at- tribute))->[61ef43af-65b8-4 Serotonin and norepineph- rine reuptake inhibitor (product)]	ba4-9002-2059fe82747f	
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] - >(363702006 Has focus (attribute))->[248152002 Female (finding)]	Postcoordinated Expression	2
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[365856005 Screening finding (finding)]>(363714003 Interprets (attribute))->[2a591b1f-5344-a315-3bc0c3a9419b Generalized anxiety disorder 2 item scale score (observable entity)];	Postcoordinated Expression 4567-	1
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[365856005 Screening finding (finding)]>(363714003 Interprets (attribute))->[3145d9adef9c-4d74-b7a0-86f-b93a4b438 Posttraumatic Stress Disorder Checklist Version 5 for Diagnostic and Statistical Manual of Mental Disorders Version 5 score (observable entity)];	Postcoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40e- b-833a-6374c7750a3a Observation proce- dure (procedure)] >(363702006 Has focus	Postcoordinated Expression	1

System	Code	Display Text ^a	References ^b
(attribute))->[365856005] Screening finding (finding)]>(363714003] Interprets (attribute))->[42679737-748d- Primary Care Posttraumatic Stress Disorder Screen for Diagnostic and Statistical Manual of Mental Disorders score (observable entity)];		4564-9ffd-6801afeeeef4	
SNOMED CT	[a997cc03-3e99-40e-b-833a-6374c7750a3a Observation procedure (procedure)]>(363702006 Has focus (attribute))->[365856005 Screening finding (finding)]>(363714003 Interprets (attribute))->[5ff6281a-52c9-4dc806cc7fbf1 Alcohol Use Disorders Identification Test C score (observable entity)];	Postcoordinated Expression 004-9c28-	1

^aIf a code is used multiple times in the KNART, only the display text of the first instance is shown.

^bCount of the number of times the given code system and code pair is used in the KNART.

^cTSR-NoCode is a placeholder indicating a code was requested, but was not provided.

Chapter 8. Behavior Symbols

Table 8.1. Group Organizational Behavior

Sym- bol	Name	Definition
#	Sentence Group	A group of related alternative actions is a sentence group if the item referenced by the action is the same in all the actions, and each action simply constitutes a different variation on how to specify the details for that item. For example, two actions that could be in a SentenceGroup are "aspirin, 500 mg, 2 times per day" and "aspirin, 300 mg, 3 times per day". In both cases, aspirin is the item referenced by the action, and the two actions represent two different options for how aspirin might be ordered for the patient. Note that a SentenceGroup would almost always have an associated selection behavior of "AtMostOne", unless it's a required action, in which case, it would be "ExactlyOne".
#	Logical Group	A group with this behavior logically groups its sub-elements, and may be shown as a visual group to the end user, but it is not required to do so.
>	Visual Group	Any group marked with this behavior should be displayed as a visual group to the end user.

Table 8.2. Group Selection Behavior

Sym- bol	Name	Definition
#	Any	Any number of the items in the group may be chosen, from zero to all.
#	All	All the items in the group must be selected as a single unit.
#	AllOrNone	All the items in the group are meant to be chosen as a single unit: either all must be selected by the end user, or none may be selected.
#	ExactlyOne	The end user must choose one and only one of the selectable items in the group. The user may not choose none of the items in the group.
0	AtMostOne	The end user may choose zero or at most one of the items in the group.
*	OneOrMore	The end user must choose a minimum of one, and as many additional as desired.

Table 8.3. Required Behavior

Sym- bol	Name	Definition
*	Must	An action with this behavior must be included in the actions processed by the end user; the end user may not choose not to include this action.

Sym- bol	Name	Definition
♦	Could	An action with this behavior may be included in the set of actions processed by the end user.
>	MustUnlessDocumented	An action with this behavior must be included in the set of actions processed by the end user, unless the end user provides documentation as to why the action was not included.

Table 8.4. Precheck Behavior

Sym- bol	Name	Definition
•	Yes	An action with this behavior is one of the most frequent actions that is, or should be, included by an end user, for the particular context in which the action occurs. The system displaying the action to the end user should consider "pre-checking" such an action as a convenience for the user.
#	No	An action with this behavior is one of the less frequent actions included by the end user, for the particular context in which the action occurs. The system displaying the actions to the end user would typically not "pre-check" such an action.

Table 8.5. Cardinality Behavior

Sym- bol	Name	Definition
•	Single	An action with this behavior may only be completed once.
*	Multiple	An action with this behavior may be repeated multiple times.

Table 8.6. Item Flags

	ym- ool	Name	Definition
c	F		This item, in a list entry, allows the user to enter a fill in value that is not present in the set of presented choices.

Table 8.7. Read Only Behavior

Sym- bol	Name	Definition
#	true	For a particular action or action group, specifies whether the elements are read only.

Appendix A. References

This appendix contains the list of related resources and supporting documents used in creating this KNART.

List of References

Related Resources

- [CCWP] Mental Health: Posttraumatic Stress Disorder (PTSD) Screening and Assessment Clinical Content White Paper
- [CSD] Mental Health: Post-traumatic Stress Disorder (PTSD) Screening and Assessment Documentation Template Conceptual Structure Document
- [KVRpt] Mental Health: Post-traumatic Stress Disorder (PTSD) Screening and Assessment Documentation Template KNART Validation Report

Supporting Evidence

- [Bush 1998] Bush K, Kivlahan DR, McDonell MB, Fihn SD, Bradley KA, et al. The AUDIT alcohol consumption questions (AUDIT-C): an effective brief screening test for problem drinking. Ambulatory Care Quality Improvement Project (ACQUIP). Alcohol Use Disorders Identification Test. Arch Intern Med. 1998 Sep 14;158(16):1789-95 (link [https://www.ncbi.nlm.nih.gov/pubmed/9738608])
- [IOM 2013] Committee on the Assessment of the Readjustment Needs of Military Personnel, Veterans, and Their Families; Board on the Health of Select Populations; Institute of Medicine. Returning Home from Iraq and Afghanistan: Assessment of Readjustment Needs of Veterans, Service Members, and Their Families. Washington (DC): National Academies Press (US); Mar 2013 (link [https://www.ncbi.nlm.nih.gov/books/NBK206857])
- [Kroenke 2010] Kroenke K, Spitzer RL, Williams JB, Löwe B. The Patient Health Questionnaire Somatic, Anxiety, and Depressive Symptom Scales: a systematic review. Gen Hosp Psychiatry. 2010;32(4):345-359 (link [https://doi.org/10.1016/j.genhosppsych.2010.03.006])
- [Kroenke 2001] Kroenke K, Spitzer RL, Williams JB. The PHQ-9 Validity of a Brief Depression Severity Measure. J Gen Intern Med. 2001;16(9):606-613 (link [https://doi.org/10.1046/j.1525-1497.2001.016009606.x])
- [Prins 2016] Prins A, Bovin MJ, Smolenski DJ, et al. The primary care PTSD screen for DSM-5 (PC-PTSD-5): development and evaluation within a Veteran primary care sample. J Gen Intern Med. 2016;31(10):1206-1211 (link [https://doi.org/10.1007/s11606-016-3703-5])
- [DOD Forms Website] *Tri-Service Workflow (TSWF). TSWF-CORE AIM Form Version Jan-Apr 2018. TSWF CORE Paper Backup Jan Apr 2018.pdf* (link [http://www.tswf-mhs.com/core-forms/core])
- [DOD Forms] U.S. Department of Defense. Department of Defense Instruction Number 6490.15: Integration of Behavioral Health Personnel (BHP) Services into Patient-Centered Medical Home (PCMH) Primary Care and Other Primary Care Service Settings. Executive Services Directorate website. Effective November 2014 (link [http://www.esd.whs.mil/Portals/54/Documents/DD/issuances/dodi/649015p.pdf])
- [VA/DoD 2017] U.S. Department of Veterans Affairs; U.S. Department of Defense. VA/DOD Clinical Practice Guideline for the Mangement of Posttraumatic Stress Disorder and Acute Stress Disorder. Version 3.0 –

- 2017. VA/DoD Clinical Practice Guidelines website. Published June 2017 (link [https://www.healthquality.va.gov/guidelines/MH/ptsd/VADoDPTSDCPGFinal082917.pdf])
- [VHA 2013] Weathers FW, Litz BT, Keane TM, Palmieri PA, Marx BP, and Schnurr PP. The PTSD Checklist for DSM-5 with Criterion A [Measurement instrument]. U.S. Department of Veterans Affairs National Center for PTSD website. Updated August 2013 (link [https://www.ptsd.va.gov/professional/assessment/documents/PCL-5_criterionA.pdf])
- [VHA 2017] U.S. Department of Veterans Affairs National Center for PTSD. Using the PTSD Checklist for DSM-5 (PCL-5). U.S. Department of Veterans Affairs National Center for PTSD website. Accessed October 19, 2017 (link [https://www.ptsd.va.gov/professional/assessment/documents/using-PCL5.pdf])
- [VHA 2018a] U.S. Department of Veterans Affairs National Center for PTSD. DSM-5 Criteria for PTSD. U.S. Department of Veterans Affairs National Center for PTSD website. Accessed February 8, 2018 (link [https://www.ptsd.va.gov/professional/PTSD-overview/dsm5_criteria_ptsd.asp])
- [VHA 2018b] U.S. Department of Veterans Affairs National Center for PTSD. Primary Care PTSD Screen for DSM-5 (PC-PTSD-5). U.S. Department of Veterans Affairs National Center for PTSD website. Accessed March 15, 2018 (link [https://www.ptsd.va.gov/professional/assessment/screens/pc-ptsd.asp])