

# CLIENT FEED-BACK SYSTEM

## List of Systems and System Modules

- **System Name : CFSys Administrator (Uy and Insong Group)**
  - System Files (mnuSYS)
    - Status File (SYS01)
    - Position File (SYS02)
    - Gender File (SYS03)
    - Question Type File (SYS04)
    - Rate File (SYS0105)
  - Company File (mnuCOM)
    - **Company Setup (COM01)**
    - Branch File (COM02)
    - Office File (COM03)
    - Employee File (COM04)
  - Survey and Transaction Files (mnuTRN)
    - Question Files (TRN01)
    - Survey Template File (TRN02)
    - Transaction File (TRN03)
  - **Reports (mnuRPT)**
    - **Survey Template List (RPT01)**
    - **Transaction List (RPT02)**
    - **Survey Result List (RPT03)**
  - **System Utilities (mnuSYS)**
    - **System Modules (SYS01)**
      - Privileges
    - **User Module (SYS02)**
      - User Modules and Privileges
      - Branch Access Rights
      - Office Access Rights
    - **System Unit Registration (SYS03)**
      - Unit Transaction Queue Display
  - **Others (mnuUTL)**
    - **Change Password (UTL01)**
    - **Exit (UTL02)**
- **System Name : CFSys Transaction Queue Display (Jayson's Group)**
  - System Display of Transaction Queue
- **System Name : CFSys Kiosk (Suarez Group)**
  - Selection of Transaction
    - Generate Transaction Number
  - Survey Entry
- **System Name: CFSys Employee Front-End (Bantilan Group)**
  - Display List of Transaction Queue
  - Accommodate Transactions in Queue

## SYSTEM REFERENCE FILES

Table Name: **STATUS**

| Field Name  | Description                     | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|-------------|---------------------------------|---------|------|--------|----|------|----|------|--------------|
| Status_ID   | Unique ID for status            | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Status_Code | Short Description for status    | Varchar | 2    |        | N  | N    | N  | Y    |              |
| Status_Name | Complete Description for status | Varchar | 50   |        | N  | N    | N  | Y    |              |

Table Name: **POSITION**

| Field Name     | Description                | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|----------------|----------------------------|---------|------|--------|----|------|----|------|--------------|
| Position_ID    | Unique ID for position     | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Position_SName | Short Name for position    | Varchar | 10   |        | N  | N    | N  | Y    |              |
| Position_Name  | Complete Name for position | Varchar | 50   |        | N  | N    | N  | Y    |              |

Table Name: **GENDER**

| Field Name  | Description              | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|-------------|--------------------------|---------|------|--------|----|------|----|------|--------------|
| Gender_ID   | Unique ID for gender.    | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Gender_Code | Short Name for gender    | Varchar | 2    |        | N  | N    | N  | Y    |              |
| Gender_Name | Complete Name for gender | Varchar | 50   |        | N  | N    | N  | Y    |              |

Table Name: **QUESTION\_TYPE**

| Field Name      | Description  | Type    | Size | Format                  | PK | Auto | FK | Req. | Source Table |
|-----------------|--|---------|------|-------------------------|----|------|----|------|--------------|
| Type_ID         | Unique ID for question type.                                   | Integer | 2    |                         | Y  | Y    | N  | Y    |              |
| Type_Name       | Complete Name for question type.                               | Varchar | 50   |                         | N  | N    | N  | Y    |              |
| Type_for_office | Determines if the question type is for office or for employee. | Byte    | 1    | 0= Employee<br>1=Office | N  | N    | N  | Y    |              |

Table Name: **SYSTEM\_USER**

| Field Name    | Description          | Type    | Size | Format       | PK | Auto | FK | Req. | Source Table |
|---------------|----------------------|---------|------|--------------|----|------|----|------|--------------|
| User_ID       | Unique ID of a user. | Varchar | 10   | YYYYSERIESNO | Y  | Y    | Y  | Y    | EMPLOYEE     |
| User_Password | User password.       | Varchar | 100  |              | N  | N    | N  | Y    |              |

Table Name: **SURVEY\_RATE**

| Field Name       | Description                       | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|------------------|-----------------------------------|---------|------|--------|----|------|----|------|--------------|
| Rate_Fix_Value   | Fix value of a rate.              | Integer | 1    |        | Y  | N    | N  | Y    |              |
| Rate_Description | Descriptive name of a survey rate | Varchar | 100  |        | N  | N    | N  | Y    |              |
| Rate_Minimum     | Minimum value of a survey rate    | Double  | 2,2  |        | N  | N    | N  | Y    |              |
| Rate_Maximum     | Maximum value of a survey rate    | Double  | 2,2  |        | N  | N    | N  | Y    |              |

## COMPANY REFERENCE FILES

Table Name: **SYSTEM\_SETTING** (One Record File)

| Field Name    | Description                      | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|---------------|----------------------------------|---------|------|--------|----|------|----|------|--------------|
| Setting_ID    | Unique ID for system settings.   | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Comp_Name     | Complete name of the company.    | Varchar | 100  |        | N  | N    | N  | Y    |              |
| Comp_SName    | Short name of the company.       | Varchar | 50   |        | N  | N    | N  | Y    |              |
| Comp_Address  | Complete address of the company. | Varchar | 300  |        | N  | N    | N  | Y    |              |
| Comp_TelNo    | Telephone number of the company  | Varchar | 50   |        | N  | N    | N  | N    |              |
| Comp_MobileNo | Mobile number of the company     | Varchar | 50   |        | N  | N    | N  | N    |              |
| Comp_Email    | Email address of the company     | Varchar | 50   |        | N  | N    | N  | N    |              |

Table Name: **BRANCH**

| Field Name     | Description                     | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|----------------|---------------------------------|---------|------|--------|----|------|----|------|--------------|
| Branch_ID      | Unique ID for a branch.         | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Branch_Name    | Complete name of the branch.    | Varchar | 100  |        | N  | N    | N  | Y    |              |
| Branch_SName   | Short name of the branch.       | Varchar | 50   |        | N  | N    | N  | Y    |              |
| Branch_Address | Complete address of the branch. | Varchar | 300  |        | N  | N    | N  | Y    |              |
| Branch_TelNo   | Telephone number of the branch  | Varchar | 50   |        | N  | N    | N  | N    |              |
| Branch_MobNo   | Mobile number of the branch     | Varchar | 50   |        | N  | N    | N  | N    |              |
| Branch_Email   | Email address of the branch     | Varchar | 50   |        | N  | N    | N  | N    |              |

Table Name: **OFFICE**

| Field Name     | Description                       | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|----------------|-----------------------------------|---------|------|--------|----|------|----|------|--------------|
| Office_ID      | Unique ID for an office.          | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Office_Name    | Complete name of the office.      | Varchar | 100  |        | N  | N    | N  | Y    |              |
| Office_Code    | Short code of the office.         | Varchar | 2    |        | N  | N    | N  | Y    |              |
| Office_SName   | Short Name address of the office. | Varchar | 300  |        | N  | N    | N  | Y    |              |
| Office_Head_ID | Head of the office employee ID.   | Varchar | 10   |        | N  | N    | Y  | Y    | EMPLOYEE     |
| Branch_ID      | Branch ID of an office.           | Integer | 2    |        | N  | N    | Y  | Y    | BRANCH       |

Table Name: **SUB\_OFFICE**

| Field Name       | Description                           | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|------------------|---------------------------------------|---------|------|--------|----|------|----|------|--------------|
| Sub_Office_ID    | Unique ID for a sub office.           | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Office_ID        | Unique ID for an office.              | Integer | 2    |        | N  | N    | Y  | Y    | OFFICE       |
| Sub_Office_Name  | Complete name of the sub office.      | Varchar | 100  |        | N  | N    | N  | Y    |              |
| Sub_Office_SName | Short Name address of the sub office. | Varchar | 300  |        | N  | N    | N  | Y    |              |

Table Name: **EMPLOYEE**

| Field Name   | Description                               | Type    | Size | Format       | PK | Auto | FK | Req. | Source Table |
|--------------|---|---------|------|--------------|----|------|----|------|--------------|
| Emp_ID       | Unique ID of an employee.                 | Varchar | 10   | YYYYSERIESNO | Y  | N    | N  | Y    |              |
| Emp_LName    | Last name of an employee.                 | Varchar | 100  |              | N  | N    | N  | Y    |              |
| Emp_FName    | First name of an employee.                | Varchar | 100  |              | N  | N    | N  | Y    |              |
| Emp_MName    | Middle name of an employee.               | Varchar | 100  |              | N  | N    | N  | Y    |              |
| Emp_ExtName  | Extension name of the employee (Jr., Sr.) | Varchar | 5    |              | N  | N    | Y  | Y    |              |
| Emp_Prefix   | Employees' prefix (Mr., Mrs., Engr.)      | Varchar | 10   |              | N  | N    | Y  | Y    |              |
| Emp_Birthday | Contains employees' birthday.             | Date    |      |              | N  | N    | N  | Y    |              |
| Status_ID    | Contains the status ID of an employee     | Integer | 2    |              | N  | N    | Y  | Y    | STATUS       |
| Position_ID  | Contains the position ID of an employee   | Integer | 2    |              | N  | N    | Y  | Y    | POSITION     |
| Office_ID    | Contains the office ID of an employee     | Integer | 2    |              | N  | N    | Y  | Y    | OFFICE       |
| Gender_ID    | Contains the gender ID of an employee     | Integer | 2    |              | N  | N    | Y  | Y    | GENDER       |
| Branch_ID    | Contains the branch ID of an employee     | Integer | 2    |              | N  | N    | Y  | Y    | BRANCH       |

Table Name: **SYSTEM\_UNIT**

| Field Name       | Description                                     | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|------------------|---|---------|------|--------|----|------|----|------|--------------|
| Unit_ID          | Unique ID for PC.                               | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Unit_MAC         | MAC Address of the PC                           | Varchar | 20   |        | Y  | N    | N  | Y    |              |
| Office_ID        | Unique ID for an office.                        | Integer | 2    |        | N  | N    | Y  | Y    | OFFICE       |
| Sub_Office_ID    | Unique ID of a sub office.                      | Integer | 2    |        | N  | N    | Y  | Y    | SUB_OFFICE   |
| Unit_Description | Complete name of the unit.<br>(computer's name) | Varchar | 100  |        | N  | N    | N  | Y    |              |

Table Name: **UNIT\_QUE\_DISPLAY**

| Field Name  | Description               | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|-------------|---------------------------|---------|------|--------|----|------|----|------|--------------|
| Unit_Que_ID | Unique Queue ID for a PC. | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Unit_ID     | Unit ID of a PC.          | Integer | 2    |        | N  | N    | Y  | Y    | SYSTEM_UNIT  |
| Office_ID   | Unique ID for an office.  | Integer | 2    |        | N  | N    | Y  | Y    | OFFICE       |

# SURVEY AND TRANSACTION REFERENCE FILES

Table Name: **QUESTION**

| Field Name       | Description                     | Type    | Size | Format | PK | Auto | FK | Req. | Source Table  |
|------------------|---------------------------------|---------|------|--------|----|------|----|------|---------------|
| Question_ID      | Unique ID of a question.        | Integer | 2    |        | Y  | Y    | N  | Y    |               |
| Type_ID          | Question type ID of a question. | Integer | 2    |        | N  | N    | Y  | Y    | QUESTION_TYPE |
| Question_Content | Content of a question.          | Varchar | 300  |        | N  | N    | N  | Y    |               |

Table Name: **SURVEY\_TEMPLATE**

| Field Name       | Description                         | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|------------------|-------------------------------------|---------|------|--------|----|------|----|------|--------------|
| Template_ID      | Unique ID of a template.            | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Template_Remarks | Remarks about a about the template. | Varchar | 300  |        | N  | N    | N  | Y    |              |

Table Name: **SURVEY\_TEMPLATE\_QUESTIONS**

| Field Name    | Description                      | Type    | Size | Format | PK | Auto | FK | Req. | Source Table    |
|---------------|----------------------------------|---------|------|--------|----|------|----|------|-----------------|
| Template_ID   | Unique ID of a template.         | Integer | 2    |        | Y  | N    | Y  | Y    | SURVEY_TEMPLATE |
| Question_ID   | Unique ID of a question.         | Integer | 2    |        | Y  | N    | Y  | Y    | QUESTION        |
| Question_Rank | Rank of a question in a template | Integer | 2    |        | N  | N    | N  | Y    |                 |

Table Name: **TRANSACTION**

| Field Name    | Description                                   | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|---------------|---|---------|------|--------|----|------|----|------|--------------|
| Trans_ID      | Unique ID of a transaction.                   | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Trans_Name    | Name of the transaction.                      | Varchar | 100  |        | N  | N    | N  | Y    |              |
| Trans_Remarks | Additional information about the transaction. | Varchar | 300  |        | N  | N    | N  | Y    |              |

Table Name: **TRANS\_STEP**

| Field Name    | Description  | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|---------------|--|---------|------|--------|----|------|----|------|--------------|
| Trans_Step_ID | Unique ID of a transaction step.                   | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Trans_ID      | ID of a transaction.                               | Integer | 2    |        | N  | N    | Y  | Y    | TRANSACTION  |
| Step_Remarks  | Additional information about the transaction step. | Varchar | 300  |        | N  | N    | N  | Y    |              |
| Office_ID     | ID for an office.                                  | Integer | 2    |        | N  | N    | Y  | Y    | OFFICE       |
| Step_No       | Step number of a step in a transaction.            | Integer | 2    |        | N  | N    | N  | Y    |              |

Table Name: **TRANS\_STEP\_SUB\_OFFICE**

| Field Name    | Description                      | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|---------------|----------------------------------|---------|------|--------|----|------|----|------|--------------|
| Trans_Step_ID | Unique ID of a transaction step. | Integer | 2    |        | Y  | Y    | N  | Y    |              |
| Sub_Office_ID | ID for a sub office.             | Integer | 2    |        | N  | N    | Y  | Y    | SUB_OFFICE   |

Table Name: **TRANS\_QUEUE**

| Field Name    | Description                      | Type    | Size | Format                                   | PK | Auto | FK | Req. | Source Table |
|---------------|----------------------------------|---------|------|--|----|------|----|------|--------------|
| Que_No        | Transaction Que Number           | Char    | 12   | YYYYMMSERIESNO                           | Y  | Y    | N  | Y    |              |
| Trans_Step_ID | ID of a transaction step.        | Integer | 2    |  | N  | N    | Y  | Y    | TRANS_STEP   |
| Trans_ID      | ID of a transaction.             | Integer | 2    |  | N  | N    | Y  | Y    | TRANSACTION  |
| Step_No       |                                  |         |      |  |    |      |    |      |              |
| Office_ID     | Office ID of a transaction step. | Integer | 2    |  | N  | N    | Y  | Y    | OFFICE       |
| Date_Arrive   | Arrival date                     | Date    |      |  | N  | N    | N  | Y    |              |
| Time_Arrive   | Arrival Time                     | Time    |      |  | N  | N    | N  | Y    |              |
| Status        | Status of queue                  | Integer |      | 0=Unattended,<br>1=Currently<br>attended | N  | N    | N  | Y    |              |



Table Name: **TRANS\_LOGS**

| Field Name    | Description                      | Type    | Size | Format         | PK | Auto | FK | Req. | Source Table |
|---------------|----------------------------------|---------|------|----------------|----|------|----|------|--------------|
| Trans_Log_No  | Transaction Log Number           | Integer | 4    |                | Y  | Y    | N  | Y    |              |
| Que_No        | Transaction Que Number           | Char    | 12   | YYYYMMSERIESNO | N  | N    | Y  | Y    | TRANS_QUEUE  |
| Trans_Step_ID | ID of a transaction step.        | Integer | 2    |                | N  | N    | Y  | Y    | TRANS_STEP   |
| Trans_ID      | ID of a transaction.             | Integer | 2    |                | N  | N    | Y  | Y    | TRANSACTION  |
| Office_ID     | Office ID of a transaction step. | Integer | 2    |                | N  | N    | Y  | Y    | OFFICE       |
| User_ID       | User ID of an employee           | Varchar | 10   | YYYYSERIESNO   | N  | N    | Y  | Y    | EMPLOYEE     |
| Date_Arrive   | Arrival date                     | Date    |      |                | N  | N    | N  | Y    |              |
| Time_Arrive   | Arrival Time                     | Time    |      |                | N  | N    | N  | Y    |              |
| Date_Start    | Date started                     | Date    |      |                | N  | N    | N  | Y    |              |
| Time_Start    | Time started                     | Time    |      |                | N  | N    | N  | Y    |              |
| Date_End      | Date end                         | Date    |      |                | N  | N    | N  | Y    |              |
| Time_End      | Time end                         | Time    |      |                | N  | N    | N  | Y    |              |

Table Name: **SURVEY\_HEAD**

| Field Name     | Description                      | Type    | Size | Format         | PK | Auto | FK | Req. | Source Table |
|----------------|----------------------------------|---------|------|----------------|----|------|----|------|--------------|
| Survey_ID      | Unique ID of a survey            | Integer | 4    |                | Y  | Y    | N  | Y    |              |
| Trans_Log_No   | Transaction Log Number           | Integer | 4    |                | N  | N    | Y  | Y    | TRANS_LOG    |
| Que_No         | Transaction Que Number           | Char    | 12   | YYYYMMSERIESNO | Y  | Y    | N  | Y    | TRANS_QUEUE  |
| Trans_ID       | ID of a transaction.             | Integer | 2    |                | N  | N    | Y  | Y    | TRANSACTION  |
| Office_ID      | Office ID of a transaction step. | Integer | 2    |                | N  | N    | Y  | Y    | OFFICE       |
| User_ID        | User ID of an employee           | Varchar | 10   | YYYYSERIESNO   | N  | N    | Y  | Y    | EMPLOYEE     |
| Survey_Date    | Survey date                      | Date    |      |                | N  | N    | N  | Y    |              |
| Survey_Time    | Survey time                      | Time    |      |                | N  | N    | N  | Y    |              |
| Survey_Remarks | Clients remarks                  | Varchar | 300  |                | N  | N    | N  | Y    |              |

Table Name: **SURVEY\_DETAIL**

| Field Name     | Description                   | Type    | Size | Format | PK | Auto | FK | Req. | Source Table |
|----------------|-------------------------------|---------|------|--------|----|------|----|------|--------------|
| Survey_ID      | ID of a survey                | Integer | 4    |        | Y  | Y    | N  | Y    |              |
| Entry_No       | Rank of a question on survey. | Integer | 2    |        | N  | N    | N  | Y    |              |
| Question_ID    | ID of a question in survey    | Integer | 2    |        | N  | N    | Y  | Y    | QUESTION     |
| Rate_Fix_Value | Actual value or score.        | Integer | 2    |        | N  | N    | Y  | Y    | SURVEY_RATE  |
| Score1         | Score 1 column                | Integer | 1    |        | N  | N    | Y  | Y    |              |
| Score2         | Score 2 column                | Integer | 1    |        | N  | N    | N  | Y    |              |
| Score3         | Score 3 column                | Integer | 1    |        | N  | N    | N  | Y    |              |
| Score4         | Score 4 column                | Integer | 1    |        | N  | N    | N  | Y    |              |
| Score5         | Score 5 column                | Integer | 1    |        | N  | N    | N  | Y    |              |



