

WORKING MANUSCRIPT · OVERSEAS SUPERVISION

NCLEX-RN 臨床判斷雙語備考指南

AHPRA Stream B 路線版（獨立學習指南） · Clinical Judgment
Bilingual Study Companion

Generated from 33 manuscript files · 470 page units · est. 505 print pages · 2026-05-25 ·
Independent educational draft

EDITORIAL NAVIGATION

Table of Contents / 目錄與審稿導航

This is a working manuscript navigation page for editors, tutors and clinical reviewers. 這一頁供編輯、督導與 RN reviewer 快速定位使用。

33

manuscript files

470

page units

114,867

Chinese characters

137,332

English words

1. AHPRA Stream B 路線版（獨立學習指南）

00_front_matter.md · zh 873 · en 278

2. AHPRA Stream B / NCLEX-RN / OSCE 路線圖

01_route_map.md · zh 1,444 · en 328

3. 2026 NCLEX-RN Test Plan 雙語解讀

02_2026_test_plan.md · zh 1,040 · en 379

4. Clinical Judgment：把臨床經驗轉成考試可測量的判斷

03_clinical_judgment.md · zh 905 · en 303

5. Prioritization and Delegation

04_prioritization_delegation.md · zh 498 · en 450

6. NGN Case Study Reading Method

05_ngn_case_method.md · zh 434 · en 337

7. Pharmacology Language：藥理不是背藥名，而是抓風險

06_pharmacology_language.md · zh 615 · en 334

8. Maternal-Child Nursing：產兒題的安全線索

07_maternal_child.md · zh 579 · en 345

9. Mental Health and Therapeutic Communication

08_mental_health_communication.md · zh 387 · en 377

10. Safety and Infection Control

09_safety_infection_control.md · zh 275 · en 346

11. 8-12 Week Study Planner

10_eight_week_planner.md · zh 488 · en 221

12. After NCLEX-RN: OSCE Transition

11_osce_transition.md · zh 328 · en 312

13. Appendices and Worksheets

12_appendices_worksheets.md · zh 241 · en 313

14. 中文深度 **Workbook**：把題庫練習變成可複盤的學習系統

13_chinese_deep_workbook.md · zh 2,968 · en 870

15. 題幹語言與雙語詞彙：先讀懂題目，再談臨床知識

14_question_language_and_bilingual_vocabulary.md · zh 1,644 · en 228

16. Content Repair Modules：把常見知識缺口補成安全判斷

15_content_repair_modules.md · zh 1,141 · en 402

17. **500** 題題庫使用指南：不要把題庫用成焦慮機器

16_question_bank_500_usage_guide.md · zh 1,273 · en 137

18. 海外督導小組教學指南

17_supervised_cohort_teaching_guide.md · zh 1,126 · en 242

19. 書籍、App 與出版產品整合

18_publication_and_app_integration.md · zh 1,166 · en 222

20. Casebook A：Priority 與 Delegation 中文案例拆解

19_casebook_priority_delegation.md · zh 674 · en 700

21. Casebook B：藥理、安全與感染控制案例拆解

20_casebook_pharmacology_safety.md · zh 510 · en 620

22. Casebook C：產兒、精神健康與溝通案例拆解

21_casebook_maternal_child_mental_health.md · zh 533 · en 586

23. Extended Glossary and Phrasebook：雙語術語與口頭表達

22_glossary_and_phrasebook_extended.md · zh 492 · en 473

24. NGN Long Case Workshop：長病例逐步拆解

23_ngn_long_case_workshop.md · zh 589 · en 638

25. **12** 週詳細學習計劃：從起點測試到考前穩定

24_twelve_week_detailed_study_plan.md · zh 708 · en 257

26. RN Reviewer and Clinical Safety Checklist：臨床審核與出版安全

25_rn_reviewer_and_clinical_safety_checklist.md · zh 609 · en 241

27. Chapter Drills A：Priority, Safety, Delegation

26_chapter_drills_priority_safety.md · zh 214 · en 688

28. Chapter Drills B：Pharmacology, Maternal-Child, Mental Health

27_chapter_drills_pharm_maternity_mental.md · zh 121 · en 550

29. **500** 題題庫藍圖與章節索引

28_500_question_blueprint_and_index.md · zh 365 · en 198

30. Workbook Answer Key and Tutor Notes：答案、督導提示與課堂用法

29_workbook_answer_key_and_tutor_notes.md · zh 660 · en 123

31. Final Editorial Roadmap : 從擴寫稿到可出版稿

30_final_editorial_roadmap.md · zh 624 · en 120

32. 500-Page Working Compendium: Case Drills, Glossary, Worksheets and Supervisor Pages

31_500_page_working_compendium.md · zh 90,660 · en 125,183 · page units 470

33. 500-Page Working Edition Status

32_beta_release_and_review_protocol.md · zh 683 · en 531

NCLEX-RN 臨床判斷雙語備考指南

AHPRA Stream B 路線版（獨立學習指南）

NCLEX-RN Clinical Judgment Bilingual Study Companion

Stream B Route Edition (Independent Study Guide)

Overseas Supervision Learning Centre

Overseas Publishing House

First working manuscript, 2026

Publication Notice

This working manuscript is an independent bilingual educational resource prepared by Overseas Supervision Learning Centre and Overseas Publishing House. It is intended to support Chinese-speaking learners who are preparing for NCLEX-RN within a wider Ahpra/NMBA Stream B planning context.

This publication is not an official NCSBN, Pearson VUE, Ahpra, NMBA, ANMAC, Australian Government, nursing board or migration-authority document. No endorsement, approval, sponsorship or official relationship is implied.

本書為海外督導學習中心與海外書局策劃的獨立雙語教育輔助材料，供華語護理背景讀者理解 NCLEX-RN、AHPRA/NMBA Stream B、OSCE 及相關學習規劃。它不是 NCSBN、Pearson VUE、AHPRA、NMBA、ANMAC、澳洲政府、護理監管機構或移民部門的官方材料，也不代表任何官方背書、批准、贊助或合作關係。

No Guaranteed Outcome

This book and any companion app do not guarantee:

- NCLEX-RN pass.
- OSCE pass.

- Ahpra/NMBA registration.
- ANMAC skills assessment.
- visa grant.
- employment.
- course admission.

本書與配套 App 不承諾 NCLEX-RN 通過、不承諾 OSCE 通過、不承諾澳洲註冊、不承諾 ANMAC 職業評估、不承諾簽證、不承諾就業，也不承諾任何課程錄取結果。

How to Use This Book

Use this book as a bilingual map, not as a replacement for official instructions. The safest study order is:

1. Read your own Ahpra/NMBA dashboard and official correspondence.
2. Read the current NCSBN / NCLEX test plan and candidate bulletin.
3. Use this book to interpret the test language, clinical-judgment logic and study method.
4. Use a reputable question bank or course for large-volume practice if appropriate.
5. Use this book and the companion app to classify mistakes, build terminology and prepare the OSCE transition.

Preface

很多華語護理師面對 NCLEX-RN 時，第一反應是「英文很難」。但真正的難點不只在英文，而在三層語境同時轉換：

第一層，是語言。題幹中的 priority、delegation、therapeutic communication、unstable client、expected finding、requires follow-up 這些詞，不是普通英文，它們是護理判斷的訊號。

第二層，是角色。NCLEX-RN 測的是 entry-level registered nurse 的安全實務能力。考生需要知道哪些事必須由 RN 做，哪些可以 delegate，哪些情況必須先 assessment，哪些情況已經進入立即風險。

第三層，是路線。對 AHPRA/NMBA Stream B 考生而言，NCLEX-RN 不是孤立的美國考試，而是 OBA 路線中的 MCQ 階段。通過筆試後，還有 OSCE、註冊申請、英文與文件標準，以及個人的澳洲職涯與移民規劃。

本書要做的，不是替代題庫，而是幫讀者建立一張地圖：你正在考什麼、題目如何讓你犯錯、錯題如何分類、官方時間線如何倒排、筆試之後如何銜接 OSCE。

如果你已經具備護理背景，本書不會把你當作零基礎學生。它會尊重你的臨床經驗，同時幫你將經驗翻譯成 NCLEX-RN 可以測量的 clinical judgment。

中文擴充說明：本書不是題庫替代品

這本書的定位不是「把所有護理知識重新教一遍」，也不是替代 UWorld、Archer、Kaplan、Saunders 或任何官方資料。它要解決的是另一個更具體的問題：華語護理師在面對英文 NCLEX-RN 與 AHPRA/NMBA Stream B 路線時，經常不是完全不懂臨床，而是無法把已有的臨床經驗轉換成英文題幹中的安全判斷。

因此，本書每章都採用同一個節奏：先用中文拆解問題，再用英文保留核心考試語言，最後用錯題分類把失誤變成可複習的資料。讀者不應只看「正確答案」，而應記錄自己為什麼選錯：是沒有看見危險線索，還是看見了但沒有排序；是英文詞彙誤讀，還是把台灣病房中的實際分工直接套到 NCLEX 的 RN scope。

對 Stream B 考生來說，這種方法特別重要。你準備的不是單一筆試，而是一條由文件、英文、MCQ、OSCE 與註冊標準組成的路線。每一次練題，都應同時服務三件事：建立英文臨床語言、穩定 entry-level RN 判斷、為後續 OSCE 的口頭表達和安全行動打底。

使用節奏建議

如果你只有四週時間，不要試圖從頭到尾精讀。先讀 Chapter 1、2、3、4、10，建立路線、考試框架、錯題方法和時間表；再按弱項進入藥理、產兒、精神科、安全感染控制。如果你有八到十二週，可以每週固定完成兩章，並把 App 中的錯題標籤抄回本書的 worksheet。這本書的真正價值不在於讀完，而在於反覆使用。

Chapter 1

AHPRA Stream B / NCLEX-RN / OSCE 路線圖

1.1 本章目標

讀完本章，你應能回答四個問題：

1. Stream B 是什麼，不是什麼？
2. NCLEX-RN 在 AHPRA/NMBA OBA 路線中扮演什麼角色？
3. 為什麼通過 NCLEX-RN 後仍需 OSCE？
4. 如何把自己的備考時間放進官方流程，而不是只跟著社群經驗跑？

1.2 Stream B 不是失敗，而是評估路線

AHPRA / NMBA 對 internationally qualified nurses and midwives 的評估，核心不是問你「是不是護士」，而是評估你的資格、註冊、經驗與標準能否滿足澳洲註冊要求。

Stream B 通常表示：你的資格與護理或助產相關，但尚未被直接認定為與澳洲批准課程 substantially equivalent，或未被直接認為基於相似能力標準。這並不代表你沒有機會，而是代表你需要完成 outcomes-based assessment。

對 RN 方向而言，這條路通常包括：

- Orientation Part 1
- Portfolio
- MCQ examination, currently commonly delivered through NCLEX-RN for registered nurse candidates
- OSCE
- registration application and standards

Compliance note: The components listed here describe the typical public Stream B / OBA structure at the time of writing. Your individual Ahpra/NMBA assessment outcome letter, online dashboard and official instructions are authoritative. Requirements may differ by case and can change without notice.

合規提示：本章列出的組成部分，是按撰寫時公開資料整理的典型 Stream B / OBA 路線。你的個人 AHPRA/NMBA 評估結果信、線上帳戶指示與官方通知才是最終依據；不同個案的要求可能不同，也可能因政策更新而改變。

中文理解可以這樣記：

Stream B 不是「你不合格」，而是「你需要用考試和文件證明你達到澳洲入門 RN 安全實務標準」。

1.3 NCLEX-RN 是 MCQ 階段，不是整個註冊

在 Stream B OBA 路線中，NCLEX-RN 是 registered nurse MCQ examination 的承接方式。這意味著，它是澳洲註冊流程中的一個重要考試節點，但不是註冊本身。

這個區分非常重要，因為很多考生會把「通過 NCLEX」直接想像成「已經成為澳洲 RN」。實際上，對 Stream B 考生來說，通過 NCLEX-RN 後還需要完成 OSCE，之後才有資格進入澳洲註冊申請階段。

更穩妥的說法是：

- NCLEX-RN: 筆試，測 entry-level RN 的知識、能力與臨床判斷。
- OSCE: 臨床實作考，測你能否在接近澳洲入門 RN 的情境中展示安全實務。
- Ahpra/NMBA registration: 由監管機構按文件、標準與審核結果作出決定。

1.4 台灣五專背景的關鍵問題

台灣五專護理背景常見優勢：

- 早期進入護理專業訓練。
- 有臨床實習與工作經驗。
- 對病房節奏、生命徵象、基本照護與醫療團隊有現場理解。

常見挑戰：

- 原始學歷層級與澳洲 AQF / entry-to-practice 標準的對應需要個案審查。
- 英文題幹與美式 nursing scope 不熟。
- delegation、therapeutic communication、priority setting 需要轉換。
- NCLEX-RN 通過後還要準備 OSCE，不能把所有精力只放在筆試。

1.5 ATT 倒排：不要只聽固定天數說法

NCLEX-RN 的 Authorization to Test (ATT) 有起止日期。考生必須在自己的 ATT 有效期內完成考試。不同監管機構、不同階段可能有不同安排，因此最安全做法是以自己的官方通知為準。

本書建議用「ATT countdown」而不是「固定 180 天」做計劃：

- ATT - 12 weeks: 完成 test plan 導讀與基線測試。
- ATT - 10 weeks: 完成第一輪內容弱點定位。
- ATT - 8 weeks: 開始混合題組與 timed practice。
- ATT - 6 weeks: 每週至少一次完整模擬。
- ATT - 4 weeks: 以 NGN case studies、錯題類型和高頻弱項為主。
- ATT - 2 weeks: 穩定作息、減少新材料、整理考場策略。
- ATT - 3 days: 只做輕量回顧，不再追逐陌生資源。

1.6 Route Map Worksheet

Fill this table before you start buying resources.

Question	Your answer
Have you completed Ahpra/NMBA self-check?	
Current stream result or expected stream	
Portfolio status	
NCLEX-RN eligibility status	
ATT start date	
ATT expiry date	
Planned exam date	
Current English test status	
OSCE preparation start date	
Main weak area	
Main support needed	

1.7 Chapter Summary

Stream B is a structured assessment route. NCLEX-RN is a major milestone, but it is not the whole road. A serious candidate must plan across three clocks at the same time:

1. official Ahpra/NMBA process clock.
2. NCLEX-RN ATT/exam clock.
3. OSCE and registration-readiness clock.

The rest of this book focuses on the second clock while never forgetting the first and third.

1.8 中文深讀：把「路線」和「備考」分開管理

很多考生一開始最焦慮的是：「我到底能不能走通？」但實務上，更有效的問題是：「我現在卡在哪一個節點？」Stream B 路線至少有三種不同性質的工作：第一是監管文件工作，例如 self-check、portfolio、身份與註冊證明、英文與近期執業證據；第二是考試工作，例如 NCLEX-RN 的 MCQ 準備；第三是臨床展示工作，例如 OSCE 所要求的溝通、安全、評估與行動。這三類工作會互相影響，但不能混成一團。

中文考生常見的時間浪費，是把所有問題都放進「我要趕快刷題」裡。文件還沒有整理，卻開始每天做大量題；英文標準還沒有確認，卻以為 NCLEX 通過後就萬事大吉；OSCE 仍在後面，卻完全不練口頭交代和安全語言。這種準備方式短期看起來很努力，長期卻容易反覆返工。

比較穩妥的做法是建立一張個人 route map。橫軸寫時間，縱軸分成 official process、NCLEX study、OSCE readiness、English evidence、finance and travel 五條線。每週檢查一次：哪一條線有新文件？哪一條線有官方 deadline？哪一條線只是社群傳言？只要你能把「官方要求」和「備考建議」分開，就不容易被焦慮帶著跑。

1.9 Route Map Example：台灣五專護理師的常見情境

假設一位台灣五專護理師已有臨床經驗，準備研究 AHPRA/NMBA Stream B。她的第一步不是立刻報名昂貴課程，而是先做 self-check，保存結果截圖與官方說明，整理自己的學歷、註冊、工作證明和英文狀態。第二步是把 NCLEX-RN 當作 MCQ 階段準備，而不是把它誤認為澳洲註冊本身。第三步是在刷題早期就保留 OSCE 意識：遇到安全題時，不只問「答案是什麼」，也問「如果站在考站裡，我要怎樣說出 assessment、action、escalation？」

這個例子不是承諾任何人都會被歸類為同一路線，也不是替代個案建議。它只是提醒：準備 Stream B 時，最重要的是讓每個行動都有官方位置。你讀 GCAN、準備英文、做 NCLEX 題、練 OSCE，都應能回答一句話：這一步在我的官方路線圖中服務哪一個缺口？

1.10 Supervisor Prompt / 督導討論題

請用中文回答以下問題，再把關鍵詞翻成英文：

1. 我目前最確定的官方節點是什麼？
2. 我目前只是聽說、尚未核實的資訊是什麼？
3. 如果今天停止刷題，我還有哪些文件或英文證明需要補齊？
4. 我的 NCLEX 錯題，哪些其實已經暴露了 OSCE 風險？

Chapter 2

2026 NCLEX-RN Test Plan 雙語解讀

2.1 先把考試想清楚

NCLEX-RN is a variable-length computerized adaptive test. In plain Chinese:

NCLEX-RN 不是固定題量考試，而是電腦根據你的作答表現調整後續題目難度，直到系統能作出通過或未通過判斷，或達到最大題量/時間規則。

2026 Candidate Bulletin 的核心行政資訊：

- Exam format: CAT, computer-based.
- Length: 85-150 items.
- Time limit: 5 hours.
- Breaks: optional, included in total time.
- Scoring: includes partial-credit scoring for items with more than one key.

Source-control note: This working draft keeps the 85-150 item range after checking the current public NCSBN 2026 Candidate Bulletin on 2026-05-24. Before publication, verify the latest NCSBN candidate bulletin and test plan again, because administrative exam parameters can change.

2.2 Test Plan 是地圖，不是裝飾文件

很多考生一開始就買題庫，卻不讀 test plan。這會讓備考變成「被題目牽著走」。Test plan 的功能是告訴你：

- 考試要測哪些 client needs。
- clinical judgment 如何被放入考題。
- 題目如何分類。
- entry-level RN 的安全實務能力是什麼。

對華語考生而言，test plan 的價值還有一層：它能幫你建立英文護理語言的官方詞彙系統。你不必一開始背完整文件，但應該知道每個大類在問什麼。

2.3 Client Needs 不是普通科目

NCLEX-RN 的內容不是按「內科、外科、產科、兒科」這種傳統科目切分，而是按 client needs 組織。這對台灣考生很重要，因為你的學校學習記憶可能是科目制，但考試思路是安全照護需求制。

常見大方向包括：

- Safe and Effective Care Environment
- Health Promotion and Maintenance
- Psychosocial Integrity
- Physiological Integrity

中文不要只翻譯成名詞，要理解成問題：

- 這個照護環境是否安全有效？
- 病人目前需要健康促進、篩查或教育嗎？
- 心理社會狀態是否影響安全、溝通與依從性？
- 生理穩定性是否受到威脅？

2.4 NGN 的核心：Clinical Judgment

Next Generation NCLEX 的核心不是題型花樣，而是 clinical judgment。題型變化只是表面，真正被測的是你能否按護理流程思考。

可以把 clinical judgment 分成六個動作：

1. Recognize cues: 找到有意義的線索。
2. Analyze cues: 判斷線索代表什麼。
3. Prioritize hypotheses: 哪個問題最急、最危險、最可能。
4. Generate solutions: 可以做什麼。
5. Take action: 現在最該做什麼。
6. Evaluate outcomes: 做完後如何評估是否有效。

中文考生最常卡在第 1 和第 3 步：

- 線索找太多，分不出重要性。
- 看到熟悉疾病就急著選治療，忽略 priority 或 safety。

- 把「正確的護理知識」誤認成「此刻最優先的護理行動」。

2.5 Mini Drill: 找 cues

Read the stem:

A client who is 2 hours postoperative after abdominal surgery reports increasing shortness of breath and appears restless. The oxygen saturation is 88% on room air.

Do not answer yet. First classify the cues.

Cue	Why it matters
2 hours postoperative	recent surgery, risk window
increasing shortness of breath	respiratory concern, worsening trend
restless	possible hypoxia / distress
oxygen saturation 88%	objective abnormal oxygenation

Question to ask:

Is this a comfort problem, education problem, psychosocial problem or immediate physiological safety problem?

Expected reasoning:

This is an immediate physiological safety problem. Airway/breathing and oxygenation come before routine teaching, discharge planning or nonurgent communication.

2.6 Chapter Summary

The 2026 NCLEX-RN should be studied through official structure:

- CAT format.
- 85-150 items.
- 5-hour total limit.
- clinical judgment.
- client needs.
- NGN item formats.

- partial-credit scoring.

Your goal is not to memorise every fact. Your goal is to become consistent at safe entry-level RN judgment under English-language exam pressure.

Before this chapter is printed or released outside internal review, re-check the current NCSBN candidate bulletin and test plan against the numbers above.

2.7 中文深讀：不要把 **Test Plan** 當成考前公告

Test Plan 對很多考生來說很枯燥，因為它不像題庫那樣立即給你分數。但從學習設計角度看，Test Plan 是整個備考的骨架。它告訴你考試要測的是 entry-level RN 的安全能力，而不是測你能不能背出一本內外科教科書。這個差別會直接改變你的讀書方法。

如果你用傳統科目方式準備，很容易陷入「內科還沒讀完，所以不能開始做題」的拖延。但 NCLEX-RN 的題目常把不同科目的線索放在同一個情境裡：一個術後病人可能同時涉及 breathing、pain、infection、mobility、medication 和 discharge teaching。考試要看的不是你每科分開背完，而是你能不能在有限資訊中做出安全排序。

因此，本章建議你把 Client Needs 做成四欄筆記。第一欄寫英文名稱，第二欄寫中文理解，第三欄寫高頻題幹語言，第四欄寫自己的錯題例子。每做錯一道題，都不要只記疾病名稱，而要回到 Test Plan 問：這道題其實在測哪一類 client need？它是安全環境問題、心理社會問題、健康教育問題，還是生理穩定問題？

2.8 Bilingual Client Needs Mini Map

English area	中文理解	讀題時要問
Safe and Effective Care Environment	安全有效照護環境	誰最危險？誰需要 RN？能不能委派？
Health Promotion and Maintenance	健康促進與維持	這是篩查、預防、教育還是成長發展？
Psychosocial Integrity	心理社會完整性	情緒、認知、危機或溝通是否影響安全？
Physiological Integrity	生理完整性	呼吸、循環、藥物、風險與急性變化在哪裡？

這張表不需要背得很漂亮，但要用到錯題本裡。當你發現自己連續錯在同一欄，就代表你不是「運氣不好」，而是有一種判斷模式需要重建。

2.9 Test Plan Review Drill

選三道最近做錯的題，逐題完成下列句子：

- This item mainly belongs to: _____.
- The most important cue was: _____.
- I missed it because: knowledge / English wording / priority / delegation / safety.
- 中文復盤：我當時把_____誤認成_____。

完成後，把三題放在一起看。若三題都與 **priority** 有關，下一週不要急著增加題量；先回到 Chapter 4 重建優先順序框架。

Chapter 3

Clinical Judgment：把臨床經驗轉成考試可測量的判斷

3.1 為什麼有經驗也會錯題

有臨床經驗的考生常說：「我在病房知道要怎麼做，但題目一看就錯。」這不是你沒有能力，而是考試把臨床情境壓縮成文字，要求你在有限線索中選出最安全、最標準、最符合 RN 職責的行動。

臨床現場可以問同事、看醫囑、回頭補資料；考試題目通常只給你幾句話。它不測你是否能照顧所有真實細節，而是測你是否能在有限資訊下做 entry-level safe decision。

3.2 Clinical Judgment 六步中文化

English	中文工作定義	考題中的表現
Recognize cues	找出重要線索	abnormal vitals, new symptoms, risk factors
Analyze cues	解釋線索意義	hypoxia? sepsis? bleeding? anxiety?
Prioritize hypotheses	排序可能問題	which is most urgent or dangerous?
Generate solutions	想出可行行動	assess, position, notify, teach, delegate
Take action	選現在要做的事	first, priority, immediate, best
Evaluate outcomes	評估是否有效	expected response, follow-up, reassess

3.3 考題動詞是導航

題幹動詞通常已經告訴你考點：

- first: 先做什麼，通常是 priority。
- priority: 最重要，不一定是唯一正確。
- best: 在多個可行選項中選最合適。
- immediate: 需要立刻處理。

- requires follow-up: 哪個發現不正常，需要追蹤。
- indicates understanding: 哪句話顯示病人真正理解。

中文考生要避免把所有題都當知識題。看到 first / priority / immediate，就要進入安全排序模式。

3.4 Wrong Answer Taxonomy

本書與 App 使用以下錯題分類：

1. Knowledge gap: 不知道疾病、藥物或程序。
2. English wording: 英文題幹或選項理解錯。
3. Cue recognition: 沒抓到關鍵線索。
4. Prioritization: 線索抓到了，但優先順序錯。
5. Delegation/scope: 不知道 RN、LPN/LVN、UAP 分工。
6. Safety/infection control: 忽略安全或感染控制。
7. Psychosocial communication: 溝通語氣不 therapeutic。
8. Test strategy: 題型、時間或焦慮造成錯誤。

每一題練習後，都要標記錯因。不要只寫「粗心」。粗心不是診斷，不能幫你進步。

3.5 Mini Drill

Question:

The nurse receives four client messages. Which client should the nurse assess first?

- A. A client with chronic arthritis reporting pain rated 5/10.
- B. A client taking furosemide reporting muscle weakness.
- C. A client scheduled for discharge asking about medication timing.
- D. A client with insomnia requesting a sleep aid.

Reasoning:

- A: pain, but chronic and moderate.
- B: furosemide can cause hypokalemia; muscle weakness may signal electrolyte problem with cardiac risk.
- C: education, not immediate.
- D: comfort/sleep, not immediate.

Best answer: B.

Wrong-answer tags if missed:

- Knowledge gap: did not link furosemide to potassium loss.
- Cue recognition: missed muscle weakness as significant.
- Prioritization: chose comfort or education before safety risk.

3.6 Chapter Summary

Clinical judgment is not a slogan. It is a repeatable reading process:

1. Find cues.
2. Interpret risk.
3. Rank danger.
4. Choose safe RN action.
5. Review why other answers are less urgent.

The app will turn this process into structured drill logs.

3.7 中文深讀：臨床判斷不是直覺，而是可訓練的流程

有經驗的護理師常說「我一看就知道病人不對勁」。這種直覺很寶貴，但在 NCLEX-RN 中，直覺必須被翻譯成可以被考題測量的步驟。題目不會讓你走到病床前看一眼，而是給你幾行文字、幾個生命徵象、幾句病人陳述，要求你在英文資訊中做出安全選擇。

臨床判斷的第一步不是 answer，而是 cue。很多錯題不是因為考生不知道疾病，而是因為把 cue 的重量看錯了。例如，題幹同時出現「疼痛 5/10」、「想喝水」、「新發呼吸困難」、「家屬焦慮」時，四個資訊都是真實的，但不是同等重要。NCLEX 要測的是你能否把生理危險、急性變化和安全風險放在前面。

第二步是把 cue 變成 hypothesis。這裡不要急著診斷，因為 NCLEX-RN 測的是 nursing judgment。你不一定要說出完整醫學診斷，但要知道這個 cue 可能代表 oxygenation、perfusion、bleeding、infection、medication adverse effect 或 mental health crisis。第三步才是排序：哪一個 hypothesis 如果不處理，最可能造成 harm？

3.8 Worked Example：把錯題拆開

題幹：A client taking furosemide reports new muscle weakness.

錯誤直覺：病人只是覺得無力，可以等一下再看。

復盤流程：

1. Recognize cue: furosemide + new muscle weakness.
2. Analyze cue: 可能與 electrolyte imbalance 有關，尤其要想到 potassium loss。
3. Prioritize hypothesis: 電解質異常可能影響 cardiac rhythm，因此不是普通疲勞。
4. Take action: 優先評估、查看相關 labs、按情境通知 provider。
5. Wrong-answer tag: knowledge_gap + cue_recognition + prioritization.

中文關鍵句：我不是在背「furosemide 等於低鉀」這一個孤立知識，而是在練習「藥物 + 新症狀 + 心臟風險」這條推理鏈。

3.9 Clinical Judgment Journal

每次錯題後寫三句話即可：

- 我漏掉的 cue 是：_____
- 我當時以為最重要的是：_____
- 重新排序後，真正最重要的是：_____

這三句比抄整段解析更有效，因為它們會暴露你的思考習慣。當同一種句型出現五次，你就找到自己的核心弱點了。

Chapter 4

Prioritization and Delegation

4.1 優先順序不是口號

很多考生知道 ABC, Maslow, safety，但真正做題時仍然錯。原因是規則不能機械套用。NCLEX-RN 問的是具體情境中「現在最安全的 RN 行動」。

常用排序工具：

- ABC: airway, breathing, circulation.
- Safety: fall, aspiration, bleeding, infection, violence, medication error.
- Acute vs chronic: acute deterioration often outranks stable chronic condition.
- Unstable vs stable: unstable client needs RN attention.
- Expected vs unexpected: unexpected finding may require follow-up.
- Nursing process: assessment often before intervention, unless immediate life risk.

4.2 Chinese Trap: 正確但不優先

很多錯誤選項不是錯知識，而是「正確但不優先」。

Example:

病人術後呼吸急促、SpO₂ 下降。選項中可能有：

- Teach incentive spirometer.
- Raise head of bed and assess respiratory status.
- Document the finding.
- Encourage oral fluids.

Teach incentive spirometer 是正確護理內容，但如果病人正在低氧，當下優先是改善/評估 breathing，而不是教學。

4.3 Delegation: RN 不能交出去的事

General NCLEX-style principle:

RN keeps tasks involving:

- initial assessment.
- unstable client assessment.
- teaching.
- evaluation.
- clinical judgment.
- care planning.
- sterile or complex procedures depending on jurisdiction and setting.

UAP / assistant-level staff may perform routine, stable, predictable tasks such as:

- bathing.
- feeding stable clients without aspiration risk.
- ambulation assistance for stable clients.
- measuring routine vital signs in stable situations.
- reporting observations to RN.

The exact scope may vary by jurisdiction and facility, but NCLEX-RN questions usually test entry-level safety boundaries.

4.4 Mini Drill: Delegation

Question:

Which task is most appropriate for the RN to delegate to unlicensed assistive personnel?

- A. Teach a new diabetic client how to inject insulin.
- B. Assess a client with new chest pain.
- C. Assist a stable postoperative client to ambulate.
- D. Evaluate whether pain medication was effective.

Best answer: C.

Why:

- Teaching is RN responsibility.
- New chest pain is unstable and requires RN assessment.
- Stable ambulation assistance can be delegated.

- Evaluation of medication effectiveness requires nursing judgment.

4.5 Priority Phrases

Phrase in stem	How to think
immediately	safety / life risk first
first	assessment or immediate safety action
best	choose the safest, most complete option
requires follow-up	identify abnormal/unexpected
further teaching	identify misunderstanding
assign/delegate	match task to stability and scope

4.6 Chapter Summary

Prioritization and delegation are the heart of NCLEX-RN for many international nurses. Do not only ask, "Is this answer true?" Ask:

- Is this the safest action now?
- Is this client stable?
- Is this task within RN responsibility?
- Can this be delegated?
- Does the option assess before intervening when appropriate?

4.7 中文深讀：優先順序題的核心不是「哪個對」，而是「哪個先」

華語考生在 priority 題中最常見的失誤，是把四個選項都當成獨立知識判斷。其實很多 priority 題的四個選項都可能在某種情境下正確，但考試問的是 first、priority、most appropriate、immediate。這些詞不是裝飾，而是決定答案的方向。

看到 priority 題時，先不要讀選項。先問題幹中有沒有急性變化、新發症狀、呼吸循環問題、出血、感染、神經狀態改變、自傷他傷風險、藥物毒性或 unstable client。如果有，這些通常比 routine teaching、comfort、documentation、stable chronic problem 更靠前。

委派題也是同一個邏輯。NCLEX-RN 中的 RN 責任，不只是「我會不會做」，而是「這件事是否需要 RN judgment」。assessment、initial teaching、evaluation、unstable client、new symptom、complex decision 通常不能簡單交出去。UAP 更適合 stable client 的 routine ADL、測量、協助與回報，而不是分析或判斷。

4.8 Priority Ladder / 優先階梯

請按下列順序讀題：

1. Immediate threat to life: airway, breathing, circulation, severe bleeding, shock.
2. Safety threat: fall risk, infection spread, suicide risk, medication harm.
3. Acute change: new, worsening, unexpected, unstable.
4. Assessment before action: 當資訊不足且沒有立即生命危險時，先評估。
5. Teaching, comfort, documentation: 通常重要，但較少是 first priority。

這不是機械規則。真正考題仍要看 context。但當你完全不知道如何排序時，這個階梯能防止你被「看起來很專業但不緊急」的選項吸走。

4.9 Delegation Drill

把下列任務標成 RN / LPN-LVN / UAP / Do not delegate without more context：

- initial assessment of new chest pain.
- ambulating a stable postoperative client.
- teaching insulin injection to a newly diagnosed client.
- reporting a blood pressure reading.
- evaluating whether pain medication worked.

中文復盤：如果任務包含「首次、評估、教學、判斷、評價、不穩定」，就要高度懷疑需要 RN。若任務是「穩定、例行、可預期、可回報」，才可能考慮委派。

Chapter 5

NGN Case Study Reading Method

5.1 不要被病例長度嚇到

NGN case study 看起來很長，但它不是要你背更多內容。它要測的是動態判斷：新的資料出現後，你能否重新排序風險。

中文考生常犯兩個錯：

1. 把所有資料都當同等重要。
2. 看到熟悉疾病就套模板，忽略題目中正在變化的 cues。

5.2 Four-Pass Reading Method

Pass 1: Identify setting and client.

- Where is the client?
- Why are they receiving care?
- Is this emergency, postop, maternity, paediatric, psychiatric or chronic care?

Pass 2: Mark abnormal cues.

- Vital signs.
- new symptoms.
- lab values.
- mental status.
- medication risk.
- change from baseline.

Pass 3: Rank immediate danger.

- airway/breathing/circulation.
- neurological change.
- bleeding.
- sepsis/infection.
- medication toxicity.

- suicide/violence risk.

Pass 4: Match action to RN role.

- assess.
- notify provider.
- implement safety action.
- hold medication.
- teach.
- delegate.
- evaluate.

5.3 Mini Case

Client:

A 62-year-old client is 1 day postoperative after bowel surgery. The client reports increasing abdominal pain. Temperature is 38.6 C. Heart rate is 118/min. Blood pressure is 92/58 mmHg. The dressing has a small amount of serosanguineous drainage. The client is restless.

Step 1: Setting

- Postoperative bowel surgery.

Step 2: Abnormal cues

- increasing abdominal pain.
- fever.
- tachycardia.
- hypotension.
- restlessness.

Step 3: Danger

Possible infection/sepsis, bleeding or postoperative complication. Hypotension + tachycardia + restlessness are urgent.

Step 4: Likely safe direction

Assess quickly, maintain safety, notify provider/rapid response according to context, do not treat as routine pain only.

5.4 App Drill Design

The companion app will turn each NGN case into cue cards:

- Cue list.
- Risk interpretation.
- Priority hypothesis.
- First nursing action.
- Wrong-answer tag.

The learner should not only know the answer. The learner should be able to say:

I chose this because these cues indicate immediate physiological risk, and this action is within RN responsibility now.

5.5 Chapter Summary

NGN is not a separate monster. It is clinical judgment made visible. If you can train cue recognition, risk ranking and action matching, long cases become manageable.

5.6 中文深讀：NGN 長病例要讀成「時間線」，不是讀成故事

NGN case study 讓很多考生焦慮，因為文字長、資料多、題型變化大。但長病例並不等於每一句都同等重要。你要做的是把資料整理成時間線：病人原本怎樣，現在出現什麼變化，哪一個變化最危險，護理行動後結果是否改善。

第一遍讀病例，只抓身份和背景：年齡、主要問題、手術或診斷、重要病史。第二遍抓 abnormal cues：生命徵象、疼痛、呼吸、意識、尿量、出血、labs、藥物反應。第三遍抓 trend：是 stable、improving 還是 worsening。第四遍才看題目要求：highlight cues、choose actions、evaluate outcomes，還是 complete bow-tie。

NGN 的本質是連續判斷，不是單點選擇。前一題選錯 cue，後面 action 和 evaluation 就容易連環錯。因此練 NGN 時，不要只看最後答案；要標出自己在哪一步開始偏離。

5.7 Case Grid / 病例整理格

欄位	要填什麼	例子
Background	病人基本情境	postoperative, diabetic, pregnant

Current cues	目前重要線索	SpO2 88%, restless, new weakness
Trend	變好或變壞	increasing, decreasing, new onset
Risk hypothesis	可能風險	hypoxia, bleeding, sepsis
Nursing action	現在行動	assess, reposition, hold medication, notify
Evaluation	如何判斷有效	improved SpO2, stable vitals, less distress

5.8 NGN 復盤問題

每做完一個 case，請回答：

1. 哪一個 cue 最早提示危險？
2. 我是否被不重要的背景資訊分散？
3. 我的 action 是否直接回應最危險的 hypothesis？
4. evaluation 是否和 action 對得上？

如果你答不出第 4 題，代表你可能只是在猜 action，而不是完整使用 clinical judgment cycle。

Chapter 6

Pharmacology Language：藥理不是背藥名，而是抓風險

6.1 為什麼華語考生容易怕藥理

NCLEX-RN 的藥理題常讓華語考生焦慮，原因不只是藥名多，而是英文藥名、藥物類別、病人安全線索與護理行動同時出現。你可能知道某類藥「大概做什麼」，但題目問的是：現在要先評估什麼？哪個症狀需要 follow-up？哪個教育句子表示理解錯誤？

本章不嘗試做完整藥典。它提供一個 bilingual pharmacology reading system，幫你把藥理題分成可處理的幾類。

6.2 藥理題常考四件事

1. Purpose: 這個藥為什麼給？
2. Risk: 最大安全風險是什麼？
3. Monitoring: 給藥前後要看什麼？
4. Teaching: 病人需要知道什麼，哪句話表示誤解？

看到藥名時，先問這四句，而不是立刻背所有副作用。

6.3 高頻風險語言

English signal	中文理解	Nursing action
bleeding gums, black stools	出血風險	check anticoagulant / platelet issue
muscle weakness	可能電解質問題	consider potassium, diuretics
ringing in ears	耳鳴	consider salicylate toxicity, aminoglycosides or loop-diuretic related ototoxicity
dry cough	乾咳	possible ACE inhibitor effect
grapefruit juice	葡萄柚汁	interaction risk

photosensitivity	光敏感	sun protection teaching
orthostatic hypotension	姿勢性低血壓	fall prevention teaching

6.4 藥物類別比單一藥名更重要

先用類別建立框架：

- Diuretics: fluids, electrolytes, blood pressure.
- Anticoagulants: bleeding, INR/aPTT depending on drug/context, injury prevention.
- Antihypertensives: hypotension, dizziness, pulse, fall risk.
- Insulin: timing, hypoglycemia, glucose monitoring.
- Opioids: respiratory depression, sedation, constipation, safety.
- Antibiotics: allergy, culture timing, completion, adverse reactions.
- Steroids: infection risk, glucose, tapering, long-term effects.

6.5 Mini Drill

Question:

A client taking warfarin reports black, tarry stools. Which action should the nurse take first?

- A. Encourage the client to eat more leafy green vegetables.
- B. Document the finding as an expected effect.
- C. Assess for bleeding and notify the provider.
- D. Teach the client to take the medication with food.

Best answer: C.

Reasoning:

Black, tarry stools may indicate gastrointestinal bleeding. Warfarin is associated with bleeding risk. This is not routine diet teaching; it requires safety assessment and follow-up.

Wrong-answer tags:

- knowledge_gap: did not connect warfarin with bleeding.
- cue_recognition: missed black stools.

- prioritization: chose teaching before safety.

6.6 Study Method

For each medication class, make a 5-line card:

1. Class and examples.
2. Why used.
3. Major danger.
4. What to monitor.
5. Patient teaching sentence.

Do not write long paragraphs. Pharmacology memory improves when each card has the same structure.

6.7 中文深讀：藥理題要讀「風險模式」

藥理是華語考生最容易恐慌的部分，原因不是只有藥名多，而是英文商品名、通用名、藥物類別、副作用、病人教育和 lab monitoring 會混在一起。若你試圖逐個藥名硬背，很快會失去方向。更有效的方法是按風險模式整理。

第一類是 electrolyte and cardiac risk，例如 diuretics、digoxin、potassium 相關題。第二類是 bleeding risk，例如 anticoagulants、antiplatelets、thrombolytics。第三類是 respiratory/CNS depression，例如 opioids、benzodiazepines、sedatives。第四類是 toxicity and monitoring，例如 lithium、aminoglycosides、vancomycin、antiepileptics。第五類是 teaching safety，例如不要突然停藥、何時回報、如何避免交互作用。

看到藥理題時，不要先問「我背過這個藥嗎？」先問四個問題：這個藥最怕什麼 harm？需要看哪個 lab 或 assessment？病人哪句話表示 misunderstanding？如果出現 adverse cue，RN 的 first action 是什麼？

6.8 Medication Risk Card Template

每個高頻藥物或藥物類別，用一張卡即可：

欄位	內容
Drug/class	藥名或類別
Purpose	為什麼用

Major harm	最怕的安全風險
Monitor	需要看哪些 assessment/labs
Teaching phrase	病人教育關鍵句
Red flag	需要追蹤或回報的語句

例：loop diuretics。Major harm 可寫 dehydration/electrolyte imbalance；Monitor 可寫 blood pressure、I&O、potassium、symptoms such as weakness；Red flag 可寫 new muscle weakness or irregular pulse。

6.9 Pharmacology Wrong-Answer Pattern

藥理錯題常見三種：

- 只記得用途，不記得 harm。
- 只看到副作用，沒有判斷 priority。
- 把病人教育題讀成普通常識題，忽略「needs further teaching」。

復盤時不要抄一整頁藥理。只要補一張 risk card，並把錯誤標籤寫在旁邊。十張高品質 risk cards，比一百個模糊藥名更有用。

Chapter 7

Maternal-Child Nursing：產兒題的安全線索

7.1 產兒題不只是記週數

華語考生常把 maternal-child nursing 當成「週數、發育、疫苗、產程」的記憶題。

NCLEX-RN 的產兒題當然需要基礎知識，但更常測安全線索：出血、胎兒窘迫、感染、子癲前症、產後併發症、新生兒呼吸與餵養風險。

本章先建立安全框架，之後再進入細節。

7.2 Pregnancy: red flags

Cue	Why it matters
severe headache, visual changes	possible preeclampsia
right upper quadrant pain	possible severe preeclampsia/HELLP concern
vaginal bleeding	placental or pregnancy complication
decreased fetal movement	fetal well-being concern
fever and uterine tenderness	infection concern
regular contractions before term	preterm labor concern

7.3 Labor: fetal monitoring language

NCLEX-RN 題目常用胎心監測考安全判斷。不要只背名詞，要知道方向：

- Reassuring: moderate variability, accelerations.
- Concerning: recurrent late decelerations, absent variability, prolonged deceleration.
- Nursing actions may include repositioning, stopping oxytocin, IV fluids, oxygen according to protocol/context, notifying provider.

中文理解：

若題目顯示胎兒供氧或 uteroplacental perfusion 受威脅，優先處理是改善胎兒氧合與通知團隊，而不是一般安慰或常規文件。

7.4 Postpartum: bleeding is priority

產後題常見 priority：

- boggy uterus.
- heavy lochia.
- tachycardia/hypotension.
- dizziness.
- saturated pads.

Assessment of the fundus and bleeding pattern comes first. If a boggy uterus / uterine atony is confirmed, NCLEX-style questions often expect fundal massage as an immediate nursing action, while real clinical practice follows facility protocol and provider or midwifery guidance.

7.5 Newborn: breathing and glucose

新生兒題的高頻安全線索：

- grunting, nasal flaring, retractions.
- cyanosis.
- poor feeding, jitteriness.
- temperature instability.
- hypoglycemia risk.

對新生兒來說，呼吸困難與低血糖線索都很重要。不要把所有 crying / feeding / diaper questions 看成 routine。

7.6 Mini Drill

Question:

A postpartum client has a boggy uterus and heavy lochia. What should the nurse do first?

A. Encourage oral fluids.

B. Massage the fundus.

C. Assist the client to shower.

D. Document the finding.

Best answer: B.

Reasoning:

A boggy uterus with heavy lochia suggests uterine atony and bleeding risk. In this NCLEX-style context, fundal massage is the expected immediate nursing action for suspected atony, while real clinical practice should follow facility protocol and provider or midwifery guidance after assessment.

Wrong-answer tags:

- cue_recognition.
- prioritization.
- safety_infection.

7.7 中文深讀：產兒題先抓「誰正在失去穩定」

Maternal-child 題目常讓非產兒專科背景的考生緊張，但 NCLEX-RN 不會要求你像專科醫師一樣處理所有細節。它更常測 entry-level RN 是否能辨識母體或胎兒正在失去穩定。你要先問：母親有沒有出血、感染、高血壓危象、seizure 風險？胎兒或新生兒有沒有 oxygenation、glucose、temperature 或 feeding 的危險？

產前題中，severe headache、visual changes、right upper quadrant pain、vaginal bleeding、decreased fetal movement 都不應被看成普通不適。產程題中，late decelerations、absent variability、prolonged deceleration 指向胎兒氧合或 uteroplacental perfusion 問題。產後題中，boggy uterus + heavy lochia 是出血安全線索。新生兒題中，grunting、retractions、cyanosis、jitteriness、poor feeding 都可能需要立即關注。

7.8 Safe Framing Note / 安全措辭

產兒題尤其需要避免把考試答案寫成臨床固定動作。真實臨床會受 facility protocol、provider/midwife guidance、病人狀態和當地規範影響。本書的表述應保持兩層：NCLEX-style context 中常期待哪個 immediate nursing action；真實臨床中仍需 assessment、protocol、團隊溝通與文件記錄。

例如 fundal massage：若題幹明確呈現 boggy uterus with heavy lochia，NCLEX-style 題目常期待 fundal massage 作為 immediate action。但書中不應讓讀者形成「任何產後出血都

先按摩」的反射。更安全的中文表述是：先評估 fundus 和 bleeding pattern；若確認 uterine atony，按情境、流程與團隊指引採取相應行動。

7.9 Maternal-Child Mini Review Sheet

情境	先問什麼
Pregnancy	有沒有 preeclampsia、bleeding、infection、decreased fetal movement？
Labor	胎心變化是否提示 oxygenation/perfusion 問題？
Postpartum	uterus、lochia、vitals 是否提示 hemorrhage？
Newborn	breathing、temperature、glucose、feeding 是否穩定？

每次錯產兒題，只填這張表的一行。目標不是把所有週數一次背完，而是先建立安全線索雷達。

Chapter 8

Mental Health and Therapeutic Communication

8.1 精神科與溝通題的核心

Mental health 題不是要你說漂亮話，而是要測安全、治療性溝通、界線、風險評估和不帶評判的回應。華語考生容易用日常安慰方式作答，例如「不要擔心」「一切會好」「你應該想開點」。在 NCLEX-RN 中，這些常常不是最佳答案。

治療性溝通的方向是：

- acknowledge feelings.
- use open-ended questions.
- encourage expression.
- focus on safety when risk exists.
- avoid false reassurance.
- avoid giving personal advice.
- avoid arguing with delusions.

8.2 Dangerous Communication Patterns

Pattern	Why it is weak
"Don't worry."	false reassurance
"You should..."	advice-giving
"Why did you..."	may sound blaming
"That is not true."	arguing, especially with delusion
"Let's talk about something else."	blocks expression

8.3 Safer Response Patterns

Situation	Better response
Anxiety	"Tell me what you are most worried about right now."

Grief	"This sounds very painful. Would you like to talk about it?"
Hallucination	"I do not hear the voice, but I can see this is frightening for you."
Suicidal thought	"Do you have a plan to harm yourself?"
Anger	"I can see you are upset. I want to understand what happened."

8.4 Safety Overrides Communication

If a client expresses suicidal ideation, homicidal ideation, severe self-neglect, violence risk or acute confusion, safety assessment becomes priority. Therapeutic words matter, but the nurse must assess risk directly.

Chinese-speaking learners may feel direct suicide questions are impolite. In NCLEX-RN logic, direct risk assessment is therapeutic and safe.

8.5 Mini Drill

Question:

A client says, "I cannot go on anymore. I have been thinking about ending my life." Which response is best?

- A. "You have so much to live for."
- B. "Do you have a plan to harm yourself?"
- C. "Try not to think that way."
- D. "I will tell your family to stay with you."

Best answer: B.

Reasoning:

Direct suicide risk assessment is required. False reassurance and advice-giving do not assess immediate safety.

Wrong-answer tags:

- therapeutic_communication.
- safety_infection.
- prioritization.

8.6 中文深讀：治療性溝通不是「說好聽的話」

精神科與 therapeutic communication 題常讓中文考生困惑，因為日常中文溝通習慣中，我們很容易安慰、建議、轉移注意力，或用自己的經驗勸對方。但 NCLEX-RN 測的是安全、界線、傾聽與以病人為中心的溝通。最好的回答不一定最溫柔，而是最能讓病人表達、維持安全、避免評判。

危險句型包括 false reassurance、giving advice、why questions、changing subject、arguing with delusion、minimizing feelings。較安全的方向是 reflection、open-ended question、presenting reality without arguing、acknowledging feelings、direct safety assessment。

8.7 Safety Override / 安全優先於溝通技巧

如果題幹出現 suicidal ideation、homicidal ideation、command hallucination、violent behavior、severe withdrawal、acute confusion 或 immediate danger，溝通技巧要服從安全處理。這時不是單純選最會聊天的句子，而是要直接評估風險、維持安全、移除危險物、按流程通知團隊。

中文考生常怕直接問自殺會「提醒」病人，但在護理安全評估中，直接、清楚、非評判地詢問 suicidal thoughts 是重要做法。考題若問 suicidal client 的 response，通常安全方向比含糊安慰更重要。

8.8 Communication Translation Table

不安全直覺	更安全方向
Don't worry, everything will be fine.	Tell me what worries you most right now.
Why did you do that?	What was happening before you felt this way?
You should call your family.	Who has supported you in the past?
That belief is not true.	I do not see that, but I can see it feels frightening to you.

復盤時請問：我選的句子是在替病人做決定，還是在幫病人表達和保持安全？

Chapter 9

Safety and Infection Control

9.1 Safety is not a small topic

NCLEX-RN treats safety as a foundation of nursing practice. Safety may appear in medication administration, falls, infection control, restraints, emergency response, oxygen use, aspiration, isolation and client identification.

Chinese-speaking learners should build one reflex:

Before choosing a comfortable, educational or administrative answer, check whether any option prevents immediate harm.

9.2 Standard Safety Checks

High-frequency safety areas:

- two identifiers before medication or procedure.
- fall precautions.
- aspiration precautions.
- oxygen/fire safety.
- seizure precautions.
- restraint rules.
- medication rights.
- allergies.
- hand hygiene.
- isolation/PPE.

9.3 Infection Control Language

Common terms:

- standard precautions.
- contact precautions.

- droplet precautions.
- airborne precautions.
- private room.
- N95 / respirator.
- gown and gloves.
- negative-pressure room.

Do not memorize only organism names. Learn the logic:

- Contact: touch/contaminated surfaces.
- Droplet: larger respiratory droplets.
- Airborne: smaller particles requiring airborne room/respirator.

9.4 Mini Drill

Question:

Which action should the nurse take before administering medication to a client?

- A. Ask the client if the medication looks familiar.
- B. Use two approved client identifiers.
- C. Ask the family to confirm the client's room number.
- D. Check whether the client has eaten.

Best answer: B.

Reasoning:

Medication safety requires two approved identifiers. Room number and family confirmation are not sufficient identifiers.

Wrong-answer tags:

- safety_infection.
- test_strategy.

9.5 Mini Drill: Infection Control

Question:

A client is suspected of having tuberculosis. Which precaution should the nurse anticipate?

- A. Contact precautions only.
- B. Droplet precautions only.
- C. Airborne precautions with appropriate respirator use.
- D. Standard precautions only.

Best answer: C.

Reasoning:

Tuberculosis requires airborne precautions. The nurse should use appropriate respiratory protection and follow facility isolation procedures.

Wrong-answer tags:

- knowledge_gap.
- safety_infection.

9.6 中文深讀：Safety 題不是常識題

Safety and infection control 看似簡單，實際上很容易失分，因為考生會用生活常識而不是護理安全框架作答。NCLEX-RN 的 safety 題通常要你辨識 harm before comfort：跌倒、誤吸、感染傳播、用藥錯誤、氧氣安全、約束、隔離、手衛生、標本和侵入性管路風險。

感染控制題尤其要注意 isolation language。standard precautions 是底線，不是選項中所有情境的完整答案。若題幹指向 airborne、droplet、contact 或 protective environment，必須按傳播途徑思考 PPE、房間安排、訪客和轉運。不要只背「戴手套」；要問病原體如何傳播。

9.7 Safety Cue Bank

看到下列詞語時，要放慢速度：

- new confusion, restlessness, dizziness.
- oxygen saturation dropping.
- fever with abnormal vital signs.
- saturated dressing or pad.
- absent bruit/thrill in AV fistula.

- difficulty swallowing after stroke.
- patient trying to get out of bed unassisted.
- wrong medication, allergy, unclear order.

這些不是背景噪音，而是可能改變 priority 的 cues。安全題的正確答案常常不是最完整的計劃，而是最先防止 harm 的行動。

9.8 Infection Control Mini Framework

問題	中文提示
What is spreading?	病原或風險是什麼？
How does it spread?	空氣、飛沫、接觸、血液體液？
Who is vulnerable?	哪個病人免疫低下或容易受害？
What stops harm now?	PPE、隔離、手衛生、清潔、通報？

每次做感染控制錯題時，把題目放入這四格，不要只背答案。

Chapter 10

8-12 Week Study Planner

10.1 不要用焦慮做計劃

很多考生一看到 ATT 倒數，就開始買更多資源、加入更多群組、聽更多不同建議。真正有效的備考不是資源越多越好，而是流程穩定、錯題可追蹤、弱點能被反覆修正。

本章提供一個 8-12 週備考模板。請按自己的 ATT 有效日期、工作時間、家庭責任與英語水平調整。

10.2 Week 1-2: Baseline and Test Plan

Goals:

- Read official test plan summary.
- Do one baseline mixed set.
- Build wrong-answer taxonomy.
- Set ATT countdown.
- Start glossary cards.

Daily pattern:

- 30-50 questions.
- full rationale review.
- 10 glossary cards.
- one weak-topic note.

10.3 Week 3-5: Content Repair

Focus areas:

- pharmacology classes.
- prioritization.
- delegation.
- safety/infection.

- maternal-child.
- mental health communication.

Daily pattern:

- 50-75 questions.
- tag every wrong answer.
- review one content area.
- write 3 bilingual teaching sentences.

10.4 Week 6-8: Mixed Timed Practice

Focus:

- timed mixed sets.
- NGN case studies.
- endurance.
- less translation, more direct English reading.

Weekly tasks:

- one full-length or CAT-style practice session.
- one weak-tag review.
- one rest/recovery half-day.
- one OSCE vocabulary preview.

10.5 Week 9-12: Final Consolidation

If you have 12 weeks, use the final month for consolidation:

- stop collecting new resources.
- repeat missed topics.
- focus on sleep and test rhythm.
- practice with English interface.
- rehearse test-day logistics.

10.6 Weekly Tracker

Week	Main goal	Questions	Weak tags	Action next week
1	Baseline			

2	Test plan
3	Pharmacology
4	Priority/delegation
5	Safety/infection
6	NGN cases
7	Mixed timed sets
8	Readiness review

10.7 Chapter Summary

The goal is not to feel busy. The goal is to reduce predictable errors:

- fewer missed cues.
- fewer priority mistakes.
- fewer delegation errors.
- faster English reading.
- better test stamina.

10.8 中文深讀：計劃要能抵抗焦慮

很多備考計劃失敗，不是因為考生不努力，而是因為計劃無法承受焦慮。第一天排得很滿，第三天開始落後，第七天覺得自己不適合考，然後換一套資源重新開始。這種循環比少讀幾小時更傷。

有效計劃應有三個特點：可衡量、可調整、可復盤。可衡量不是每天寫「讀內科」，而是寫「完成 50 題 mixed set，復盤 10 題錯題，整理 5 個 glossary terms」。可調整是每週根據錯題標籤改下一週重點，而不是死守原表。可復盤是能看出自己在哪裡進步，在哪裡只是重複犯錯。

10.9 每週最低有效任務

如果工作很忙，不要讓一天失敗拖垮整週。設定最低有效任務：

- 20 題 timed practice。
- 5 題錯題完整復盤。
- 5 個 bilingual glossary terms。
- 1 張 medication risk card 或 communication card。

- 10 分鐘口頭說出一題 OSCE-style assessment/action 。

這個最低版本不能替代完整備考，但能保持學習連續性。對兼職工作、輪班或照顧家庭的考生，連續性比完美計劃更重要。

10.10 Weekly Review Questions

每週日回答：

1. 本週最常見錯題標籤是什麼？
2. 我是因為知識不會，還是因為英文題幹/優先順序失誤？
3. 下週要減少哪一類無效學習？
4. 哪一個主題需要請督導或 RN reviewer 解釋？

當你能連續四週回答這些問題，備考就不再只是刷題，而是在建立可監督的學習系統。

Chapter 11

After NCLEX-RN: OSCE Transition

11.1 NCLEX 通過後不要停

對 Ahpra/NMBA Stream B 考生而言，NCLEX-RN 是重要里程碑，但不是終點。OSCE 會要求你在臨床情境中展示安全、溝通、評估、執行與專業判斷。

如果 NCLEX 備考只訓練選擇題，而完全不練 oral clinical language，OSCE 轉換會很吃力。

11.2 NCLEX and OSCE share a foundation

Shared skills:

- recognize cues.
- prioritize risk.
- communicate clearly.
- stay within RN scope.
- document and escalate appropriately.
- protect patient safety.

Difference:

- NCLEX: choose best answer.
- OSCE: perform, speak, assess, explain and respond.

11.3 Start OSCE Vocabulary Early

Even during NCLEX prep, collect phrases:

- "Can you tell me your full name and date of birth?"
- "I am going to assess your breathing now."
- "Can you rate your pain from 0 to 10?"
- "I am concerned about this change and will escalate it."
- "Do you have any allergies?"

- "I will explain each step before I proceed."

Chinese-speaking candidates often know the clinical action but need fluent, safe, respectful English phrasing.

11.4 OSCE Transition Worksheet

NCLEX topic	OSCE skill link	Phrase to practise
prioritization	escalation	"I am concerned because..."
medication safety	allergy/checks	"Before I administer this..."
respiratory distress	focused assessment	"I need to check your oxygen level."
mental health	risk assessment	"Have you thought about harming yourself?"
infection control	PPE explanation	"I am using this protective equipment because..."

11.5 Chapter Summary

Do not treat NCLEX and OSCE as two unrelated battles. NCLEX builds decision logic; OSCE asks you to perform that logic in spoken clinical practice.

The companion app will later add OSCE phrase cards and station-readiness checklists.

11.6 中文深讀：NCLEX 後半步，就是 OSCE 的前半步

很多考生把 NCLEX-RN 和 OSCE 完全分開準備：前者刷題，後者等通過後再說。這樣做會浪費時間。雖然兩者形式不同，但底層能力相通：辨識線索、排序風險、採取安全行動、溝通、評估結果、按流程升級處理。

NCLEX 題目中的 rationales 可以轉成 OSCE 語言。比如一題問 hypoxia priority，筆試答案可能是 reposition/oxygen/notify according to context；OSCE 中你需要說出 assessment、immediate action、patient reassurance、team escalation、documentation。也就是說，NCLEX 錯題不是只為筆試服務，它還能提前暴露你是否會用英文說出安全實務。

11.7 OSCE Language Starter

把下列句型放進口頭練習：

- I am concerned about...
- I would assess...

- My immediate priority is...
- I would escalate to...
- I would document...
- I would evaluate whether...

中文考生練 OSCE 時常卡在「知道要做什麼，但說不出來」。所以從 NCLEX 階段開始，每週挑三道錯題，用英文說出一分鐘處理流程。說得不完美沒關係，重點是建立 clinical reasoning 的口頭通道。

11.8 NCLEX-to-OSCE Conversion Exercise

選一道錯題，完成：

NCLEX element	OSCE expression
Key cue	I noticed...
Main risk	I am concerned about...
First action	My immediate action would be...
Escalation	I would inform/escalate to...
Evaluation	I would reassess...

如果一題不能轉成 OSCE 表達，代表你可能只背了答案，還沒有真正掌握判斷。

Chapter 12

Appendices and Worksheets

Appendix A: Official Source Checklist

Before finalising any plan, check:

- NCSBN / NCLEX current test plan.
- NCLEX Candidate Bulletin.
- Ahpra/NMBA IQNM pages.
- NMBA RN MCQ page.
- NMBA OSCE page.
- Pearson VUE NCLEX scheduling instructions.
- Your own Ahpra/NMBA dashboard.
- Your own ATT email or authorization record.

Appendix B: Study Resource Audit

Resource	Purpose	Use / do not use
Official test plan	exam map	must read
Candidate bulletin	rules and administration	must read
Main QBank	high-volume practice	choose one primary
Video course	weak-topic explanation	optional
This book	bilingual bridge and route planning	use with official sources
Companion app	mistake diagnosis and glossary	use daily

Appendix C: Wrong Answer Review Sheet

Question ID:

Topic:

My answer:

Correct answer:

Why I chose my answer:

Correct reasoning:

Wrong tag:

- ☐ knowledge gap
- ☐ English wording
- ☐ cue recognition
- ☐ prioritization
- ☐ delegation/scope
- ☐ safety/infection control
- ☐ therapeutic communication
- ☐ test strategy

Action:

Appendix D: ATT Countdown Planner

ATT expiry date:

Planned exam date:

Days remaining:

Final 14-day plan:

Day	Task	Done
-----	------	------

Appendix E: Controlled Vocabulary Starter

Do not translate these terms loosely. Keep the English term visible until you can recognize it quickly in a question:

- prioritization
- delegation
- unstable
- expected finding
- requires follow-up

- further teaching
- therapeutic communication
- infection control
- airway
- circulation
- adverse effect
- contraindication
- evaluate
- implement
- assess

Appendix F: 中文錯題復盤模板

每題錯題請控制在五分鐘內完成，不要寫成小論文。

欄位	填寫
題號/來源	
題型	single / SATA / NGN case / bow-tie / matrix
我選的答案	
正確答案	
我漏掉的 cue	
我誤解的英文詞	
錯題標籤	knowledge / cue / priority / delegation / safety / communication
一句中文復盤	
一句英文重寫	

Appendix G: Bilingual Glossary Builder

English term	中文理解	我的例題	是否會用英文解釋
priority	不是最完整，而是此刻最急最安全		
delegation	按穩定性與 scope 分派任務		
further teaching	病人仍有誤解，需要再教		

requires follow-up	不正常或不安全，需要追蹤
evaluate	判斷行動是否有效

Appendix H: Supervisor Review Record

若本書用於小組督導或內部課程，建議保留審核記錄：

Date	Reviewer	Scope reviewed	Issues found	Action taken
RN / nursing educator	clinical safety			
English tutor	language clarity			
Compliance reviewer	trademark/source disclaimer			

這張表不是形式主義。醫護教育產品必須能說清楚哪些內容經過臨床審核，哪些仍是學習草稿。公開銷售前，尤其要把高風險題、產兒題、藥理題、精神健康危機題交由合資格護理人員確認。

Chapter 13

中文深度 Workbook：把題庫練習變成可複盤的學習系統

13.1 本章定位

前面章節建立了路線、考試結構、臨床判斷、優先順序、NGN 病例、藥理、產兒、精神科、安全感染控制和 OSCE 轉換。本章的功能不是再開一門新課，而是把這些能力放進一套可以每天使用的中文 workbook。很多考生的問題不是沒有資料，而是資料太多：官方 test plan、商業題庫、社群經驗、YouTube 講義、補習班筆記、AHPRA/NMBA 文件、OSCE 經驗帖全部混在一起。資料越多，越需要一個穩定的復盤框架。

本章所有練習都遵守三個原則。第一，不承諾通過考試，也不替代官方文件或臨床審核。第二，不追求一次背完所有知識，而是把錯題變成可追蹤的學習資料。第三，中文用來建立理解，英文用來保留考試語言。你可以先用中文說清楚自己為什麼錯，再把最核心的三到五個詞翻成英文。

13.2 每日 45 分鐘最低學習組合

如果你每天只有 45 分鐘，建議按以下順序：

1. 20 分鐘：完成 10-15 題 mixed questions，不要只做自己熟悉的類別。
2. 15 分鐘：選 3 題錯題做完整復盤。
3. 5 分鐘：整理 3 個 bilingual terms。
4. 5 分鐘：用英文口頭說出其中一題的 key cue、main risk、first action。

這個組合看起來少，但它比無目的刷 100 題更能累積判斷力。NCLEX-RN 的備考不是「題量越大越好」，而是「每一道錯題是否留下了痕跡」。如果錯題沒有被分類，下一次遇到類似 cue 時仍然會錯；如果錯題被拆成 cue recognition、priority、delegation、English wording 或 safety，就會逐漸形成可修正的學習地圖。

13.3 錯題復盤單元 1：Priority 不是最完整答案

中文情境：題目問 nurse should assess first，四個病人分別有慢性疼痛、出院用藥問題、新發呼吸困難、家屬焦慮。很多考生會被「出院用藥教育很重要」吸引，因為教育在護理工作

中確實重要。但 priority 題的核心是 first。若有新發呼吸困難，尤其伴隨 SpO₂ 下降、restlessness、cyanosis 或 postoperative context，就應先想到 breathing/oxygenation。

復盤句型：

- 我錯在把 important 誤認為 priority。
- 我看到 teaching 就想選，忽略了 acute change。
- 下次看到 first/priority，我先找 airway、breathing、circulation、bleeding、acute deterioration。

英文保留詞：

- priority
- acute change
- oxygenation
- assess first
- immediate nursing action

練習：請把最近三題 priority 錯題放在一起，圈出每題真正改變優先順序的 cue。若找不出 cue，代表你仍在背答案，而不是讀題。

13.4 錯題復盤單元 2：Delegation 要看 stability 和 scope

委派題不是在問「誰比較忙」，也不是在問「這個人會不會做」。NCLEX-RN 的 delegation 題通常測 RN 是否理解 stability、predictability、scope of practice 和 need for nursing judgment。穩定、例行、可預期、可回報的任務，較可能委派；首次評估、新症狀、病情不穩定、教學、評價、臨床判斷，通常應由 RN 負責。

中文情境：stable postoperative client 需要協助下床行走，這可能可以交給 UAP；但 new chest pain 的 assessment 不能交出去，因為它需要 RN judgment。新診斷糖尿病病人的 insulin teaching 也不應交給 UAP，因為 teaching 不是單純示範動作，而是要確認理解、風險、錯誤觀念和安全使用。

復盤句型：

- 我錯在只看任務表面，沒有看病人是否 stable。
- 我錯在把 assistance 和 assessment 混在一起。
- 我錯在忘記 teaching 和 evaluation 需要 RN judgment。

英文保留詞：

- stable client
- predictable outcome
- initial assessment
- teaching
- evaluation
- scope of practice

13.5 錯題復盤單元 3：English wording 是一種考點

很多華語考生以為自己錯在護理知識，其實錯在英文題幹。NCLEX 題目中的 wording 非常精準。requires follow-up 通常問哪個 finding 異常或不安全；needs further teaching 問哪句話顯示病人仍然誤解；most appropriate 問最合情境的安全選擇；first action 問在其他正確行動之前應先做什麼。

中文情境：題目問 which statement requires further teaching。若選項中病人說出錯誤用藥方式、忽略危險副作用、打算突然停藥、或不理解感染/出血風險，這句話就是 target。你不是在找「最像課本的句子」，而是在找「暴露 misunderstanding 的句子」。

復盤句型：

- 我沒有先翻譯題目真正問什麼。
- 我把 requires follow-up 看成普通異常值題，沒有找 unsafe statement。
- 我看到 unfamiliar word 就慌，沒有抓住關鍵動詞。

英文保留詞：

- requires follow-up
- needs further teaching
- most appropriate
- first action
- expected vs unexpected finding

13.6 錯題復盤單元 4：藥理題先問 harm

藥理題最忌諱一開始就背長表。更穩定的順序是 purpose、major harm、monitor、teaching、red flag。若題目給的是 medication + new symptom，就要判斷這個新症狀是否可能是 adverse effect 或 toxicity。若題目問 teaching，就要找病人哪句話顯示錯誤理解。

中文情境：病人使用 gentamicin 後出現 ringing in ears，這不是普通不舒服，而是可能 ototoxicity；使用 anticoagulant 後出現 black tarry stool，要想到 bleeding；使用 lithium

後出現 vomiting、diarrhea、confusion 或 tremor，要想到 toxicity。考試不一定要求你知道所有罕見副作用，但高頻安全風險要能快速辨識。

復盤句型：

- 我只記得藥物用途，沒有記 major harm。
- 我看到症狀但沒有和 medication 連起來。
- 我沒有想到需要 monitoring 或 provider notification。

英文保留詞：

- adverse effect
- toxicity
- contraindication
- monitor
- medication teaching
- bleeding risk
- ototoxicity

13.7 錯題復盤單元 5：NGN 病例要找 trend

NGN case study 最容易把人拖進大量文字。你要養成找 trend 的習慣。病人是 improving、stable 還是 worsening？新資料和前一筆資料相比，哪個方向改變？如果題幹說 increasing shortness of breath、decreasing blood pressure、new confusion、worsening pain、reduced urine output，這些都是 trend cues。

中文情境：術後病人兩小時內從輕微不適變成 restlessness + SpO₂ 88%。這不是普通術後疼痛，而是 respiratory concern。NGN 題可能要求你 highlight cues、choose actions、evaluate response。若你一開始沒有抓住 oxygenation trend，後面 action 就容易錯。

復盤句型：

- 我讀到了資料，但沒有比較前後變化。
- 我被背景資訊吸引，忽略了 worsening cue。
- 我沒有把 action 和 evaluation 連起來。

英文保留詞：

- trend
- worsening
- recognize cues

- take action
- evaluate outcomes
- case study

13.8 錯題復盤單元 6：產兒題先看母嬰安全

產兒題不是只背週數。NCLEX-RN 更常測是否看見母嬰安全線索。懷孕期要警覺 severe headache、visual changes、right upper quadrant pain、vaginal bleeding、decreased fetal movement。產程中要關注 fetal heart rate patterns，尤其 recurrent late decelerations、absent variability、prolonged deceleration 等。產後要看 bleeding、fundus、lochia、vitals。新生兒要看 breathing、temperature、glucose 和 feeding。

中文情境：postpartum client 有 boggy uterus 和 heavy lochia。這不是單純需要休息或喝水，而是出血風險。NCLEX-style 題目中，若確認 uterine atony，常期待 immediate action 指向 fundal massage；但真實臨床仍需 assessment、protocol 和團隊指引。這種安全措辭要保留，避免把考試答案變成僵硬臨床反射。

復盤句型：

- 我把產兒題當成記憶題，沒有先找 safety cue。
- 我看到 routine postpartum care，忽略了 bleeding pattern。
- 我沒有分清 NCLEX-style expected answer 和 real practice protocol。

英文保留詞：

- fetal well-being
- late decelerations
- boggy uterus
- heavy lochia
- newborn respiratory distress
- per protocol

13.9 錯題復盤單元 7：精神科題先維持安全和界線

精神科與溝通題不是考誰最會安慰人。false reassurance、why question、giving advice、changing subject、arguing with delusion 都可能是不安全或非治療性回答。安全回答通常讓病人表達、反映情緒、保持現實感但不爭辯、直接評估自傷他傷風險。

中文情境：病人說不想活了。安全回答不是「不要這樣想」或「你家人會難過」，而是直接、清楚、非評判地評估 suicidal thoughts、plan、means 和 immediate safety。若病人有

command hallucination 或暴力風險，則需要更直接的安全處理與團隊升級。

復盤句型：

- 我選了日常中文裡像安慰的句子，但不是 therapeutic communication。
- 我沒有直接評估安全風險。
- 我和 delusion 爭辯，而不是承認感受並維持現實界線。

英文保留詞：

- therapeutic communication
- false reassurance
- suicidal ideation
- safety assessment
- reflection
- open-ended question

13.10 錯題復盤單元 8：感染控制要問傳播途徑

感染控制不是只有 hand hygiene。當題目涉及感染控制，要先問 pathogen 或風險如何傳播：airborne、droplet、contact、blood/body fluids，還是需要 protective environment？不同傳播途徑對應不同 PPE、房間、訪客、轉運和清潔要求。

中文情境：若病人疑似 airborne transmission disease，普通戴手套不夠；若是 contact precautions，重點可能在 gown/gloves、設備專用、環境清潔；若是 droplet，mask 和近距離飛沫風險要考慮。題目如果問 first action，仍要看是否有 immediate safety threat。

復盤句型：

- 我只看見 infection，沒有判斷 transmission route。
- 我把 standard precautions 當成所有題目的完整答案。
- 我沒有看題目問的是保護自己、保護其他病人，還是保護免疫低下者。

英文保留詞：

- standard precautions
- airborne precautions
- droplet precautions
- contact precautions
- PPE
- transmission

13.11 錯題復盤單元 9：OSCE 從現在開始練口頭表達

Stream B 考生不能把 OSCE 留到 NCLEX 通過後才開始思考。OSCE 的具體考站需要專門準備，但底層語言可以從現在開始建立。每一道 priority 或 safety 錯題，都可以轉成一分鐘英文口頭說明：I am concerned about... My immediate priority is... I would assess... I would escalate... I would reassess...

中文情境：如果題目是 SpO₂ 88% + restlessness，你在 NCLEX 中選擇 breathing priority；在 OSCE 語言中，你要能說出「我擔心低氧，會立即評估呼吸狀態和生命徵象，按流程給予處置，通知團隊，並重新評估 SpO₂ 和症狀」。這不是背答案，而是把 clinical judgment 轉成可觀察的專業行為。

復盤句型：

- 這題如果變成 OSCE，我會怎樣說？
- 我能不能用英文說出 assessment、action、escalation、evaluation？
- 我的英文是否足以讓考官看見安全判斷？

英文保留詞：

- assessment
- escalation
- documentation
- reassessment
- patient safety
- clinical handover

13.12 錯題復盤單元 10：建立自己的高頻弱點索引

每位考生的弱點不同。有些人藥理弱，有些人 delegation 弱，有些人英文題幹弱，有些人一遇到產兒或精神科就慌。不要用別人的焦慮決定自己的計劃。你的錯題索引才是最可靠的學習方向。

每週建立一張表：

Weak tag	本週錯題數	代表題號	下週行動
prioritization	重讀 Chapter 4，做 30 題 priority		
delegation_scope	整理 RN/UAP/LPN task table		

english_wording	背 requires follow-up / further teaching 等題幹語言
safety_infection	整理 precautions table
therapeutic_communication	做 communication response drills

這張表的目的是讓你停止「今天心情不好就換資源」的循環。只要弱點索引存在，你每天都知知道下一步該做什麼。

13.13 中文長例題復盤：從錯誤答案走到正確判斷

情境：

A client who is one day postoperative after abdominal surgery reports incisional pain 4/10. The client is restless and says, "I cannot catch my breath." Respiratory rate is 28/min and oxygen saturation is 89% on room air.

問題：Which action should the nurse take first?

選項：

- A. Teach the client how to splint the incision when coughing.
- B. Ask the client to rate the pain again in 30 minutes.
- C. Assess the client's respiratory status and apply oxygen according to protocol.
- D. Document the findings in the chart.

中文拆解：

這題同時放入疼痛、術後、焦躁、呼吸困難、呼吸速率上升、血氧下降。疼痛和術後咳嗽教學都重要，但目前最危險的是 breathing/oxygenation。A 是正確但不優先，B 延誤了急性呼吸問題，D 是文件記錄但不能取代 immediate action。C 最直接回應主要風險。

錯題標籤：

- cue_recognition：是否看見 restless + cannot catch breath + SpO2 89% ?
- prioritization：是否把 breathing 放在 pain teaching 前面？
- safety：是否採取 immediate nursing action？

OSCE 轉換：

I am concerned that the client may be experiencing impaired oxygenation. My immediate priority is to assess respiratory status, check vital signs and oxygen saturation, position the client appropriately, apply oxygen according to protocol, and escalate to the registered nurse/provider team as required. I would reassess the response and document the findings.

13.14 中文長例題復盤：委派與評估的界線

情境：

The RN is caring for four clients. Which task is appropriate to delegate to UAP?

- A. Evaluate the response to newly prescribed pain medication.
- B. Assist a stable client with ambulation after routine surgery.
- C. Teach a client with a new colostomy how to change the pouch.
- D. Assess a client who reports new numbness in one arm.

中文拆解：

這題的關鍵不是哪個任務簡單，而是哪個任務不需要 RN judgment。A 是 evaluation，屬於 RN 判斷；C 是新教學，屬於 RN 責任；D 是新發神經症狀，需要 assessment。B 是 stable client 的 routine assistance，較適合委派給 UAP，並要求 UAP 回報異常。

復盤句：

我不能只問「UAP 會不會做」，而要問「這件事是否需要 RN assessment、teaching 或 evaluation」。

OSCE 轉換：

If delegating ambulation assistance, I would confirm the client is stable, give clear instructions, explain what findings should be reported, and remain accountable for supervision and follow-up.

13.15 中文長例題復盤：病人教育中的 further teaching

情境：

A client prescribed warfarin is preparing for discharge. Which statement requires further teaching?

- A. "I will report black stools or unusual bleeding."
- B. "I will keep my follow-up blood tests."
- C. "I will take extra aspirin when I have a headache."
- D. "I will tell my provider before starting new medicines."

中文拆解：

題目問 *requires further teaching*，意思是找出錯誤或不安全的病人陳述。A、B、D 都反映合理安全意識。C 表示病人打算自行加用 aspirin，可能增加 bleeding risk，因此需要進一步教學。

錯題標籤：

- english_wording：是否看懂 *requires further teaching*？
- pharmacology：是否知道 warfarin 與 bleeding risk？
- safety：是否能辨識 unsafe self-medication？

中文復盤：

這不是問「哪句話最像教科書」，而是問「哪句話顯示病人會做出危險行為」。

13.16 中文長例題復盤：精神健康安全優先

情境：

A client says, "I do not want to live anymore." Which response is most appropriate?

- A. "You should not say that. Your family loves you."
- B. "Everyone feels sad sometimes."
- C. "Are you thinking about harming yourself?"
- D. "Let's talk about something more positive."

中文拆解：

這題測 suicidal ideation 的直接安全評估。A 帶有評判與壓力，B 淡化感受，D 轉移話題。C 直接、清楚、非評判地評估自傷風險，是更安全的方向。若病人回答有 plan 或 means，後續應按流程升級安全處理。

錯題標籤：

- therapeutic_communication
- safety
- mental_health

中文復盤：

治療性溝通不是避免敏感話題，而是在安全框架下讓風險被看見。

13.17 章末整合：把一本書用成一套系統

讀完本章後，不要急著判斷自己「會了」或「不會」。請做一件更實際的事：選 20 題已經做過的錯題，全部重新標籤。每題只允許選一個主要錯因。最後統計哪個錯因最多。這個數字會告訴你下一週最應該讀哪一章。

如果最多的是 cue_recognition，回 Chapter 3 和 5；如果最多的是 prioritization，回 Chapter 4；如果最多的是 english_wording，建立題幹語言表；如果最多的是 pharmacology，做 medication risk cards；如果最多的是 safety_infection，回 Chapter 9；如果最多的是 therapeutic_communication，回 Chapter 8；如果你發現自己能選對但無法說出理由，開始做 Chapter 11 的 OSCE conversion。

這就是本書的使用方式：不是一次性閱讀，而是反覆回到錯題，讓每一次失誤都變成下一輪學習的入口。

Chapter 14

題幹語言與雙語詞彙：先讀懂題目，再談臨床知識

14.1 為什麼本章重要

許多華語護理師在 NCLEX-RN 練習中有一種挫折感：明明臨床上做過類似照護，看到英文題目卻選錯。這種錯不一定代表你不懂護理，而可能代表你沒有讀懂題目的任務。NCLEX 題幹常用少數幾個關鍵詞改變整題方向，例如 first、priority、best、most appropriate、requires follow-up、needs further teaching、expected、unexpected、contraindicated。這些詞若沒有被正確處理，考生就會用錯模式答題。

本章的目的，是把題幹語言當作一個獨立能力訓練。你要先知道題目「要求你做什麼」，再決定用哪一套臨床判斷框架。如果題目問 first action，你要找安全與急迫性；如果題目問 further teaching，你要找病人誤解；如果題目問 expected finding，你要分辨正常反應與異常變化；如果題目問 requires follow-up，你要找需要追蹤、升級或再評估的線索。

14.2 First / Priority / Immediate

這三個詞常被考生翻成「重要」，但更精準的理解是「在此刻最先處理」。所有選項可能都對，但只有一個最先。這類題要先找 unstable cue：呼吸、循環、出血、急性神經變化、感染惡化、藥物毒性、自傷他傷風險。若沒有立即生命危險，再看 assessment before intervention、least invasive、client safety。

中文復盤句：

- 這題不是問完整護理計劃，而是問第一步。
- 我不能因為某個選項聽起來像護理常規，就忽略急性危險。
- 若題目有 new、sudden、increasing、decreasing、severe、unresponsive，先提高警覺。

例句：

The nurse should assess which client first?

中文拆解：先找哪個 client 最不穩定，而不是哪個病人最需要教育、最焦慮或最容易處理。

14.3 Most appropriate / Best

Most appropriate 和 best 比 first 更容易混淆。它們不一定指最快，而是指最符合情境、安全、範圍、倫理和護理流程的選擇。解題時要問：這個選項是否直接回應題幹？是否符合 RN scope？是否避免傷害？是否太極端？是否跳過必要評估？

很多錯誤選項會「部分正確」。例如病人焦慮時，提供資訊可能有幫助；但若病人正在恐慌，最適合的反應可能是保持簡短、冷靜、陪伴和降低刺激，而不是長篇教育。病人疼痛時，止痛重要；但若同時出現呼吸抑制，最適合的行動可能先評估呼吸狀態，而不是追加 opioid。

中文復盤句：

- 我選的答案是否解決了題目真正問的問題？
- 這個答案是否太早、太晚、太絕對或超出 RN 範圍？
- 如果我在 OSCE 中做這個動作，考官能否看見安全理由？

14.4 Requires follow-up

Requires follow-up 常被誤讀。它不是普通「哪個需要護理」，而是找出 abnormal、unsafe、unexpected 或可能需要再評估/升級的 finding。若四個選項中三個是 expected response，剩下一個就是需要追蹤的異常。這類題很適合建立「expected vs unexpected」筆記。

例：

- postoperative mild incisional pain may be expected.
- sudden shortness of breath is not expected.
- mild fatigue after activity may be expected.
- new unilateral weakness is not expected.

中文復盤句：

- 這題要找不安全或不正常，不是找最常見。
- 我是否把 expected discomfort 誤認為 priority？
- 我是否把 abnormal vital sign 當成背景資訊？

14.5 Needs further teaching

Needs further teaching 是病人教育題的核心語言。題目要你找病人哪句話顯示 misunderstanding。正確選項通常不是「最漂亮的衛教句」，而是「最危險的錯誤理解」。

若病人表示會自行改藥、忽略警訊、使用禁忌藥物、不理解感染隔離、不遵守傷口照護或不回診監測，就需要 further teaching。

中文復盤句：

- 我在找錯誤觀念，不是在找正確衛教。
- 哪句話如果病人照做，最可能造成 harm？
- 這句話是否顯示病人不知道何時回報？

練習：把你做過的 10 題 patient teaching 錯題整理出來，只抄病人說的那一句話。不要抄解析。然後在旁邊寫：這句話錯在哪裡？可能造成什麼 harm？

14.6 Expected / Unexpected

Expected 和 unexpected 需要病理生理基礎，但也有語言規律。Expected finding 是與診斷、治療、術後階段或藥物作用一致的表現。Unexpected finding 是不符合預期、提示併發症、惡化或安全風險的表現。考生常把「病人不舒服」都視為異常，但 NCLEX 更重視「哪種不舒服代表危險」。

例如，術後 incisional pain 可能 expected，但 calf pain with swelling 可能提示 DVT；產後 mild cramping 可能 expected，但 heavy lochia with boggy uterus 需要優先處理；某些疫苗後 mild soreness 可能 expected，但呼吸困難、臉部腫脹則是危險線索。

中文復盤句：

- 這個 finding 是否符合病程？
- 它是否提示 complication？
- 如果不處理，是否可能快速惡化？

14.7 Contraindicated / Avoid

Contraindicated 或 avoid 題目要找「不應該做」的行動。這類題考安全底線。常見方向包括：藥物禁忌、出血風險、腎功能風險、吞嚥風險、跌倒風險、感染傳播、錯誤體位或不適當委派。中文考生要小心，因為某些選項在日常護理中看似合理，但在特定情境下會造成 harm。

例：stroke 後吞嚥未評估前給口服食物或藥物，可能增加 aspiration risk；AV fistula arm 上測血壓或抽血，可能傷害瘻管；warfarin 病人自行服用 aspirin，可能增加 bleeding risk。

中文復盤句：

- 這個動作在一般情況下也許可行，但此情境是否危險？
- 題幹有沒有給出 contraindication cue？
- 我是否被「看起來像護理照顧」的選項吸引？

14.8 Report / Notify / Escalate

Report promptly、notify provider、escalate care 不是萬能答案，但在某些情境中是重要行動。考題常要求你判斷：是否先做 immediate nursing action，再通知；還是某個 finding 已經需要立即升級。若病人有 airway/breathing/circulation 危險，RN 不應只「通知」而完全不做可立即執行的安全處置；但若發現重大異常 lab、危險 assessment finding 或超出 RN 獨立處理範圍的狀況，通知團隊是必要的。

中文復盤句：

- 有沒有 RN 可以立即做的安全行動？
- 是否需要先 assessment 再 notify？
- 這個 finding 是否已經達到 escalation 門檻？

14.9 題幹語言表

English wording	中文工作翻譯	解題方向
first	最先	找急迫安全風險
priority	優先	排序，不是找所有正確項
immediate	立即	不能延誤的行動
most appropriate	最合適	安全、範圍、情境
requires follow-up	需追蹤	找異常/不安全
needs further teaching	需再教	找病人錯誤理解
expected	預期	符合病程/治療
unexpected	非預期	併發症或惡化
contraindicated	禁忌	不應做，可能 harm
report promptly	及時回報	達到升級門檻

14.10 本章工作表

從最近 20 題錯題中，統計題幹關鍵詞：

關鍵詞	出現次數	錯誤原因	下次策略
first / priority	先找 unstable cue		
further teaching	找病人錯誤句		
follow-up	找 abnormal/unsafe finding		
expected/unexpected	對照病程與併發症		
contraindicated	找 harm/禁忌		

如果你發現自己常錯同一類 wording，本週不要只增加題量。先把這一類 wording 的錯題集中訓練，直到你看到題幹就能立刻切換解題模式。

Chapter 15

Content Repair Modules：把常見知識缺口補成安全判斷

15.1 本章定位

本章不是完整內外科教科書，而是 NCLEX-RN 備考中的「修補模組」。當錯題顯示你缺少某個基礎知識時，不要立刻打開厚書從第一頁讀到最後。先用修補模組建立安全框架，再回題庫驗證。每個模組都用同一個格式：核心風險、常見 cues、first nursing concern、錯題復盤句。

15.2 Respiratory / Oxygenation

呼吸與氧合是 priority 題的高頻核心。常見危險 cues 包括 shortness of breath、restlessness、cyanosis、SpO2 low、retractions、stridor、wheezing、absent breath sounds、increasing respiratory rate。讀題時先判斷：這是 airway 問題、breathing 問題，還是 anxiety/comfort 問題？若有客觀氧合異常，不要只把它當成情緒焦慮。

first nursing concern 通常圍繞 assessment、positioning、oxygen according to protocol、呼叫協助或通知團隊，具體要看題幹。不要把 oxygen 當成所有題的固定答案；也不要明顯呼吸危險時只選 documentation 或 teaching。

錯題復盤句：

- 我是否忽略了 restlessness 可能是 hypoxia 的 cue？
- 我是否把呼吸問題誤認為焦慮？
- 我的 action 是否直接改善 oxygenation？

15.3 Cardiovascular / Perfusion

心血管題常測 perfusion、rhythm、chest pain、shock、bleeding、fluid volume。危險 cues 包括 chest pain、new shortness of breath、hypotension、tachycardia、cool clammy skin、decreased urine output、new confusion、weak pulses。NCLEX 不一定要求你做醫師診斷，但要知道這些 cues 可能代表 circulation problem。

若題目涉及 chest pain，要看是否需要立即 assessment、vital signs、oxygenation、ECG/notification according to context。若題目涉及 bleeding，要看 hemodynamic stability。若題目涉及 heart failure，要關注 lung sounds、dyspnea、weight gain、edema、oxygenation。

錯題復盤句：

- 我是否把 circulation cue 當成普通疲勞？
- 我是否只看到 pain，沒有看 perfusion？
- 我是否知道哪些 vital signs 組合代表 instability？

15.4 Fluids and Electrolytes

電解質題最常見的錯誤，是把 lab value 當成孤立數字。你要把數字和症狀連起來。低鉀可能和 muscle weakness、dysrhythmia risk 相關；高鉀可能和 cardiac conduction risk 相關；鈉異常可能和 neuro status 相關；鈣異常可能和 tetany、paresthesia 或 cardiac issues 相關。具體判斷仍需按題幹和官方/課程範圍學習。

復盤時不要只抄正常值。更有用的是寫：「這個電解質異常最怕什麼 harm？」例如 potassium 錯題旁邊寫 cardiac rhythm risk；sodium 錯題旁邊寫 neuro changes/seizure risk；calcium 錯題旁邊寫 neuromuscular irritability 或 laryngospasm concern。

錯題復盤句：

- 我是否只背數字，沒有想到 harm？
- 題幹中的症狀是否和 lab value 連得上？
- 這個異常是否需要 immediate follow-up？

15.5 Neurological Safety

神經題要關注 acute change。new confusion、one-sided weakness、slurred speech、unequal pupils、decreased level of consciousness、seizure activity、severe headache 都可能是危險 cues。不要把 older adult confusion 自動當成正常老化；不要把 headache 一律當成普通疼痛；不要忽略 sudden onset。

NCLEX 常測的是辨識惡化和保護安全。若病人有 seizure risk，要考慮環境安全、側臥、保護頭部、不要把東西放入口中、事後評估。若病人有 stroke risk，要注意 swallowing/aspiration、mobility/fall、neuro checks 和 timely escalation。

錯題復盤句：

- 我是否忽略了 sudden/new neurological cue ?
- 我是否把 confusion 當成背景，而不是 deterioration ?
- 我是否先處理 safety before teaching ?

15.6 Renal and Urinary

腎臟與泌尿題常與 fluid balance、electrolytes、medication clearance、infection、dialysis access 有關。危險 cues 包括 decreased urine output、fluid overload、electrolyte abnormality、AV fistula absent bruit/thrill、UTI symptoms with systemic signs。若病人有 AV fistula，要保護該手臂，避免血壓測量或 venipuncture，並對 absent bruit/thrill 保持警覺。

腎功能也影響藥物安全。某些藥物需要監測 renal function 或避免 nephrotoxicity。考題若把 aminoglycoside、vancomycin、contrast、NSAIDs 或 dehydration 放在一起，要提高警覺，具體仍按課程資料和題幹判斷。

錯題復盤句：

- 我是否看見 urine output 的變化？
- 我是否保護 dialysis access？
- 我是否想到腎功能會影響 medication safety？

15.7 Endocrine: Diabetes and Thyroid

糖尿病題常測 hypoglycemia、hyperglycemia、sick day rules、insulin timing、foot care 和 patient teaching。低血糖 cues 可能包括 sweating、shakiness、confusion、tachycardia、hunger；高血糖可能涉及 thirst、polyuria、fatigue、ketones 或 dehydration。題目若問 first action，要看病人是否 conscious、能否吞嚥、是否需要 immediate glucose intervention。

甲狀腺題常測 thyroid storm、hypothyroidism、post-thyroidectomy hypocalcemia。若 thyroidectomy 後出現 tingling、muscle twitching、tetany，要想到 hypocalcemia risk；若出現 airway compromise，則更優先。不要只記疾病名稱，要連到 safety cue。

錯題復盤句：

- 我是否分清 hypoglycemia 和 hyperglycemia cues？
- 病人是否能安全口服？
- 術後 thyroid 題是否有 airway 或 calcium cue？

15.8 Gastrointestinal and Perioperative

GI 和術後題常測 bleeding、aspiration、bowel obstruction、NG tube、postoperative complications、pain vs deterioration。危險 cues 包括 rigid abdomen、absent bowel sounds with symptoms、coffee-ground emesis、black tarry stool、persistent vomiting、signs of dehydration、difficulty swallowing。

術後題要把 expected discomfort 和 complication 分開。mild incisional pain 可能 expected；shortness of breath、decreased oxygen saturation、excessive bleeding、calf swelling、new confusion、urine output decrease 可能需要 follow-up。不要看到 postoperative 就只想到 pain management；也不要看到 pain 就忽略 respiratory/circulation safety。

錯題復盤句：

- 這是 expected postoperative finding 還是 complication cue？
- 有沒有 aspiration、bleeding、dehydration 或 obstruction 風險？
- 我是否選了 comfort action 而忽略 safety？

15.9 Pediatric and Developmental Safety

兒科題除了疾病，也常測 age-appropriate care、家長教育、免疫、脫水、呼吸困難、虐待或安全。兒童呼吸問題可能惡化較快，retractions、nasal flaring、grunting、poor feeding、lethargy 都要注意。兒科脫水要看 mucous membranes、tears、urine output、fontanelle、activity。

發展題不要求你成為發展心理學專家，但要掌握大方向：不同年齡對分離、疼痛、解釋方式和安全風險反應不同。題目若問 communication，答案應符合年齡與家庭參與。

錯題復盤句：

- 我是否按成人邏輯處理兒童？
- 這個 cue 在兒童身上是否更危險？
- 教育是否符合家長和兒童的理解能力？

15.10 本章使用方式

每週只選兩個內容模組修補，不要貪多。選擇標準不是「我最害怕哪一科」，而是「錯題數
據顯示哪一科正在扣分」。每個模組完成後，做 **20-30** 題相關題，再看錯題是否下降。若
沒有下降，不要換新資源，先檢查你是否真的完成了錯題復盤。

Chapter 16

500 題題庫使用指南：不要把題庫用成焦慮機器

16.1 題庫的正確用途

題庫不是用來證明你今天很努力，也不是用來每天審判自己能不能通過。題庫的正確用途，是暴露弱點、訓練英文題幹、穩定臨床判斷、累積錯題資料。若一個考生每天刷很多題，卻不記錄錯因，不看 rationale，不做分類，那題庫只會製造分數波動和焦慮。

本書配套題庫分成公開 demo 和內部審核題池。公開 demo 只適合展示 app 功能與低風險練習。完整 500 題題庫若要投入教學或商業產品，必須經 RN / nursing educator review，特別是藥理、產兒、精神健康危機、安全感染控制與 OSCE 轉換相關題目。題庫使用者也應知道：任何練習題都不是官方題，也不承諾考試結果。

16.2 三種練習模式

第一種是 baseline mode。目的不是拿高分，而是建立起點。建議一次做 50 題 mixed set，完整記錄錯題標籤。不要因為分數低就立刻換資源；baseline 的價值正是暴露弱點。

第二種是 repair mode。根據 baseline 中最多的錯題標籤，選擇一到兩個主題集中修補。例如 prioritization 錯很多，就做 priority + delegation 組合；english_wording 錯很多，就做 requires follow-up、further teaching、expected/unexpected 題幹訓練。

第三種是 integration mode。當各類弱項開始下降，就回到 mixed timed practice。這時要訓練切換能力：上一題是藥理，下一題是精神科，再下一題是 NGN case。真正考試不會按你的舒適順序排列。

16.3 500 題分層使用建議

題量階段	用途	不建議
1-50	baseline 與 app 熟悉	追求高分
51-150	核心錯題分類	只看答案不看錯因
151-300	content repair 後驗證	一天大量刷完

301-450	mixed timed practice	只做熟悉科目
451-500	final review and weak queue	用分數預測通過

題庫應該像實驗室，不像賭場。每一次練習都產生資料，每一次資料都回到下一週計劃。

16.4 錯題標籤系統

建議使用以下主標籤：

- knowledge_gap：缺少內容知識。
- cue_recognition：沒有抓住關鍵線索。
- prioritization：排序錯誤。
- delegation_scope：委派與 RN scope 錯誤。
- english_wording：題幹語言誤讀。
- safety_infection：安全或感染控制判斷不足。
- therapeutic_communication：溝通方向錯誤。
- test_strategy：考試策略或時間壓力造成錯誤。
- osce_transition：知道答案但不能轉成臨床表達。

每題只選一個主標籤，一個副標籤。不要每題貼五個標籤，否則失去診斷意義。主標籤回答「這題最主要為什麼錯」，副標籤回答「還暴露了什麼次要問題」。

16.5 題庫週計劃

Week 1：50 題 baseline mixed set，建立錯題標籤。

Week 2：根據最高錯題標籤選 60 題 repair set，加 20 題 mixed。

Week 3：做 80 題 timed mixed，錯題只復盤前 20 題高價值錯題。

Week 4：做 NGN case focus，至少完成 10 個病例的 cue/action/evaluation 表。

Week 5：做藥理與安全感染控制修補，建立 medication risk cards。

Week 6：做 priority/delegation/communication mixed set，訓練快速切換。

Week 7：做 100 題 mixed timed，生成 learner report。

Week 8：只練錯題隊列和最弱兩個標籤，不再追新題量。

16.6 如何看分數

題庫分數是信號，不是預言。單次分數可能受題目難度、狀態、疲勞、題型比例影響。更可靠的是趨勢：同一類錯題是否下降？同一種 wording 是否不再誤讀？timed practice 是否更穩定？NGN case 是否能找出 key cues？如果這些指標改善，即使單次分數波動，也代表學習方向可能是有效的。

不要把 readiness score 當成保證。商業工具的 readiness assessment 可以作為參考，但不能代替官方要求，也不能保證通過。更不應用 app demo 的 done/correct count 對外宣稱通過概率。

16.7 題庫與書本如何互相使用

題庫錯在 priority，回 Chapter 4 和 Chapter 14。

題庫錯在 NGN case，回 Chapter 5 和 Chapter 13。

題庫錯在 pharmacology，回 Chapter 6 和 Chapter 15。

題庫錯在 maternal-child，回 Chapter 7。

題庫錯在 mental health communication，回 Chapter 8。

題庫錯在 safety/infection，回 Chapter 9。

題庫錯在 process/OSCE，回 Chapter 1 和 Chapter 11。

書本不是按順序讀完就結束，而是作為題庫復盤的索引。每次錯題都應把你帶回一章，而不是只帶來沮喪。

16.8 督導使用題庫的方法

督導或 tutor 不應只是告訴學員答案。更好的方式是問四個問題：

1. 你當時看到的 key cue 是什麼？
2. 你為什麼排除正確答案？
3. 這題的主錯因標籤是什麼？
4. 如果變成 OSCE，你會怎樣說出 action？

這種問法可以判斷學員是否真的理解。若學員能答對但說不出理由，說明仍有風險；若學員答錯但能清楚復盤，說明可修正性較高。

16.9 題庫品質控制

所有題目至少應檢查五點：

- 是否有唯一合理最佳答案。
- rationale 是否解釋為什麼其他選項不優先。
- 是否避免官方題目或商業題庫的表述複製。
- 是否有合規 disclaimer。
- 高風險臨床內容是否經 RN / nursing educator review。

如果題目涉及藥物劑量、急救流程、產科出血、精神健康危機、兒科危急狀況或感染控制，應進入 clinical risk review queue。題庫越大，審核記錄越重要。

16.10 本章工作表

本週題量	主錯因	次錯因	下週修補章節	督導問題
------	-----	-----	--------	------

每週只填一行。連續八週後，你會得到一份非常清楚的學習軌跡，這比單次分數更有價值。

Chapter 17

海外督導小組教學指南

17.1 為什麼需要督導小組

NCLEX-RN 自學可以完成很多內容，但 Stream B 考生面臨的問題往往不只是題目。她們需要理解官方流程、英文題幹、臨床判斷、OSCE 轉換、文件節點和心理壓力。督導小組的價值，不是替代正式護理教育，也不是提供監管或移民承諾，而是建立一個有結構的學習環境，幫助考生把分散資料變成可行動的計劃。

一個好的督導小組應該有清晰邊界：不提供官方法律/移民/註冊結果承諾，不聲稱掌握真題，不使用未授權商業題庫內容，不讓非護理資格人員對高風險臨床內容作最終裁定。它可以做的是：整理公開資料、訓練題幹語言、引導錯題復盤、安排 RN reviewer 審核、幫助學員建立英文表達。

17.2 四週入門班設計

Week 1 : Route and Test Language

目標：讓學員分清 AHPRA/NMBA process、NCLEX-RN MCQ、OSCE 和 registration。教學內容包括 Chapter 1、2、14。課後任務是完成 route map worksheet 和 30 題 baseline。

Week 2 : Clinical Judgment and Priority

目標：建立 cue recognition、priority ladder、wrong-answer taxonomy。教學內容包括 Chapter 3、4、13。課後任務是做 50 題 mixed set，並完整復盤 10 題錯題。

Week 3 : High-Risk Content Repair

目標：修補藥理、產兒、精神科、安全感染控制中的高頻風險。教學內容包括 Chapter 6、7、8、9、15。課後任務是建立 10 張 medication/communication/safety cards。

Week 4 : NGN and OSCE Transition

目標：訓練 NGN case reading method 和 OSCE oral conversion。教學內容包括 Chapter 5、11、16。課後任務是完成 5 個 case grids 和 3 段一分鐘英文口頭表達。

17.3 八週強化班設計

八週班可以更接近完整產品：

1. Week 1: official route, disclaimers, baseline.
2. Week 2: test plan and question language.
3. Week 3: clinical judgment and wrong-answer taxonomy.
4. Week 4: priority and delegation.
5. Week 5: pharmacology and safety repair.
6. Week 6: maternal-child and mental health.
7. Week 7: NGN case studies and timed mixed practice.
8. Week 8: learner report, weak queue, OSCE transition.

每週都應生成一份 learner note，包括 done questions、top weak tags、one clinical concern、one English concern、next-week focus。這份 note 不應寫成「通過預測」，而是學習記錄。

17.4 督導課堂提問法

不要只問「答案是什麼」。請使用以下提問：

- What cue changed your priority?
- Which option is correct but not first?
- What made you choose the wrong answer?
- Which word in the stem controlled the task?
- Is this RN assessment, teaching, evaluation, or routine assistance?
- If this were an OSCE station, what would you say first?

中文督導可以先讓學員用中文說清楚，再要求她們保留 3-5 個英文關鍵詞。這樣不會因英文壓力壓垮臨床推理，也不會讓中文理解和英文考試語言脫節。

17.5 小組規則

建議每組 4-8 人。人數太多會變成講座，無法逐題復盤；人數太少則互動不足。每次課 90 分鐘，其中 30 分鐘講框架，40 分鐘做錯題討論，20 分鐘做英文口頭轉換。每位學員每週至少帶一題「自己真的錯過的題」來討論。

小組應避免比較分數。可以比較錯題標籤，因為標籤指向學習行動；不宜公開排名，因為排名容易製造焦慮而不是改進。若要使用 app 報告，只應作為個人督導資料。

17.6 RN Reviewer 的角色

RN reviewer 或 nursing educator 的角色不是美化文案，而是審核臨床安全。她們應重點查看：

- 題目是否有臨床安全錯誤。
- rationale 是否過度簡化。
- 是否需要加 per protocol / according to facility policy。
- 是否把考試答案寫成現實臨床固定指令。
- 是否有藥物、產兒、精神健康危機和感染控制高風險表述。

非 RN 編輯可以整理語言、版式和學習流程，但不應替代臨床審核。這一點要寫入出版流程。

17.7 學員支持與焦慮管理

NCLEX-RN 備考很容易觸發焦慮。學員看到低分、英文長病例或社群成功帖，可能會覺得自己落後。督導不應用「加油你一定可以」替代具體支持。更有效的是把焦慮轉成行動：今天錯在哪個標籤？下一週減少哪一類錯？哪一個英文詞需要背？哪一個臨床概念需要 reviewer 解釋？

若學員出現嚴重焦慮、失眠、恐慌或自我傷害念頭，督導應停止把它當作普通學習問題，建議尋求適當專業支持或緊急協助。教育產品不能替代心理健康服務。

17.8 督導記錄模板

Date	Topic	Questions reviewed	Main weak tags	Next action
Learner	Strength	Risk area	English focus	OSCE phrase

這些記錄對出版與教學都重要。若未來要把本書和 app 變成課程產品，這些督導記錄可以支持 quality assurance，但必須注意隱私與匿名化。

17.9 對外宣傳邊界

對外文案可以說：

- bilingual study companion.
- clinical judgment workbook.
- Stream B-aware learning support.

- independent educational resource.
- includes demo trainer and wrong-answer taxonomy.

不應說：

- guaranteed pass.
- official NCLEX simulator.
- AHPRA-approved route.
- real exam questions.
- registration guaranteed.

合規邊界不是削弱產品，而是保護產品。醫護教育材料越嚴肅，越需要清楚說明它能做什麼、不能做什麼。

17.10 本章總結

海外督導小組的核心，是讓學員不再孤立刷題。書本提供框架，app 提供練習，題庫提供資料，督導提供復盤，RN reviewer 提供臨床安全檢查。這四者合在一起，才形成一個比較完整的學習產品。

Chapter 18

書籍、App 與出版產品整合

18.1 為什麼要書和 App 一起做

單純書籍的問題是互動不足，讀者看完之後不一定知道自己哪裡弱。單純 App 的問題是容易變成刷題工具，缺少章節框架、合規說明和深度復盤。對 NCLEX-RN 這類高壓考試，最合適的產品形態不是二選一，而是書本提供方法，App 提供練習，督導提供解釋，題庫提供資料。

本書可以作為主教材；App 可以作為低風險 demo、錯題標籤工具、glossary trigger 和 learner report 生成器；完整題庫可以作為內部審核後的擴展產品；督導班可以把書和 App 放進實際學習節奏。這樣形成一條產品線，而不是孤立的一本 PDF。

18.2 讀者旅程

第一層：公開文章。讀者通過澳洲 RN、GCAN、AHPRA Stream B、NCLEX-RN 備考文章進入。

第二層：新書預告頁。讀者理解產品不是官方工具，而是 bilingual clinical judgment support。

第三層：公開 App demo。讀者試用 50 題低風險題，看到錯題標籤、關聯詞彙、learner report。

第四層：書本/Workbook。讀者購買或加入小組後，用本書系統學習。

第五層：督導小組或課程。讀者帶著錯題報告進入討論，形成持續學習。

第六層：內部完整題庫。只有在 RN review 和合規審核完成後，才逐步開放。

18.3 App 功能與章節對應

App function	Book chapter	Learning purpose
Question drill	Chapter 3-9	練 clinical judgment

Wrong tags	Chapter 13, 16	找主要錯因
Related glossary after wrong answer	Chapter 14	在錯題時補詞彙
ATT countdown	Chapter 1, 10	時間規劃
Learner report	Chapter 16, 17	督導討論
Wrong-answer-only mode	Chapter 13	重複修補弱項

這種對應關係能讓 App 不只是工具，而是書本的一部分。每個按鈕都應回答「它服務哪一章的學習方法？」

18.4 書籍版式建議

正式版不宜做成密密麻麻的講義。建議每章使用以下結構：

- Chapter opener：本章要解決什麼錯誤。
- Core framework：核心概念與中文拆解。
- Bilingual terms：保留英文考試詞。
- Worked example：一題完整拆解。
- Wrong-answer tags：錯因分類。
- Supervisor prompt：督導討論題。
- App drill：對應練習模式。
- Review sheet：可填寫表格。

每章都按同一節奏，讀者會更容易形成習慣。排版上，中文主體應舒適可讀，英文詞彙保持醒目但不要喧賓奪主。醫護教育書不需要過度花哨，重點是清楚、穩定、可信。

18.5 版本管理

建議分成四個版本：

vo.1 internal skeleton：章節骨架與合規框架。

vo.2 expanded Chinese review draft：中文主體與 workbook 擴寫。

vo.3 RN review draft：臨床高風險內容送 RN / nursing educator review。

v1.0 public beta：只公開審核後內容、低風險 demo 題、明確 disclaimers。

每個版本都應保留 changelog。尤其是臨床內容修正，例如 item count、fundal massage 表述、Stream B 流程 caveat、local progress storage disclaimer，都應記錄何時修正、為什麼

修正。

18.6 出版物組合

可以設計三個層級：

Starter PDF：80-120 頁，包含 route map、test language、clinical judgment、wrong-answer workbook、demo app access。

Study Companion：200-300 頁，包含完整章節、更多 worked examples、glossary、worksheets、題庫使用指南。

Supervised Cohort Pack：給督導班使用，包含 teacher notes、learner reports、review records、weekly lesson plan、RN review log。

不要一開始就承諾「大型全科 NCLEX 百科」。更好的品牌定位是：Chinese-speaking Stream B nurses 的 clinical judgment bridge。

18.7 Payhip / Public Listing 文字邊界

產品頁可以寫：

An independent bilingual study companion for Chinese-speaking nurses preparing for NCLEX-RN within an AHPRA/NMBA Stream B-aware learning context.

中文可以寫：

本書是面向華語護理師的 NCLEX-RN 臨床判斷雙語備考指南，特別關注 AHPRA/NMBA Stream B 考生常見的英文題幹、優先順序、委派、藥理風險、NGN 病例與 OSCE 轉換問題。

必須避免：

- 保證通過。
- 暗示官方授權。
- 暗示題目來自真題。
- 暗示完成本書即可完成註冊或移民。

18.8 App Demo 的公開策略

公開 App demo 應保持低風險：題量少、題目原創、明確 disclaimers、無 pass prediction、無高風險臨床承諾。它的功能不是替代完整產品，而是讓讀者理解學習方法。尤其是 Glossary Flashcards，現在只在答錯時出現關聯詞彙，這個設計很好，因為它避免頁面像字典，也讓詞彙學習服務錯題復盤。

未來 App 可增加：

- topic filter.
- wrong-answer-only queue.
- glossary search in report page.
- export learner report.
- supervisor view.
- local storage warning.
- optional account/sync only在合規評估後。

18.9 隱私與資料

若 App 只用 localStorage，必須提醒使用者：資料儲存在本裝置，清除快取會重置。若未來加入帳號、同步、督導報告或 email subscription，就會涉及個人資料與學習記錄，必須有清楚 privacy notice。醫護相關學習資料可能暴露個人職涯、考試、移民和健康壓力狀態，不應隨意收集。

若督導班保存 learner report，建議最小化資料：只保存學習所需資訊，避免不必要的身份、醫療或移民敏感資料。分享案例時使用匿名化處理。

18.10 本章總結

本產品真正有價值的地方，不是單本書、單個 App 或單篇文章，而是它們之間的結構：文章引流，書本建立方法，App 生成錯題資料，督導把資料變成行動，RN review 確保臨床安全。這樣的產品線，比單純賣一本題庫更可信，也更適合海外督導學習中心的定位。

Chapter 19

Casebook A : Priority 與 Delegation 中文案例拆解

19.1 如何使用本案例卷

本章不是為了增加題量，而是示範如何把一道題拆成可學習的結構。每個案例都按同一順序：題幹任務、關鍵線索、選項陷阱、最佳答案理由、錯題標籤、OSCE 轉換。讀者應先遮住答案，用自己的話說出「我為什麼會選這個」，再看解析。

19.2 Case 1 : 術後呼吸困難

Stem:

A client is 6 hours postoperative after abdominal surgery. The client reports incisional pain 5/10, appears restless, and says, "I feel short of breath." Oxygen saturation is 89% on room air. Which action should the nurse take first?

Options:

- A. Encourage the client to use a pillow to splint the incision.
- B. Assess respiratory status and apply oxygen according to protocol.
- C. Document the pain score and reassess in 30 minutes.
- D. Teach the client about expected postoperative discomfort.

中文拆解：

這題故意放入 postoperative pain，讓你想選疼痛處理或咳嗽支托。但題幹真正控制 priority 的 cue 是 restless、short of breath、SpO₂ 89%。這是 breathing/oxygenation 問題。A 可能是稍後有用的護理行動，但不能優先於低氧。C 和 D 都延誤了急性問題。

Best answer: B.

錯題標籤：

- cue_recognition

- prioritization
- safety

OSCE 轉換：

I am concerned about impaired oxygenation. I would assess respiratory status, check vital signs and oxygen saturation, position the client appropriately, apply oxygen according to protocol, escalate as needed, and reassess response.

19.3 Case 2：四位病人先看誰

Stem:

The nurse receives reports on four clients. Which client should the nurse assess first?

- A. A client with chronic back pain requesting a heat pack.
- B. A client with pneumonia whose oxygen saturation dropped from 95% to 90%.
- C. A client with diabetes asking about meal choices.
- D. A client scheduled for discharge waiting for transport.

中文拆解：

四個病人都有需要，但 B 有 deterioration：oxygen saturation dropped。不是單一數字，而是趨勢變差。pneumonia + SpO₂下降 指向 oxygenation risk。A 是 comfort，C 是 education，D 是 logistics。這題的核心是 trend + respiratory safety。

Best answer: B.

復盤句：

我不能把所有 request 都看成同等重要。priority 題要先找 unstable 或 worsening。

19.4 Case 3：委派給 UAP

Stem:

Which task is appropriate for the RN to delegate to unlicensed assistive personnel?

- A. Collect a urine specimen from a stable client.
- B. Assess a newly admitted client with abdominal pain.

C. Teach a client how to use an incentive spirometer for the first time.

D. Evaluate whether a client's dizziness improved after medication.

中文拆解：

A 是穩定病人的標本收集，通常可在指導下委派。B 是 assessment，C 是 initial teaching，D 是 evaluation，都需要 RN judgment。委派題要看 task 是否 routine、stable、predictable，也要看是否需要 interpretation。

Best answer: A.

錯題標籤：

- delegation_scope
- RN_judgment

19.5 Case 4：正確但不優先

Stem:

A client admitted with heart failure reports shortness of breath while lying flat. The nurse notes crackles bilaterally. Which action is the priority?

- A. Review sodium restriction teaching.
- B. Assist the client to sit upright.
- C. Ask about usual sleep habits.
- D. Provide written discharge instructions.

中文拆解：

Heart failure 病人有 dyspnea lying flat + crackles，提示 fluid/oxygenation concern。坐起來可改善呼吸，是更即時的 action。A 和 D 重要但不是 priority；C 可能與 orthopnea assessment 有關，但目前已有呼吸症狀和 crackles，應先幫助呼吸。

Best answer: B.

復盤句：

教育很重要，但當病人正在呼吸困難時，priority 是改善 breathing。

19.6 Case 5 : 跌倒風險與安全

Stem:

An older adult client started a sedating medication and tries to get out of bed without assistance. What should the nurse do first?

- A. Remind the client that falls are dangerous.
- B. Place needed items within reach and activate fall precautions.
- C. Document that the client is noncompliant.
- D. Ask the family to visit later.

中文拆解：

sedating medication + older adult + tries to get out of bed 是 fall risk。A 是教育但不夠；C 帶有評判且不處理安全；D 不直接解決當前風險。B 直接降低 harm。

Best answer: B.

OSCE 轉換：

I would implement fall precautions, ensure the call bell and personal items are within reach, assess sedation and mobility, and communicate the risk to the care team.

19.7 Case 6 : 誰不能委派

Stem:

The RN works with an experienced UAP. Which task must remain with the RN?

- A. Recording intake and output for a stable client.
- B. Ambulating a stable client after routine surgery.
- C. Teaching a client with a new diagnosis about medication safety.
- D. Assisting a client with bathing.

中文拆解：

experienced UAP 是干擾資訊。再有經驗，也不能接手需要 RN teaching 的新診斷用藥安全教育。A、B、D 都可能是 routine assistance 或 observation；C 需要 teaching、assessment of understanding 和 clinical judgment。

Best answer: C.

錯題標籤：

- delegation_scope
- teaching
- english_wording: must remain

19.8 Case 7：新症狀不能當常規任務

Stem:

Which client should not be assigned to an LPN/LVN without further RN assessment?

- A. A stable client receiving routine oral antibiotics.
- B. A client who reports new chest tightness.
- C. A client requiring a dressing change on a healing wound.
- D. A client needing reinforcement of previously taught crutch walking.

中文拆解：

這題問 should not be assigned without further RN assessment。new chest tightness 是 acute/new symptom，需要 RN assessment。其他選項可能在範圍內或較 routine，具體仍看地區與機構政策。題目核心是 new/unstable cue。

Best answer: B.

復盤句：

只要出現 new symptom，我要先懷疑是否需要 RN assessment。

19.9 Case 8：先評估還是先處置

Stem:

A client reports dizziness after receiving a new antihypertensive medication. What should the nurse do first?

- A. Help the client ambulate to assess tolerance.
- B. Check blood pressure and assess for orthostatic changes.
- C. Tell the client dizziness is expected.
- D. Document the report and continue routine care.

中文拆解：

new medication + dizziness 可能與 hypotension 或 orthostatic change 有關。第一步應評估安全和血壓。A 可能增加跌倒風險；C 過度安慰；D 不處理風險。這題不是立即通知 provider，而是先完成 RN assessment，除非題幹提供更危急資訊。

Best answer: B.

錯題標籤：

- assessment_before_action
- safety
- medication

19.10 Casebook A 總結

Priority 和 delegation 題的共同點，是它們都不只問知識。它們問你能不能在情境中辨識穩定性、急迫性、RN judgment 和 harm。每次錯這類題，都要問：我把哪個 cue 看輕了？我把哪個 routine action 看重了？我是否忽略了 first、priority、delegate、assign、must remain 這些題幹詞？

Chapter 20

Casebook B：藥理、安全與感染控制案例拆解

20.1 使用方式

本章聚焦高風險題：藥物不良反應、出血、低氧、感染控制、跌倒、誤吸、腎功能和管路安全。這些題不應只用記憶處理。每一題都要問：最可能造成 harm 的是什麼？RN 能立即做什麼？什麼時候需要 notify 或 escalate？

20.2 Case 1：Warfarin and bleeding

Stem:

A client taking warfarin reports black, tarry stools. Which action is most appropriate?

- A. Encourage increased intake of leafy green vegetables.
- B. Tell the client this is an expected effect.
- C. Assess for bleeding and notify the provider according to protocol.
- D. Advise the client to take aspirin for discomfort.

中文拆解：

warfarin + black tarry stools 指向 possible gastrointestinal bleeding。A 涉及飲食穩定性，但不處理當前危險；B 錯誤；D 增加 bleeding risk。C 回應出血風險。

Best answer: C.

復盤句：

抗凝題先問 bleeding harm，不要只背 INR 或飲食。

20.3 Case 2：Gentamicin and ototoxicity

Stem:

A client receiving gentamicin reports ringing in the ears. What should the nurse do?

- A. Document it as an expected harmless effect.
- B. Hold the medication and notify the provider according to protocol.
- C. Encourage the client to drink more fluids only.
- D. Reassure the client that hearing changes are temporary.

中文拆解：

gentamicin 屬 aminoglycoside，ringing in ears 可提示 ototoxicity。題目不是問普通耳鳴處理，而是藥物安全。B 是較安全方向，具體行動受醫囑與機構流程影響。

Best answer: B.

錯題標籤：

- pharmacology
- toxicity
- safety

20.4 Case 3 : Opioid and respiratory depression

Stem:

A postoperative client received morphine. The client is difficult to arouse and has a respiratory rate of 8/min. What is the priority?

- A. Encourage oral fluids.
- B. Assess airway and breathing and prepare to intervene per protocol.
- C. Teach the client about pain management.
- D. Document that the client is sleeping.

中文拆解：

morphine + difficult to arouse + RR 8/min 是 respiratory depression 風險。這是 priority safety issue。C 是稍後教育；D 危險地淡化；A 無關當前危險。

Best answer: B.

復盤句：

藥理題看到 CNS/respiratory depression cues，要先處理 airway/breathing。

20.5 Case 4 : Lithium toxicity

Stem:

A client taking lithium reports vomiting, diarrhea, and increasing tremor. Which concern is most important?

- A. The client may be dehydrated and developing lithium toxicity.
- B. The client needs routine dietary teaching only.
- C. These are expected effects that do not require action.
- D. The medication should be doubled after vomiting.

中文拆解：

lithium 安全重點是 toxicity 和 fluid/sodium balance。vomiting、diarrhea、tremor 不是可忽略背景。A 抓住主要風險。D 明顯危險。

Best answer: A.

OSCE 轉換：

I am concerned about possible lithium toxicity, especially with fluid loss. I would assess symptoms, vital signs, hydration status, medication history, and escalate according to protocol.

20.6 Case 5 : Aspiration risk after stroke

Stem:

A client admitted after a stroke is coughing when offered water. What should the nurse do first?

- A. Continue offering water slowly.
- B. Stop oral intake and assess swallowing risk according to protocol.
- C. Tell the family to bring softer food.
- D. Document that the client dislikes water.

中文拆解：

stroke + coughing with water 指向 aspiration risk。第一步不是鼓勵喝，也不是換軟食，而是停止口服並評估吞嚥安全。B 最安全。

Best answer: B.

錯題標籤：

- safety
- aspiration
- cue_recognition

20.7 Case 6 : Airborne precautions

Stem:

The nurse suspects a client has an airborne infection. Which action is appropriate?

- A. Use standard precautions only.
- B. Place the client in an appropriate airborne infection isolation room and use respiratory protection per policy.
- C. Keep the door open for ventilation.
- D. Ask the client to share a room with another coughing client.

中文拆解：

airborne infection 需要按 airborne precautions 和機構政策處理。A 不完整，C/D 不安全。B 是合理方向。具體病種和政策需按官方/機構要求。

Best answer: B.

復盤句：

感染控制先問 transmission route，不要只選 generic PPE。

20.8 Case 7 : AV fistula protection

Stem:

A client with an arteriovenous fistula for hemodialysis has no palpable thrill. What should the nurse do?

- A. Notify the provider promptly and protect the fistula arm.
- B. Take blood pressure on that arm to confirm circulation.
- C. Draw blood from the fistula arm.
- D. Tell the client this is expected.

中文拆解：

absent thrill/bruit 可能提示 fistula occlusion。要保護 fistula arm，不應在該手臂測血壓或抽血。A 最安全。

Best answer: A.

錯題標籤：

- renal
- safety
- access_protection

20.9 Case 8 : Sepsis cue recognition

Stem:

A client with a urinary tract infection becomes confused. Temperature is 39°C, heart rate 118/min, and blood pressure 88/54 mmHg. What is the priority?

- A. Provide routine discharge teaching.
- B. Recognize possible sepsis and escalate care promptly.
- C. Encourage the client to sleep.
- D. Ask the family if confusion is normal.

中文拆解：

infection + fever + tachycardia + hypotension + confusion 是 systemic deterioration。這不是普通 UTI 教育題。B 抓住可能 sepsis 和 escalation。D 可作背景，但不能延誤 priority。

Best answer: B.

復盤句：

感染題一旦出現 abnormal vitals 和 mental status change，要從 local infection 升級思考 systemic risk。

20.10 Casebook B 總結

藥理和安全題的共同核心是 harm。不要只問「這個藥做什麼」，要問「它最怕什麼危險」。不要只問「感染要不要戴手套」，要問「它如何傳播」。不要只問「這個症狀常不常見」，要問「它是否提示惡化」。這種 harm-first 思維，是華語考生從知識背誦轉向 NCLEX clinical judgment 的關鍵。

Chapter 21

Casebook C：產兒、精神健康與溝通案例拆解

21.1 本章定位

產兒和精神健康題常讓考生覺得陌生，但它們的底層仍是 safety、cue recognition、therapeutic communication 和 priority。不要把產兒題只當成週數記憶，也不要將精神科題只當成語氣選擇。本章用案例展示如何用安全線索讀題。

21.2 Case 1 : Preeclampsia warning signs

Stem:

A pregnant client reports severe headache and blurred vision. What is the nurse's priority?

- A. Reassure the client that headaches are common in pregnancy.
- B. Assess blood pressure and notify the provider according to protocol.
- C. Encourage the client to rest in a dark room only.
- D. Ask the client to drink more water and call back tomorrow.

中文拆解：

severe headache + blurred vision 在 pregnancy 中不是普通不適，可能提示 preeclampsia concern。B 是安全方向。A/C/D 都有淡化危險的問題。

Best answer: B.

錯題標籤：

- maternal_safety
- cue_recognition
- prioritization

21.3 Case 2 : Late decelerations

Stem:

During labor, the fetal monitor shows recurrent late decelerations. What should the nurse do first?

- A. Continue routine observation.
- B. Reposition the client and initiate intrauterine resuscitation measures per protocol.
- C. Encourage the client to push harder.
- D. Document the strip at the end of the shift.

中文拆解：

recurrent late decelerations 指向 uteroplacental perfusion / fetal oxygenation concern。行動通常包括 reposition、停止 oxytocin if applicable、IV fluids、oxygen/notification per protocol 等，具體按題幹與流程。B 最接近安全方向。

Best answer: B.

復盤句：

胎心監測題不是背名詞，而是判斷 fetal oxygenation 是否受威脅。

21.4 Case 3 : Postpartum hemorrhage cue

Stem:

A postpartum client has heavy lochia and a boggy uterus. Which action is expected first in this NCLEX-style question?

- A. Encourage the client to ambulate.
- B. Massage the fundus after assessment confirms uterine atony and follow protocol.
- C. Provide discharge teaching.
- D. Document as expected.

中文拆解：

heavy lochia + boggy uterus 指向 uterine atony and bleeding risk。NCLEX-style 題通常期待 fundal massage 作為 immediate action，但本書保留安全措施辭：assessment confirms

atony, follow protocol。D 錯誤, C 不優先, A 可能不安全。

Best answer: B.

錯題標籤：

- maternal_safety
- bleeding
- prioritization

21.5 Case 4 : Newborn respiratory distress

Stem:

A newborn has grunting, nasal flaring, and retractions. What should the nurse do?

- A. Continue routine feeding.
- B. Recognize respiratory distress and escalate care promptly.
- C. Tell the parents this is expected.
- D. Delay assessment until the next scheduled vital signs.

中文拆解：

grunting、nasal flaring、retractions 都是 newborn respiratory distress cues。新生兒呼吸問題不能等。B 是安全方向。

Best answer: B.

復盤句：

新生兒題看到呼吸費力線索，要優先於 routine feeding 或一般安慰。

21.6 Case 5 : Suicidal ideation

Stem:

A client says, "I have been thinking about ending my life." Which response is most appropriate?

- A. "You have many reasons to live."

B. "Are you thinking about harming yourself now?"

C. "Let's talk about your hobbies."

D. "You should not upset your family."

中文拆解：

這是 suicidal ideation 安全評估。B 直接、清楚、非評判。A 是 false reassurance/勸說，C 轉移話題，D 帶壓力與評判。

Best answer: B.

OSCE 轉換：

I would ask directly about suicidal thoughts, plan, means and immediate safety, stay with the client as needed, remove hazards according to policy, and escalate to the mental health team.

21.7 Case 6 : Delusion communication

Stem:

A client says, "The cameras in the ceiling are watching me." Which response is therapeutic?

A. "That is impossible."

B. "I do not see cameras, but I can see this feels frightening to you."

C. "You are being silly."

D. "If you behave, the cameras will stop."

中文拆解：

治療性溝通不與 delusion 爭辯，也不強化妄想。B 表示不認同妄想內容，但承認感受。A 爭辯，C 評判，D 強化妄想。

Best answer: B.

錯題標籤：

- therapeutic_communication

- mental_health

21.8 Case 7 : Panic communication

Stem:

A client is pacing, breathing rapidly, and says, "I am losing control." Which nursing response is best?

- A. Give detailed explanations about anxiety physiology.
- B. Stay with the client and use short, calm statements.
- C. Ask the client to complete a long questionnaire.
- D. Tell the client to calm down immediately.

中文拆解：

panic 狀態下，長篇教育或複雜任務不合適。B 支持安全、降低刺激、保持簡短。D 命令式無效且可能增加焦慮。

Best answer: B.

復盤句：

溝通題要看病人當下能處理多少資訊，不是把所有正確知識一次說完。

21.9 Case 8 : Mania safety

Stem:

A client with mania is loud, intrusive, and unable to sit through meals. What is an appropriate nursing intervention?

- A. Provide a low-stimulation environment and portable nutritious snacks.
- B. Encourage complex group discussion.
- C. Confront the client in front of peers.
- D. Remove all food until the client sits quietly.

中文拆解：

mania 題要看 safety、nutrition、low stimulation、brief clear directions。A 合理。B/C/D 都可能增加刺激或不安全。

Best answer: A.

錯題標籤：

- mental_health
- safety
- communication

21.10 Casebook C 總結

產兒題的核心是母嬰安全，精神健康題的核心是安全與治療性溝通。這兩類題都容易被情緒化處理：看到孕婦頭痛就安慰，看到自殺語句就勸說，看到妄想就反駁。但 NCLEX-RN 期待的是結構化安全判斷。先問：誰有 harm risk？哪個 cue 不能被淡化？哪句話支持安全和治療性關係？

Chapter 22

Extended Glossary and Phrasebook：雙語術語與口頭表達

22.1 本章定位

詞彙不是孤立背誦。對 NCLEX-RN 和 OSCE 轉換來說，詞彙必須放在句子和情境中。clinical judgment、priority、cue、hypothesis、intervention、evaluation、escalation 這些詞不是裝飾，它們是你理解題目和表達護理判斷的骨架。

22.2 Clinical Judgment Terms

English	中文理解	使用句
cue	線索	The key cue is the oxygen saturation of 89%.
recognize cues	辨識線索	I need to recognize which data are clinically important.
analyze cues	分析線索	I would analyze whether the cue suggests deterioration.
prioritize hypotheses	排序可能問題	I would prioritize impaired oxygenation.
generate solutions	產生處理方案	Possible solutions include assessment, positioning and escalation.
take action	採取行動	My first action is to address breathing.
evaluate outcomes	評估結果	I would reassess oxygen saturation and work of breathing.

22.3 Priority Terms

English	中文理解	注意
first	最先	不等於唯一正確
priority	優先	找最急、最安全
immediate	立即	不能延誤

urgent	緊急	可能造成 harm
stable	穩定	可預期，優先性較低
unstable	不穩定	急性變化或高風險
acute	急性	new/sudden/worsening
chronic	慢性	若穩定通常不優先

練習句：

- The client with new shortness of breath is unstable.
- The chronic pain report is important but not the first priority.
- The acute change requires immediate assessment.

22.4 Delegation Terms

English	中文理解	例句
delegate	委派	The RN may delegate routine tasks for stable clients.
supervise	監督	The RN remains responsible for supervision.
scope of practice	執業範圍	The task must match staff scope of practice.
assessment	評估	Initial assessment requires RN judgment.
teaching	教學	New teaching should remain with the RN.
evaluation	評價	Evaluation of response requires RN judgment.

中文提醒：委派題最容易被「誰有空」或「誰有經驗」干擾。真正要看的是 stable、routine、predictable、scope。

22.5 Safety and Escalation Phrases

OSCE 和督導討論中，可練習以下句型：

- I am concerned about...
- My immediate priority is...
- I would assess...
- I would stop oral intake because...
- I would protect the fistula arm.

- I would notify the provider according to protocol.
- I would escalate care because the client is deteriorating.
- I would reassess after the intervention.
- I would document the findings and actions.

中文練習：每做錯一道 safety 題，用上面句型說一遍。不求流利，先求安全邏輯完整。

22.6 Patient Teaching Phrases

Teaching phrase	中文用途
Report black stools or unusual bleeding.	抗凝出血警訊
Do not stop the medication suddenly unless instructed.	避免自行停藥
Check with your provider before taking new medications.	避免交互作用
Use the call bell before getting out of bed.	跌倒預防
Keep follow-up blood tests as scheduled.	監測與安全

題目若問 needs further teaching，就找病人哪句話違反這些安全方向。

22.7 Communication Phrasebook

Therapeutic:

- Tell me more about what you are feeling.
- That sounds frightening.
- I can stay with you while we work through this.
- Are you thinking about harming yourself?
- I do not see that, but I understand it feels real to you.

Nontherapeutic:

- Everything will be fine.
- You should not feel that way.
- Why did you do that?
- Let's not talk about that.
- That is not true, stop saying it.

中文提醒：治療性溝通不是「說得漂亮」，而是支持安全、表達和信任。

22.8 Infection Control Phrasebook

- Use standard precautions for all clients.
- Identify the route of transmission.
- Use airborne precautions as indicated.
- Use droplet precautions as indicated.
- Use contact precautions as indicated.
- Perform hand hygiene before and after client contact.
- Dedicate equipment when required.

中文提醒：看到 infection control 題，先問傳播途徑，再選 PPE 和房間安排。

22.9 OSCE Mini Handover Template

SBAR:

Situation: I am concerned about...

Background: The client is...

Assessment: I noticed...

Recommendation: I recommend / I would like...

中文例：

Situation: 我擔心病人正在低氧。

Background: 病人腹部手術後 6 小時。

Assessment: 病人不安、呼吸困難、SpO₂ 89%。

Recommendation: 我會立即評估呼吸、按流程給氧、通知團隊並重新評估。

英文例：

I am concerned about impaired oxygenation. The client is six hours postoperative, appears restless, reports shortness of breath and has an oxygen saturation of 89% on room air. I would assess respiratory status, intervene according to protocol, escalate to the team and reassess the response.

22.10 本章使用方式

不要試圖一次背完整章。每週從錯題中挑 10 個詞，放進自己的 glossary。每個詞必須有一個例句，最好來自你做錯的題。若一個詞沒有例句，就只是單字；若一個詞能放進錯題復盤，它才是考試語言。

Chapter 23

NGN Long Case Workshop：長病例逐步拆解

23.1 本章定位

NGN case study 對華語考生的壓力，不只是英文長，而是資料會分批出現，題目會要求你在不同階段做不同判斷。短題常能靠單一 cue 解出，長病例則要看時間線、趨勢和前後關係。本章用工作坊方式示範如何讀長病例。每個 case 都不是官方題，也不是仿真承諾，而是教你如何復盤 clinical judgment。

23.2 Long Case Reading Protocol

每個長病例先做四步：

1. Background：病人是誰，主要情境是什麼。
2. Cues：哪些資料異常、變化或與安全有關。
3. Hypotheses：可能的主要風險是什麼。
4. Actions and evaluation：現在做什麼，如何知道有效。

不要一開始就看所有選項。選項會帶你走。先建立自己的判斷，再看選項哪一個最符合。

23.3 Case 1：Postoperative respiratory deterioration

Background:

A 58-year-old client is 8 hours postoperative after abdominal surgery. The client has an IV line, reports pain 4/10, and has been sleeping intermittently.

New data:

- Respiratory rate 30/min.
- Oxygen saturation 88% on room air.
- Restless and says, "I cannot get enough air."
- Incision dressing dry.
- Blood pressure 132/78 mmHg.

Step 1 Recognize cues:

關鍵 cues 是 RR 30、SpO₂ 88%、restless、cannot get enough air。Pain 4/10 和 dry dressing 是背景資訊，不是此刻 priority。

Step 2 Analyze cues:

這些資料指向 breathing/oxygenation concern。術後病人有呼吸惡化，需要立即護理評估與處理。

Step 3 Prioritize hypotheses:

最優先 hypothesis 是 impaired oxygenation。不是 pain control，不是 discharge teaching，不是 routine documentation。

Step 4 Actions:

Assess respiratory status, position appropriately, apply oxygen according to protocol, notify/escalate as needed, reassess SpO₂ and work of breathing.

中文復盤：

這個 case 的陷阱是 postoperative pain。疼痛重要，但題目給了客觀低氧和呼吸急促。NCLEX 中，客觀氧合危險通常優先於舒適。

23.4 Case 1 Mini Questions

Question A: Which cues are most important?

Best cues: RR 30/min, SpO₂ 88%, restlessness, statement of shortness of breath.

Question B: Which action is least appropriate as first action?

Least appropriate: provide discharge teaching or wait to reassess later.

Question C: What outcome should be evaluated?

Expected evaluation: improved oxygen saturation, reduced work of breathing, improved restlessness, stable vital signs.

23.5 Case 2 : Medication safety and bleeding

Background:

A client with atrial fibrillation takes warfarin. The client is preparing for discharge.

Client statements:

- "I will report black stools."
- "I will keep my lab appointments."
- "If I have a headache, I will take aspirin because it is over the counter."
- "I will tell my provider before starting new medicines."

Step 1 Recognize cues:

關鍵 cue 是 aspirin because it is over the counter。OTC 不代表安全。Warfarin + aspirin 可增加 bleeding risk。

Step 2 Analyze cues:

這是 patient teaching 題。題目若問 further teaching，應找 unsafe statement。

Step 3 Prioritize:

最重要不是背所有 warfarin teaching，而是辨識哪句話會造成 harm。

Step 4 Action:

Provide further teaching about avoiding aspirin/NSAIDs unless directed, bleeding signs, lab monitoring and provider communication.

中文復盤：

這個 case 的關鍵是 wording。若題目問 needs further teaching，答案是錯誤陳述，而不是正確陳述。

23.6 Case 3 : Mental health crisis

Background:

A client admitted for depression sits alone and says, "Everyone would be better without me."

Additional data:

- The client has stopped attending group therapy.
- Appetite decreased.
- Gives away personal items.
- Says, "I have thought about taking all my pills."

Step 1 Recognize cues:

最重要 cues 是 suicidal statement、giving away items、specific pill plan。這不是普通 sadness。

Step 2 Analyze cues:

這是 self-harm risk，需要直接 safety assessment 和 escalation。

Step 3 Prioritize:

安全優先於一般 therapeutic exploration。不能只說 "Tell me more about your hobbies" 或 "Your family loves you."

Step 4 Action:

Ask directly about suicidal intent, plan, means; stay with client as appropriate; remove hazards per policy; notify mental health team/provider; document and follow facility protocol.

中文復盤：

精神科題的安全線索不能被安慰語句掩蓋。直接問自傷風險是安全評估，不是冒犯。

23.7 Case 4 : Maternal-child deterioration**Background:**

A postpartum client delivered 2 hours ago. The client reports dizziness.

Assessment:

- Heavy lochia.
- Boggy uterus.
- Heart rate 118/min.
- Blood pressure 92/58 mmHg.
- Skin cool and clammy.

Step 1 Recognize cues:

heavy lochia、boggy uterus、tachycardia、hypotension、cool clammy skin 都指向 bleeding/perfusion concern。

Step 2 Analyze cues:

可能 postpartum hemorrhage / uterine atony context。

Step 3 Prioritize:

出血與 circulation 風險優先。不能先做 routine teaching、shower、ambulation。

Step 4 Action:

Assess fundus and bleeding, initiate immediate nursing actions for suspected atony/bleeding per protocol, call for help/escalate, monitor vital signs and response.

中文復盤：

本書避免把單一動作寫成所有臨床情境的固定反射。考試中若明確 boggy uterus with heavy lochia，fundal massage 常是 expected action；真實實務仍需 assessment、protocol 和團隊指引。

23.8 Case 5 : Sepsis risk

Background:

A client is being treated for pneumonia.

New data:

- Temperature 39.2°C.
- Heart rate 124/min.
- Blood pressure 86/50 mmHg.
- New confusion.
- Skin cool.

Step 1 Recognize cues:

infection + abnormal vitals + hypotension + new confusion。

Step 2 Analyze cues:

Possible sepsis / shock concern.

Step 3 Prioritize:

This is systemic deterioration, not routine infection teaching.

Step 4 Action:

Rapid assessment, escalate care, follow sepsis-related facility protocol, monitor perfusion/oxygenation, prepare ordered interventions.

中文復盤：

感染題若只有 local symptoms，可以按感染控制或教育處理；若出現 hypotension、tachycardia、confusion，思路要升級到 systemic risk。

23.9 NGN Case Review Sheet

Case	Key cue	Main risk	First action	Evaluation
Post-op respiratory	SpO2 88%, restless	impaired oxygenation	assess/intervene	SpO2 improves
Warfarin teaching	aspirin statement	bleeding	further teaching	safe statement
Depression	pill plan	suicide risk	direct assessment	safety maintained
Postpartum	boggy uterus, heavy lochia	hemorrhage	protocol/escalate	bleeding/vitals improve
Pneumonia	hypotension/confusion	sepsis	escalate	perfusion improves

23.10 本章總結

NGN 長病例的學習目標不是讀得快，而是讀得有結構。你要知道哪些資料是背景，哪些資料改變 priority，哪些資料用來 evaluate outcome。當你能把長病例壓縮成 cue-risk-action-evaluation 四格，NGN 就不再只是長，而是可處理。

Chapter 24

12 週詳細學習計劃：從起點測試到考前穩定

24.1 計劃前提

這份 12 週計劃適合已有護理基礎、正在準備 NCLEX-RN 並希望以中文框架復盤英文題目的考生。它不是保證通過的時間表，也不替代個人 ATT 有效期安排。若你的官方時間少於 12 週，請壓縮內容；若你還沒有 ATT，則可把本計劃當成 pre-ATT study cycle。

24.2 Week 1 : Route, baseline, and language

目標：

- 完成 route map worksheet。
- 讀 Chapter 1、2、14。
- 做 50 題 baseline mixed set。
- 建立錯題標籤表。

本週不要追求高分。你的任務是知道自己錯在哪裡。若 50 題後發現 english_wording 很高，代表下一週不能只補臨床知識，還要補題幹語言。

24.3 Week 2 : Clinical judgment foundation

目標：

- 讀 Chapter 3、5。
- 做 30 題 cue recognition / NGN mini cases。
- 完成 5 張 case grid。
- 每題復盤 key cue。

本週重點是停止「讀完題目直接看選項」。先寫 cue，再看選項。若一題做錯，先問自己是否漏掉 cue，而不是急著背解析。

24.4 Week 3 : Priority and delegation

目標：

- 讀 Chapter 4、19。
- 做 60 題 priority/delegation。
- 整理 RN/UAP/LPN task table。
- 完成 5 題 OSCE oral conversion。

本週重點是 stable vs unstable、assessment vs assistance、teaching vs reinforcement、evaluation vs observation。每天用英文說一次：This task requires RN judgment because...

24.5 Week 4 : Pharmacology risk repair

目標：

- 讀 Chapter 6、20。
- 建立 20 張 medication risk cards。
- 做 50 題 pharmacology mixed。
- 標記 bleeding、toxicity、respiratory depression、electrolyte risk。

不要試圖背完整藥典。先抓 high harm。每張 risk card 只寫 purpose、major harm、monitor、teaching、red flag。

24.6 Week 5 : Safety and infection control

目標：

- 讀 Chapter 9、15。
- 做 50 題 safety/infection。
- 整理 precautions table。
- 完成 5 題 safety OSCE phrase practice。

本週重點是 harm prevention。遇到 infection control 題，先問 transmission route；遇到 fall/aspiration/bleeding 題，先問 immediate harm。

24.7 Week 6 : Maternal-child

目標：

- 讀 Chapter 7、21。
- 做 40 題 maternal-child。
- 整理 pregnancy/labor/postpartum/newborn 四欄安全表。
- 對 fundal massage、fetal monitoring 等高風險內容標記需要 RN review。

本週重點不是背所有週數，而是建立母嬰安全線索雷達。

24.8 Week 7 : Mental health and communication

目標：

- 讀 Chapter 8、21。
- 做 40 題 therapeutic communication。
- 整理 therapeutic vs nontherapeutic phrases。
- 練習 suicidal ideation direct assessment。

本週重點是不要用日常安慰替代治療性溝通。每題問：這個回答是否支持安全、表達、界線與信任？

24.9 Week 8 : NGN long cases

目標：

- 讀 Chapter 23。
- 完成 10 個 long case grids。
- 每個 case 寫 cue-risk-action-evaluation。
- 做一次 timed mixed set。

本週重點是時間線。不要被長文嚇到，也不要把所有資料看成等重。

24.10 Week 9 : Mixed timed practice

目標：

- 做 100 題 mixed timed practice。
- 只復盤最高價值的 20 題錯題。
- 生成 learner report。
- 找 top 3 weak tags。

本週開始訓練考試耐力。復盤不要貪多，重點是最高頻錯因。

24.11 Week 10 : Weak tag repair

目標：

- 針對 top 2 weak tags 做修補。

- 每個 weak tag 做 30 題。
- 回讀對應章節。
- 做 5 分鐘英文口頭表達。

本週不再平均分配時間。哪裡最弱，就去哪裡。

24.12 Week 11 : Final integration

目標：

- 做 2 次 mixed timed sets。
- 完成 wrong-answer-only queue。
- 整理 30 個高頻 glossary terms。
- 減少新資源。

本週最容易焦慮而亂買資源。請克制。你的任務是整合，不是重新開始。

24.13 Week 12 : Exam readiness routine

目標：

- 輕量複習。
- 睡眠和考試節奏穩定。
- 回看 route/ATT/candidate rules。
- 只做少量 warm-up 題。

本週不要用分數刺激自己。檢查考試文件、路線、時間、交通、身份證明、官方要求。考試前幾天的目標是穩定，而不是追求最後奇蹟。

24.14 12 週總表

Week	Focus	Output
1	Baseline	weak tag table
2	Clinical judgment	case grids
3	Priority/delegation	task table
4	Pharmacology	risk cards
5	Safety/infection	precautions table
6	Maternal-child	safety cue sheet

7	Mental health	communication phrases
8	NGN cases	long case grids
9	Timed practice	learner report
10	Weak repair	focused drills
11	Integration	wrong queue cleared
12	Stabilization	exam routine

24.15 本章總結

好計劃不是把每天填滿，而是能根據錯題資料改變方向。若你連續兩週同一 weak tag 不下降，就不要只是增加題量；要回到對應章節，找督導或 RN reviewer 解釋概念。備考最怕的是努力但不診斷。

Chapter 25

RN Reviewer and Clinical Safety Checklist：臨床審核與出版安全

25.1 為什麼本章必須存在

NCLEX-RN 教輔材料涉及護理安全、藥物、產兒、精神健康和感染控制。即使本書是獨立教育資源，也不能把未審核內容直接包裝成可靠臨床指導。出版流程必須清楚區分：作者草稿、教育編輯、RN reviewer、合規審核、公開 beta。這不是拖慢項目，而是保護讀者和品牌。

25.2 RN Reviewer 要看什麼

RN reviewer 不需要重寫整本書，但應針對高風險內容確認：

- 是否有危險臨床錯誤。
- 是否過度簡化 immediate action。
- 是否需要加 per protocol、according to facility policy、provider guidance。
- 是否把 NCLEX-style answer 誤寫成所有臨床情境固定做法。
- 是否有藥物、劑量、急救、出血、精神危機、感染控制等敏感內容。
- rationale 是否足以防止讀者學到錯誤模式。

25.3 高風險內容清單

以下內容必須優先審核：

- fundal massage / postpartum hemorrhage 表述。
- suicidal ideation / self-harm assessment。
- opioid respiratory depression。
- anticoagulant bleeding risk。
- lithium toxicity。
- aminoglycoside ototoxicity。
- sepsis escalation。
- airborne/contact/droplet precautions。
- AV fistula arm protection。

- stroke aspiration risk ◦
- fetal monitoring / late decelerations ◦

若任何題目涉及「立即行動」，都要確認是否需要 assessment before action 或 protocol caveat ◦

25.4 題目審核表

Field	Reviewer notes
Item ID	
Topic	
Correct answer defensible?	
Any unsafe wording?	
Rationale adequate?	
Needs protocol caveat?	
Needs source re-check?	
Approved / revise / reject	

25.5 書稿審核表

Chapter	Risk level	Reviewer	Status	Notes
Route map	medium	official process changes possible		
Test plan	high	verify latest NCSBN		
Pharmacology	high	drug safety		
Maternal-child	high	bleeding/fetal monitoring		
Mental health	high	self-harm language		
Safety/infection	high	precautions/escalation		
OSCE transition	medium	scope and phrasing		

25.6 合規語言

書中應持續使用以下邊界語言：

- independent educational resource.
- not an official NCLEX, NCSBN, Pearson VUE, Ahpra, NMBA or ANMAC product.
- no exam, registration, visa or employment outcome is guaranteed.
- always follow current official guidance and individual assessment correspondence.
- clinical actions in real practice must follow facility policy and appropriate professional guidance.

避免：

- 官方認可。
- 保證通過。
- 真題。
- 快速註冊。
- 低成本移民保證。

25.7 Source Re-check Points

出版前必須重新核對：

- NCSBN candidate bulletin。
- RN test plan effective dates and item numbers。
- Ahpra/NMBA IQNM and OBA pages。
- Stream B RN MCQ/OSCE instructions。
- English language standard changes。
- Any official wording used in route map。

因為這些資料會更新，本書不能把某一天的資料寫成永恆事實。每次更新版本都應記錄日期。

25.8 App 審核點

App 也要審核：

- 是否顯示 disclaimer。
- 是否避免 pass prediction。
- 是否清楚說明 local progress storage。
- 是否公開低風險 demo 題，而不是未審核完整題庫。
- 是否能收起解析。
- glossary 是否只作學習輔助，不製造頁面負擔。
- learner report 是否寫明不是官方評估。

25.9 Reviewer Training

審核員需要理解本產品定位。她不是在審一本普通英文題庫，而是在審一個面向華語 Stream B 考生的 bilingual clinical judgment bridge。因此她要同時看三件事：

1. 臨床安全是否正確。
2. 中文解釋是否會誤導。
3. 英文考試語言是否保留足夠。

若中文為了簡化而改變臨床含義，必須退回。若英文術語被過度翻譯，導致考生失去 NCLEX 題幹語感，也要修正。

25.10 本章總結

這本書可以快速擴寫，但不能快速跳過審核。真正可出版的醫護教輔，必須同時有內容體量、學習設計、臨床安全和合規邊界。擴寫只是第一步；RN review 才是走向公開產品的關鍵門檻。

Chapter 26

Chapter Drills A : Priority, Safety, Delegation

26.1 使用方式

本章是短題練習卷。每題後面不是長篇講義，而是標準復盤：key cue、best answer、why not、wrong tags。學員應先獨立作答，再用復盤表記錄。督導班可以每次選 5 題討論，不必一次做完。

26.2 Drill 1 : Shortness of breath

Question:

The nurse receives four reports. Which client should be assessed first?

- A. A client with chronic knee pain requesting an ice pack.
- B. A client with new shortness of breath and oxygen saturation of 90%.
- C. A client asking when discharge papers will be ready.
- D. A client who missed a routine stool softener.

Best answer: B.

Key cue: new shortness of breath + low oxygen saturation.

Why not: A is comfort, C is discharge logistics, D is routine medication issue unless more serious cues appear.

Wrong tags: cue_recognition, prioritization, safety.

中文復盤：看到 new + breathing + SpO₂，就不能把它放在 routine request 後面。

26.3 Drill 2 : Delegation

Question:

Which task is best to delegate to UAP?

- A. Reinforce a complex discharge plan.
- B. Assess a client reporting new chest pressure.
- C. Assist a stable client with hygiene care.
- D. Evaluate whether nausea medication was effective.

Best answer: C.

Key cue: stable client + routine hygiene care.

Why not: A involves teaching complexity, B requires assessment, D requires evaluation.

Wrong tags: delegation_scope, RN_judgment.

中文復盤：UAP 可以協助穩定病人的例行照護，但不能替 RN 做首次評估和療效評價。

26.4 Drill 3 : Fall risk

Question:

An older client taking a sedating medication tries to walk to the bathroom alone. What should the nurse do first?

- A. Apply fall precautions and assist the client safely.
- B. Tell the client not to be difficult.
- C. Document noncompliance.
- D. Wait for family to arrive.

Best answer: A.

Key cue: older adult + sedating medication + unassisted ambulation.

Wrong tags: safety, prioritization.

中文復盤：跌倒風險題先降低 harm，不是先責備或只記錄。

26.5 Drill 4 : Assessment before teaching

Question:

A client newly reports dizziness after the first dose of an antihypertensive. What is the nurse's first action?

- A. Teach the client to avoid salt.
- B. Check blood pressure and assess for orthostatic changes.
- C. Encourage the client to walk in the hallway.
- D. Tell the client the symptom is expected.

Best answer: B.

Key cue: first dose + dizziness.

Why not: C may increase fall risk, D minimizes a possible safety issue, A is not first.

Wrong tags: medication_safety, assessment_before_action.

26.6 Drill 5 : Bleeding

Question:

A postoperative client has a dressing saturated with bright red blood. What should the nurse do first?

- A. Reinforce discharge teaching.
- B. Assess the site and vital signs, and escalate according to protocol.
- C. Give the client a snack.
- D. Document as expected drainage.

Best answer: B.

Key cue: saturated bright red blood.

Wrong tags: bleeding, safety, prioritization.

中文復盤：出血不是文件問題，是 circulation/safety 問題。

26.7 Drill 6 : UAP reporting

Question:

The UAP reports that a client is suddenly confused. What should the RN do?

- A. Ask the UAP to reassess in one hour.
- B. Assess the client promptly.
- C. Document normal aging.
- D. Tell the family to visit.

Best answer: B.

Key cue: suddenly confused.

Why not: sudden confusion may indicate deterioration, hypoxia, infection, medication effect or neuro change.

Wrong tags: cue_recognition, safety.

26.8 Drill 7 : Correct but not first

Question:

A client with pneumonia has fever, increased work of breathing and SpO₂ 89%. Which action is priority?

- A. Teach the client about completing antibiotics.
- B. Address oxygenation and assess respiratory status.
- C. Provide a brochure about pneumonia.
- D. Ask about home support.

Best answer: B.

Key cue: increased work of breathing + SpO₂ 89%.

Why not: Teaching and discharge planning matter later.

中文復盤：正確但不優先，是 priority 題最常見陷阱。

26.9 Drill 8 : RN must keep

Question:

Which task should the RN keep rather than delegate?

- A. Measuring intake and output.
- B. Transporting a stable client.
- C. Initial teaching for a new insulin prescription.
- D. Assisting with feeding for a stable client.

Best answer: C.

Key cue: initial teaching + new prescription.

Wrong tags: delegation_scope, teaching.

26.10 Drill 9 : Aspiration

Question:

A client coughs repeatedly after drinking water following a stroke. What should the nurse do first?

- A. Continue fluids slowly.
- B. Stop oral intake and assess swallowing safety.
- C. Offer a straw.
- D. Document dislike of water.

Best answer: B.

Key cue: stroke + coughing with water.

Wrong tags: aspiration, safety.

26.11 Drill 10 : Escalation

Question:

A client with infection has new confusion, blood pressure 86/50 mmHg and heart rate 124/min. What is the priority?

- A. Recognize deterioration and escalate care promptly.
- B. Provide routine teaching.
- C. Offer a warm blanket only.
- D. Recheck in four hours.

Best answer: A.

Key cue: infection + hypotension + tachycardia + new confusion.

Wrong tags: sepsis, safety, prioritization.

26.12 本章總結

這 10 題的共同點，是它們都要求你先找 harm。若你的錯題集中在 B 類答案上，可能代表你知道護理常規，但還沒有穩定地把 acute safety cue 放在第一位。

Chapter 27

Chapter Drills B : Pharmacology, Maternal-Child, Mental Health

27.1 使用方式

本章題目聚焦高風險內容。若用於公開產品，題目和 rationale 必須經 RN / nursing educator review。本章目前作為內部教學草稿，重點在展示復盤方式。

27.2 Drill 1 : Warfarin

Question:

Which statement by a client taking warfarin requires further teaching?

- A. "I will report unusual bleeding."
- B. "I will keep my blood test appointments."
- C. "I will take aspirin whenever I have a headache."
- D. "I will check with my provider before new medicines."

Best answer: C.

Key wording: requires further teaching.

Rationale: aspirin can increase bleeding risk and should not be self-started without professional guidance.

Wrong tags: english_wording, pharmacology, safety.

27.3 Drill 2 : Gentamicin

Question:

A client receiving gentamicin reports ringing in the ears. What is the priority concern?

- A. Possible ototoxicity.
- B. Expected hydration response.
- C. Improved infection control.
- D. Normal sleep pattern.

Best answer: A.

Key cue: ringing in ears.

Wrong tags: pharmacology, toxicity.

27.4 Drill 3 : Opioid

Question:

A client who received an opioid is difficult to arouse and has respirations of 7/min. What should the nurse do first?

- A. Encourage ambulation.
- B. Assess airway and breathing and intervene per protocol.
- C. Offer oral fluids.
- D. Document that the client is resting.

Best answer: B.

Key cue: difficult to arouse + RR 7/min.

Wrong tags: respiratory_depression, safety.

27.5 Drill 4 : Lithium

Question:

A client taking lithium has vomiting, diarrhea, coarse tremor and confusion. What should the nurse suspect?

- A. Lithium toxicity.

- B. Expected therapeutic response.
- C. Need for more caffeine.
- D. Normal adjustment period.

Best answer: A.

Key cue: GI symptoms + tremor + confusion.

Wrong tags: pharmacology, toxicity, cue_recognition.

27.6 Drill 5 : Pregnancy

Question:

A pregnant client reports severe headache and visual changes. What should the nurse do?

- A. Tell the client this is normal.
- B. Assess blood pressure and escalate according to protocol.
- C. Encourage only rest at home.
- D. Delay until the next routine appointment.

Best answer: B.

Key cue: severe headache + visual changes.

Wrong tags: maternal_safety, prioritization.

27.7 Drill 6 : Late decelerations

Question:

Recurrent late decelerations are noted on fetal monitoring. Which action is appropriate?

- A. Continue routine observation only.
- B. Initiate intrauterine resuscitation measures per protocol and notify as needed.
- C. Encourage stronger pushing immediately.
- D. Wait until shift change to document.

Best answer: B.

Key cue: recurrent late decelerations.

Wrong tags: fetal_oxygenation, safety.

27.8 Drill 7 : Postpartum

Question:

A postpartum client has heavy lochia and a boggy uterus. What is the expected immediate NCLEX-style action after assessment confirms atony?

- A. Fundal massage per protocol.
- B. Discharge teaching.
- C. Ambulation.
- D. Routine documentation only.

Best answer: A.

Safety note: real clinical action follows facility protocol and provider/midwifery guidance.

Wrong tags: bleeding, maternal_safety.

27.9 Drill 8 : Newborn breathing

Question:

A newborn has grunting, retractions and nasal flaring. What should the nurse recognize?

- A. Normal hunger cues.
- B. Possible respiratory distress.
- C. Expected sleeping pattern.
- D. Need for routine bath.

Best answer: B.

Wrong tags: newborn_safety, cue_recognition.

27.10 Drill 9 : Suicidal ideation

Question:

A client says, "I have a plan to take all my pills tonight." What is the nurse's priority?

- A. Directly assess suicide risk and maintain safety.
- B. Change the topic.
- C. Tell the client not to think that way.
- D. Suggest watching television.

Best answer: A.

Wrong tags: mental_health, safety, therapeutic_communication.

27.11 Drill 10 : Delusion

Question:

A client says, "The staff are poisoning my food." Which response is therapeutic?

- A. "That is ridiculous."
- B. "I do not believe the food is poisoned, but I can see you feel afraid."
- C. "Stop saying that."
- D. "Yes, maybe they are."

Best answer: B.

Wrong tags: therapeutic_communication, mental_health.

27.12 本章總結

高風險題的重點不是背答案，而是建立安全語言。藥理題問 harm，產兒題問母嬰穩定，精神健康題問安全與治療性溝通。每題都應能轉成一句中文復盤和一句英文安全表達。

Chapter 28

500 題題庫藍圖與章節索引

28.1 為什麼需要藍圖

若題庫只是一堆題目，學員很快會變成隨機刷題。真正有教學價值的 500 題題庫應有藍圖：每題屬於哪個主題、對應哪個章節、測哪種 clinical judgment、主要錯題標籤是什麼、是否需要 RN review。這樣題庫才可教、可審、可更新。

28.2 題庫分配建議

Domain	Suggested items	Book chapters
Question language	50	14
Clinical judgment / NGN	80	3, 5, 23
Priority / delegation	80	4, 19, 26
Pharmacology	70	6, 20, 27
Safety / infection	70	9, 20, 26
Maternal-child	50	7, 21, 27
Mental health / communication	50	8, 21, 27
Process / OSCE / study strategy	50	1, 10, 11, 16, 17

這不是固定比例，但可以作為第一版內部題庫審核藍圖。

28.3 題目元資料欄位

每題建議至少包含：

- id
- domain
- category
- stem
- stem_zh

- options
- answer
- rationale
- rationale_zh
- wrong_tags
- clinical_risk_level
- reviewer_status
- source_note
- linked_chapter

這些欄位可以讓 App 顯示題目，也能讓 RN reviewer 篩選高風險內容。若沒有 reviewer_status，題目不應進入正式公開題庫。

28.4 Clinical Risk Level

Low risk:

- 題幹語言。
- study strategy。
- basic glossary。
- route map caveat。

Medium risk:

- priority/delegation。
- general safety。
- OSCE phrasing。

High risk:

- pharmacology toxicity。
- maternal hemorrhage。
- fetal monitoring。
- suicide/self-harm。
- sepsis。
- infection precautions。
- pediatric/newborn deterioration。

高風險題必須進入 RN review queue。

28.5 題庫與 App 的呈現原則

公開 demo 只顯示低風險或已審核題。完整題庫即使存在，也不應默認公開。App 應清楚標明題池模式，例如 public demo pool、internal review pool、supervised cohort pool。不同題池的 reviewer status 不同，不能混淆。

28.6 章節索引示例

If learner misses...	Send them to...
first/priority wording	Chapter 14, 26
delegation scope	Chapter 4, 19, 26
NGN long case confusion	Chapter 5, 23
medication adverse effects	Chapter 6, 20, 27
postpartum bleeding	Chapter 7, 21, 27
suicidal ideation response	Chapter 8, 21, 27
airborne/contact/droplet confusion	Chapter 9, 20
no study structure	Chapter 10, 24
cannot explain answer orally	Chapter 11, 22

28.7 題目審核 workflow

1. Draft item written.
2. Internal educational editor checks clarity and bilingual wording.
3. Item assigned risk level.
4. RN reviewer checks high/medium risk items.
5. Compliance editor checks trademark/source/disclaimer issues.
6. Item enters beta bank.
7. Learner feedback collected.
8. Item revised or retired.

每道題都應有版本記錄。若 RN reviewer 修改 rationale，保留原因。若題目被退回，標記 reject reason。

28.8 題庫報告模板

Domain	Total	Reviewed	Needs revision	Approved
Question language				
Clinical judgment				
Priority/delegation				
Pharmacology				
Maternal-child				
Mental health				
Safety/infection				

這張表可以放入出版管理區，作為內部質控證據。

28.9 本章總結

500 題題庫不是數量工程，而是質控工程。真正能支撐出版和課程的題庫，需要 metadata、審核、章節索引和風險分級。沒有這些，題量越大，風險越高。

Chapter 29

Workbook Answer Key and Tutor Notes : 答案、督導提示與課堂用法

29.1 本章定位

本章不是把所有答案集中起來讓學員背，而是給督導或自學者一套使用答案的方法。答案本身價值有限，真正有價值的是知道為什麼其他選項不優先、錯題標籤如何選、下一步應回哪一章。

29.2 Answer Key 使用原則

1. 先讓學員說出 key cue，再公布答案。
2. 公布答案後，不立刻進下一題。
3. 要求學員說出 why not A/B/C/D。
4. 每題只選一個主錯因。
5. 將錯題連回章節，而不是只停留在題目。

29.3 Tutor Note : 如何處理「我覺得也可以」

學員常說：「我覺得另一個選項也可以。」這通常有三種情況：

第一，另一選項確實是正確護理行動，但不是 first/priority。督導要引導學員看題幹 wording。

第二，另一選項在現實中可能需要，但題目缺少支持條件。督導要提醒不要自己補題幹沒有給的資訊。

第三，題目本身可能不夠清楚。若是這種情況，題目應進入 revision queue，而不是硬說服學員。

29.4 Tutor Note : 如何處理低分焦慮

低分後不要說「沒事，多刷就好」。更好的回應是：

- 這組題最高的錯因是什麼？

- 哪些題是同一種錯？
- 下週可以用哪一章修補？
- 是否需要減少題量，增加復盤深度？

低分若能產生清楚診斷，就是有價值的 baseline。高分若沒有復盤，也可能只是熟題。

29.5 課堂活動：一題三說

選一道錯題，讓學員完成三種說法：

1. 中文說法：我為什麼錯。
2. 英文關鍵詞：key cue, main risk, first action。
3. OSCE 說法：如果在考站，我會怎樣處理。

例：

中文：我把疼痛教學放在低氧前面。

英文：SpO₂ 88%, impaired oxygenation, assess breathing first.

OSCE：I am concerned about oxygenation and would assess respiratory status immediately.

29.6 課堂活動：錯題標籤辯論

同一道錯題，讓學員各自選主標籤。有人可能選 knowledge_gap，有人選 prioritization。督導要問：如果只能選一個，哪個最能解釋你當時的錯誤？這個活動能讓學員看見自己錯題背後的思考方式。

29.7 課堂活動：反向出題

學員把一道錯題改寫成新題。要求：

- 保留同一個 key cue。
- 改變背景。
- 設計一個 correct but not priority 的干擾選項。
- 寫出 rationale。

反向出題能檢驗是否真正理解。若學員只能背答案，通常無法設計好的干擾選項。

29.8 Tutor Checklist

Before class	During class	After class
choose 5-8 questions	ask for key cues	send weak tag summary
check risk level	discuss why not	assign repair chapter
prepare glossary	do OSCE phrase	record reviewer issues

29.9 Answer Key Record

Question ID	Best answer	Main cue	Main tag	Linked chapter
26.2	B	SpO2 90%, new SOB	prioritization	4, 14
26.3	C	stable routine care	delegation_scope	4
27.2	C	aspirin with warfarin	pharmacology	6
27.10	A	suicide plan	mental_health	8

29.10 本章總結

答案不是終點，而是復盤的開始。督導班的價值不在於比自學更快公布答案，而在於幫學員看見自己錯題的模式，並把模式轉成下一週行動。

Chapter 30

Final Editorial Roadmap：從擴寫稿到可出版稿

30.1 現在這份稿件是什麼

目前這份稿件已不再是骨架，但仍不是最終出版稿。它更準確的名稱是 expanded internal review draft。它已包含路線圖、考試語言、clinical judgment、案例卷、題庫藍圖、督導指南和 RN reviewer checklist。但醫護教輔要公開銷售前，仍需完成臨床審核、合規核查、版式整理、題庫審核和讀者測試。

30.2 下一輪內容擴寫方向

如果繼續擴寫，優先順序如下：

1. 每章增加 5-10 道 mini drills。
2. 增加 20 個 NGN long cases。
3. 增加 medication risk card library。
4. 增加 maternal-child safety cue library。
5. 增加 mental health communication response bank。
6. 增加 bilingual glossary 到 200-300 terms。
7. 增加 tutor slide outline。

30.3 下一輪審核方向

內容審核應優先於美化：

- 核對 NCSBN / NCLEX administrative numbers。
- 核對 Ahpra/NMBA Stream B wording。
- RN review 高風險題。
- 刪除任何可能被理解為保證結果的語句。
- 檢查所有 per protocol / provider guidance 使用是否合適。
- 檢查中文是否過度簡化臨床行動。

30.4 版式方向

正式 PDF 不應只把 HTML 轉成長頁。建議：

- 每章開頭有 learning outcomes。
- 每章末尾有 review checklist。
- 案例題用灰底框。
- Key cue 用醒目標記。
- Wrong tags 用固定小標籤。
- Tables 保持可打印。
- Workbook pages 留空白填寫。

30.5 App 整合方向

App 下一步可做：

- 從題目 ID 連到書本章節。
- learner report 顯示「建議回讀章節」。
- 錯題關聯 glossary 保留。
- 題庫按 reviewer_status 控制公開。
- supervisor export 只輸出必要資料。

30.6 出版分階段

Phase 1: Internal expanded manuscript.

Phase 2: RN review sample and high-risk queue.

Phase 3: Public preview chapter + demo app.

Phase 4: Beta cohort with supervised learners.

Phase 5: Revised public PDF / ebook.

Phase 6: App-enhanced study pack.

30.7 成功標準

不是「字數很多」就成功。成功標準應是：

- 學員能更準確辨識 key cue。
- 學員能說出自己錯因。
- 學員能把錯題轉成下一步學習。

- RN reviewer 不發現重大安全錯誤。
- 對外文案不誤導。
- App 與書本互相支持。

30.8 本書的核心承諾

本書不承諾通過 NCLEX-RN，不承諾 AHPRA/NMBA 註冊，不承諾 OSCE 通過，也不承諾移民結果。它能承諾的是一套更清楚的學習方法：用中文建立理解，用英文保留考試語言，用錯題標籤診斷弱點，用案例拆解訓練 clinical judgment，用督導和審核保護安全。

30.9 給編輯的最後提醒

不要為了讓產品看起來更強，而刪掉 disclaimers。不要為了讓文章更吸引人，而寫保證性標題。不要為了增加題量，而降低審核標準。這個項目的長期價值在於可信，而不是誇張。

30.10 Closing Note

對很多華語護理師來說，NCLEX-RN 不是單一考試，而是一段把既有臨床經驗翻譯成另一套語言和監管框架的過程。這本書要做的，是在這段翻譯中提供一個清楚、穩定、可復盤的工作台。

Part VIII

500-Page Working Compendium: Case Drills, Glossary, Worksheets and Supervisor Pages

Internal expanded draft. The page units below are original educational drills for structure, supervision and review. High-risk clinical pages require RN / nursing educator review before publication.

PAGE UNIT 001 · PRIORITY AND DELEGATION

Page Unit 001: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe delay in care**. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?

- 3. 中文：哪個錯誤選項看起來正確但不優先？
- 4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 002 · QUESTION LANGUAGE

Page Unit 002: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 003 · PHARMACOLOGY SAFETY

Page Unit 003: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 004 · MATERNAL-CHILD SAFETY

Page Unit 004: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 005 · MENTAL HEALTH COMMUNICATION

Page Unit 005: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 006 · SAFETY AND INFECTION CONTROL

Page Unit 006: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 007 · NGN CASE REASONING

Page Unit 007: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 008 · OSCE TRANSITION

Page Unit 008: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 009 · PRIORITY AND DELEGATION

Page Unit 009: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 010 · QUESTION LANGUAGE

Page Unit 010: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 011 • PHARMACOLOGY SAFETY

Page Unit 011: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 012 · MATERNAL-CHILD SAFETY

Page Unit 012: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 013 · MENTAL HEALTH COMMUNICATION

Page Unit 013: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 014 · SAFETY AND INFECTION CONTROL

Page Unit 014: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 015 · NGN CASE REASONING

Page Unit 015: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 016 · OSCE TRANSITION

Page Unit 016: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 017 · PRIORITY AND DELEGATION

Page Unit 017: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 018 · QUESTION LANGUAGE

Page Unit 018: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 019 · PHARMACOLOGY SAFETY

Page Unit 019: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 020 • MATERNAL-CHILD SAFETY

Page Unit 020: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 021 · MENTAL HEALTH COMMUNICATION

Page Unit 021: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 022 · SAFETY AND INFECTION CONTROL

Page Unit 022: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.



PAGE UNIT 023 • NGN CASE REASONING

Page Unit 023: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 024 • OSCE TRANSITION

Page Unit 024: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 025 · PRIORITY AND DELEGATION

Page Unit 025: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 026 • QUESTION LANGUAGE

Page Unit 026: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 027 · PHARMACOLOGY SAFETY

Page Unit 027: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 028 · MATERNAL-CHILD SAFETY

Page Unit 028: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 029 · MENTAL HEALTH COMMUNICATION

Page Unit 029: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 030 · SAFETY AND INFECTION CONTROL

Page Unit 030: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 031 · NGN CASE REASONING

Page Unit 031: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 032 · OSCE TRANSITION

Page Unit 032: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 033 · PRIORITY AND DELEGATION

Page Unit 033: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 034 • QUESTION LANGUAGE

Page Unit 034: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 035 • PHARMACOLOGY SAFETY

Page Unit 035: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 036 · MATERNAL-CHILD SAFETY

Page Unit 036: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 037 · MENTAL HEALTH COMMUNICATION

Page Unit 037: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 038 · SAFETY AND INFECTION CONTROL

Page Unit 038: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 039 · NGN CASE REASONING

Page Unit 039: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 040 · OSCE TRANSITION

Page Unit 040: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 041 · PRIORITY AND DELEGATION

Page Unit 041: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 042 · QUESTION LANGUAGE

Page Unit 042: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 043 · PHARMACOLOGY SAFETY

Page Unit 043: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 044 · MATERNAL-CHILD SAFETY

Page Unit 044: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 045 · MENTAL HEALTH COMMUNICATION

Page Unit 045: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 046 · SAFETY AND INFECTION CONTROL

Page Unit 046: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 047 · NGN CASE REASONING

Page Unit 047: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 048 · OSCE TRANSITION

Page Unit 048: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 049 · PRIORITY AND DELEGATION

Page Unit 049: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 050 • QUESTION LANGUAGE

Page Unit 050: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 051 · PHARMACOLOGY SAFETY

Page Unit 051: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 052 · MATERNAL-CHILD SAFETY

Page Unit 052: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 053 · MENTAL HEALTH COMMUNICATION

Page Unit 053: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 054 · SAFETY AND INFECTION CONTROL

Page Unit 054: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 055 • NGN CASE REASONING

Page Unit 055: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 056 • OSCE TRANSITION

Page Unit 056: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 057 · PRIORITY AND DELEGATION

Page Unit 057: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 058 · QUESTION LANGUAGE

Page Unit 058: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 059 • PHARMACOLOGY SAFETY

Page Unit 059: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 060 · MATERNAL-CHILD SAFETY

Page Unit 060: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 061 · MENTAL HEALTH COMMUNICATION

Page Unit 061: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 062 · SAFETY AND INFECTION CONTROL

Page Unit 062: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 063 • NGN CASE REASONING

Page Unit 063: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 064 · OSCE TRANSITION

Page Unit 064: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 065 • PRIORITY AND DELEGATION

Page Unit 065: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 066 • QUESTION LANGUAGE

Page Unit 066: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 067 · PHARMACOLOGY SAFETY

Page Unit 067: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 068 · MATERNAL-CHILD SAFETY

Page Unit 068: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 069 · MENTAL HEALTH COMMUNICATION

Page Unit 069: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 070 · SAFETY AND INFECTION CONTROL

Page Unit 070: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 071 • NGN CASE REASONING

Page Unit 071: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 072 · OSCE TRANSITION

Page Unit 072: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 073 · PRIORITY AND DELEGATION

Page Unit 073: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 074 · QUESTION LANGUAGE

Page Unit 074: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 075 • PHARMACOLOGY SAFETY

Page Unit 075: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 076 · MATERNAL-CHILD SAFETY

Page Unit 076: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 077 · MENTAL HEALTH COMMUNICATION

Page Unit 077: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 078 · SAFETY AND INFECTION CONTROL

Page Unit 078: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 079 • NGN CASE REASONING

Page Unit 079: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 080 · OSCE TRANSITION

Page Unit 080: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 081 • PRIORITY AND DELEGATION

Page Unit 081: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 082 · QUESTION LANGUAGE

Page Unit 082: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 083 · PHARMACOLOGY SAFETY

Page Unit 083: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 084 · MATERNAL-CHILD SAFETY

Page Unit 084: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 085 · MENTAL HEALTH COMMUNICATION

Page Unit 085: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 086 · SAFETY AND INFECTION CONTROL

Page Unit 086: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 087 · NGN CASE REASONING

Page Unit 087: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 088 · OSCE TRANSITION

Page Unit 088: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 089 · PRIORITY AND DELEGATION

Page Unit 089: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 090 · QUESTION LANGUAGE

Page Unit 090: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 091 • PHARMACOLOGY SAFETY

Page Unit 091: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 092 · MATERNAL-CHILD SAFETY

Page Unit 092: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 093 · MENTAL HEALTH COMMUNICATION

Page Unit 093: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 094 · SAFETY AND INFECTION CONTROL

Page Unit 094: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 095 • NGN CASE REASONING

Page Unit 095: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 096 · OSCE TRANSITION

Page Unit 096: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 097 · PRIORITY AND DELEGATION

Page Unit 097: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 098 · QUESTION LANGUAGE

Page Unit 098: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 099 · PHARMACOLOGY SAFETY

Page Unit 099: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 100 · MATERNAL-CHILD SAFETY

Page Unit 100: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 101 • MENTAL HEALTH COMMUNICATION

Page Unit 101: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 102 · SAFETY AND INFECTION CONTROL

Page Unit 102: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 103 · NGN CASE REASONING

Page Unit 103: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 104 · OSCE TRANSITION

Page Unit 104: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 105 · PRIORITY AND DELEGATION

Page Unit 105: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 106 · QUESTION LANGUAGE

Page Unit 106: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 107 · PHARMACOLOGY SAFETY

Page Unit 107: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 108 • MATERNAL-CHILD SAFETY

Page Unit 108: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 109 · MENTAL HEALTH COMMUNICATION

Page Unit 109: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 110 · SAFETY AND INFECTION CONTROL

Page Unit 110: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 111 • NGN CASE REASONING

Page Unit 111: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 112 · OSCE TRANSITION

Page Unit 112: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 113 · PRIORITY AND DELEGATION

Page Unit 113: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 114 · QUESTION LANGUAGE

Page Unit 114: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 115 • PHARMACOLOGY SAFETY

Page Unit 115: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 116 · MATERNAL-CHILD SAFETY

Page Unit 116: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 117 · MENTAL HEALTH COMMUNICATION

Page Unit 117: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.



PAGE UNIT 118 · SAFETY AND INFECTION CONTROL

Page Unit 118: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 119 · NGN CASE REASONING

Page Unit 119: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 120 · OSCE TRANSITION

Page Unit 120: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 121 • PRIORITY AND DELEGATION

Page Unit 121: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 122 · QUESTION LANGUAGE

Page Unit 122: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 123 · PHARMACOLOGY SAFETY

Page Unit 123: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 124 · MATERNAL-CHILD SAFETY

Page Unit 124: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 125 · MENTAL HEALTH COMMUNICATION

Page Unit 125: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 126 · SAFETY AND INFECTION CONTROL

Page Unit 126: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 127 · NGN CASE REASONING

Page Unit 127: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 128 · OSCE TRANSITION

Page Unit 128: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 129 · PRIORITY AND DELEGATION

Page Unit 129: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 130 · QUESTION LANGUAGE

Page Unit 130: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 131 • PHARMACOLOGY SAFETY

Page Unit 131: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 132 · MATERNAL-CHILD SAFETY

Page Unit 132: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 133 · MENTAL HEALTH COMMUNICATION

Page Unit 133: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 134 · SAFETY AND INFECTION CONTROL

Page Unit 134: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 135 · NGN CASE REASONING

Page Unit 135: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 136 · OSCE TRANSITION

Page Unit 136: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 137 · PRIORITY AND DELEGATION

Page Unit 137: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 138 · QUESTION LANGUAGE

Page Unit 138: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 139 · PHARMACOLOGY SAFETY

Page Unit 139: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 140 · MATERNAL-CHILD SAFETY

Page Unit 140: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 141 • MENTAL HEALTH COMMUNICATION

Page Unit 141: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 142 · SAFETY AND INFECTION CONTROL

Page Unit 142: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 143 · NGN CASE REASONING

Page Unit 143: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 144 · OSCE TRANSITION

Page Unit 144: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 145 · PRIORITY AND DELEGATION

Page Unit 145: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 146 • QUESTION LANGUAGE

Page Unit 146: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 147 · PHARMACOLOGY SAFETY

Page Unit 147: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 148 • MATERNAL-CHILD SAFETY

Page Unit 148: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 149 · MENTAL HEALTH COMMUNICATION

Page Unit 149: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 150 · SAFETY AND INFECTION CONTROL

Page Unit 150: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 151 • NGN CASE REASONING

Page Unit 151: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 152 · OSCE TRANSITION

Page Unit 152: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 153 · PRIORITY AND DELEGATION

Page Unit 153: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 154 · QUESTION LANGUAGE

Page Unit 154: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 155 · PHARMACOLOGY SAFETY

Page Unit 155: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 156 · MATERNAL-CHILD SAFETY

Page Unit 156: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 157 · MENTAL HEALTH COMMUNICATION

Page Unit 157: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 158 · SAFETY AND INFECTION CONTROL

Page Unit 158: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 159 · NGN CASE REASONING

Page Unit 159: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 160 · OSCE TRANSITION

Page Unit 160: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 161 • PRIORITY AND DELEGATION

Page Unit 161: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 162 · QUESTION LANGUAGE

Page Unit 162: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 163 · PHARMACOLOGY SAFETY

Page Unit 163: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 164 · MATERNAL-CHILD SAFETY

Page Unit 164: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 165 · MENTAL HEALTH COMMUNICATION

Page Unit 165: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 166 · SAFETY AND INFECTION CONTROL

Page Unit 166: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 167 · NGN CASE REASONING

Page Unit 167: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 168 · OSCE TRANSITION

Page Unit 168: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 169 · PRIORITY AND DELEGATION

Page Unit 169: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 170 · QUESTION LANGUAGE

Page Unit 170: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 171 • PHARMACOLOGY SAFETY

Page Unit 171: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 172 · MATERNAL-CHILD SAFETY

Page Unit 172: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 173 · MENTAL HEALTH COMMUNICATION

Page Unit 173: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 174 · SAFETY AND INFECTION CONTROL

Page Unit 174: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 175 · NGN CASE REASONING

Page Unit 175: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 176 · OSCE TRANSITION

Page Unit 176: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 177 · PRIORITY AND DELEGATION

Page Unit 177: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 178 · QUESTION LANGUAGE

Page Unit 178: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 179 · PHARMACOLOGY SAFETY

Page Unit 179: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 180 · MATERNAL-CHILD SAFETY

Page Unit 180: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 181 • MENTAL HEALTH COMMUNICATION

Page Unit 181: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 182 · SAFETY AND INFECTION CONTROL

Page Unit 182: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 183 · NGN CASE REASONING

Page Unit 183: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 184 · OSCE TRANSITION

Page Unit 184: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 185 · PRIORITY AND DELEGATION

Page Unit 185: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 186 • QUESTION LANGUAGE

Page Unit 186: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 187 · PHARMACOLOGY SAFETY

Page Unit 187: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 188 · MATERNAL-CHILD SAFETY

Page Unit 188: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 189 · MENTAL HEALTH COMMUNICATION

Page Unit 189: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 190 · SAFETY AND INFECTION CONTROL

Page Unit 190: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 191 • NGN CASE REASONING

Page Unit 191: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 192 · OSCE TRANSITION

Page Unit 192: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 193 · PRIORITY AND DELEGATION

Page Unit 193: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 194 · QUESTION LANGUAGE

Page Unit 194: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 195 · PHARMACOLOGY SAFETY

Page Unit 195: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 196 · MATERNAL-CHILD SAFETY

Page Unit 196: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 197 · MENTAL HEALTH COMMUNICATION

Page Unit 197: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 198 · SAFETY AND INFECTION CONTROL

Page Unit 198: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 199 · NGN CASE REASONING

Page Unit 199: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 200 · OSCE TRANSITION

Page Unit 200: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 201 · PRIORITY AND DELEGATION

Page Unit 201: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 202 · QUESTION LANGUAGE

Page Unit 202: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 203 · PHARMACOLOGY SAFETY

Page Unit 203: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 204 • MATERNAL-CHILD SAFETY

Page Unit 204: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 205 · MENTAL HEALTH COMMUNICATION

Page Unit 205: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 206 · SAFETY AND INFECTION CONTROL

Page Unit 206: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 207 · NGN CASE REASONING

Page Unit 207: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 208 · OSCE TRANSITION

Page Unit 208: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 209 · PRIORITY AND DELEGATION

Page Unit 209: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 210 · QUESTION LANGUAGE

Page Unit 210: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 211 • PHARMACOLOGY SAFETY

Page Unit 211: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 212 · MATERNAL-CHILD SAFETY

Page Unit 212: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 213 · MENTAL HEALTH COMMUNICATION

Page Unit 213: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 214 · SAFETY AND INFECTION CONTROL

Page Unit 214: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 215 · NGN CASE REASONING

Page Unit 215: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 216 · OSCE TRANSITION

Page Unit 216: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 217 · PRIORITY AND DELEGATION

Page Unit 217: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 218 · QUESTION LANGUAGE

Page Unit 218: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 219 · PHARMACOLOGY SAFETY

Page Unit 219: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 220 · MATERNAL-CHILD SAFETY

Page Unit 220: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 221 · MENTAL HEALTH COMMUNICATION

Page Unit 221: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 222 · SAFETY AND INFECTION CONTROL

Page Unit 222: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 223 · NGN CASE REASONING

Page Unit 223: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 224 · OSCE TRANSITION

Page Unit 224: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 225 · PRIORITY AND DELEGATION

Page Unit 225: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 226 · QUESTION LANGUAGE

Page Unit 226: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 227 · PHARMACOLOGY SAFETY

Page Unit 227: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 228 · MATERNAL-CHILD SAFETY

Page Unit 228: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 229 · MENTAL HEALTH COMMUNICATION

Page Unit 229: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 230 · SAFETY AND INFECTION CONTROL

Page Unit 230: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 231 · NGN CASE REASONING

Page Unit 231: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 232 · OSCE TRANSITION

Page Unit 232: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 233 · PRIORITY AND DELEGATION

Page Unit 233: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 234 · QUESTION LANGUAGE

Page Unit 234: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 235 · PHARMACOLOGY SAFETY

Page Unit 235: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 236 · MATERNAL-CHILD SAFETY

Page Unit 236: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 237 · MENTAL HEALTH COMMUNICATION

Page Unit 237: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 238 · SAFETY AND INFECTION CONTROL

Page Unit 238: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 239 · NGN CASE REASONING

Page Unit 239: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 240 · OSCE TRANSITION

Page Unit 240: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 241 · PRIORITY AND DELEGATION

Page Unit 241: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 242 · QUESTION LANGUAGE

Page Unit 242: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 243 · PHARMACOLOGY SAFETY

Page Unit 243: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 244 · MATERNAL-CHILD SAFETY

Page Unit 244: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 245 · MENTAL HEALTH COMMUNICATION

Page Unit 245: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 246 · SAFETY AND INFECTION CONTROL

Page Unit 246: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 247 · NGN CASE REASONING

Page Unit 247: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 248 • OSCE TRANSITION

Page Unit 248: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 249 · PRIORITY AND DELEGATION

Page Unit 249: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 250 · QUESTION LANGUAGE

Page Unit 250: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 251 · PHARMACOLOGY SAFETY

Page Unit 251: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 252 · MATERNAL-CHILD SAFETY

Page Unit 252: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 253 · MENTAL HEALTH COMMUNICATION

Page Unit 253: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 254 · SAFETY AND INFECTION CONTROL

Page Unit 254: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 255 · NGN CASE REASONING

Page Unit 255: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 256 • OSCE TRANSITION

Page Unit 256: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 257 · PRIORITY AND DELEGATION

Page Unit 257: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 258 • QUESTION LANGUAGE

Page Unit 258: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 259 · PHARMACOLOGY SAFETY

Page Unit 259: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 260 · MATERNAL-CHILD SAFETY

Page Unit 260: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 261 · MENTAL HEALTH COMMUNICATION

Page Unit 261: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 262 · SAFETY AND INFECTION CONTROL

Page Unit 262: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 263 · NGN CASE REASONING

Page Unit 263: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 264 • OSCE TRANSITION

Page Unit 264: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 265 · PRIORITY AND DELEGATION

Page Unit 265: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 266 • QUESTION LANGUAGE

Page Unit 266: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 267 · PHARMACOLOGY SAFETY

Page Unit 267: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 268 · MATERNAL-CHILD SAFETY

Page Unit 268: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 269 · MENTAL HEALTH COMMUNICATION

Page Unit 269: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 270 · SAFETY AND INFECTION CONTROL

Page Unit 270: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 271 · NGN CASE REASONING

Page Unit 271: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.



PAGE UNIT 272 · OSCE TRANSITION

Page Unit 272: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 273 · PRIORITY AND DELEGATION

Page Unit 273: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 274 · QUESTION LANGUAGE

Page Unit 274: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 275 · PHARMACOLOGY SAFETY

Page Unit 275: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 276 · MATERNAL-CHILD SAFETY

Page Unit 276: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 277 · MENTAL HEALTH COMMUNICATION

Page Unit 277: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 278 · SAFETY AND INFECTION CONTROL

Page Unit 278: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 279 · NGN CASE REASONING

Page Unit 279: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 280 · OSCE TRANSITION

Page Unit 280: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 281 · PRIORITY AND DELEGATION

Page Unit 281: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 282 · QUESTION LANGUAGE

Page Unit 282: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 283 · PHARMACOLOGY SAFETY

Page Unit 283: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 284 · MATERNAL-CHILD SAFETY

Page Unit 284: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 285 · MENTAL HEALTH COMMUNICATION

Page Unit 285: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 286 · SAFETY AND INFECTION CONTROL

Page Unit 286: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 287 · NGN CASE REASONING

Page Unit 287: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.



PAGE UNIT 288 · OSCE TRANSITION

Page Unit 288: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 289 · PRIORITY AND DELEGATION

Page Unit 289: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 290 · QUESTION LANGUAGE

Page Unit 290: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 291 · PHARMACOLOGY SAFETY

Page Unit 291: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 292 · MATERNAL-CHILD SAFETY

Page Unit 292: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 293 · MENTAL HEALTH COMMUNICATION

Page Unit 293: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 294 · SAFETY AND INFECTION CONTROL

Page Unit 294: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 295 • NGN CASE REASONING

Page Unit 295: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 296 • OSCE TRANSITION

Page Unit 296: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 297 · PRIORITY AND DELEGATION

Page Unit 297: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 298 • QUESTION LANGUAGE

Page Unit 298: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 299 · PHARMACOLOGY SAFETY

Page Unit 299: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 300 · MATERNAL-CHILD SAFETY

Page Unit 300: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 301 · MENTAL HEALTH COMMUNICATION

Page Unit 301: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 302 · SAFETY AND INFECTION CONTROL

Page Unit 302: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 303 • NGN CASE REASONING

Page Unit 303: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 304 · OSCE TRANSITION

Page Unit 304: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 305 • PRIORITY AND DELEGATION

Page Unit 305: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 306 • QUESTION LANGUAGE

Page Unit 306: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 307 · PHARMACOLOGY SAFETY

Page Unit 307: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 308 · MATERNAL-CHILD SAFETY

Page Unit 308: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 309 · MENTAL HEALTH COMMUNICATION

Page Unit 309: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 310 · SAFETY AND INFECTION CONTROL

Page Unit 310: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 311 • NGN CASE REASONING

Page Unit 311: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 312 · OSCE TRANSITION

Page Unit 312: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 313 · PRIORITY AND DELEGATION

Page Unit 313: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 314 · QUESTION LANGUAGE

Page Unit 314: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 315 · PHARMACOLOGY SAFETY

Page Unit 315: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 316 · MATERNAL-CHILD SAFETY

Page Unit 316: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 317 · MENTAL HEALTH COMMUNICATION

Page Unit 317: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 318 · SAFETY AND INFECTION CONTROL

Page Unit 318: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 319 · NGN CASE REASONING

Page Unit 319: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 320 · OSCE TRANSITION

Page Unit 320: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 321 · PRIORITY AND DELEGATION

Page Unit 321: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 322 · QUESTION LANGUAGE

Page Unit 322: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 323 · PHARMACOLOGY SAFETY

Page Unit 323: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 324 · MATERNAL-CHILD SAFETY

Page Unit 324: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 325 · MENTAL HEALTH COMMUNICATION

Page Unit 325: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 326 · SAFETY AND INFECTION CONTROL

Page Unit 326: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 327 · NGN CASE REASONING

Page Unit 327: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 328 · OSCE TRANSITION

Page Unit 328: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 329 · PRIORITY AND DELEGATION

Page Unit 329: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 330 · QUESTION LANGUAGE

Page Unit 330: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 331 · PHARMACOLOGY SAFETY

Page Unit 331: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 332 · MATERNAL-CHILD SAFETY

Page Unit 332: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.



PAGE UNIT 333 · MENTAL HEALTH COMMUNICATION

Page Unit 333: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 334 · SAFETY AND INFECTION CONTROL

Page Unit 334: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 335 • NGN CASE REASONING

Page Unit 335: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 336 • OSCE TRANSITION

Page Unit 336: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 337 · PRIORITY AND DELEGATION

Page Unit 337: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 338 · QUESTION LANGUAGE

Page Unit 338: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 339 · PHARMACOLOGY SAFETY

Page Unit 339: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 340 · MATERNAL-CHILD SAFETY

Page Unit 340: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 341 · MENTAL HEALTH COMMUNICATION

Page Unit 341: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 342 · SAFETY AND INFECTION CONTROL

Page Unit 342: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 343 • NGN CASE REASONING

Page Unit 343: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 344 · OSCE TRANSITION

Page Unit 344: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 345 · PRIORITY AND DELEGATION

Page Unit 345: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 346 · QUESTION LANGUAGE

Page Unit 346: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 347 · PHARMACOLOGY SAFETY

Page Unit 347: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 348 · MATERNAL-CHILD SAFETY

Page Unit 348: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 349 · MENTAL HEALTH COMMUNICATION

Page Unit 349: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 350 · SAFETY AND INFECTION CONTROL

Page Unit 350: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 351 · NGN CASE REASONING

Page Unit 351: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 352 · OSCE TRANSITION

Page Unit 352: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 353 · PRIORITY AND DELEGATION

Page Unit 353: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 354 • QUESTION LANGUAGE

Page Unit 354: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 355 • PHARMACOLOGY SAFETY

Page Unit 355: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 356 · MATERNAL-CHILD SAFETY

Page Unit 356: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 357 · MENTAL HEALTH COMMUNICATION

Page Unit 357: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 358 · SAFETY AND INFECTION CONTROL

Page Unit 358: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 359 • NGN CASE REASONING

Page Unit 359: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 360 · OSCE TRANSITION

Page Unit 360: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 361 · PRIORITY AND DELEGATION

Page Unit 361: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 362 · QUESTION LANGUAGE

Page Unit 362: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 363 • PHARMACOLOGY SAFETY

Page Unit 363: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 364 · MATERNAL-CHILD SAFETY

Page Unit 364: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 365 · MENTAL HEALTH COMMUNICATION

Page Unit 365: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 366 · SAFETY AND INFECTION CONTROL

Page Unit 366: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 367 · NGN CASE REASONING

Page Unit 367: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 368 · OSCE TRANSITION

Page Unit 368: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 369 · PRIORITY AND DELEGATION

Page Unit 369: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 370 · QUESTION LANGUAGE

Page Unit 370: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 371 · PHARMACOLOGY SAFETY

Page Unit 371: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 372 · MATERNAL-CHILD SAFETY

Page Unit 372: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 373 · MENTAL HEALTH COMMUNICATION

Page Unit 373: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 374 · SAFETY AND INFECTION CONTROL

Page Unit 374: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 375 · NGN CASE REASONING

Page Unit 375: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 376 · OSCE TRANSITION

Page Unit 376: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 377 · PRIORITY AND DELEGATION

Page Unit 377: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 378 · QUESTION LANGUAGE

Page Unit 378: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 379 · PHARMACOLOGY SAFETY

Page Unit 379: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 380 · MATERNAL-CHILD SAFETY

Page Unit 380: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 381 · MENTAL HEALTH COMMUNICATION

Page Unit 381: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 382 · SAFETY AND INFECTION CONTROL

Page Unit 382: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 383 · NGN CASE REASONING

Page Unit 383: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 384 · OSCE TRANSITION

Page Unit 384: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 385 · PRIORITY AND DELEGATION

Page Unit 385: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 386 • QUESTION LANGUAGE

Page Unit 386: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 387 · PHARMACOLOGY SAFETY

Page Unit 387: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 388 · MATERNAL-CHILD SAFETY

Page Unit 388: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 389 · MENTAL HEALTH COMMUNICATION

Page Unit 389: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 390 · SAFETY AND INFECTION CONTROL

Page Unit 390: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 391 · NGN CASE REASONING

Page Unit 391: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.



PAGE UNIT 392 · OSCE TRANSITION

Page Unit 392: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 393 · PRIORITY AND DELEGATION

Page Unit 393: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 394 · QUESTION LANGUAGE

Page Unit 394: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 395 • PHARMACOLOGY SAFETY

Page Unit 395: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 396 · MATERNAL-CHILD SAFETY

Page Unit 396: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 397 · MENTAL HEALTH COMMUNICATION

Page Unit 397: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 398 · SAFETY AND INFECTION CONTROL

Page Unit 398: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 399 · NGN CASE REASONING

Page Unit 399: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 400 · OSCE TRANSITION

Page Unit 400: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 401 · PRIORITY AND DELEGATION

Page Unit 401: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 402 · QUESTION LANGUAGE

Page Unit 402: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.



PAGE UNIT 403 · PHARMACOLOGY SAFETY

Page Unit 403: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 404 · MATERNAL-CHILD SAFETY

Page Unit 404: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 405 · MENTAL HEALTH COMMUNICATION

Page Unit 405: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 406 · SAFETY AND INFECTION CONTROL

Page Unit 406: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 407 · NGN CASE REASONING

Page Unit 407: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 408 · OSCE TRANSITION

Page Unit 408: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 409 · PRIORITY AND DELEGATION

Page Unit 409: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 410 · QUESTION LANGUAGE

Page Unit 410: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 411 • PHARMACOLOGY SAFETY

Page Unit 411: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 412 · MATERNAL-CHILD SAFETY

Page Unit 412: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 413 · MENTAL HEALTH COMMUNICATION

Page Unit 413: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 414 · SAFETY AND INFECTION CONTROL

Page Unit 414: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 415 · NGN CASE REASONING

Page Unit 415: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 416 · OSCE TRANSITION

Page Unit 416: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 417 · PRIORITY AND DELEGATION

Page Unit 417: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 418 · QUESTION LANGUAGE

Page Unit 418: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 419 · PHARMACOLOGY SAFETY

Page Unit 419: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 420 • MATERNAL-CHILD SAFETY

Page Unit 420: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 421 · MENTAL HEALTH COMMUNICATION

Page Unit 421: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 422 · SAFETY AND INFECTION CONTROL

Page Unit 422: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 423 • NGN CASE REASONING

Page Unit 423: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 424 • OSCE TRANSITION

Page Unit 424: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 425 • PRIORITY AND DELEGATION

Page Unit 425: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 426 • QUESTION LANGUAGE

Page Unit 426: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 427 · PHARMACOLOGY SAFETY

Page Unit 427: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 428 · MATERNAL-CHILD SAFETY

Page Unit 428: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 429 · MENTAL HEALTH COMMUNICATION

Page Unit 429: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 430 · SAFETY AND INFECTION CONTROL

Page Unit 430: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 431 · NGN CASE REASONING

Page Unit 431: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 432 · OSCE TRANSITION

Page Unit 432: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and cannot be demonstrated in a station**. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 433 · PRIORITY AND DELEGATION

Page Unit 433: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 434 · QUESTION LANGUAGE

Page Unit 434: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 435 • PHARMACOLOGY SAFETY

Page Unit 435: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 436 · MATERNAL-CHILD SAFETY

Page Unit 436: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 437 · MENTAL HEALTH COMMUNICATION

Page Unit 437: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 438 · SAFETY AND INFECTION CONTROL

Page Unit 438: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 439 · NGN CASE REASONING

Page Unit 439: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 440 · OSCE TRANSITION

Page Unit 440: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 441 · PRIORITY AND DELEGATION

Page Unit 441: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 442 · QUESTION LANGUAGE

Page Unit 442: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 443 · PHARMACOLOGY SAFETY

Page Unit 443: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 444 · MATERNAL-CHILD SAFETY

Page Unit 444: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 445 · MENTAL HEALTH COMMUNICATION

Page Unit 445: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 446 · SAFETY AND INFECTION CONTROL

Page Unit 446: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 447 · NGN CASE REASONING

Page Unit 447: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 448 · OSCE TRANSITION

Page Unit 448: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 449 · PRIORITY AND DELEGATION

Page Unit 449: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 450 · QUESTION LANGUAGE

Page Unit 450: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task**

despite knowing the clinical content. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 451 · PHARMACOLOGY SAFETY

Page Unit 451: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 452 · MATERNAL-CHILD SAFETY

Page Unit 452: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 453 · MENTAL HEALTH COMMUNICATION

Page Unit 453: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 454 · SAFETY AND INFECTION CONTROL

Page Unit 454: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 455 • NGN CASE REASONING

Page Unit 455: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 456 • OSCE TRANSITION

Page Unit 456: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 457 · PRIORITY AND DELEGATION

Page Unit 457: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 458 · QUESTION LANGUAGE

Page Unit 458: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 459 · PHARMACOLOGY SAFETY

Page Unit 459: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse**

effect or toxicity. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 460 · MATERNAL-CHILD SAFETY

Page Unit 460: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn**

deterioration. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 461 • MENTAL HEALTH COMMUNICATION

Page Unit 461: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 1: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 462 · SAFETY AND INFECTION CONTROL

Page Unit 462: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 2: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 463 • NGN CASE REASONING

Page Unit 463: NGN 病例推理 / NGN Case Reasoning

Learning Focus

NGN 長病例要讀成時間線。不要把所有資料看成同等重要，先找變化，再找主要風險，再選行動與評估結果。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **changing vital signs, trend data, new assessment finding, response after intervention**. The likely learning risk is **missing the case trend and selecting actions that do not match the main risk**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **missing the case trend and selecting actions that do not match the main risk**. The safer reasoning path is to **organize the case into cue, risk, action and evaluation before choosing options**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- ngn
- clinical_judgment
- cue_recognition

Bilingual Terms

- recognize cues
- analyze cues
- take action
- evaluate outcomes
- trend

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about missing the case trend and selecting actions that do not match the main risk. I would organize the case into cue, risk, action and evaluation before choosing options, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 3: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 464 · OSCE TRANSITION

Page Unit 464: OSCE 轉換 / OSCE Transition

Learning Focus

如果能選對但說不出理由，OSCE 仍有風險。每道錯題都要練一句英文：I am concerned about..., I would assess..., I would escalate...

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **can answer the MCQ but cannot explain the action aloud**. The likely learning risk is **knowledge remains passive and cannot be demonstrated in a station**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **knowledge remains passive and**

cannot be demonstrated in a station. The safer reasoning path is to **convert each wrong answer into an oral assessment-action-escalation-evaluation statement.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- osce_transition
- communication
- clinical_judgment

Bilingual Terms

- assessment
- escalation
- handover
- reassessment
- documentation

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about knowledge remains passive and cannot be demonstrated in a station. I would convert each wrong answer into an oral assessment-action-escalation-evaluation statement, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 4: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 465 • PRIORITY AND DELEGATION

Page Unit 465: 優先順序與委派 / Priority and Delegation

Learning Focus

這類題的核心不是哪個選項也正確，而是哪個行動最先保護安全。看到 first、priority、new、sudden、worsening，要先找不穩定線索。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **new shortness of breath, low oxygen saturation, acute change, unstable client**. The likely learning risk is **impaired oxygenation or unsafe delay in care**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **impaired oxygenation or unsafe**

delay in care. The safer reasoning path is to **assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol.**

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- prioritization
- delegation_scope
- safety

Bilingual Terms

- priority
- first action
- unstable client
- RN assessment
- delegate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about impaired oxygenation or unsafe delay in care. I would assess the client first, address airway/breathing/circulation as indicated, and escalate according to protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 5: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 466 • QUESTION LANGUAGE

Page Unit 466: 題幹語言 / Question Language

Learning Focus

題幹詞控制答題方向。requires follow-up 是找異常或不安全；needs further teaching 是找病人錯誤理解；first 是找最先行動。

Scenario

The nurse reviews a client scenario and must decide the safest first action. The relevant cue cluster is: **requires follow-up, needs further teaching, expected, unexpected, contraindicated**. The likely learning risk is **answering the wrong task despite knowing the clinical content**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **answering the wrong task despite knowing the clinical content**. The safer reasoning path is to **translate the task word first, then choose the clinical reasoning pathway**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- english_wording
- test_strategy

Bilingual Terms

- requires follow-up
- further teaching
- expected finding
- contraindicated
- most appropriate

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about answering the wrong task despite knowing the clinical content. I would translate the task word first, then choose the clinical reasoning pathway, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 6: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 467 · PHARMACOLOGY SAFETY

Page Unit 467: 藥理安全 / Pharmacology Safety

Learning Focus

藥理題不要只背用途。先問這個藥最怕什麼 harm，需要監測什麼，病人哪句話顯示危險誤解。

Scenario

A learner missed this item during mixed practice and brings it to supervision. The relevant cue cluster is: **new symptom after medication, bleeding, toxicity, respiratory depression, ototoxicity**. The likely learning risk is **medication harm, adverse effect or toxicity**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **medication harm, adverse effect or toxicity**. The safer reasoning path is to **identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- pharmacology
- knowledge_gap
- safety

Bilingual Terms

- adverse effect
- toxicity
- monitor
- bleeding risk
- patient teaching

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about medication harm, adverse effect or toxicity. I would identify the likely harm, assess relevant data, hold/clarify/escalate according to protocol when unsafe, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 7: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 468 · MATERNAL-CHILD SAFETY

Page Unit 468: 產兒安全 / Maternal-Child Safety

Learning Focus

產兒題不是只背週數。先看母體、胎兒或新生兒是否正在失去穩定：出血、胎心、呼吸、血糖、感染與高血壓危象。

Scenario

A bilingual candidate reads the stem correctly but chooses a correct action too late. The relevant cue cluster is: **severe headache, visual changes, heavy lochia, boggy uterus, late decelerations, newborn retractions**. The likely learning risk is **maternal, fetal or newborn deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **maternal, fetal or newborn deterioration**. The safer reasoning path is to **recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- maternal_safety
- cue_recognition
- prioritization

Bilingual Terms

- heavy lochia
- boggy uterus
- late decelerations
- newborn distress
- per protocol

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about maternal, fetal or newborn deterioration. I would recognize red flags, assess promptly, initiate appropriate nursing actions and escalate per protocol, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 8: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 469 · MENTAL HEALTH COMMUNICATION

Page Unit 469: 精神健康與溝通 / Mental Health Communication

Learning Focus

治療性溝通不是日常安慰。遇到自傷他傷風險，直接評估安全；遇到妄想，不爭辯也不強化妄想。

Scenario

A Stream B candidate wants to convert the item into OSCE-style language. The relevant cue cluster is: **suicidal ideation, delusion, panic, mania, command hallucination**. The likely learning risk is **self-harm, harm to others, escalation of distress or nontherapeutic communication**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **self-harm, harm to others, escalation of distress or nontherapeutic communication**. The safer reasoning path is to **maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- therapeutic_communication
- mental_health
- safety

Bilingual Terms

- therapeutic communication
- false reassurance
- suicidal ideation
- reflection
- open-ended question

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about self-harm, harm to others, escalation of distress or nontherapeutic communication. I would maintain safety, ask direct risk questions when indicated, use calm therapeutic language and escalate appropriately, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 9: This item is an original educational drill for internal review. It is not an official NCLEX item and does not predict exam performance.

PAGE UNIT 470 · SAFETY AND INFECTION CONTROL

Page Unit 470: 安全與感染控制 / Safety and Infection Control

Learning Focus

安全題先問 harm 來源：跌倒、誤吸、出血、感染傳播、低氧、敗血症或管路損傷。感染控制先問傳播途徑。

Scenario

The app marks this item as wrong and shows related glossary terms. The relevant cue cluster is: **fall risk, aspiration risk, isolation precautions, fever with abnormal vital signs, AV fistula absent thrill**. The likely learning risk is **preventable harm, infection transmission or systemic deterioration**.

中文情境：這一頁不是要求死背答案，而是訓練你把題幹中的 cue 轉成安全判斷。請先用中文說出「我看到什麼線索」，再用英文說出 main risk。

Mini Question

What should the learner identify before choosing an answer?

- A. The option that looks longest and most detailed.
- B. The cue that changes safety priority in this context.
- C. The answer that sounds most familiar from school.
- D. The action that avoids all escalation.

Best answer: B.

Rationale / 解析

The learner should identify the cue that changes safety priority. In this domain, the cue cluster points toward **preventable harm, infection transmission or systemic deterioration**. The safer reasoning path is to **identify the route of harm, protect the client and others, and escalate concerning changes**.

中文解析：本題的訓練重點是先找會改變 priority 的 cue，而不是先看哪個選項最像課本句子。若你選 A，可能被長選項吸引；若選 C，可能只靠熟悉感；若選 D，則可能害怕升級處理而延誤安全行動。

Wrong-Answer Tags

- safety_infection
- cue_recognition

Bilingual Terms

- standard precautions
- airborne
- contact
- aspiration
- sepsis

Supervisor Prompt

1. 中文：這題最重要的 cue 是什麼？
2. English: What is the main risk?
3. 中文：哪個錯誤選項看起來正確但不優先？
4. English: Say the first safe action in one sentence.

OSCE Conversion

I am concerned about preventable harm, infection transmission or systemic deterioration. I would identify the route of harm, protect the client and others, and escalate concerning changes, then reassess the client and document the findings.

Workbook Space

My missed cue	My wrong reason	My next action
---------------	-----------------	----------------

Page note 10: This item is an original educational drill for internal review.
It is not an official NCLEX item and does not predict exam performance.

Beta Release and Review Protocol

500-Page Working Edition Status

This edition is a beta review manuscript, not a final sale edition. It has been expanded into a large working manuscript for internal editorial review, RN / nursing educator review, bilingual clarity review and app-content alignment.

本版為「500 頁工作稿 / Beta 審稿版」，不是最終正式銷售版。它的用途是讓海外督導、海外書局、RN reviewer、雙語編輯與 App 產品審核人員在同一份材料上工作：看章節結構、臨床風險、雙語術語、錯題方法、App 題池與公開發布邊界是否一致。

Readers who receive this edition should understand three boundaries:

- It is an independent educational draft.
- It is not an official NCLEX, NCSBN, Pearson VUE, Ahpra, NMBA, ANMAC, Australian Government or migration-authority document.
- It does not guarantee exam pass, registration, employment, visa, course admission or any regulated outcome.

收到本版的讀者應清楚理解三個邊界：

- 本書是獨立教育工作稿。
- 本書不是 NCLEX、NCSBN、Pearson VUE、AHPRA、NMBA、ANMAC、澳洲政府或任何移民/監管機構的官方文件。
- 本書不承諾考試通過、不承諾註冊、不承諾就業、不承諾簽證、不承諾課程錄取，也不承諾任何受監管結果。

Release Labels

Use the following labels consistently across website, PDF, app and email communication.

Label	Public Meaning	Allowed Use
Internal Working Manuscript	Editorial build used by OTC and reviewers	Full 500-page HTML, internal comments, review queues
Beta Review Edition	Controlled reader / reviewer version	RN reviewer, tutor reviewer, selected beta readers

Public Preview	Short public article or sample pages	導報 announcement, subscription lead magnet, demo page
Final Sale Edition	Commercial publication after review	Payhip, KDP, print-on-demand, paid bundle

中文使用建議：

- 「內部工作稿」用於完整稿件和審核索引。
- 「Beta 審稿版」用於交給 RN reviewer、督導老師、少量試讀者。
- 「公開預覽版」用於導報文章、樣章、訂閱頁。
- 「正式銷售版」只能在臨床審核、合規審核、版式審核完成後使用。

Required Review Before Sale

Before the manuscript is sold as a finished book, the following review trail should be completed and archived.

1. Clinical review by an RN or nursing educator.
2. Source review for NCLEX, NCSBN, Ahpra/NMBA and Pearson VUE process statements.
3. Bilingual editorial review for Chinese explanation, English terminology and reader comprehension.
4. Compliance review for trademark language, no-guarantee wording and official-source boundaries.
5. App-content alignment review to ensure the book, trainer app, public demo and question banks use consistent risk labels.

正式銷售前，至少需要完成以下審核並保存記錄：

1. RN 或護理教育者臨床審核。
2. NCLEX、NCSBN、AHPRA/NMBA、Pearson VUE 流程與官方來源核對。
3. 中英雙語編輯審核，尤其是中文解析是否清楚、英文術語是否保留正確。
4. 合規審核，包括商標、非官方聲明、無保證聲明與官方來源邊界。
5. App 內容一致性審核，確認書稿、trainer app、公開 demo、題庫風險標籤一致。

Reviewer Sign-Off Table

Review Layer	Reviewer	Date	Status	Notes
--------------	----------	------	--------	-------

Clinical safety review	Pending	High-risk pharmacology, maternal-child, mental health, safety and NGN items first
Source and process review	Pending	Official process claims and date-sensitive instructions
Bilingual editorial review	Pending	Chinese clarity, terminology, tone and learning sequence
Compliance review	Pending	No official endorsement, no pass guarantee, trademark boundary
App alignment review	Pending	Demo pool, full pool, glossary, wrong-answer tags and learner report

Public Preview Wording

The safest public wording is:

Overseas Supervision has prepared a 500-page working manuscript of an independent NCLEX-RN bilingual clinical judgment study companion. The current edition is open for controlled review and selected beta reading. It is not an official NCLEX, NCSBN, Pearson VUE, Ahpra, NMBA or ANMAC product and does not guarantee any exam, registration, visa or employment outcome.

中文公開表述建議：

海外督導已完成《NCLEX-RN 臨床判斷雙語備考指南》500 頁工作稿，現進入受控審稿與小範圍 Beta 試讀階段。本項目為獨立教育輔助材料，不是 NCLEX、NCSBN、Pearson VUE、AHPRA、NMBA 或 ANMAC 官方產品，也不承諾考試、註冊、簽證或就業結果。

Beta Reader Feedback Form

Beta readers should answer these questions after reading sample chapters or using the trainer app:

1. Which chapter or app function helped you most?
2. Which Chinese explanation was still hard to understand?
3. Which English nursing terms need more examples?

4. Did any statement sound like a guarantee or official instruction?
5. Did any clinical explanation feel unsafe, outdated or too simplified?
6. Would you prefer a shorter workbook, a full reference book, or a book + app bundle?
7. What would make this useful enough for paid use?

試讀者中文回饋題：

1. 哪一章或哪個 App 功能最有幫助？
2. 哪些中文說明仍然難懂？
3. 哪些英文護理術語需要更多例子？
4. 是否有任何句子聽起來像保證通過或官方指令？
5. 是否有任何臨床說明讓你覺得不安全、過時或過度簡化？
6. 你更需要短版 workbook、完整參考書，還是書 + App 套裝？
7. 什麼改進會讓你願意付費使用？

Current Editorial Decision

The current decision is:

Go to controlled beta review. Do not sell as final edition yet.

理由如下：

- 體量已足夠支撐大型書稿與產品展示。
- 雙語學習方法、錯題分類、App 連動與審稿索引已形成完整產品骨架。
- 高風險臨床內容仍需要 RN / nursing educator 審核。
- 470 個 page units 中仍有結構性重複，適合作為工作稿，但正式出版前需要進一步案例多樣化與語言潤色。
- 公開端應先發布「預覽 / Beta 審稿 / Demo 可用」，不應宣稱正式上市或保證效果。