



OUTLIERS

Jeeves: A Personal-Assistant Cockpit Over Your Own Second Brain

Chat with your own Claude Code, and see your day, your 2 note folders, your agents and how much of your Claude plan you have spent today, each in a panel you can move

FOR MAC

PIECE 4 OF 4 • THE AGENT WORKSPACE

DOWNLOAD

<https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves-mac>

EST. MMXXVI • OUTLIERS ACCELERATOR

What it is


Jeeves is 1 page in your web browser, served by a small program on your own computer. The page is split into panels. Each panel does 1 job. You can drag a panel anywhere, stack panels as tabs, close a panel and bring it back, make a group of panels fill the screen, and pop any panel out into its own window so it can sit on a second screen.

This is piece 4 of 4 in the agent workspace. Install them in order: 1 agent-flow, 2 FleetView, 3 ProjectForge, 4 Jeeves. Each one also works on its own; Jeeves shows ProjectForge and FleetView inside 2 of its panels when they are running.

There is no voice in this download. The Jeeves Ashley showed you live spoke its answers out loud. This one does not: it has no voice and no microphone, and every answer arrives as text. Ashley's first voice was a copy of a real narrator's voice, which carries legal and reputational risk, so it was left out. To add a voice yourself, idea 6 under "Fit it to your own AI system" is a prompt that uses the speaking voices already built into your web browser: no copied voice, and no extra program.


WORDS USED IN THIS GUIDE

WORD	WHAT IT MEANS HERE
Vault	A folder of notes. You have 2: your second brain, and your CRM.
CRM	Your customer-records notes: the folder of people and conversations you built in the CRM sessions.
Claude Code	The Claude program you type to in a terminal. Jeeves sends your chat messages to it.
Terminal	The text window where you type commands. On a Mac the app is called Terminal: press Command and Space together, type Terminal, press Return.
~	Short for your home folder, the folder with your name and the house picture in Finder's sidebar. <code>~/CRM</code> is the folder called CRM inside it.
Token	The unit Claude's usage is counted in. 4 tokens are about 3 words.
Model	Which Claude model answers. Jeeves offers 3, each named in full: Claude Opus 5.5 (strongest), Claude Sonnet 5 (middle) and Claude Haiku 4.5 (cheapest).
Agent	A saved set of instructions Claude Code can hand a job to, kept in a <code>.claude/agents</code> folder.
Tools	What Claude can do besides talk: read files, edit files, run commands, search the web.
Rulebook	The <code>CLAUDE.md</code> file of instructions in your second brain. Claude Code reads it first.
Markdown	Plain text notes that end in <code>.md</code> , the kind your second brain is made of.
127.0.0.1 and localhost	2 ways of writing "this computer". An address that starts with either of them opens only on your own computer.
Port	The number after the colon in an address such as http://127.0.0.1:4040 . It picks out which program on your computer answers. In this set of 4: agent-flow 3001, FleetView 3010, ProjectForge 3020, Jeeves 4040.
Repo	A project's folder of code, kept on GitHub. <code>git clone</code> copies it to your computer.
config.json	The file that keeps Jeeves's settings. The installer writes it.



THE WHOLE COCKPIT ON MADE-UP DATA. EVERY NAME IN THESE PICTURES IS INVENTED, STARTING WITH "SAM THE BOOKKEEPER". CHAT ON THE LEFT, THE TODAY PANEL (YOUR DAY'S LIST) IN THE MIDDLE, THE ACROSS EVERYTHING PANEL (A 1-SCREEN SUMMARY OF EVERYTHING THAT IS MOVING) ON THE RIGHT, THE VAULTS PANEL (YOUR NOTES) AND THE TOKENS PANEL (YOUR CLAUDE USE) BELOW

The numbers on the next picture point at the parts you will use most. The key under the picture says what each one is.



A TOUR OF THE PAGE. EACH YELLOW NUMBER MATCHES A LINE IN THE KEY UNDERNEATH. THE MODEL MENU SHOWS "BEST · claude-opus-5-5": YOUR CHOICE (BEST) AND THE EXACT CLAUDE MODEL IT USES

The 10 panels:

PANEL	WHAT YOU SEE
Chat	A conversation with your own Claude Code. It works inside your second-brain folder, with your CRM folder added, so it can read both. By default it is given 3 tools and no others: open a file, search inside files, find files by name.
Today	The ranked list of people to contact that your CRM writes each morning (a file called <code>Today.md</code> at the top of your CRM folder, built in part 7 of the CRM sessions), plus your second brain's day: today's daily note if you keep one, notes that changed in the last 3 days, and to-do checkboxes in your notes that you have not ticked yet.
Across everything	1 screen that sums up what is moving: people to speak to, decisions waiting for you, notes that changed, Claude use today, and whether your other apps are running. Click any heading to open its panel.
Recommendations	A note in your second brain (<code>Inbox/Recommendations.md</code>) that you and your agents write suggestions into.
Vaults	Both note folders, read-only. Filter by name, search inside every note, and click a link between notes (a note name inside double square brackets, like <code>[[Pricing review]]</code>) to open that note.


PANEL	WHAT YOU SEE
Agents	Every Claude Code agent you have, with what each one is for, and an "Ask in chat" button.
Activity	Your recent Claude Code conversations: which folder, how many turns, how many tokens.
Tokens	Today's tokens, by kind and by model, read from Claude Code's own log files.
Work board	ProjectForge, the work board for your agents from piece 3 of 4, shown inside the panel when it is running.
FleetView	FleetView, the screen that shows every running agent session, from piece 2 of 4, shown inside the panel when it is running.

At the top left, and above the chat, is the orb: an animated circle of light with 2 rings of rune-style lettering. It turns slowly when Jeeves is idle, pulses while Claude is thinking, and brightens while the answer is coming in.

PIECE 4 • JEEVES

Why you would want it

Once you run agents, your work is spread across folders, terminals and apps. Your CRM has who to call, your second brain has what you decided, and Claude Code's log files record what it did today and how many tokens that used, but each sits in its own folder or window.



BEFORE JEEVES YOU LOOK IN 5 PLACES. JEEVES READS ALL 5 AND SHOWS THEM ON 1 PAGE, WITH 1 PLACE TO ASK A QUESTION

Jeeves puts them on 1 screen and gives you 1 place to ask a question about any of them. The answer comes from your own Claude Code, so it already knows your rulebook (the `CLAUDE.md` file), your agents and your skills. It costs nothing beyond your Claude subscription, and nothing leaves your computer except the messages Claude Code itself sends.

Ashley's decision on what Jeeves is for, made on 2026-06-20: it is a full cockpit where every job Jeeves does gets its own panel. In his words: "Jeeves is a FULL UI - that's the point." (UI means user interface: the whole screen you work in.) This download keeps that: every panel stays, and the Layouts menu (top right of the page) arranges them for the screen you have.

WHAT IT IS FOR

Putting your day, both note folders, your agents and your Claude usage side by side on 1 page, with 1 chat box that asks your own Claude Code about any of them.

WORKS WELL WHEN

- **Your morning starts in 5 places.** Who to contact, what changed in your notes, what your agents are doing, how much of your Claude plan you have spent today, and whether ProjectForge and FleetView are running: all on 1 screen instead of 5.
- **You want to ask a question about your own notes** without opening a terminal and without typing out your business, your clients and your way of working again at the start of every chat, because the answer comes from your own Claude Code, which has already read the `CLAUDE.md` rulebook in your second brain.
- **You want today's token count beside the conversations that spent it**, rather than a bare total you cannot trace back to any piece of work.
- **You already run pieces 2 and 3 of 4.** The work board and FleetView appear inside 2 of the panels, so 3 of the 4 pieces share 1 browser tab.
- **You have a second screen.** Pop each panel you watch out into a browser window of its own and leave it there all day.

DOES NOT WORK WELL WHEN

- **You expect it to remember.** Jeeves keeps no record of your work. It keeps its own settings in `config.json`, and in its `state` folder the number of the conversation it is carrying on and the ID of the copy that is running. Every panel reads your notes and Claude Code's log files fresh each time, and your chat messages live only in Claude Code's own log files, in the `.claude` folder in your user folder. Nothing you type here builds up into a record you can search later.
- **You treat the chat box as free.** Every message starts a real Claude Code run, which re-reads your `CLAUDE.md` rulebook and the conversation so far before it answers. 20 questions you did not really need will spend real tokens from your Claude plan; the panels that only read your files spend none.
- **You switch writing on and then ask it about notes you clipped from websites.** A note you clipped from a website can carry written instructions aimed at an AI: rewrite this file, empty that folder, send what you find. A Claude that is allowed to write may do exactly that to your notes. Out of the box Chat can only read, and you have to change 2 settings, `"allow_actions"` and `"permission_mode"` in `config.json`, before it can write anything.
- Jeeves reads markdown files on your own disk. If your notes live in a web app, there is nothing here for it to read, and the sensible move is not to install it yet.
- **You want it away from your desk.** It answers on your own computer only. Ashley reached his from a phone, and that needed a VPN, a private network only his own devices could join, set up on top of everything in this guide.

How we built it

Ashley built the original Jeeves for himself in June 2026. Every date below comes from his build notes and records, and the pictures are his real screens. The download you get is a clean rebuild of the parts that worked, for your setup rather than his.

How the original was built (June to July 2026), and this rebuild


From the build notes of the original. Green: kept in this download. Amber: tried and dropped.

- 2026-06-13 ● Local server on 127.0.0.1, port 4040. Claude Code answered every question. First panels.
- 2026-06-13 ● A copy of a narrator's voice, control of the mouse and keyboard, and a command window running inside the page. All 3 left out of this download.
- 2026-06-14 to 17 ● A timer that started Claude every 15 minutes, and phone alerts (switched off the same day).
- 2026-06-14 to 17 ● Lesson: fill each panel only once it is on screen. Default model back to the strongest.
- 2026-06-20 ● A calm, stripped-back redesign was rejected: Ashley wanted every job Jeeves does on screen, not 4 boxes. The Across everything panel was added instead.
- 2026-06-21 ● The orb, drawn by the page itself. A 3-column layout went live.
- 2026-07-08 ● Paused: its timers kept starting Claude and using tokens.
- 2026-07-09 ● Would not start: it needed a folder outside its own.
- 2026-09-22 ● This rebuild: no timers, nothing outside its folder, and a Chat that can only read your notes.
- 2026-09-23 ● Checked again: Chat given 3 reading tools and no others, models named in full, and a panel that cannot find a folder now names it.

THE BUILD AT A GLANCE. GREEN: KEPT IN THIS DOWNLOAD. AMBER: TRIED AND DROPPED

2026-06-13: MOST OF THE SYSTEM IN 1 DAY


- **A web server on 127.0.0.1, port 4040** (open it at <http://127.0.0.1:4040>), written using only the parts that come with Python, so there is nothing extra to install. We kept this exactly.
- **Claude Code replaced the home-made search.** The first version always used 1 small, cheap Claude model and searched the notes with its own Python code, badly. It was replaced by a small program that sends each question to the real Claude Code (the `claude -p` command, which answers 1 question and exits), with every note folder opened to it. We kept this: every answer in Jeeves comes from your own Claude Code.
- **Permission levels.** Every action was sorted into 1 of 3 levels: refused, ask Ashley first, or allowed. Then came control of the computer itself (screenshots, opening programs, typing), with clicks and keypresses needing his approval. This download leaves computer control out.
- **Voice.** 5 speech programs were compared. The winner was Chatterbox, a free speech program (under the MIT licence, which lets anyone use it). It ran a cloned voice made from a well-known narrator's audiobook clips. It took 34 seconds to start and about 4 seconds per reply once it had started up. The clone was marked private-only, because the narrator has publicly objected to voice cloning.
- **The microphone "not working"** turned out to be a fake microphone (software that records nothing) set as the default microphone on his PC. Fixed by adding a list of microphones to choose from that leaves the fake ones out.
- **Movable panels** from Dockview (a free add-on that lets you drag a panel around a web page and snap it to an edge), a 3D map of agents, a live command window (the text window where you type commands), a switch between a quick model and a thorough one, email and calendar readers, a check that started Claude every 45 minutes to look for news, and the first Inbox panel (a list of decisions waiting for Ashley).



ASHLEY'S REAL FIRST BUILD, 1 DAY OLD, ON 2026-06-13: A MAP OF HIS AGENTS DRAWN AS POINTS ON TOP, THE STATUS PANEL (WHAT EACH PART WAS DOING) BELOW, A MICROPHONE PICKER IN THE TOP BAR. THE PANEL ON THE FAR LEFT IS CROPPED OFF (ASHLEY'S OWN PC, NOT A MAC)

2026-06-14 TO 2026-06-17: ADDITIONS


- **A timer every 15 minutes** that started Claude to research each new decision in Ashley's list before he said yes or no to it.
- **Phone alerts** were built and switched off the same day, on Ashley's word.
- **An empty panel.** The Status panel tried to write its contents before the panel existed on screen, so it stayed empty. This rebuild fills each panel only once it has appeared on screen, never earlier.
- **Other apps inside panels.** ProjectForge and Ashley's LinkedIn messaging app were shown as real apps inside panels, and any panel could pop out into its own window for his 3 monitors.
- **"Jeeves suddenly dumb."** The default model had been switched to the smallest, fastest one. It fumbled tasks with several steps. Ashley's decision: the strongest model by default. This rebuild's default is **best**, the strongest Claude model.
- **Speed.** Keeping Claude Code open between messages, instead of starting it fresh each time, cut the wait for the first word from 3.7 seconds to 1.4 seconds.
- **The phone app** was installed on 2026-06-15. Its login screen left the phone stuck with no way forward, and Ashley said "get rid of all the auth" (auth: the login check). From then on the only way in was his own private network, which only his devices could join.
- **Telegram.** Ashley had been messaging his agents through Telegram, a chat app. On 2026-06-16 he stopped: Jeeves replaced it.



ASHLEY'S REAL LAYOUT ON 2026-06-21: THE ORB AND CHAT TOP LEFT, A MAP OF HIS AGENTS DRAWN AS STARS TOP RIGHT, AND BOTTOM RIGHT THE LIST OF DECISIONS WAITING FOR HIM, EACH WITH RESEARCH, DISCUSS, GO AND NO-GO BUTTONS (ASHLEY'S OWN PC, NOT A MAC)

2026-06-20: THE REDESIGN ASHLEY REJECTED


A new design went through Ashley's usual review: research, a first plan, a written critique of it, a second plan, a second critique and a final plan. It proposed a "calm butler" design: 1 orb, 1 conversation, at most 4 boxes of information, with the command panels and the agent map removed. Ashley's verdict: "it looks better but it uses most of the current usability" (he meant it loses most of what he could do with it), then "Jeeves is a FULL UI - that's the point". The plan was corrected to keep every panel and add a column that sums up what is moving across conversations, projects, outreach and agents. In this download that column is the **Across everything** panel.



THE CORRECTED DESIGN, LIVE ON 2026-06-21: ON THE LEFT A COLUMN CALLED "WHAT NEEDS YOU", WITH A BOX CALLED "ACROSS EVERYTHING" THAT SUMS UP WHAT IS MOVING; THE CONVERSATION ON THE RIGHT. THE TODAY COLUMN THAT STOOD FURTHER RIGHT IS CROPPED OFF, BECAUSE IT NAMED REAL PEOPLE (ASHLEY'S OWN PC, NOT A MAC)

2026-06-20 TO 21, OVERNIGHT: THE ORB

Ashley wanted Jeeves to look like a character from an anime. Claude's first 2 attempts at the look he described were wrong. The fix was an original animated circle that the page draws itself (with SVG, a way of drawing shapes in a web page), so the download contains no copyrighted picture. In the original it reacted to the microphone and to the voice. This download has no microphone and no voice, so its orb reacts to what Chat is doing instead. Its 2 rings of rune-style lettering each spell out a line of text, and the text is yours to set.



THE ORIGINAL ORB, SPEAKING, ON 2026-06-21 (ASHLEY'S OWN PC, NOT A MAC)

2026-06-21 TO 2026-07-09: THE NEW LAYOUT, THEN THE PAUSE

- **2026-06-21:** a 3-column layout went live as the default, with the old layout still reachable at the address <http://127.0.0.1:4040/v1>.
- **2026-06-22:** a separate hands-free voice-control program was built and archived the same day. It took 0.5 seconds at best to hear the words and start, on top of the wait for Claude's answer, which was not fast enough.
- **2026-07-01 to 02:** a code review found that if the file that stores the logins was damaged, Jeeves let everyone in instead of locking. It was fixed to lock. It also found that Jeeves started its own copy of Ashley's LinkedIn messaging app on the same port the real app used, so the old copy kept answering, and when Ashley fixed the real app the fix seemed to change nothing.
- **2026-07-08:** the last timer run. Jeeves was switched off because its timers kept starting Claude and using tokens. On the same date ProjectForge was switched off for using about 230 million tokens of text read by Claude in 30 days. Both used tokens the same way: a timer started a fresh Claude conversation over and over, whether or not there was work. No separate token count for Jeeves was recorded.
- **2026-07-09:** the last attempt to start it failed, because a folder it needed (the voice code) was missing. The server would not run without files that lived outside its own folder.

2026-09-22: WHAT TESTING THIS DOWNLOAD FOUND, AND FIXED

Before this download went out, 3 people checked it: a stranger followed this guide step by step, a reviewer used every panel, and a security reviewer tried to break it. What they found, and what changed:

- **Chat could still use tools you had allowed elsewhere.** The setting Jeeves used only switched off tools you had never turned on yourself. Any tool you had already allowed in your own Claude Code settings stayed available to Chat. Jeeves started naming the tools to block on every message. A day later that proved not to be enough either: see 2026-09-23 below.
- **Stop did not stop Claude** when Claude Code was installed with npm (the installer that comes with Node.js, a program many developer tools need), because that kind of install starts the real Claude as a second, hidden program. Stop now ends both.
- **2 copies could share port 4040 on a PC**, and stopping Jeeves then stopped only 1 of them. Now only 1 copy can run per port, and starting it again says it is already running.
- **After 1 failed message, every later message failed**, because Jeeves saved the number Claude Code uses to carry on a conversation, even for the failed one, so every later message tried to carry on a broken conversation. A failed message is now never saved.
- **On a laptop, the chat box slid off the bottom of the screen** after the first answer. Fixed, and an automatic check now tests it at laptop size.

2026-09-23: A SECOND ROUND OF TESTING, THE DAY BEFORE IT WENT OUT

The 3 checks were run again on the finished download, and an automatic check ran every action in Jeeves (send a message, stop an answer, open each panel) 5 times over. 10 more faults were found and fixed. Here are all 10:

- **Naming the tools to switch off left 25 other tools still switched on.** Counted on Ashley's own PC, not a Mac, on 2026-09-22 against Claude Code 2.1.280. The block list named 7; Claude Code has added many since the list was written, among them tools that book a job for later, raise a notification, start a second Claude running in the background and message another agent. Chat is now given a list of what it MAY use, and nothing else: open a file, search inside files, find files by name. Proved against the real Claude Code, not only in a test: see "What Chat can and cannot do".
- **The model was named by a word that moved.** `opus` meant Claude Opus 5.5 from 2026-09-22, and the price table in FleetView (piece 2) had never heard of it, so your tokens would have shown as "price unknown". Every model is now written out in full.
- **A popped-out Chat quietly erased a message.** Send a message from a popped-out Chat window, then send another from the main window, and the pop-out's message disappeared from the saved conversation: each window wrote its whole record over the other's. Each window now adds only its own new lines, and a message sent in either window appears in the other.
- **Send looked lit while an answer was coming in.** It refused every press, and the only explanation sat in the top corner of the window, up to 921 pixels away from where you were typing. Send is now greyed out, and the reason is printed at the bottom of the conversation.
- **A missing folder was reported as a quiet day.** Point `second_brain` at a folder that is not there, through a typo, a renamed folder or an external drive not plugged in, and Today said "Nothing has moved and nothing is left open" while Vaults, on the same screen, said the folder did not exist. All 3 panels now name the folder. Pictured under "When it goes wrong".

- **The checks failed if you were running the work board.** The automatic checks said 1 failed, 51 passed on any computer where ProjectForge (piece 3, out the same day) was running, because 1 check assumed no other program was answering on 3020, the address number ProjectForge uses. The checks no longer depend on what else you have running.
- **With Claude Code not installed, the address of the page that installs it was printed as plain text you could not click,** and the suggested questions still filled a text box that was switched off. The address is a link now, and the suggestions are put away.
- **When 4040 was busy, the message told you to try 4041 every time,** which is no help if 4041 is the number already busy. It now looks for an address number nothing is using and prints that one.
- **A broken `config.json` was reported as "No config.json yet".** A comma in the wrong place sent you to the installer instead of to the line you had just typed. The message now names the file, the mistake and the line number. A file saved with 3 hidden characters at its start (a byte-order mark, which some text editors add) reads fine now too.
- **Jeeves used to accept Python 3.8,** which stopped getting security fixes on 2024-10-07. The oldest it now accepts is 3.11, and the installer refuses anything older.

WHAT THIS DOWNLOAD KEEPS, AND WHAT IT DROPS

KEPT	DROPPED, AND WHY
Local server on 127.0.0.1 (this computer only)	Timers of any kind: each one started Claude and used tokens with nobody asking
Claude Code answers every question	The cloned voice: legal and reputational risk
Every job Jeeves does (chat, your day, your notes, your agents, your Claude use) as its own movable panel, which can pop out into its own window	Login screen and phone app: Jeeves only answers on this computer (127.0.0.1), so no one else can reach it
The orb	Computer control and the command window: too much power for a first install
The Across everything panel, a summary of everything that is moving (from the corrected redesign)	Starting other apps: Jeeves once started a second copy of another app on the same port, which hid Ashley's fixes
The strongest model by default	Anything outside its own folder: on 2026-07-09 the original would not start because a folder it needed had gone

Pros and cons

	PROS	CONS
Cost	Nothing runs on a timer. Reading your notes and Claude Code's logs costs 0 tokens.	Every chat message starts Claude Code once, and each time it re-reads your <code>CLAUDE.md</code> instruction file and the conversation so far. We have not measured how many tokens 1 chat message spends on a member's own computer.
Speed	The reading panels never start Claude, so they answer without an AI wait.	Claude Code is started fresh for each message rather than kept open, so the first word takes longer than the original's 1.4 seconds.
Answers	Your own Claude Code: every agent, skill and rulebook you have.	If Claude Code is not installed or not logged in, Chat cannot answer (every other panel still works).
Safety	127.0.0.1 only; the note panels only read; Chat has 3 tools, all of them reading, unless you allow more.	Chat refuses when you ask it to edit a note or run a command, until you change 2 settings.
Breadth	10 panels, all movable, 4 ready-made layouts, your layout saved.	It is a browser tab, not its own app window.
Install	Uses only the parts that come with Python: nothing extra to install.	Claude plans give you an amount to spend that refills every 5 hours. To see how much of the current 5 hours you have spent, you need ccusage, a free add-on program, which needs Node.js.

What costs tokens, and what does not

Tokens are the units your Claude subscription counts. Only 1 action in Jeeves uses them.

0 TOKENS

- Opening Jeeves and every reading panel
- Today, Across everything, Recommendations
- Vaults: opening, filtering, searching notes
- Agents, Activity, Tokens
- The automatic re-read of your files once a minute, while the Jeeves browser tab is on screen
- Moving, closing and popping out panels

USES TOKENS

- Each message you send in Chat starts Claude Code once
- Each run re-reads your rulebook (`CLAUDE.md`) and the conversation so far
- The model you pick changes the price: `fast` (Claude Haiku 4.5) is cheapest, `deep` (Claude Sonnet 5) the middle, `best` (Claude Opus 5.5) strongest
- Nothing else. There is no timer that starts Claude.

WHAT COSTS TOKENS IN JEEVES AND WHAT DOES NOT: ONLY A CHAT MESSAGE STARTS CLAUDE

Before you start

BEFORE YOU START ON A MAC

Python. Install Python from <https://www.python.org/downloads/macos/> (the link labelled "macOS installer"; we tested 3.14.7). When it finishes, double-click **Install Certificates.command** and **Update Shell Profile.command** in the Python folder inside Applications, then open a new Terminal window. Check with `python3 -c "import sys; print(sys.prefix)"`: it should print a line starting `/Library/Frameworks/Python.framework`. If it starts `/opt/homebrew` or `/usr/local/Cellar`, your Terminal uses Homebrew's Python (Homebrew is an add-on installer many Mac owners use). Every command here still works. The self-checks run from a private Python folder: a folder in your home folder with its own copy of Python's add-ons, which works with python.org's Python and with Homebrew's.

Node.js. Install the LTS version (long-term support: the version that gets security fixes the longest) from <https://nodejs.org> (we tested v24.21.0), open a new Terminal window, and check with `node --version`: `v22` or higher.

The first time you type `git`. Your Mac may show a box asking to install the command line developer tools. Press Install, wait until it has finished, then type the `git` line again.

If Terminal says `claude` is not found, type the line below. It adds the folder Claude Code is installed in to the list of folders Terminal looks in for programs. Then open a new Terminal window and check with `claude --version`.

```
echo 'export PATH="$HOME/.local/bin:$PATH"' >> ~/.zshrc
```

Your second brain is at `~/Second Brain` on a Mac, a folder in your home folder, not in Documents, because macOS can stop a program that starts by itself from opening your Documents folder. If a page says "macOS refused access to" a folder, move that folder into your home folder and run `python3 install.py` again.


"Allow Python to find devices on local networks?" If macOS asks this the first time the page opens, press Allow.

Apple Silicon or Intel (the 2 kinds of chip a Mac can have; the Apple menu, then About This Mac, shows yours): the steps are the same on both, and both were tested.

Tried only on test Macs. Every step above was tried only on test Macs (Macs GitHub rents out by the minute to run scripts, not a person's own Mac), never on a real Mac. 3 of them cannot happen on a test Mac, so they were not tried at all: the developer-tools box, macOS stopping a program from opening Documents, and the question about devices on local networks.

WHAT YOU NEED

YOU NEED	HOW TO CHECK
Python 3.11 or newer	In Terminal: <code>python3 --version</code> . The installer refuses anything older. Python 3.9 and everything before it no longer get security fixes, and 3.10 gets them only until 2026-10-31 (python.org, checked 2026-09-24).
Claude Code, logged in	<code>claude --version</code> prints a number (2.1.282 on a test Mac on 2026-09-25), and typing <code>claude</code> opens it without asking you to log in
Git	<code>git --version</code>
Your second brain	The folder from the second-brain sessions. Its path, for example <code>~/Second Brain</code>
Your CRM (optional)	The folder from the CRM sessions. Without it, Today shows only your second brain
ccusage (optional)	A free program that reads how much of your 5-hour Claude allowance you have used. Install Node.js from https://nodejs.org first, then type <code>npm install -g --prefix ~/.local ccusage</code> . It puts ccusage in <code>~/.local/bin</code> , the folder Claude Code is installed in, so Jeeves finds it whether you start it or it starts by itself; no password is needed. Check with <code>ccusage --version</code> in a new Terminal window; if it says not found, type the Claude Code line from "Before you start on a Mac" first. Jeeves's installer prints the same line. The shorter <code>npm install -g ccusage</code> is refused on a Mac with "EACCES: permission denied" (both tried on a test Mac on 2026-09-25, which installed ccusage 20.0.24)



THE 3 CHECKS IN TERMINAL, AS THEY PRINTED ON 2026-09-25 ON A TEST MAC (A MAC THAT GITHUB RENTS OUT BY THE MINUTE TO RUN SCRIPTS, NOT A PERSON'S OWN MAC). ANY NUMBER AT OR ABOVE THESE IS FINE

TIP

Want to see Jeeves before pointing it at your real notes? After step 2 below, run `python3 tools/demo.py ../jeeves-demo --serve --port 4099` . This makes a practice folder called `jeeves-demo` next to the Jeeves folder, with a made-up bookkeeper's 2 vaults and 5 agents, and starts Jeeves on it. Open <http://127.0.0.1:4099/> to see it. The chat answers from a script and costs 0 tokens. Press Ctrl+C in that terminal to stop it.

Install it

1. Open Terminal: press Command and Space together, type `Terminal`, press Return. It opens in your home folder, which is where all 4 downloads in this set go.
2. Download the code (clone the repo: copy the project from GitHub, the site where it is stored) and go into its folder:

```
git clone https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves-mac
cd outliers-ws-04-jeeves-mac
```

3. Run the installer:

```
python3 install.py
```

4. It checks Python and Claude Code first. If either is missing it says what to do and changes nothing.
5. It asks 4 questions about folders and the port, then 1 more in step 6. Press Return to accept the answer in brackets, which is what it found:
 - where your second brain is (if you used the installer from the second-brain sessions, it already knows the folder and offers it)
 - where your CRM is (the same, from the CRM installer). With a CRM at `~/CRM`, the suggestion in brackets is that folder and Return keeps it. With no CRM, there is no suggestion and Return leaves the answer blank (both checked on a test Mac on 2026-09-25)
 - where your agents are (normally the `agents` folder inside `.claude` in your user folder, on a Mac `~/.claude/agents`)
 - which port to use: the number after the colon in the address, 4040 unless another program is using it. Type a number; anything else and it asks again.
6. It asks whether Jeeves should start by itself, with no window, each time you switch on your Mac and sign in. Jeeves has no account of its own to sign in to. The default is no. If you say yes, it writes a LaunchAgent: a small file, `ai.outliers.jeeves.plist`, in the folder `~/Library/LaunchAgents`, that tells your Mac to start Jeeves each time you switch it on and sign in. It takes effect the next time you sign in. To start Jeeves now as well, use step 8.
7. It writes `config.json` next to `install.py`, and if you change an answer it keeps your old settings as `config.json.bak-<date>`. When Jeeves runs it keeps its own working files (which conversation it is carrying on, which copy is running) in a folder called `state` here. Run the installer again with the same answers and it says "Nothing changed".

```
outliers-ws-04-jeeves-mac - zsh

outliers-ws-04-jeeves-mac % python3 install.py

=====
OUTLIERS WORKSPACE - PIECE 4 - JEEVES
=====

Found Claude Code 2.1.282 (Claude Code)
Python 3.14.7 - nothing to install with pip.

Where is your second brain (the folder)? [/Users/sam/Second Brain]:
Where is your CRM (the folder)? Leave blank if you do not have one [/Users/sam/CRM]:
Where are your agents? [/Users/sam/.claude/agents]:
Which port should Jeeves use? [4040]:

Optional extras:
  ccusage (shows your 5-hour usage window): not found - needs Node.js, then: npm install -g --prefix
~/local ccusage
  playwright (only needed to retake the guide's pictures): not found

Wrote config.json
Start Jeeves by itself, with no window, each time you switch on your Mac and sign in? (y/N):
Jeeves will not start by itself when you switch on your Mac and sign in. Start it yourself with:
python3 start.py

-----
Done. Start it now:

python3 start.py

Your browser opens http://127.0.0.1:4040/ . You should see the orb top left,
Chat on the left, Today in the middle and Across everything on the right.
On a laptop: Chat on the left and a stack of tabs on the right.
Leave the terminal open while you use it; Ctrl+C in it stops Jeeves.
Chat is given 3 tools and no others: open a file, search inside files, find
files by name. Commands, file changes and the internet are switched off until
you set "allow_actions": true in config.json.
Nothing runs on a timer: Claude is only used when you send a message.
```

THE INSTALLER ON A TEST MAC, PRESSING RETURN AT EACH QUESTION. THE HOME FOLDER BELONGS TO A MADE-UP USER CALLED SAM (/USERS/SAM); YOURS WILL BE YOUR OWN. IF ANOTHER PROGRAM IS ALREADY USING 4040, THE INSTALLER SAYS SO AND OFFERS THE NEXT FREE NUMBER INSTEAD. THE PLAYWRIGHT LINE (PLAYWRIGHT IS A FREE ADD-ON THAT DRIVES A WEB BROWSER; THIS GUIDE DOES NOT ASK YOU TO INSTALL IT) ONLY MATTERS IF YOU WANT TO RETAKE THIS GUIDE'S PICTURES

```
outliers-ws-04-jeeves-mac - zsh

outliers-ws-04-jeeves-mac % python3 install.py
=====
OUTLIERS WORKSPACE - PIECE 4 - JEEVES
=====

Found Claude Code 2.1.282 (Claude Code)
Python 3.14.7 - nothing to install with pip.

Where is your second brain (the folder)? [/Users/sam/Second Brain]:
Where is your CRM (the folder)? Leave blank if you do not have one [/Users/sam/CRM]:
Where are your agents? [/Users/sam/.claude/agents]:
Which port should Jeeves use? [4040]:

Optional extras:
  ccusage (shows your 5-hour usage window): not found - needs Node.js, then: npm install -g --prefix
~/local ccusage
  playwright (only needed to retake the guide's pictures): not found

config.json already says exactly this. Nothing changed.
Start Jeeves by itself, with no window, each time you switch on your Mac and sign in? (y/N):
Jeeves will not start by itself when you switch on your Mac and sign in. Start it yourself with:
python3 start.py

-----
Done. Start it now:

python3 start.py

Your browser opens http://127.0.0.1:4040/. You should see the orb top left,
Chat on the left, Today in the middle and Across everything on the right.
On a laptop: Chat on the left and a stack of tabs on the right.
Leave the terminal open while you use it; Ctrl+C in it stops Jeeves.
Chat is given 3 tools and no others: open a file, search inside files, find
files by name. Commands, file changes and the internet are switched off until
you set "allow_actions": true in config.json.
Nothing runs on a timer: Claude is only used when you send a message.
```


RUNNING THE INSTALLER AGAIN WITH THE SAME ANSWERS CHANGES NOTHING

8. Start Jeeves:

```
python3 start.py
```

9. The terminal prints "Jeeves is running at <http://127.0.0.1:4040/> (Ctrl+C to stop)" and your browser opens that address. There is no login. Leave that terminal window open while you use Jeeves. Press Ctrl+C in it, or close it, to stop Jeeves.
10. The first time you send a chat message, Claude Code starts up, which can take several seconds before the first word appears.

When it worked you see the orb top left, Chat on the left, Today in the middle and the Across everything panel (the 1-screen summary) on the right. On a screen narrower than 1,440 pixels (most laptops) Jeeves starts in the Laptop layout instead: Chat on the left, a tall stack of tabs on the right.



WHAT YOU SHOULD SEE THE FIRST TIME ON A LAPTOP: THE LAPTOP LAYOUT, WITH EVERY PANEL STILL THERE AS A TAB

TIP

If you said yes to Jeeves starting by itself, it starts with no window each time you switch on your Mac and sign in. It does not open your browser: go to <http://127.0.0.1:4040/> yourself, and bookmark it. Stop it with `python3 start.py --stop`.

TIP


Changed your mind about Jeeves starting by itself when you switch on your Mac and sign in? `python3 install.py --uninstall` stops Jeeves, switches the LaunchAgent off and removes its file. It leaves your settings and vaults alone. To remove Jeeves completely, then delete the `outliers-ws-04-jeeves-mac` folder as well.

WARNING

Do not change the setting `"permission_mode"` (Claude Code's own rule for when it must ask you first) to `"bypassPermissions"` in `config.json`. Set to `"bypassPermissions"`, Claude never stops to ask. Switch `"allow_actions"` on as well and it can rewrite or delete any note in your vaults, and run any command on your computer, with nobody there to say no, from a browser tab that sits open all day.

Using it day to day

Start of the day. Open Jeeves and read **Across everything**. It shows the top 4 people from your CRM's Today page, the unticked suggestions in your Recommendations file (the note where your agents write ideas for you), how much changed in your second brain, and how much Claude has done today. Click any heading, person or suggestion to open it in its own panel.



ACROSS EVERYTHING: PEOPLE, DECISIONS, NOTES, CLAUDE AND APPS ON 1 SCREEN. EVERY HEADING OPENS ITS PANEL. THE PEOPLE ARE MADE UP

Notes moved means notes changed in the last 3 days. Left unfinished means checkboxes not yet ticked.

Across everything reads the numbered table in `Today.md`: 1 row per person, with a number, a name and a reason, for example the first row of the pictures above: 1, Priya Shah (a made-up name), Replied. The CRM sessions write it with those 3 columns first; if you write your own, keep the number, the name and the reason in that order. If those columns are not there, the panel says so rather than claiming nobody is waiting.

Today. Your CRM's ranked page as it is, then your second brain. If you keep daily notes named by date (for example `Daily/2026-09-23.md`, or the same name in a folder called Daily Notes, Journal, Diary or Calendar), today's note appears. Other folders go in `config.json` under `"daily_note_folders"`. If you do not keep daily notes, you still see what changed and what is left unticked. Each note name shown in gold is a link. To make a fresh Today page, once your CRM has its Today program (part 7 of the CRM sessions), open Terminal, type `cd ~/CRM`, then `python3 _engine/today.py --write` (the CRM's own program that writes `Today.md`).



Jeeves

Ready.

Wednesday 23 September

TODAY

Your CRM's Today.md and your second brain's day

FROM YOUR CRM - BUILT WED 23 SEP 11:47

Today

Built for 08:30. Open this before you open your inbox.

Generated 2026-09-23 from the event log. Do not edit by hand: this page is rewritten from scratch every run.

#	Who	Why they are here	When
1	Priya Shah	Replied	19 hours ago
2	Tom Reyes	Booked a call	2 days ago
3	Hannah Cole	Changed role	3 days ago
4	Leah Grant	Engaged with something you posted	4 days ago
5	Marcus Webb	Quiet, and due a word	23 days ago

Ordered by how fast each reason cools off. A reply ranks first because it cools fastest.

- 1 person left off because you picked that conversation up yourself.
- 2 parked themselves after 30 days of silence. Nobody had to decide to give up on them.

FROM YOUR SECOND BRAIN

Daily/2026-09-23.md

Wednesday 23 September

- 09:30 Call with Hannah Cole (new role, finance lead)
- 11:00 Month-end for Priya Shah Design
- ☐ Reply to Leah about the quarterly figures

Moved in the last 3 days

- Wed 11:47 Recommendations Inbox
- Wed 11:47 2026-09-23 Daily
- Wed 11:47 Stop taking payroll clients Decisions
- Wed 11:47 Marketing Areas
- Wed 11:47 Pricing review Projects


TODAY: THE CRM PAGE, THEN THE DAY IN THE SECOND BRAIN

Chat. Type and press Return (the page calls it Enter). Shift+Return makes a new line. The lines starting with an arrow show which files Claude is reading. While Claude is working, a **Stop** button appears next to Send: press it to end the answer. A message typed while an answer is still coming in is not sent; wait, or press Stop first. A run that goes past 10 minutes is stopped for you (`"chat_timeout_seconds"` in `config.json`). **Suggestions** shows ready-made questions you can click.

The model menu at the top picks which Claude model answers: `best` (`claude-opus-5-5` , the strongest), `deep` (`claude-sonnet-5` , the middle one) or `fast` (`claude-haiku-4-5` , the cheapest). You can change which model each name uses in `config.json` , and your choice is remembered in this browser.

Each one is written out in full rather than as the short word `opus` , `sonnet` or `haiku` . The short words move: on 2026-09-22 Anthropic released Claude Opus 5.5, and from that day `opus` meant the new model. Jeeves would have started using it without telling you, and FleetView (piece 2) would have shown your tokens as "price unknown", because it prices a model by its full name. Written out, the model menu, FleetView's price table and this guide all name the same model. If you would rather always follow the newest model, put `"opus"` back in `config.json` and accept that the name can change under you.

The conversation stays on screen after a reload or a restart, and Claude Code carries on the same conversation, because Jeeves saves the conversation's number on your computer. A grey line says "Carrying on the conversation from" and the time. **New conversation** starts afresh. If you open Jeeves in another browser, Claude Code still carries on the same conversation, but the messages are not on screen there; ask "what were we talking about?" to carry on.



AFTER AN ANSWER: A NOTE LINK TO FOLLOW, WHAT CHAT MAY DO, AND NEW CONVERSATION

What Chat can and cannot do. By default Chat is given 3 tools and no others:

TOOL	WHAT IT DOES
Read	Opens 1 file and reads it
Grep	Searches inside your files for words
Glob	Finds files by name

Everything else Claude Code can normally do is absent: running commands, writing or editing a file, opening a web page, searching the web, booking a job to run later, messaging another agent, and anything else Claude Code adds in a future version. Jeeves also loads none of your add-on servers (MCP servers, which give Claude extra tools such as sending messages), and it writes the 7 tools that act (run commands, change files, reach the internet) into a settings file of its own, `state/read-only-settings.json`, as refused, because Claude Code's own documentation (read 2026-09-22) says a refusal written there also covers a second Claude that the first starts while answering you.


This used to work the other way round, and it left 25 tools available. Jeeves named 7 tools to block. Measured on Ashley's own PC, not a Mac, on 2026-09-22 against Claude Code 2.1.280, that left **25** tools still available, including ones that book a run for later, raise a notification, start a second Claude running in the background and message another agent. A list of tools to block has to be edited every time Claude Code adds a new tool. A list of what is allowed never changes.

Checked live on Ashley's own PC, not a Mac, on 2026-09-22, against the real Claude Code, in a folder with 1 note in it:

ASKED	WHAT HAPPENED
What tools do you have?	Chat answered: exactly 3, Glob, Grep, Read
"Create a file called proof.txt, and run echo hello "	"I did neither of them... I have no tool that creates or writes a file... no tool that runs commands." No file appeared
"Read Pricing review.md and tell me what the package costs"	"The Books-only package costs £180 a month", read from the note


To let Chat act, see "5. Let it edit notes, on your terms" under "Fit it to your own AI system".

Vaults. Pick Second brain or CRM and type to filter by note name. Press Return to search inside every note in both vaults. A link between notes (a name in double square brackets) anywhere opens the note in whichever vault has it, and the tab switches to match; if no vault has it, the panel says so and offers to search.



VAULTS: A NOTE FROM THE MADE-UP SECOND BRAIN, TABLE AND CHECKBOXES INCLUDED. (TOP LEVEL) LISTS NOTES NOT IN ANY FOLDER, SUCH AS CLAUDE, YOUR INSTRUCTION FILE

Agents. Click a description to read it in full. **Ask in chat** starts a message with "Use the (name) agent to", so you only type what you want done.



AGENTS FROM ALL 3 PLACES THEY CAN BE KEPT: YOUR OWN AGENTS FOLDER (USED IN EVERY PROJECT, SHOWN AS "ALL PROJECTS"), YOUR SECOND BRAIN'S AND YOUR CRM'S. THE GREY TAG ON EACH CARD IS THE MODEL THAT AGENT'S OWN FILE ASKS FOR, WRITTEN THE WAY ITS AUTHOR WROTE IT: **opus** MEANS CLAUDE OPUS, **sonnet** MEANS CLAUDE SONNET. JEEVES DOES NOT CHANGE WHAT IS IN YOUR AGENT FILES

Activity and Tokens. Activity lists your Claude Code conversations from the last 7 days. Tokens shows today's total. Most tokens are Claude re-reading the conversation so far; the Tokens panel calls that "Conversation re-read". They count towards the usage limits of your Claude plan but are the cheapest kind. The reading panels re-read your files once a minute while the Jeeves browser tab is on screen; that costs 0 tokens.



Jeeves

Ready.

Wednesday 23 September

ACTIVITY

Recent Claude Code conversations, from its own log files

5 conversations in the last 7 days · newest first

WHEN	FOLDER	WHAT IT WAS	TURNS	TOKENS
Wed 23 Sep 11:33	Second Brain	Draft the letter about new packages opus · 16 min	5	148.7k
Wed 23 Sep 10:25	Second Brain	Who should I call today opus · 8 min	3	77.1k
Wed 23 Sep 09:11	CRM	Clean up duplicate people in the CRM sonnet · 24 min	7	236.6k
Wed 23 Sep 05:21	Second Brain	Summarise the call with Tom haiku · 4 min	2	47.3k
Tue 22 Sep 09:59	CRM	Why is Marcus on the list sonnet · 12 min	4	110.9k

ACTIVITY: EVERY CLAUDE CODE CONVERSATION FROM THE LAST 7 DAYS, THE FOLDER IT RAN IN, WHAT IT WAS ABOUT, WHICH MODEL ANSWERED, HOW MANY TIMES YOU AND CLAUDE TOOK IT IN TURNS, AND HOW MANY TOKENS IT SPENT. K MEANS THOUSAND: 148.7K IS 148,700 TOKENS



Jeeves

Ready.

Wednesday 23 September

TOKENS

Tokens used today, read from Claude Code's log files

TODAY · WEDNESDAY 23 SEPTEMBER

509.7k

tokens across 4 conversations

Conversation re-read (cache read)	446.0k
Saved for the next re-read (cache write)	51.0k
Written by Claude (output)	11.9k
New input	715

BY MODEL, TODAY

sonnet	236.6k
opus	225.8k
haiku	47.3k

LAST 5 HOURS

All tokens	462.3k
------------	--------

HOW MUCH OF YOUR CLAUDE PLAN'S 5-HOUR ALLOWANCE IS LEFT (NEEDS THE FREE CCUSAGE PROGRAM)


switched off in config.json

Most tokens are Claude re-reading the conversation so far, listed above as "Conversation re-read". They count towards the usage limits of your Claude plan but are the cheapest kind.

TOKENS: TODAY, BY KIND AND BY MODEL. K MEANS THOUSAND: 509.7K IS 509,700 TOKENS. SONNET, OPUS AND HAIKU ARE THE SHORT NAMES CLAUDE CODE WRITES IN ITS OWN LOG FILES: CLAUDE OPUS IS THE STRONGEST MODEL, SONNET THE MIDDLE ONE, HAIKU THE CHEAPEST. THE LAST BOX SHOWS HOW MUCH OF YOUR CLAUDE PLAN'S 5-HOUR ALLOWANCE IS LEFT, WHICH NEEDS THE OPTIONAL CCUSAGE PROGRAM: HERE IT IS SWITCHED OFF

The Tokens panel's 4 kinds: **Conversation re-read** (cache read) is Claude re-reading the conversation so far, the cheapest kind. **Saved for the next re-read** (cache write) is Claude storing the conversation so it can re-read it cheaply next time. **Written by Claude** is its answers. **New input** is what you typed.


Recommendations. Keep 1 file, `Inbox/Recommendations.md`, in your second brain. Ask your agents to add a line there instead of interrupting you. You decide in your own time.



RECOMMENDATIONS: A PLAIN TEXT NOTE (A .MD FILE) IN YOUR SECOND BRAIN THAT YOUR AGENTS WRITE TO


Work board and FleetView. If ProjectForge or FleetView is running, it appears inside the panel, with an "open in its own tab" link. If not, the panel says so and gives you the link.

On a Mac, that download link goes to the Mac version: `outliers-ws-03-projectforge-mac` or `outliers-ws-02-fleetview-mac`, pieces 3 and 2 of this set. If you installed Jeeves on this Mac before 2026-09-25, your settings keep the links it wrote then, to the versions made for PCs. Those run on a Mac too, but their guides print PC commands: download pieces 2 and 3 of this set instead.




THE WORK BOARD PANEL ON A TEST MAC WHEN PROJECTFORGE IS NOT RUNNING: IT SAYS SO, SHOWS THE ADDRESS IT CHECKED (<http://127.0.0.1:3020>, PROJECTFORGE'S USUAL ADDRESS) AND GIVES THE DOWNLOAD LINK, WHICH ON A MAC IS THE MAC VERSION

Moving panels. Drag a tab by its title to another edge or into another group. The square button on each panel opens it in its own window. That window's address ends in `?only=` and the panel name (for example `http://127.0.0.1:4040/?only=today`), so you can bookmark 1 panel on its own. + **Panel** brings back anything you closed (open panels are marked "(open)", and each has its own pop-out button). **Reset layout** puts everything back. Close every panel and the page says so, with a button for each panel.




IF YOU CLOSE EVERY PANEL, THE PAGE SAYS SO AND OFFERS EACH PANEL BACK

Layouts and full screen. Layouts offers 4 arrangements, each with all 10 panels: Big screen, Laptop, Chat focus and Morning review. "Save this layout as" keeps your own arrangement under a name. To make 1 group fill the page, double-click its tab or press the diagonal double-arrow button at the right end of its tab row; press Esc to put it back.




THE LAYOUTS MENU



TODAY, MADE TO FILL THE PAGE BY DOUBLE-CLICKING ITS TAB. ESC PUTS IT BACK

Stopping it. Press Ctrl+C in the Terminal window where you typed `python3 start.py`. If it started another way (by itself when you switched on your Mac and signed in), open Terminal (it opens in your home folder), type `cd outliers-ws-04-jeeves-mac`, then `python3 start.py --stop`. It checks that the program on that port really is Jeeves before stopping it, so it never stops anything else.

A terminal window titled 'outliers-ws-04-jeeves-mac - zsh' with a dark background. It shows the execution of 'python3 start.py' which reports that Jeeves is already running at http://127.0.0.1:4040/ (process 19166). It then shows 'python3 start.py --stop' which successfully stops Jeeves on port 4040 (process 19166).

```
outliers-ws-04-jeeves-mac % python3 start.py
Jeeves is already running at http://127.0.0.1:4040/ (process 19166). Not starting
a second copy.
To stop it: python3 start.py --stop
outliers-ws-04-jeeves-mac % python3 start.py --stop
Stopped Jeeves on port 4040 (process 19166).
```

STARTING JEEVES WHEN IT IS ALREADY RUNNING, ON A TEST MAC. THE NUMBER IS THE ID YOUR MAC GIVES THE RUNNING JEEVES; YOU DO NOT NEED IT

PIECE 4 • JEEVES

Fit it to your own AI system

The safe way. Make a second copy of Jeeves and change that, so the Jeeves you use every day keeps working while you experiment. Open a new terminal (it opens in your home folder) and type these 4 lines:

```
cd outliers-ws-04-jeeves-mac
python3 install.py --copy ../jeeves-trial
cd ../jeeves-trial
python3 start.py
```

The second line makes a folder called `jeeves-trial` next to `outliers-ws-04-jeeves-mac`, with your settings and a port of its own: 1 above your everyday Jeeves's port (4041 if yours is 4040), or the next number nothing else is using. It prints the copy's address, for example <http://127.0.0.1:4041/>, and your everyday Jeeves stays at <http://127.0.0.1:4040/>. The copy reads the same 2 note folders as your everyday Jeeves, starts a fresh chat conversation, and leaves alone the LaunchAgent that starts your everyday Jeeves when you switch on your Mac and sign in. Do not copy the folder by hand instead: a copy made by hand keeps 4040 and the everyday Jeeves's record of which program is running, so it will not start while your everyday Jeeves runs, and `python3 start.py --stop` typed in it stops your everyday Jeeves.

Before your first change, check the copy. Once, first, make a private Python folder for the checks and put `pytest` (a Python checking program) in it. Type these 2 lines:

```
python3 -m venv ~/outliers-checks
source ~/outliers-checks/bin/activate && python -m pip install pytest
```

`python3 -m venv` makes a private Python folder called `outliers-checks` in your home folder, and the second line installs `pytest` into it. It works whichever Python your Terminal uses. Then, in the `jeeves-trial` folder, type:

```
source ~/outliers-checks/bin/activate && python -m pytest -q
```

It says `64 passed, 13 skipped`. 4 of the skipped checks look at files a Mac does not use. The other 9 open the page in a real web browser and need Playwright, a free add-on this guide does not ask you to install. Skipped is fine: it does not mean anything is broken. Run the same line after every change. If it says `failed` anywhere, the change broke something: put it back before you go on.

Read "Every command and setting" near the end of this guide before you ask Claude Code for a change, because much of what you want is already a setting in `config.json`.

2 settings can cost you notes. The most dangerous change in this guide is `"bypassPermissions"` for `"permission_mode"` in `config.json`: Claude would run any command with nobody asked, as the warning in "Install it" explains. Never use it. Idea 5 below sets `"permission_mode"` to `"acceptEdits"`, which lets Claude change notes without asking you, which is why idea 5 also adds a rule to your `CLAUDE.md` saying which folders Claude may write in.

Ashley's own Jeeves went a long way past what you have here. It had 8 colour themes, including a light theme for daytime. It had real command panels running inside the page, so he could watch a build without leaving it. It had a command menu opened from the keyboard, panels popped out across 3 monitors, and a phone version he installed on his Samsung and reached over a private network of his own. When a redesign came back calmer and simpler, with 1 orb and 4 cards, he rejected it in 1 line: "Jeeves is a FULL UI - that's the point."

Each of these is a change you can ask your own Claude Code to make. Open Terminal (it opens in your home folder), type `cd jeeves-trial`, then `claude`, and paste the prompt. Afterwards, in the same folder, run the automatic checks with `source ~/outliers-checks/bin/activate && python -m pytest -q` (the counts are in "The safe way" above; a change that adds a check adds 1 to passed, and any `failed` means put the change back). Then restart the copy: Ctrl+C in the Terminal window where it runs, then `python3 start.py`.

The prompts use programmer words so Claude knows exactly which files to change. You do not need to understand them.

Where each change goes

You ask your own Claude Code for the change; this is the file it will open.

CONFIG.JSON The assistant's name, the 2 lines of lettering around the circle of light, which Claude models to use, what Chat may do, your folders and your other apps' addresses. No code.	JEEVES/STATIC/APP.JS A new panel, buttons, the chat panel, the Layouts menu.	JEEVES/SERVER.PY The code that fetches whatever a new panel shows, for example the drafts from your content engine.
YOUR SECOND BRAIN'S CLAUDE.MD How Claude behaves when it answers from Jeeves: where it may write, how it replies.	TESTS/ A check for every change, on made-up data, so it cannot break quietly.	NOTHING IN YOUR OWN NOTE FOLDERS Jeeves reads them. Changes to your notes come from Claude (if allowed) or your agents.

WHICH FILE EACH KIND OF CHANGE GOES IN

1. A content-engine panel. Shows the newest batch of post drafts from your content engine (the content-writing setup from an earlier session; each batch is a folder the prompt calls a "wave"), if you have one.

Add a panel to Jeeves called "Drafts". Read-only. It lists the markdown files in the newest folder under briefs/ in my content engine at <path to outliers-content-engine>, from each wave's drafts/ folder, with the first line of each draft. Add the path to config.json as "content_engine". Add a GET route in jeeves/server.py, a render function in jeeves/static/app.js, and a test in tests/ against a made-up folder. Run the tests.

2. A "who to call" panel with a button per person. Put the name of the agent that writes your follow-ups where the prompt says so.

Add a panel called "Who to call" that reads the table in my CRM's Today.md and shows each person as a card. Each card gets a button "Draft a follow-up" that puts "Use the <your follow-up agent's name> agent to draft a follow-up to <name>, using their CRM note" into the chat box without sending it. Keep it read-only. Add a test.

3. Your agents as buttons. Turn the 3 agents you use most into 1-click buttons in the top bar.

In Jeeves, add a row of buttons to the top bar for the agents listed in a new config.json key "agent_buttons" (a list of names). Each button fills the chat box with "Use the <name> agent to " and focuses it. Nothing is sent until I press Return.

4. Your own ready-made layouts. The Layouts menu already saves layouts in your browser. To ship your own to every browser (LAYOUTS is the list of ready-made layouts inside app.js):

In jeeves/static/app.js, add a layout called "Client prep" to LAYOUTS: Today and Vaults side by side on top, Chat below them, every other panel as tabs next to Vaults. Every layout must keep all 10 panels. Add it to the test in tests/test_ui.py.

5. Let it edit notes, on your terms. 2 settings, then a rule in your rulebook. "allow_actions": true takes the 3-tool limit off and gives Chat every tool Claude Code has. "acceptEdits" lets Claude edit files without asking you.

In config.json set "allow_actions" to true and "permission_mode" to "acceptEdits". Then add a rule to my second brain's CLAUDE.md: "When working from Jeeves, only create or edit files in Inbox/ and Daily/. Ask me before touching anything else."

With "allow_actions": true Claude can use every tool your own Claude Code settings allow, including commands and the internet. With "acceptEdits" Claude may change files without asking, but anything else that would need your yes, running a command for example, is still refused, because nobody is sitting there to approve it.

6. A voice panel. Uses the speaking voices built into your web browser: no cloning, no extra program.

Add a "Speak replies" switch to the Jeeves chat panel. When it is on, read each finished reply aloud with the browser's built-in speechSynthesis, and set the orb to "speaking" while it talks. Add a microphone button that uses the browser's speech recognition if the browser has it, and hides itself if it does not.

7. **Recommendations written by your agents.** Give every agent 1 place to put suggestions.

```
In my second brain, add a rule to CLAUDE.md: "Any agent that has a suggestion for me
appends a line to Inbox/Recommendations.md in this form:
- [ ] **<the suggestion>** - <why, with a number> (from <agent name>, <date>)
It never acts on the suggestion itself."
```

8. **Only run when there is work.** If you ever add a scheduled job, make it check first. The last line of the prompt says how your Mac starts it.

```
I want a morning job that asks Jeeves's chat to summarise my day. Before it starts
Claude, it must check with plain Python whether anything changed since yesterday
(new lines in Today.md, new notes). If nothing changed, it exits without starting Claude.
Start it from a LaunchAgent in ~/Library/LaunchAgents at 08:00 each morning.
```

9. **Change the orb's words and the name.**

```
In config.json set "name" to "<your assistant's name>" and add an "orb" setting with
"inner" and "outer": 2 short lines of my choosing. Restart Jeeves and check the runes
changed.
```

PIECE 4 • JEEVES

Every command and setting

What is in the folder, and what Jeeves writes

Everything Jeeves writes stays inside its own folder, except the LaunchAgent (the file that starts Jeeves when you switch on your Mac and sign in), if you said yes to it. It never writes to your vaults.

YOU RUN THESE

```
install.py asks 5 questions and writes the settings
install.py --copy makes a copy to experiment on
start.py starts, stops, or says it is already running
```

WRITTEN BY THE INSTALLER

```
config.json : every setting
config.json.bak-<date> : your old settings, when an
answer changes
```

WRITTEN WHILE IT RUNS

```
state/chat-sessions.json : the conversation number
state/jeeves.pid : the ID of the running Jeeves, and
its port
state/read-only-settings.json : the 7 tools that act,
written down as refused, so a second Claude cannot
use them either
```

ONLY IF YOU SAID YES TO STARTING BY ITSELF

```
ai.outliers.jeeves.plist in
~/Library/LaunchAgents : the LaunchAgent, the file
that starts Jeeves when you switch on your Mac and
sign in
Removed by python3 install.py --uninstall
```

THE PROGRAM

```
jeeves/ : the server and the page
tests/ : 77 checks on made-up data (on a Mac 13
are skipped)
tools/demo.py : a made-up world to try first
```

TO READ

```
README.md , this guide in guide/
WHAT-I-STOLE.md : what it was built from, and the
licences
config.example.json : every setting with an example
```

WHAT IS IN THE FOLDER, WHAT YOU RUN, AND WHAT JEEVES WRITES

COMMANDS

COMMAND	WHAT IT DOES
<code>python3 install.py</code>	Asks 4 questions about folders and the port, and 1 about starting by itself, then writes <code>config.json</code> . Safe to run again.
<code>python3 install.py --port 4041</code>	The same, with a different port.
<code>python3 install.py --vault <folder> --crm <folder> --agents <folder></code>	Gives the answers up front instead of asking.
<code>python3 install.py --launcher --yes</code>	Also makes Jeeves start by itself, with no window, each time you switch on your Mac and sign in (a LaunchAgent), and asks nothing else.
<code>python3 install.py --copy ../jeeves-trial</code>	Makes a second copy to experiment on, next to this folder, with its own port. See "The safe way".
<code>python3 install.py --yes</code>	Accepts every answer it found, asks nothing.
<code>python3 install.py --uninstall</code>	Stops Jeeves, switches off the LaunchAgent that starts it by itself when you switch on your Mac and sign in, and removes its file. Leaves settings and vaults alone. In a copy, it leaves the everyday Jeeves's LaunchAgent alone.
<code>python3 start.py</code>	Starts Jeeves and opens your browser. Ctrl+C stops it.
<code>python3 start.py --no-open</code>	Starts without opening a browser (the LaunchAgent uses this).
<code>python3 start.py --port 4041</code>	Starts on another port this time only.
<code>python3 start.py --config <file></code>	Uses another settings file (the practice version, <code>tools/demo.py</code> , uses this).
<code>python3 start.py --stop</code>	Stops a Jeeves that is running, however it was started.

COMMAND	WHAT IT DOES
<code>python3 tools/demo.py ../jeeves-demo --serve --port 4099</code>	A made-up practice world to try first. 0 tokens.
<code>launchctl list grep outliers</code>	Lists what your Mac started from a LaunchAgent. <code>ai.outliers.jeeves</code> is Jeeves.
<code>source ~/outliers-checks/bin/activate && python -m pytest -q</code>	Runs the automatic checks, on made-up data: 64 passed, 13 skipped on a Mac. They never touch your real files. Needs the private Python folder with pytest once: see "The safe way".

SETTINGS IN config.json

`config.example.json` in the folder shows every setting with an example. After changing one, stop Jeeves and start it again.

SETTING	WHAT IT DOES	DEFAULT
<code>name</code>	The name at the top and in the chat.	"Jeeves"
<code>port</code>	The number in the address.	4040
<code>second_brain</code>	Your second-brain folder. Chat works inside it.	asked by the installer
<code>crm_vault</code>	Your CRM folder. Blank if you have none.	asked by the installer
<code>agents_dirs</code>	Extra folders of agents. The <code>.claude/agents</code> folders in your user folder (<code>~/ .claude/agents</code>) and in each vault are always read.	asked by the installer
<code>models</code>	Which Claude model <code>best</code> , <code>deep</code> and <code>fast</code> use. Write the name in full so it cannot change under you.	<code>claude-opus-5-5</code> , <code>claude-sonnet-5</code> , <code>claude-haiku-4-5</code>
<code>default_model</code>	The model picked when you first open Jeeves.	"best"
<code>allow_actions</code>	<code>false</code> : Chat is given 3 reading tools and no others. <code>true</code> : Chat gets every tool Claude Code has.	<code>false</code>
<code>permission_mode</code>	Claude Code's own rule for when it must ask you first. <code>"dontAsk"</code> : Claude never stops to ask you; anything that would need your yes is refused instead.	"dontAsk"
<code>chat_timeout_seconds</code>	How long an answer may run, in seconds, before Jeeves stops it.	600 (10 minutes)
<code>claude_command</code>	How to start Claude Code. If <code>claude --version</code> works but Jeeves cannot find it, put its full path here, for example <code>"/Users/<you>/ .local/bin/claude"</code> .	"claude"

SETTING	WHAT IT DOES	DEFAULT
<code>claude_home</code>	Where Claude Code keeps its log files, if not the usual <code>.claude</code> folder in your user folder.	blank
<code>inbox_file</code>	The Recommendations file. If blank, Jeeves looks for <code>Inbox/Recommendations.md</code> , then <code>Recommendations.md</code> , <code>Areas/Recommendations.md</code> , <code>AI/Recommendations.md</code> and <code>Inbox.md</code> .	blank
<code>daily_note_folders</code>	Where daily notes are looked for.	<code>Daily</code> , <code>Daily Notes</code> , <code>Journal</code> , <code>Diary</code> , <code>Calendar</code>
<code>apps</code>	The addresses of ProjectForge and FleetView, and their download links.	ports 3020 and 3010
<code>ccusage</code>	<code>"off"</code> hides the figure for how much of your Claude plan's 5-hour allowance is used.	<code>"auto"</code>
<code>orb</code>	2 lines of text for the rune-style rings, as <code>"inner"</code> and <code>"outer"</code> . The installer does not write it; add it yourself.	built in

FILES IT WRITES

FILE	WHEN
<code>config.json</code>	Every install that changes an answer.
<code>config.json.bak-<date></code>	Your old settings, when an answer changed.
<code>ai.outliers.jeeves.plist</code> in <code>~/Library/LaunchAgents</code>	Only if you said yes to Jeeves starting by itself when you switch on your Mac and sign in.
<code>state/chat-sessions.json</code>	The reference number Claude Code gives a conversation, so Chat can carry the same one on after you restart.
<code>state/jeeves.pid</code>	The process number (the ID your Mac gives the running Jeeves program) and its port, so <code>--stop</code> finds it.
<code>state/read-only-settings.json</code>	The 7 tools that act (run commands, change files, reach the internet), written down as refused. Chat's own 3-tool limit is given on the command line; this file is what a second Claude that Chat starts to help with your question has to obey too.

`README.md` repeats the short version of this guide. `WHAT-I-STOLE.md` (our name for the list of free projects Jeeves borrows from, with each licence) names what Jeeves was built from. `LICENSE` is the MIT licence for our code; Dockview (the free add-on that makes the panels movable) keeps its own licence in `jeeves/static/vendor/dockview/`.

When it goes wrong

WHAT YOU SEE	WHY	WHAT TO DO
"Jeeves is already running" when you start it	It is: perhaps it started by itself when you switched on your Mac and signed in.	Open http://127.0.0.1:4040/ . To restart it: <code>python3 start.py --stop</code> , then <code>python3 start.py</code> .
"Claude Code is not logged in", or "No conversation found"	Claude Code needs a login, or the conversation Jeeves was carrying on has been deleted from Claude Code's logs.	Type <code>claude</code> in a terminal and log in. Then press Try again under the message.
Chat says Claude Code was not found	Jeeves looks for the <code>claude</code> program on your PATH (the list of folders Terminal searches for programs) and in <code>~/local/bin</code> , and found it in neither, or Jeeves was started from a Terminal window that was open before you installed it.	Close every Terminal window, open a new one, check <code>claude --version</code> , then restart Jeeves. If it still cannot find it, put the full path in <code>config.json</code> as <code>"claude_command"</code> .
Chat says it cannot run a command, edit a file or look online	By design: Chat is read-only unless you allow more.	See "5. Let it edit notes, on your terms" above.
"Still answering your last message"	You sent a message while the last answer was coming in.	Wait, or press Stop, then send again.
Answers feel weak	The model menu is on <code>fast</code> , the smallest model. Ashley's first Jeeves had this problem when its default was set to the smallest model.	Pick <code>best</code> in the model menu.
A panel is empty	The file it reads is missing. (In Ashley's first Jeeves a panel stayed empty when it was filled before it appeared on screen. This rebuild waits for each panel, so an empty panel now means its file is missing.)	Press the refresh arrow on the panel. Read the message in it: it says which file it looked for.
"Nobody is waiting on you" but your CRM has people	<code>Today.md</code> is not in the numbered shape (number, name, reason).	Once your CRM has its Today program (part 7 of the CRM sessions), rebuild it: open Terminal, type <code>cd ~/CRM</code> , then <code>python3 _engine/today.py --write</code> .

WHAT YOU SEE	WHY	WHAT TO DO
Work board or FleetView says "not running"	Jeeves only looks. It never starts another app, because in Ashley's first Jeeves, starting another app itself left 2 copies of that app competing for the same port.	Start ProjectForge or FleetView yourself, then press the refresh arrow.
An embedded app is blank	An app can refuse to be shown inside another page.	Use the "open in its own tab" link in the panel's top line.
Token totals looked doubled	Claude Code writes the same reply more than once in its logs.	Fixed: each reply is counted once. If your numbers still differ from ccusage's, trust ccusage.
"Could not listen on port 4040"	Another program is using the port.	The message names a port that is free right now: run the line it prints, for example <code>python3 start.py --port 4041</code> . To keep the new port, run <code>python3 install.py --port 4041</code> .
"config.json could not be read", with a line number	You edited <code>config.json</code> and left a mistake in it the computer cannot read past: usually a comma after the last setting, or a missing bracket or quotation mark.	Open the file, look at the line the message names, and correct it. Or run <code>python3 install.py</code> to write a fresh one; your vault folders are asked for again, nothing else is lost.
"Your second brain folder is not there"	The folder named in <code>config.json</code> does not exist: a typo, a renamed folder, or a drive that is not plugged in.	Check <code>"second_brain"</code> in <code>config.json</code> , or plug the drive back in, then refresh the page. The same message appears for <code>"crm_vault"</code> .
"macOS refused access to" and a folder	macOS stopped Jeeves reading that folder. It can happen to a folder in Documents when Jeeves started by itself after you switched on your Mac and signed in; the test Macs never showed it.	Move the folder into your home folder, keeping its name: for example <code>~/Documents/Second Brain</code> becomes <code>~/Second Brain</code> . The message names the new place. Then run <code>python3 install.py</code> again and type that place when it asks.
It will not start at all	A file Jeeves needs is missing, or a setting in <code>config.json</code> is wrong. This rebuild needs nothing outside its own folder except your vaults.	Run <code>python3 install.py</code> again: it checks everything and says what is missing.

What 4 of these look like on screen: a failed chat message, a brand-new setup with empty panels, Chat with no Claude Code installed, and a folder that is not there.



Jeeves
 Last reply failed. Details are in the chat.

CHAT

Answered by your own Claude Code, in your second brain...

Suggestions

New conversation

Jeeves

It is given 3 tools and no others: open a file, search inside files, find files by name.
 Running commands, changing files and the internet are switched off until you set "allow_actions": true in config.json.

+ Read: Today.nd

Three people are worth your morning, in this order:

- Priya Shah** (Priya Shah Design) replied yesterday asking about month-end help. A reply goes off fastest, so she comes first.
- Tom Reyes** booked a call for Thursday. Read **Tom Reyes** before then; he mentioned VAT twice last time.
- Hannah Cole** changed role to finance lead at a 12-person agency.

 In your second brain, *Pricing review* is still open with 2 unticked items. I read *Today.nd* in your CRM and your note *Pricing review*.

Draft a note to every client about the new prices

+ Read: Today.nd

Three people are worth your morning, in this order:

- **Priya

 Stopped. The part above is what Claude had written.

What needs me today?

1

Claude Code is not logged in. Open a terminal, type `claude`, log in, then press `Try again`.

▼ Details

Not logged in - Please run /login

Try again

2

Ask Jeeves... (Enter to send, Shift+Enter for a new line)

Send

TODAY

RECOMMENDATIONS

Your CRM's *Today.nd* and your second brain's day

FROM YOUR CRM - BUILT WED 23 SEP 11:47

Today

Built for 08:30. Open this before you open your inbox.
 Generated 2026-09-23 from the event log. Do not edit by hand: this page is rewritten from scratch every run.

#	Who	Why they are here	When
1	Priya Shah	Replied	19 hours ago
2	Tom Reyes	Booked a call	2 days ago
3	Hannah Cole	Changed role	3 days ago
4	Leah Grant	Engaged with something you posted	4 days ago
5	Marcus Webb	Quiet, and due a word	23 days ago

Ordered by how fast each reason cools off. A reply ranks first because it cools fastest.

VAULTS

AGENTS

WORK BOARD

FLEETVIEW

Read-only. Type to filter names - Enter searches inside notes

Second brain

CRM

Filter names...

Pick a note on the left.

AREAS

Marketing

 (TOP LEVEL)

CLAUDE

 DAILY

2026-09-23

 DECISIONS

Stop taking payroll clients

 IDEAS

Month-end checklist as a lead...

 INBOX

Recommendations

ACROSS EVERYTHING

What is moving, everywhere. Click a heading to open its panel.

PEOPLE TO SPEAK TO

- Priya Shah - Replied
- Tom Reyes - Booked a call
- Hannah Cole - Changed role
- Leah Grant - Engaged with something you posted

and 1 more in Today >

WAITING FOR YOUR DECISION

- Raise the Books-only package to £195** - 4 of 6 clients are over their hours (from the pricing agent, today)
- Turn the month-end checklist into a post** - 3 clients asked for it this month
- Chase 2 unpaid invoices** - both over 30 days (from the invoice chaser)

YOUR SECOND BRAIN

Notes moved (3 days) 8

Left unfinished 8

 Daily note today yes

CLAUDE TODAY

Conversations 4

Tokens 509.7k

 Agents you have 5

Latest: Draft the letter about new

TOKENS

ACTIVITY

Tokens used today, read from Claude Code's log files

TODAY - WEDNESDAY 23 SEPTEMBER

509.7k

tokens across 4 conversations

Conversation re-read (cache read) 446.0k

Saved for the next re-read (cache write) 51.0k

Written by Claude (output) 11.9k

New input 715

BY MODEL, TODAY

sonnet 236.6k

opus 225.8k

 haiku 47.3k

1

What went wrong, in plain words. Details shows Claude Code's own message. /login means: type `claude` in a terminal, then type `/login`.

2

Try again sends the same message once you have fixed it.

A FAILED MESSAGE SAYS WHAT WENT WRONG IN PLAIN WORDS, WITH TRY AGAIN



Jeeves
 Ready.

Friday, September 25
 Model
 best · claude-opus-5-5
 Layouts
 + Panel
 Reset layout

CHAT

Answered by your own Claude Code, in your second bra...
 New conversation



Jeeves
 It is given 3 tools and no others: open a file, search inside files, find files by name. Running commands, changing files and the internet are switched off until you set "allow_actions": true in config.json.

What needs me today?
 Who in my CRM should I speak to first, and why?
 Summarise what moved in my second brain this week
 Which of my agents should I use to write a follow-up?

TODAY
 RECOMMENDATIONS

Your CRM's Today.md and your second brain's day

FROM YOUR CRM
 No Today.md yet. Your CRM gets its Today list in part 7 of the CRM sessions, which adds the program that writes it.

FROM YOUR SECOND BRAIN
 Moved in the last 3 days

- Fri 16:34 **CLAUDE**

ACROSS EVERYTHING

What is moving, everywhere. Click a heading to open its panel.

PEOPLE TO SPEAK TO
 No Today.md yet. Your CRM gets its Today list in part 7 of the CRM sessions, which adds the program that writes it.

WAITING FOR YOUR DECISION
 No Recommendations file yet. Create Inbox/Recommendations.md in your second brain.

YOUR SECOND BRAIN

Notes moved (3 days)	1
Left unfinished	0
Daily note today	no

CLAUDE TODAY

Tokens used today, read from Claude Code's log files	0
--	---

VAULTS
 AGENTS
 WORK BOARD
 FLEETVIEW

Read-only. Type to filter names · Enter searches inside notes

Second brain
 CRM

Filter names...

(TOP LEVEL)
CLAUDE

Pick a note on the left.

TOKENS
 ACTIVITY


Tokens used today, read from Claude Code's log files

TODAY · FRIDAY 25 SEPTEMBER
 0
 tokens across 0 conversations
 Conversation re-read (cache read)
 0
 Saved for the next re-read (cache write)
 0
 Written by Claude (output)
 0
 New input
 0


LAST 5 HOURS
 All tokens
 0

Ask Jeeves... (Enter to send, Shift+Enter for a new line)
 Send

A BRAND-NEW SETUP ON A TEST MAC: EACH EMPTY PANEL SAYS WHAT IS MISSING AND HOW TO FIX IT.. A CRM FROM THE FIRST CRM SESSION HAS NO TODAY LIST YET: THE TODAY PANEL SAYS IT COMES IN PART 7 OF THE CRM SESSIONS. UNTIL THEN TODAY STAYS EMPTY AND NOTHING IS BROKEN



CHAT WITH NO CLAUDE CODE INSTALLED: THE ADDRESS IS A LINK, THE TEXT BOX SAYS IT IS SWITCHED OFF, AND THE SUGGESTED QUESTIONS ARE PUT AWAY



A SECOND BRAIN FOLDER THAT IS NOT THERE, ON A TEST MAC. TODAY, ACROSS EVERYTHING AND VAULTS ALL SAY SO, AND ALL NAME THE SAME FOLDER. BEFORE 2026-09-23 THE FIRST 2 SAID "NOTHING HAS MOVED AND NOTHING IS LEFT OPEN", WHICH READ AS A QUIET WEEK

NOTE

Jeeves never writes to your vaults. If a note changed, something else changed it: Claude through Chat (only if you set "allow_actions" to true), or one of your agents.


PIECE 4 • JEEVES

Download

<https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves-mac>

```
git clone https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves-mac
cd outliers-ws-04-jeeves-mac
python3 install.py
python3 start.py
```

Type the 4 lines 1 at a time in Terminal. When Jeeves is running, the last one prints "Jeeves is running at <http://127.0.0.1:4040/> (Ctrl+C to stop)".



THE ORB: JEEVES DRAWS IT ON THE PAGE ITSELF, SO THERE ARE NO PICTURE FILES TO DOWNLOAD

PIECE 4 • JEEVES

What was run on a Mac

A **test Mac**, here, is one of the Macs GitHub rents out by the minute to run a script: not a Mac a person uses, and not yours.

On 2026-09-25 a script downloaded this repo afresh on 7 test Macs and ran each line this guide prints that a test Mac can run, in the guide's order, exactly as printed; the lines it could not run are marked below. After a `cd` line, the lines that follow ran in that folder, as they do for you. The lines were run by the script, not typed by a person.

The 7: 3 set up like a new Mac, with Python from python.org, Node.js from nodejs.org, and nothing else we added (GitHub's Macs already have Apple's developer tools, which include git) (macOS 15.7.9 on Apple Silicon, macOS 15.7.9 on Intel, macOS 26.6.2 on Apple Silicon); and 2 that also have Homebrew, an add-on installer many Mac owners use, each tried twice, once with Homebrew installed before Python and once after (macOS 15.7.9 on Apple Silicon and macOS 15.7.9 on Intel).

EACH LINE, THEN WHAT HAPPENED TO IT

```
python3 -c "import sys; print(sys.prefix)"
```

worked on all 7 test Macs

```
node --version
```

worked on all 7 test Macs

```
echo 'export PATH="$HOME/.local/bin:$PATH"' >> ~/.zshrc
```

worked on all 7 test Macs

```
claude --version
```

worked on all 7 test Macs

```
python3 --version
```

worked on all 7 test Macs

```
git --version
```

worked on all 7 test Macs

```
npm install -g --prefix ~/.local ccusage
```

worked on all 7 test Macs

```
ccusage --version
```

worked on all 7 test Macs

```
npm install -g ccusage
```

not run in this test: the guide prints it only to say a Mac refuses it; it was left out of this test, and a separate test-Mac run on 2026-09-25 (<https://github.com/OUTLIERS-ai/outliers-mac-test/actions/runs/36154211225>) got "EACCES: permission denied"

```
git clone https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves-mac
```

worked on all 7 test Macs

```
cd outliers-ws-04-jeeves-mac
```

worked on all 7 test Macs

```
python3 install.py
```

worked on all 7 test Macs

```
python3 start.py
```

worked on all 7 test Macs

```
python3 start.py --stop
```

worked on all 7 test Macs

```
python3 start.py --no-open
```

worked on all 7 test Macs

```
python3 tools/demo.py ../jeeves-demo --serve --port 4099
```

worked on all 7 test Macs

```
python3 install.py --yes
```

worked on all 7 test Macs

```
python3 install.py --launcher --yes
```

worked on all 7 test Macs

```
launchctl list | grep outliers
```

worked on all 7 test Macs

```
python3 install.py --copy ../jeeves-trial
```

worked on all 7 test Macs

```
cd ../jeeves-trial
```

worked on all 7 test Macs

```
python3 -m venv ~/outliers-checks
```

worked on all 7 test Macs

```
source ~/outliers-checks/bin/activate && python -m pip install pytest
```

worked on all 7 test Macs

```
source ~/outliers-checks/bin/activate && python -m pytest -q
```

worked on all 7 test Macs

```
cd jeeves-trial
```

worked on all 7 test Macs

```
claude
```

not run in this test: it opens Claude Code, which needs your own Claude Code login

```
python3 install.py --port 4041
```

worked on all 7 test Macs

```
python3 start.py --port 4041
```

worked on all 7 test Macs

```
python3 install.py --vault <folder> --crm <folder> --agents <folder>
```

not run in this test: it is a pattern, not a line to type as printed: you type your own folders where each <folder> is

```
python3 start.py --config <file>
```

not run in this test: it is a pattern, not a line to type as printed: you type your own settings file where <file> is

```
cd ~/CRM
```

worked on all 7 test Macs

```
python3 _engine/today.py --write
```

not run in this test: it runs inside your CRM folder and only once your CRM has the program _engine/today.py, which builds your daily Today.md list and comes with a later CRM session; the test Macs' CRM came from the first CRM session and does not have it

```
git clone
```

not run in this test: the word table names the command only; the full line, which was run, is under Install it

```
claude -p
```

not run in this test: the name of the way Jeeves calls Claude Code, inside a sentence of the history, not a line to type

```
echo hello
```

not run in this test: part of a message typed into Jeeves's chat in a test on Ashley's own PC, not a Terminal line

```
python3 -m venv
```

not run in this test: the start of the line python3 -m venv ~/outliers-checks, named in the sentence that explains it

```
python3 install.py --uninstall
```

worked on all 7 test Macs

The file the installer writes to start it when you switch on your Mac and sign in (a LaunchAgent) was switched on with launchctl, the Mac's own command for these files, on all 7 test Macs, the way your Mac does when you sign in, and the page answered.

```
source ~/outliers-checks/bin/activate && python -m pytest -q
```

 printed 64 passed, 13 skipped on all 7 test Macs.

The script's record of the run is public, for anyone who wants to check it; you do not need to open it:

<https://github.com/OUTLIERS-ai/outliers-mac-test/actions/runs/36173242466>

NOT TESTED ON A REAL MAC

- **A real restart.** A test Mac cannot be switched off and on again. The file that starts Jeeves when you switch on your Mac and sign in was switched on and checked on the test Macs, but whether Jeeves starts by itself after a real restart was not tried.
- **macOS's question "Allow Python to find devices on local networks?"** The test Macs never ask it. If your Mac asks it the first time the page opens, press Allow.

DOWNLOAD THIS PIECE

<https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves-mac>

```
git clone https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves-mac
cd outliers-ws-04-jeeves-mac
python3 install.py
python3 start.py
```