



OUTLIERS

Jeeves: A Personal-Assistant Cockpit Over Your Own Second Brain

Chat with your own Claude Code, and see your day, your 2 note folders, your agents and how much Claude you have used, each in a panel you can move

PIECE 4 OF 4 • THE AGENT WORKSPACE

DOWNLOAD

<https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves>

EST. MMXXVI • OUTLIERS ACCELERATOR


What it is

Jeeves is 1 page in your web browser, served by a small program on your own computer. The page is split into panels. Each panel does 1 job. You can drag a panel anywhere, stack panels as tabs, close a panel and bring it back, make a group of panels fill the screen, and pop any panel out into its own window so it can sit on a second screen.

This is piece 4 of 4 in the agent workspace. Install them in order: 1 agent-flow, 2 FleetView, 3 ProjectForge, 4 Jeeves. Each one also works on its own; Jeeves shows ProjectForge and FleetView inside 2 of its panels when they are running.


WORDS USED IN THIS GUIDE

WORD	WHAT IT MEANS HERE
Vault	A folder of notes. You have 2: your second brain, and your CRM.
CRM	Your customer-records notes: the folder of people and conversations you built in the CRM sessions.
Claude Code	The Claude program you type to in a terminal. Jeeves sends your chat messages to it.
Terminal	The text window where you type commands: PowerShell on Windows, Terminal on a Mac.
Token	The unit Claude's usage is counted in. 1 token is roughly 3 quarters of a word.
Model	Which Claude model answers. Jeeves offers 3, each named in full: Claude Opus 5.5 (strongest), Claude Sonnet 5 (middle) and Claude Haiku 4.5 (cheapest).
Agent	A saved set of instructions Claude Code can hand a job to, kept in a <code>.claude/agents</code> folder.
Tools	What Claude can do besides talk: read files, edit files, run commands, search the web.
Rulebook	The <code>CLAUDE.md</code> file of instructions in your second brain. Claude Code reads it first.
Markdown	Plain text notes that end in <code>.md</code> , the kind your second brain is made of.
127.0.0.1 and localhost	2 ways of writing "this computer". An address that starts with either of them opens only on your own computer.
Port	The number after the colon in an address such as http://127.0.0.1:4040 . It picks out which program on your computer answers. In this set of 4: agent-flow 3001, FleetView 3010, ProjectForge 3020, Jeeves 4040.
Repo	A project's folder of code, kept on GitHub. <code>git clone</code> copies it to your computer.
config.json	The file that keeps Jeeves's settings. The installer writes it.



THE WHOLE COCKPIT ON MADE-UP DATA. EVERY NAME IN THESE PICTURES IS INVENTED, STARTING WITH "SAM THE BOOKKEEPER". CHAT ON THE LEFT, THE TODAY PANEL (YOUR DAY'S LIST) IN THE MIDDLE, THE ACROSS EVERYTHING PANEL (A 1-SCREEN SUMMARY OF EVERYTHING THAT IS MOVING) ON THE RIGHT, THE VAULTS PANEL (YOUR NOTES) AND THE TOKENS PANEL (YOUR CLAUDE USE) BELOW

The numbers on the next picture point at the parts you will use most. The key under the picture says what each one is.



- 1 The orb and the name. The grey line under the name says what Jeeves is doing.

3 Across everything: read this first. Click a heading to open its panel.

5 Model: best (Claude Opus 5.5, the strongest), deep (Claude Sonnet 5, the middle one) or fast (Claude Haiku 4.5, the cheapest). Each is named in full so you know what you are running.

7 + Panel: bring back any panel you closed, or pop one out.
- 2 Chat: ask anything about your notes and CRM. Enter sends.

4 Vaults: both vaults, read-only. Agents, Work board and FleetView are tabs here.

6 Layouts: 4 ready-made arrangements of all 10 panels, and your own.

8 Make a group fill the screen. Double-clicking a tab does the same; Esc puts it back.

A TOUR OF THE PAGE. EACH YELLOW NUMBER MATCHES A LINE IN THE KEY UNDERNEATH. THE MODEL MENU SHOWS "BEST · CLAUDE-OPUS-5-5": YOUR CHOICE (BEST) AND THE EXACT CLAUDE MODEL IT USES

The 10 panels:

PANEL	WHAT YOU SEE
Chat	A conversation with your own Claude Code. It works inside your second-brain folder, with your CRM folder added, so it can read both. By default it is given 3 tools and no others: open a file, search inside files, find files by name.
Today	The ranked list of people to contact that your CRM writes each morning (a file called <code>Today.md</code> at the top of your CRM folder, built in part 7 of the CRM sessions), plus your second brain's day: today's daily note if you keep one, notes that changed in the last 3 days, and to-do checkboxes in your notes that you have not ticked yet.
Across everything	1 screen that sums up what is moving: people to speak to, decisions waiting for you, notes that changed, Claude use today, and whether your other apps are running. Click any heading to open its panel.
Recommendations	A note in your second brain (<code>Inbox/Recommendations.md</code>) that you and your agents write suggestions into.
Vaults	Both note folders, read-only. Filter by name, search inside every note, and click a link between notes (a note name inside double square brackets, like <code>[[Pricing review]]</code>) to open that note.


PANEL	WHAT YOU SEE
Agents	Every Claude Code agent you have, with what each one is for, and an "Ask in chat" button.
Activity	Your recent Claude Code conversations: which folder, how many turns, how many tokens.
Tokens	Today's tokens, by kind and by model, read from Claude Code's own log files.
Work board	ProjectForge, the work board for your agents from piece 3 of 4, shown inside the panel when it is running.
FleetView	FleetView, the screen that shows every running agent session, from piece 2 of 4, shown inside the panel when it is running.

At the top left, and above the chat, is the orb: an animated circle of light with 2 rings of rune-style lettering. It turns slowly when Jeeves is idle, pulses while Claude is thinking, and brightens while the answer is coming in.

PIECE 4 • JEEVES

Why you would want it

Once you run agents, your work is spread across folders, terminals and apps. Your CRM has who to call, your second brain has what you decided, and Claude Code's log files record what it did today and how many tokens that used, but each sits in its own folder or window.



BEFORE JEEVES YOU LOOK IN 5 PLACES. JEEVES READS ALL 5 AND SHOWS THEM ON 1 PAGE, WITH 1 PLACE TO ASK A QUESTION

Jeeves puts them on 1 screen and gives you 1 place to ask a question about any of them. The answer comes from your own Claude Code, so it already knows your rulebook (the `CLAUDE.md` file), your agents and your skills. It costs nothing beyond your Claude subscription, and nothing leaves your computer except the messages Claude Code itself sends.

Ashley's decision on what Jeeves is for, made on 2026-06-20: it is a full cockpit where every ability has its own panel, not a chat box with an orb. In his words: "Jeeves is a FULL UI - that's the point." (UI means user interface: the whole screen you work in.) This download keeps that: every panel stays, and the Layouts menu (top right of the page) arranges them for the screen you have.

WHAT IT IS FOR

Putting your day, both note folders, your agents and your Claude usage side by side on 1 page, with 1 chat box that asks your own Claude Code about any of them.

WORKS WELL WHEN

- **Your morning starts in 5 places.** Who to contact, what changed in your notes, what your agents are doing, what you have used today: all on 1 screen instead of 5.
- **You want to ask a question about your own notes** without opening a terminal and without repeating who you are, because the answer comes from your own Claude Code with your rulebook already loaded.
- **You want today's Claude usage beside the work that caused it**, rather than as a number with no story attached.
- **You already run pieces 2 and 3 of 4.** The work board and FleetView appear inside 2 of the panels, so 3 of the 4 pieces share 1 browser tab.
- **You have a second screen.** Pop the panels you watch out into their own windows and leave them there all day.

DOES NOT WORK WELL WHEN

- **You expect it to remember.** Jeeves stores nothing of its own. Every panel reads your notes and Claude Code's log files fresh each time, and a chat message is kept only where Claude Code already keeps it. Nothing you type here builds up into a record you can search later.
- **You treat the chat box as free.** Every message starts a real Claude Code run, which re-reads your `CLAUDE.md` rulebook and the conversation so far before it answers. 20 idle questions cost real usage; the reading panels cost none.
- **You switch writing on and then ask it about notes you clipped from websites.** A clipped note can contain written instructions aimed at an AI, and an AI that is allowed to write may follow them. Out of the box Chat can only read, and that is why 2 separate settings stand between you and writing.
- **Your notes are not files on this computer.** Jeeves reads markdown files on your own disk. If your notes live in a web app, there is nothing here for it to read, and the sensible move is not to install it yet.
- **You want it away from your desk.** It answers on your own computer only. Ashley reached his from a phone, and that needed a private network of his own on top of everything in this guide.

How we built it

Ashley built the original Jeeves for himself in June 2026. Every date below comes from his build notes and records, and the pictures are his real screens. The download you get is a clean rebuild of the parts that worked, for your setup rather than his.

How the original was built (June to July 2026), and this rebuild


From the build notes of the original. Green: kept in this download. Amber: tried and dropped.

- 2026-06-13 ● Local server on 127.0.0.1, port 4040. Claude Code answered every question. First panels.
- 2026-06-13 ● A cloned voice, PC control and a live terminal. All left out of this download.
- 2026-06-14 to 17 ● A timer that started Claude every 15 minutes, and phone alerts (switched off the same day).
- 2026-06-14 to 17 ● Lesson: fill each panel only once it is on screen. Default model back to the strongest.
- 2026-06-20 ● A calm, minimal redesign rejected: 'Jeeves is a FULL UI - that's the point'. Across everything added.
- 2026-06-21 ● The orb, drawn by the page itself. A 3-column layout went live.
- 2026-07-08 ● Paused: its timers kept starting Claude and using tokens.
- 2026-07-09 ● Would not start: it needed a folder outside its own.
- 2026-09-22 ● This rebuild: no timers, nothing outside its folder, read-only chat by default.
- 2026-09-23 ● Checked again: Chat given 3 reading tools and no others, models named in full, every panel honest about a folder that is not there.

THE BUILD AT A GLANCE. GREEN: KEPT IN THIS DOWNLOAD. AMBER: TRIED AND DROPPED

2026-06-13: MOST OF THE SYSTEM IN 1 DAY


- **A web server on 127.0.0.1, port 4040** (open it at <http://127.0.0.1:4040>), written using only the parts that come with Python, so there is nothing extra to install. We kept this exactly.
- **Claude Code replaced the home-made search.** The first version always used 1 small, cheap Claude model and searched the notes with its own Python code, badly. It was replaced by a small program that sends each question to the real Claude Code (the `claude -p` command, which answers 1 question and exits), with every note folder opened to it. We kept this: every answer in Jeeves comes from your own Claude Code.
- **Permission levels.** Every action was sorted into 1 of 3 levels: refused, ask Ashley first, or allowed. Then came control of the computer itself (screenshots, opening programs, typing), with clicks and keypresses needing his approval. This download leaves computer control out.
- **Voice.** 5 speech programs were compared. The winner was Chatterbox, a free speech program (under the MIT licence, which lets anyone use it). It ran a cloned voice made from a well-known narrator's audiobook clips. It took 34 seconds to start and about 4 seconds per reply once it had started up. The clone was marked private-only, because the narrator has publicly objected to voice cloning.
- **The microphone "not working"** turned out to be a fake microphone (software that records nothing) set as the Windows default. Fixed with a picker that skips fake microphones.
- **Movable panels** from Dockview (a free add-on for web pages whose panels you can drag and dock), a 3D map of agents, a live command window (PowerShell, the Windows command line), a switch between a quick model and a thorough one, email and calendar readers, a check that started Claude every 45 minutes to look for news, and the first Inbox panel (a list of decisions waiting for Ashley).



ASHLEY'S REAL FIRST BUILD, 1 DAY OLD, ON 2026-06-13: A MAP OF HIS AGENTS DRAWN AS POINTS ON TOP, THE STATUS PANEL (WHAT EACH PART WAS DOING) BELOW, A MICROPHONE PICKER IN THE TOP BAR

2026-06-14 TO 2026-06-17: ADDITIONS


- **A timer every 15 minutes** that started Claude to research each new decision in Ashley's list before he said yes or no to it.
- **Phone alerts** were built and switched off the same day, on Ashley's word.
- **An empty panel.** The Status panel tried to write its contents before the panel existed on screen, so it stayed empty. This rebuild fills each panel only once it has appeared on screen, never earlier.
- **Other apps inside panels.** ProjectForge and Ashley's LinkedIn messaging app were shown as real apps inside panels, and any panel could pop out into its own window for his 3 monitors.
- **"Jeeves suddenly dumb."** The default model had been switched to the smallest, fastest one. It fumbled tasks with several steps. Ashley's decision: the strongest model by default. This rebuild's default is `best`, the strongest Claude model.
- **Speed.** Keeping Claude Code open between messages, instead of starting it fresh each time, cut the wait for the first word from 3.7 seconds to 1.4 seconds.
- **The phone app** was installed on 2026-06-15. Its login screen left the phone stuck with no way forward, and Ashley said "get rid of all the auth" (auth: the login check). From then on the only way in was his own private network, which only his devices could join.
- **Telegram.** Ashley had been messaging his agents through Telegram, a chat app. On 2026-06-16 he stopped: Jeeves replaced it.



ASHLEY'S REAL LAYOUT ON 2026-06-21: THE ORB AND CHAT TOP LEFT, A MAP OF HIS AGENTS DRAWN AS STARS TOP RIGHT, AND BOTTOM RIGHT THE LIST OF DECISIONS WAITING FOR HIM, EACH WITH RESEARCH, DISCUSS, GO AND NO-GO BUTTONS

2026-06-20: THE REDESIGN ASHLEY REJECTED


A new design went through Ashley's usual review: research, a first plan, a written critique of it, a second plan, a second critique and a final plan. It proposed a "calm butler" design: 1 orb, 1 conversation, at most 4 boxes of information, with the command windows and the agent map removed. Ashley's verdict: "it looks better but it uses most of the current usability" (he meant it loses most of what he could do with it), then "Jeeves is a FULL UI - that's the point". The plan was corrected to keep every panel and add a column that sums up what is moving across conversations, projects, outreach and agents. In this download that column is the **Across everything** panel.



THE CORRECTED DESIGN, LIVE ON 2026-06-21: ON THE LEFT A COLUMN CALLED "WHAT NEEDS YOU", WITH A BOX CALLED "ACROSS EVERYTHING" THAT SUMS UP WHAT IS MOVING; THE CONVERSATION IN THE MIDDLE; TODAY ON THE RIGHT

2026-06-20 TO 21, OVERNIGHT: THE ORB

Ashley wanted Jeeves to look like a character from an anime. Claude's first 2 attempts at the look he described were wrong. The fix was an original animated circle that the page draws itself (with SVG, a way of drawing shapes in a web page), so no copyrighted picture ships with it. In the original it reacted to the microphone and to the voice. This download has no microphone and no voice, so its orb reacts to what Chat is doing instead. Its 2 rings of rune-style lettering each spell out a line of text, and the text is yours to set.



THE ORIGINAL ORB, SPEAKING, ON 2026-06-21

2026-06-21 TO 2026-07-09: THE NEW LAYOUT, THEN THE PAUSE

- **2026-06-21:** a 3-column layout went live as the default, with the old layout still reachable at the address <http://127.0.0.1:4040/v1>.
- **2026-06-22:** a separate hands-free voice-control program was built and archived the same day. About half a second at best, plus the time for an AI answer, was not fast enough.
- **2026-07-01 to 02:** a code review found that if the file that stores the logins was damaged, Jeeves let everyone in instead of locking. It was fixed to lock. It also found that Jeeves started its own copy of Ashley's LinkedIn messaging app on the same port the real app used, so the old copy kept answering, and when Ashley fixed the real app the fix seemed to change nothing.
- **2026-07-08:** the last timer run. Jeeves was switched off because its timers kept starting Claude and using tokens. On the same date ProjectForge was switched off for using about 230 million tokens of text read by Claude in 30 days. Both used tokens the same way: a timer started a fresh Claude conversation over and over, whether or not there was work. No separate token count for Jeeves was recorded.
- **2026-07-09:** the last attempt to start it failed, because a folder it needed (the voice code) was missing. The server would not run without files that lived outside its own folder.

2026-09-22: WHAT TESTING THIS DOWNLOAD FOUND, AND FIXED

Before this download went out, 3 people checked it: a stranger followed this guide step by step, a reviewer used every panel, and a security reviewer tried to break it. What they found, and what changed:

- **Chat could still use tools you had allowed elsewhere.** The setting it used blocked only the tools you had not already allowed in your own Claude Code settings. Jeeves started naming the tools to block on every message. A day later that proved not to be enough either: see 2026-09-23 below.
- **Stop did not stop Claude** when Claude Code was installed with npm (the installer that comes with Node.js, a program many developer tools need), because that kind of install starts the real Claude as a second, hidden program. Stop now ends both.
- **2 copies could share port 4040 on Windows**, and `python start.py --stop` then stopped only 1 of them. Now only 1 copy can run per port, and starting it again says it is already running.
- **After 1 failed message, every later message failed**, because Jeeves saved the number Claude Code uses to carry on a conversation, even for the failed one, so every later message tried to carry on a broken conversation. A failed message is now never saved.
- **On a laptop, the chat box slid off the bottom of the screen** after the first answer. Fixed, and an automatic check now tests it at laptop size.

2026-09-23: A SECOND ROUND OF TESTING, THE DAY BEFORE IT WENT OUT

The 3 checks were run again on the finished download, and an engine test drove every operation 5 times each. 10 more faults were found and fixed. These are the ones you would have met:

- **Blocking tools by name left 25 of them available.** Counted on 2026-09-22 against Claude Code 2.1.280. The block list named 7; Claude Code has shipped many since the list was written, among them tools that book a job for later, raise a notification, start work elsewhere and message another agent. Chat is now given a list of what it MAY use — open a file, search inside files, find files by name — and nothing else. Proved against the real Claude Code, not only in a test: see "What Chat can and cannot do".
- **The model was named by a word that moved.** `opus` meant Claude Opus 5.5 from 2026-09-22, and the price table in FleetView (piece 2) had never heard of it, so your tokens would have shown as "price unknown". Every model is now written out in full.
- **A popped-out Chat quietly erased a message.** Send a message from a popped-out Chat window, then send another from the main window, and the pop-out's message disappeared from the saved conversation: each window wrote its whole record over the other's. Each window now adds only its own new lines, and a message sent in either window appears in the other.
- **Send looked lit while an answer was coming in.** It refused every press, and the only explanation sat in the top corner of the window, up to 921 pixels away from where you were typing. Send is now greyed out, and the reason is printed at the bottom of the conversation.
- **A missing folder was reported as a quiet day.** Point `second_brain` at a folder that is not there — a typo, a renamed folder, an external drive not plugged in — and Today said "Nothing has moved and nothing is left open" while Vaults, on the same screen, said the folder did not exist. All 3 panels now name the folder. Pictured under "When it goes wrong".
- **The checks failed if you were running the work board.** `python -m pytest -q` said 1 failed, 51 passed on any computer where ProjectForge (piece 3, out the same day) was running, because 1

check assumed nothing was answering on its port. The checks no longer depend on what else you have running.

- **With Claude Code missing, the one link that fixes it could not be clicked**, and the suggested questions still filled a text box that was switched off. The address is a link now, and the suggestions are put away.
- **The port advice named the port that had just failed**. It always said `--port 4041`, which is no help to someone already on 4041. It now finds a port that is free.
- **A broken `config.json` was reported as "No config.json yet"**. A comma in the wrong place sent you to the installer instead of to the line you had just typed. The message now names the file, the mistake and the line number. A file saved as "UTF-8 with BOM" (Notepad's default in some versions) reads fine now too.
- **The Python floor was 3.8**, which stopped getting security fixes on 2024-10-07. It is 3.11, and the installer refuses anything older.

WHAT THIS DOWNLOAD KEEPS, AND WHAT IT DROPS

KEPT	DROPPED, AND WHY
Local server on 127.0.0.1 (this computer only)	Timers of any kind: each one started Claude and used tokens with nobody asking
Claude Code answers every question	The cloned voice: legal and reputational risk
Every ability as its own movable panel, which can pop out into its own window	Login screen and phone app: Jeeves only answers on this computer (127.0.0.1), so no one else can reach it
The orb	Computer control and the command window: too much power for a first install
The Across everything panel, a summary of everything that is moving (from the corrected redesign)	Starting other apps: Jeeves once started a second copy of another app on the same port, which hid Ashley's fixes
The strongest model by default	Anything outside its own folder: on 2026-07-09 the original would not start because a folder it needed had gone

Pros and cons

	PROS	CONS
Cost	Nothing runs on a timer. Reading your notes and Claude Code's logs costs 0 tokens.	Every chat message starts Claude Code once, and each time it re-reads your <code>CLAUDE.md</code> instruction file and the conversation so far. We did not measure that figure for a member's setup.
Speed	The reading panels never start Claude, so they answer without an AI wait.	Claude Code is started fresh for each message rather than kept open, so the first word takes longer than the original's 1.4 seconds.
Answers	Your own Claude Code: every agent, skill and rulebook you have.	If Claude Code is not installed or not logged in, Chat cannot answer (every other panel still works).
Safety	127.0.0.1 only; the note panels only read; Chat has 3 tools, all of them reading, unless you allow more.	Chat refuses when you ask it to edit a note or run a command, until you change 2 settings.
Breadth	10 panels, all movable, 4 ready-made layouts, your layout saved.	It is a browser tab, not its own app window.
Install	Uses only the parts that come with Python: nothing extra to install.	The figure for how much of your Claude plan's 5-hour usage allowance you have used needs ccusage, a free add-on program, which needs Node.js.

What costs tokens, and what does not

Tokens are the units your Claude subscription counts. Only 1 action in Jeeves uses them.

0 TOKENS

- Opening Jeeves and every reading panel
- Today, Across everything, Recommendations
- Vaults: opening, filtering, searching notes
- Agents, Activity, Tokens
- The automatic re-read of your files once a minute, while the Jeeves browser tab is on screen
- Moving, closing and popping out panels

USES TOKENS

- Each message you send in Chat starts Claude Code once
- Each run re-reads your rulebook (`CLAUDE.md`) and the conversation so far
- The model you pick changes the price: `fast` (Claude Haiku 4.5) is cheapest, `deep` (Claude Sonnet 5) the middle, `best` (Claude Opus 5.5) strongest
- Nothing else. There is no timer that starts Claude.

WHAT COSTS TOKENS IN JEEVES AND WHAT DOES NOT: ONLY A CHAT MESSAGE STARTS CLAUDE

Before you start

YOU NEED	HOW TO CHECK
Python 3.11 or newer	In a terminal: <code>python --version</code> (on a Mac: <code>python3 --version</code>). The installer refuses anything older: Python 3.10 and everything before it has stopped getting security fixes.
Claude Code, logged in	<code>claude --version</code> prints a number (2.1.280 on 2026-09-23), and typing <code>claude</code> opens it without asking you to log in
Git	<code>git --version</code>
Your second brain	The folder from the second-brain sessions. Its path, for example <code>C:\Users\<you>\Documents\Second Brain</code>
Your CRM (optional)	The folder from the CRM sessions. Without it, Today shows only your second brain
ccusage (optional)	A free program that reads how much of your 5-hour Claude allowance you have used. Check with <code>ccusage --version</code> . Install Node.js first, then type <code>npm install -g ccusage</code> (-g means it works from every folder). Version 20.0.24 on 2026-09-23



THE 3 CHECKS IN A TERMINAL, WITH THE VERSIONS FOUND ON 2026-09-23. ANY NUMBER AT OR ABOVE THESE IS FINE

TIP

Want to see Jeeves before pointing it at your real notes? After step 2 below, run `python tools/demo.py ../jeeves-demo --serve --port 4099` . This makes a practice folder called `jeeves-demo` next to the Jeeves folder, with a made-up bookkeeper's 2 vaults and 5 agents, and starts Jeeves on it. Open <http://127.0.0.1:4099/> to see it. The chat answers from a script and costs 0 tokens. Press Ctrl+C in that terminal to stop it.

Install it

1. Open a terminal. Windows: press the Windows key, type `PowerShell` , press Enter. Mac: open Terminal. It opens in your home folder, which is where all 4 downloads in this set go.
2. Download the code (clone the repo: copy the project from GitHub, the site where it is stored) and go into its folder:

```
git clone https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves
cd outliers-ws-04-jeeves
```

3. Run the installer (on a Mac, type `python3` instead of `python` in every command in this guide):

```
python install.py
```

4. It checks Python and Claude Code first. If either is missing it says what to do and changes nothing.
5. It asks 4 questions. Press Enter to accept the answer in brackets, which is what it found:
- where your second brain is (if you used the installer from the second-brain sessions, it already knows the folder and offers it)
 - where your CRM is (the same, from the CRM installer; leave it blank if you have none)
 - where your agents are (normally the `agents` folder inside `.claude` in your user folder, for example `C:\Users\<you>\.claude\agents`)
 - which port to use: the number after the colon in the address, 4040 unless another program is using it. Type a number; anything else and it asks again.
6. It asks whether to start Jeeves hidden every time you log in. The default is no. If you say yes on Windows, it puts a small file called `Jeeves.vbs` (a small Windows script file) in your Startup folder that starts Jeeves with no window. On a Mac it writes a start-up settings file for the Mac's own launcher and prints the `1` command that switches it on. On Linux it prints a line to paste into your list of scheduled jobs, which you open by typing `crontab -e` .
7. It writes `config.json` next to `install.py` . On Windows it also writes `Start Jeeves (hidden).vbs` in the same folder, and if you change an answer it keeps your old settings as `config.json.bak-<date>` . When Jeeves runs it keeps its own working files (which conversation it is carrying on, which copy is running) in a folder called `state` here. Run the installer again with the same answers and it says "Nothing changed".

Terminal: python install.py, pressing Enter 5 times (made-up folders; yours will be your own)

```
> python install.py

=====
OUTLIERS WORKSPACE - PIECE 4 - JEEVES
=====

Found Claude Code 2.1.280 (Claude Code)
Python 3.13.14 - nothing to pip install.

Where is your second brain (the folder)? [C:\Users\sam\Documents\Second Brain]: (Enter)
Where is your CRM (the folder)? Leave blank if you do not have one [C:\Users\sam\Documents\CRM]: (Enter)
Where are your agents? [C:\Users\sam\.claude\agents]: (Enter)
Which port should Jeeves use? [4040]: (Enter)

Optional extras:
  ccusage (shows your 5-hour usage window): not found - needs Node.js, then: npm install -g ccusage
  playwright (only needed to retake the guide's pictures): found
  Port 4040 is busy right now. Jeeves will say so when it starts; pick another with python install.py --port 4041

Wrote config.json
Made Start Jeeves (hidden).vbs - double-click it to start Jeeves with no window.
Start Jeeves hidden every time you log in? (y/N): (Enter)
Not starting at logon. Start it yourself with: python start.py

-----

Done. Start it now:

python start.py

Your browser opens http://127.0.0.1:4040/ . You should see the orb top left,
Chat on the left, Today in the middle and your agents in a tab below it.
Leave the terminal open while you use it; Ctrl+C in it stops Jeeves.
Chat is given 3 tools and no others: open a file, search inside files, find
files by name. Commands, file changes and the internet are switched off until
you set "allow_actions": true in config.json.
Nothing runs on a timer: Claude is only used when you send a message.
```

THE INSTALLER, PRESSING ENTER AT EACH QUESTION. THE FOLDERS ARE MADE UP; YOURS WILL BE YOUR OWN.
THE PLAYWRIGHT LINE ONLY MATTERS IF YOU WANT TO RETAKE THIS GUIDE'S PICTURES

Terminal: running the installer a second time

```
> python install.py
...
config.json already says exactly this. Nothing changed.
Start Jeeves (hidden).vbs is already in place (double-click it to start Jeeves with no window).
Start Jeeves hidden every time you log in? (y/N): (Enter)
Not starting at logon. Start it yourself with: python start.py

-----

Done. Start it now:

python start.py

Your browser opens http://127.0.0.1:4040/ . You should see the orb top left,
Chat on the left, Today in the middle and your agents in a tab below it.
Leave the terminal open while you use it; Ctrl+C in it stops Jeeves.
Chat is given 3 tools and no others: open a file, search inside files, find
files by name. Commands, file changes and the internet are switched off until
you set "allow_actions": true in config.json.
Nothing runs on a timer: Claude is only used when you send a message.
```

RUNNING THE INSTALLER AGAIN WITH THE SAME ANSWERS CHANGES NOTHING

8. Start Jeeves:


```
python start.py
```

- The terminal prints "Jeeves is running at <http://127.0.0.1:4040/> (Ctrl+C to stop)" and your browser opens that address. There is no login. Leave that terminal window open while you use Jeeves. Press

Ctrl+C in it, or close it, to stop Jeeves.

10. The first time you send a chat message, Claude Code starts up, which can take several seconds before the first word appears.

When it worked you see the orb top left, Chat on the left, Today in the middle and the Across everything panel (the 1-screen summary) on the right. On a screen narrower than 1,440 pixels (most laptops) Jeeves starts in the Laptop layout instead: Chat on the left, a tall stack of tabs on the right.



WHAT YOU SHOULD SEE THE FIRST TIME ON A LAPTOP: THE LAPTOP LAYOUT, WITH EVERY PANEL STILL THERE AS A TAB

TIP

On Windows, double-click `Start Jeeves (hidden).vbs` to start Jeeves with no window. It does not open your browser: go to <http://127.0.0.1:4040/> yourself, and bookmark it. Stop it with `python start.py --stop`.

TIP


Changed your mind about starting when you log in? `python install.py --uninstall` stops Jeeves and removes the Startup file (or the Mac start-up file). It leaves your settings and vaults alone. To remove Jeeves completely, then delete the `outliers-ws-04-jeeves` folder.

WARNING

Do not change the setting `"permission_mode"` (Claude Code's own rule for when it must ask you first) to `"bypassPermissions"` (never ask) in `config.json`. That lets Claude do anything without asking, from a page that is always open.

Using it day to day

Start of the day. Open Jeeves and read **Across everything**. It shows the top 4 people from your CRM's Today page, the unticked suggestions in your Recommendations file (the note where your agents write ideas for you), how much changed in your second brain, and how much Claude has done today. Click any heading, person or suggestion to open it in its own panel.



ACROSS EVERYTHING: PEOPLE, DECISIONS, NOTES, CLAUDE AND APPS ON 1 SCREEN. EVERY HEADING OPENS ITS PANEL. THE PEOPLE ARE MADE UP

Notes moved means notes changed in the last 3 days. Left unfinished means checkboxes not yet ticked.

Across everything reads the numbered table in `Today.md`: 1 row per person, with a number, a name and a reason, for example: 1, Dana Mills (a made-up name), Replied. The CRM sessions write it in that shape; if you write your own, keep those 3 columns first. If the page is in another shape, the panel says so rather than claiming nobody is waiting.

Today. Your CRM's ranked page as it is, then your second brain. If you keep daily notes named by date (for example `Daily/2026-09-23.md`, or the same name in a folder called Daily Notes, Journal, Diary or Calendar), today's note appears. Other folders go in `config.json` under `"daily_note_folders"`. If you do not keep daily notes, you still see what changed and what is left unticked. Each note name shown in gold is a link. To make a fresh Today page, open a terminal in your CRM folder and type `python _engine/today.py --write` (the CRM's own program that writes `Today.md`).



Jeeves

Ready.

Wednesday 23 September

TODAY

Your CRM's Today.md and your second brain's day

FROM YOUR CRM - BUILT WED 23 SEP 00:12

Today

Built for 08:30. Open this before you open your inbox.

Generated 2026-09-23 from the event log. Do not edit by hand: this page is rewritten from scratch every run.

#	Who	Why they are here	When
1	Priya Shah	Replied	19 hours ago
2	Tom Reyes	Booked a call	2 days ago
3	Hannah Cole	Changed role	3 days ago
4	Leah Grant	Engaged with something you posted	4 days ago
5	Marcus Webb	Quiet, and due a word	23 days ago

Ordered by how soon each reason goes stale. A reply ranks first because it goes stale fastest.

- 1 person(s) left off because you picked those conversations up yourself.
- 2 parked themselves after 30 days of silence. Nobody had to decide to give up on them.

FROM YOUR SECOND BRAIN

Daily/2026-09-23.md

Wednesday 23 September

- 09:30 Call with Hannah Cole (new role, finance lead)
- 11:00 Month-end for Priya Shah Design
- ☐ Reply to Leah about the quarterly figures

Moved in the last 3 days

- Wed 00:12 Recommendations Inbox
- Wed 00:12 Stop taking payroll clients Decisions
- Wed 00:12 2026-09-23 Daily
- Wed 00:12 Marketing Areas
- Wed 00:12 Call with Tom Reyes Meetings

TODAY: THE CRM PAGE, THEN THE DAY IN THE SECOND BRAIN

Chat. Type and press Enter. Shift+Enter makes a new line. The lines starting with an arrow show which files Claude is reading. While Claude is working, a **Stop** button appears next to Send: press it to end the answer. A message typed while an answer is still coming in is not sent; wait, or press Stop first. A run that goes past 10 minutes is stopped for you ("chat_timeout_seconds" in config.json). **Suggestions** shows ready-made questions you can click.

The model menu at the top picks which Claude model answers: **best** (claude-opus-5-5 , the strongest), **deep** (claude-sonnet-5 , the middle one) or **fast** (claude-haiku-4-5 , the cheapest). You can change which model each name uses in config.json , and your choice is remembered in this browser.

Each one is written out in full rather than as the short word opus , sonnet or haiku . The short words move: on 2026-09-22 Anthropic released Claude Opus 5.5, and from that day opus meant the new model. Jeeves would have started using it without telling you, and FleetView (piece 2) would have shown your tokens as "price unknown", because it prices a model by its full name. Written out, the model menu, FleetView's price table and this guide all name the same model. If you would rather always follow the newest model, put "opus" back in config.json and accept that the name can change under you.

The screenshot displays the Claude AI interface with the following components:

- Top Status Bar:** Shows the user's name 'Jeeves', a 'Read: Today.md' status, and a '4' in a yellow circle.
- Left Sidebar:** Contains a chat window with a 'Jeeves' header and a 'Read: Today.md' status. A '3' in a yellow circle is next to the chat header.
- Main Content Area:**
 - Today Section:** A section titled 'Today' with a sub-header 'Built for 08:30. Open this before you open your inbox.' It contains a table of tasks:

#	Who	Why they are here	When
1	Priya Shah	Replied	19 hours ago
2	Tom Reyes	Booked a call	2 days ago
3	Hannah Cole	Changed role	3 days ago
4	Leah Grant	Engaged with something you posted	4 days ago
5	Marcus Webb	Quiet, and due a word	23 days ago
- Right Sidebar:**
 - PEOPLE TO SPEAK TO:** A list of people and their status.
 - WAITING FOR YOUR DECISION:** A list of tasks and their status.
 - YOUR SECOND BRAIN:** A list of tasks and their status.
 - CLAUDE TODAY:** A list of tasks and their status.
 - TOKENS:** A section showing 'tokens used today, read from Claude Code's log files'.
 - ACTIVITY:** A section showing 'TODAY - WEDNESDAY 23 SEPTEMBER'.

Annotations on the screenshot:

- 1:** An arrow line: a file Claude is reading, as it happens.
- 2:** The orb brightens while the answer comes in.
- 3:** Send is greyed out until the answer finishes. Press Enter now and the reason appears at the bottom of the conversation, where you are looking.
- 4:** The status line under the name: what Claude is doing right now, for example "Read: Today.md".
- 5:** Stop: ends the answer. Jeeves keeps what was written so far.



Jeeves

Stopped.

CHAT

Answered by your own Claude Code, in your second brain...

Suggestions

New conversation

Jeeves

It is given 3 tools and no others: open a file, search inside files, find files by name.

Running commands, changing files and the internet are switched off until you set "allow_actions": true in config.json.

+ Read: Today.md

Who should I speak to first today, and why?

+ Read: Today.md

Three people are worth your morning, in this order:

- Priya Shah** (Priya Shah Design) replied yesterday asking about month-end help. A reply goes off fastest, so she comes first.
- Tom Reyes** booked a call for Thursday. Read **Tom Reyes** before then; he mentioned VAT twice last time.
- Hannah Cole** changed role to finance lead at a 12-person agency.

In your second brain, *Pricing review* is still open with 2 unticked items. I read *Today.md* in your CRM and your note *Pricing review*.

Draft a note to every client about the new prices

1

Stopped. The part above is what Claude had written.

+ Read: Today.md

Three people are worth your morning, in this order:

- Priya Shah**

1

After Stop: a grey line, not an error. The part above is kept.

TODAY

RECOMMENDATIONS

Your CRM's Today.md and your second brain's day

FROM YOUR CRM - BUILT WED 23 SEP 00:12

Today

Built for 08:30. Open this before you open your inbox.

Generated 2026-09-23 from the event log. Do not edit by hand: this page is rewritten from scratch every run.

#	Who	Why they are here	When
1	Priya Shah	Replied	19 hours ago
2	Tom Reyes	Booked a call	2 days ago
3	Hannah Cole	Changed role	3 days ago
4	Leah Grant	Engaged with something you posted	4 days ago
5	Marcus Webb	Quiet, and due a word	23 days ago

Ordered by how soon each reason goes stale. A reply ranks first because it goes stale fastest.

VAULTS

AGENTS

WORK BOARD

FLEETVIEW

Read-only. Type to filter names - Enter searches inside notes

Second brain

CRM

Filter names...

Pick a note on the left.

AREAS

Marketing

(TOP LEVEL)

CLAUDE

DAILY

2026-09-23

DECISIONS

Stop taking payroll clients

IDEAS

Month-end checklist as a lead...

INBOX

Recommendations

ACROSS EVERYTHING

What is moving, everywhere. Click a heading to open its panel.

PEOPLE TO SPEAK TO

- Priya Shah - Replied
- Tom Reyes - Booked a call
- Hannah Cole - Changed role
- Leah Grant - Engaged with something you posted

and 1 more in Today +

WAITING FOR YOUR DECISION

- Raise the Books-only package to 195** - 4 of 6 clients are over their hours (from the pricing agent, today)
- Turn the month-end checklist into a post** - 3 clients asked for it this month
- Chase 2 unpaid invoices** - both over 30 days (from the invoice chaser)

YOUR SECOND BRAIN

Notes moved (3 days)

Left unfinished

Daily note today

8

8

yes

CLAUDE TODAY

Conversations

Tokens

Agents you have

0

0

5

TOKENS

ACTIVITY

Tokens used today, read from Claude Code's log files

TODAY - WEDNESDAY 23 SEPTEMBER

0

tokens across 0 conversation(s)

Conversation re-read (cache read)

Saved for the next re-read (cache write)

Written by Claude (output)

New input

LAST 5 HOURS

All tokens

462.3k

YOUR 5-HOUR USAGE WINDOW (CCUSAGE)

[illegible]

What Chat can and cannot do.

By default Chat is given 3 tools and no others:

That is the whole list. Everything else Claude Code can normally do is simply absent: running commands, writing or editing a file, opening a web page, searching the web, booking a job to run later, messaging another agent, and anything else Claude Code adds in a future version. Jeeves also loads none of your add-on servers (MCP servers, which give Claude extra tools such as sending messages), and it repeats the ban on the acting tools in a rules file, because Claude Code's own documentation (read 2026-09-22) says those rules also apply to a helper agent Claude starts while answering you.


This used to work the other way round, and it was weaker than it looked. Jeeves named 7 tools to block. Measured on 2026-09-22 against Claude Code 2.1.280, that left 25 tools still available, including ones that book a run for later, raise a notification, start work elsewhere and message another agent. A list of tools to block has to be edited every time Claude Code ships a new one. A list of what is allowed does not.

Checked live on 2026-09-22, against the real Claude Code, in a folder with 1 note in it:

ASKED	WHAT HAPPENED
What tools do you have?	The session reported exactly 3: Glob, Grep, Read
"Create a file called proof.txt, and run echo hello "	"I did neither of them... I have no tool that creates or writes a file... no tool that runs commands." No file appeared
"Read Pricing review.md and tell me what the package costs"	"The Books-only package costs 180 a month" — read from the note


To let Chat act, see "5. Let it edit notes, on your terms" under "Fit it to your own AI system".

Vaults. Pick Second brain or CRM and type to filter by note name. Press Enter to search inside every note in both vaults. A link between notes (a name in double square brackets) anywhere opens the note in whichever vault has it, and the tab switches to match; if no vault has it, the panel says so and offers to search.



VAULTS: A NOTE FROM THE MADE-UP SECOND BRAIN, TABLE AND CHECKBOXES INCLUDED. (TOP LEVEL) LISTS NOTES NOT IN ANY FOLDER, SUCH AS CLAUDE, YOUR INSTRUCTION FILE

Agents. Click a description to read it in full. **Ask in chat** starts a message with "Use the (name) agent to", so you only type what you want done.




AGENTS FROM ALL 3 PLACES THEY CAN BE KEPT: YOUR OWN AGENTS FOLDER (USED IN EVERY PROJECT, SHOWN AS "ALL PROJECTS"), YOUR SECOND BRAIN'S AND YOUR CRM'S. THE GREY TAG ON EACH CARD SHOWS WHICH MODEL THE AGENT USES

Activity and Tokens. Activity lists your Claude Code conversations from the last 7 days. Tokens shows today's total. Most tokens are "cache reads": Claude re-reading the conversation so far. They count towards the usage limits of your Claude plan but are the cheapest kind. The reading panels re-read your files once a minute while the Jeeves browser tab is on screen; that costs 0 tokens.

Recent Claude Code conversations, from its own log files				
5 conversations in the last 7 days - newest first				
WHEN	FOLDER	WHAT IT WAS	TURNS	TOKENS
Tue 22 Sep 23:58	Second Brain	Draft the letter about new packages opus · 16 min	5	148.7k
Tue 22 Sep 22:50	Second Brain	Who should I call today opus · 8 min	3	77.1k
Tue 22 Sep 21:36	CRM	Clean up duplicate people in the CRM sonnet · 24 min	7	236.6k
Tue 22 Sep 17:46	Second Brain	Summarise the call with Tom haiku · 4 min	2	47.3k
Mon 21 Sep 22:24	CRM	Why is Marcus on the list sonnet · 12 min	4	110.9k


ACTIVITY: EVERY CLAUDE CODE CONVERSATION, WHICH FOLDER, HOW MANY TURNS AND TOKENS



TOKENS: TODAY, BY KIND AND BY MODEL (CLAUDE OPUS IS THE STRONGEST MODEL, SONNET THE MIDDLE ONE, HAIKU THE CHEAPEST). K MEANS THOUSAND: 509.7K IS 509,700 TOKENS. THE 5-HOUR BOX NEEDS THE OPTIONAL CCUSAGE PROGRAM


The Tokens panel's 4 kinds: **Conversation re-read** (cache read) is Claude re-reading the conversation so far, the cheapest kind. **Saved for the next re-read** (cache write) is Claude storing the conversation so it can re-read it cheaply next time. **Written by Claude** is its answers. **New input** is what you typed.

Recommendations. Keep 1 file, `Inbox/Recommendations.md`, in your second brain. Ask your agents to add a line there instead of interrupting you. You decide in your own time.




RECOMMENDATIONS: A PLAIN TEXT NOTE (A .MD FILE) IN YOUR SECOND BRAIN THAT YOUR AGENTS WRITE TO

Work board and FleetView. If ProjectForge or FleetView is running, it appears inside the panel, with an "open in its own tab" link. If not, the panel says so and gives you the link.




THE WORK BOARD PANEL WHEN PROJECTFORGE IS NOT RUNNING: IT SAYS SO, SHOWS THE ADDRESS IT CHECKED (HTTP://127.0.0.1:3020, PROJECTFORGE'S USUAL ADDRESS) AND GIVES THE DOWNLOAD LINK

Moving panels. Drag a tab by its title to another edge or into another group. The square button on each panel opens it in its own window. That window's address ends in `?only=` and the panel name (for example `http://127.0.0.1:4040/?only=today`), so you can bookmark 1 panel on its own. + **Panel** brings back anything you closed (open panels are marked "(open)", and each has its own pop-out button). **Reset layout** puts everything back. Close every panel and the page says so, with a button for each panel.




IF YOU CLOSE EVERY PANEL, THE PAGE SAYS SO AND OFFERS EACH PANEL BACK

Layouts and full screen. **Layouts** offers 4 arrangements, each with all 10 panels: Big screen, Laptop, Chat focus and Morning review. "Save this layout as" keeps your own arrangement under a name. To make 1 group fill the page, double-click its tab or press the diagonal double-arrow button at the right end of its tab row; press Esc to put it back.



THE LAYOUTS MENU



TODAY, MADE TO FILL THE PAGE BY DOUBLE-CLICKING ITS TAB. ESC PUTS IT BACK

Stopping it. Press Ctrl+C in the terminal where you typed `python start.py`. If you started it another way (the hidden file, or when you logged in), type `python start.py --stop` in the `outliers-ws-04-jeeves` folder. It checks that the program on that port really is Jeeves before stopping it, so it never stops anything else.

Terminal: starting Jeeves when it is already running

```
> python start.py
Jeeves is already running at http://127.0.0.1:4040/ (process 65560). Not starting a second copy.
To stop it: python start.py --stop
```

STARTING JEEVES WHEN IT IS ALREADY RUNNING. THE NUMBER IS THE ID WINDOWS GIVES THE RUNNING JEEVES;
YOU DO NOT NEED IT

PIECE 4 • JEEVES

Fit it to your own AI system

This download is a starting point, not a finished product. It is yours now: change it until it matches how you work. Ashley's own Jeeves went a long way past what you have here. It had 8 colour themes, including a light theme for daytime. It had real PowerShell terminals running inside the page, so he could watch a build without leaving it. It had a command menu opened from the keyboard, panels popped out across 3 monitors, and a phone version he installed on his Samsung and reached over a private network of his own. When a redesign came back calmer and simpler, with 1 orb and 4 cards, he rejected it in 1 line: "Jeeves is a FULL UI - that's the point." That is the useful part of the story. He did not accept somebody else's idea of what his own screen was for, and neither should you.

Each of these is a change you can ask your own Claude Code to make. Open a terminal in the `outliers-ws-04-jeeves` folder, type `claude`, and paste the prompt. Afterwards, run the automatic checks that come with Jeeves (`python -m pytest -q`; `pytest` is a Python checking program, installed with `pip install pytest` if missing) and restart Jeeves.

The prompts use programmer words so Claude knows exactly which files to change. You do not need to understand them.

Where each change goes

You ask your own Claude Code for the change; this is the file it will open.

CONFIG.JSON

Name and orb words, models, what Chat may do, folders, your other apps' addresses. No code.

JEEVES/STATIC/APP.JS

A new panel, buttons, the chat panel, the Layouts menu.

JEEVES/SERVER.PY

A new address inside Jeeves that a panel reads its data from, for example your content engine's drafts.

YOUR SECOND BRAIN'S CLAUDE.MD

How Claude behaves when it answers from Jeeves: where it may write, how it replies.

TESTS/

A check for every change, on made-up data, so it cannot break quietly.

NOTHING IN YOUR VAULTS

Jeeves reads them. Changes to your notes come from Claude (if allowed) or your agents.

WHICH FILE EACH KIND OF CHANGE GOES IN

1. A content-engine panel. Shows the newest batch of post drafts from your content engine (the content-writing setup from an earlier session; each batch is a folder the prompt calls a "wave"), if you have one.

```
Add a panel to Jeeves called "Drafts". Read-only. It lists the markdown files in the newest folder under briefs/ in my content engine at <path to outliers-content-engine>, from each wave's drafts/ folder, with the first line of each draft. Add the path to config.json as "content_engine". Add a GET route in jeeves/server.py, a render function in jeeves/static/app.js, and a test in tests/ against a made-up folder. Run the tests.
```

2. A "who to call" panel with a button per person. Put the name of the agent that writes your follow-ups where the prompt says so.

```
Add a panel called "Who to call" that reads the table in my CRM's Today.md and shows each person as a card. Each card gets a button "Draft a follow-up" that puts "Use the <your follow-up agent's name> agent to draft a follow-up to <name>, using their CRM note" into the chat box without sending it. Keep it read-only. Add a test.
```

3. Your agents as buttons. Turn the 3 agents you use most into 1-click buttons in the top bar.

```
In Jeeves, add a row of buttons to the top bar for the agents listed in a new config.json key "agent_buttons" (a list of names). Each button fills the chat box with "Use the <name> agent to " and focuses it. Nothing is sent until I press Enter.
```

4. Your own ready-made layouts. The Layouts menu already saves layouts in your browser. To ship your own to every browser (LAYOUTS is the list of ready-made layouts inside `app.js`):

```
In jeeves/static/app.js, add a layout called "Client prep" to LAYOUTS: Today and Vaults side by side on top, Chat below them, every other panel as tabs next to Vaults. Every layout must keep all 10 panels. Add it to the test in tests/test_ui.py.
```

5. Let it edit notes, on your terms. 2 settings, then a rule in your rulebook. `"allow_actions": true` takes the 3-tool limit off and gives Chat every tool Claude Code has. `"acceptEdits"` lets Claude edit files without asking you.

```
In config.json set "allow_actions" to true and "permission_mode" to "acceptEdits". Then add a rule to my second brain's CLAUDE.md: "When working from Jeeves, only create or edit files in Inbox/ and Daily/. Ask me before touching anything else."
```

With `"allow_actions": true` Claude can use every tool your own Claude Code settings allow, including commands and the internet. With `"acceptEdits"` anything else that needs approval is still refused, because nobody is there to approve it.

6. A voice panel. Uses the speaking voices built into your web browser: no cloning, no extra program.

```
Add a "Speak replies" switch to the Jeeves chat panel. When it is on, read each finished reply aloud with the browser's built-in speechSynthesis, and set the orb to "speaking" while it talks. Add a microphone button that uses the browser's speech recognition if the browser has it, and hides itself if it does not.
```

7. Recommendations written by your agents. Give every agent 1 place to put suggestions.

```
In my second brain, add a rule to CLAUDE.md: "Any agent that has a suggestion for me appends a line to Inbox/Recommendations.md in this form:
- [ ] **<the suggestion>** - <why, with a number> (from <agent name>, <date>)
It never acts on the suggestion itself."
```

8. Only run when there is work. If you ever add a scheduled job, make it check first. The last line of the prompt stops a black command window flashing up each morning.

```
I want a morning job that asks Jeeves's chat to summarise my day. Before it starts
Claude, it must check with plain Python whether anything changed since yesterday
(new lines in Today.md, new notes). If nothing changed, it exits without starting Claude.
Use a hidden .vbs launcher on Windows and pass CREATE_NO_WINDOW to every subprocess.
```

9. Change the orb's words and the name.

```
In config.json set "name" to "<your assistant's name>" and add an "orb" setting with
"inner" and "outer": 2 short lines of my choosing. Restart Jeeves and check the runes
changed.
```

PIECE 4 • JEEVES

Every command and setting

What is in the folder, and what Jeeves writes

Everything Jeeves writes stays inside its own folder. It never writes to your vaults.

YOU RUN THESE

- `install.py` asks 4 questions and writes the settings
- `start.py` starts, stops, or says it is already running

WRITTEN BY THE INSTALLER

- `config.json` : every setting
- `config.json.bak-<date>` : your old settings, when an answer changes
- `Start Jeeves (hidden).vbs` (Windows): start with no window

WRITTEN WHILE IT RUNS

- `state/chat-sessions.json` : the conversation number
- `state/jeeves.pid` : the ID of the running Jeeves, and its port
- `state/read-only-settings.json` : the blocked tools

ONLY IF YOU SAID YES

- `Jeeves.vbs` in your Startup folder (Windows)
- a launch file in `Library/LaunchAgents` (Mac)
- Removed by `python install.py --uninstall`

THE PROGRAM

- `jeeves/` : the server and the page
- `tests/` : checks on made-up data
- `tools/demo.py` : a made-up world to try first

TO READ

- `README.md` , this guide in `guide/`
- `WHAT-I-STOLE.md` : what it was built from, and the licences
- `config.example.json` : every setting with an example

WHAT IS IN THE FOLDER, WHAT YOU RUN, AND WHAT JEEVES WRITES

COMMANDS

COMMAND	WHAT IT DOES
<code>python install.py</code>	Asks 4 questions and writes <code>config.json</code> . Safe to run again.
<code>python install.py --port 4041</code>	The same, with a different port.
<code>python install.py --vault <folder> --crm <folder> --agents <folder></code>	Gives the answers up front instead of asking.
<code>python install.py --launcher</code>	Also starts Jeeves hidden every time you log in.
<code>python install.py --yes</code>	Accepts every answer it found, asks nothing.
<code>python install.py --uninstall</code>	Stops Jeeves and removes the file that starts it when you log in. Leaves settings and vaults alone.
<code>python start.py</code>	Starts Jeeves and opens your browser. Ctrl+C stops it.
<code>python start.py --no-open</code>	Starts without opening a browser (the file that starts Jeeves when you log in uses this).
<code>python start.py --port 4041</code>	Starts on another port this time only.
<code>python start.py --config <file></code>	Uses another settings file (the practice version, <code>tools/demo.py</code> , uses this).
<code>python start.py --stop</code>	Stops a Jeeves that is running, however it was started.
<code>python tools/demo.py ../jeeves-demo --serve --port 4099</code>	A made-up practice world to try first. 0 tokens.
<code>python -m pytest -q</code>	Runs the automatic checks, on made-up data. They never touch your real files.
<code>python tools/shoot.py <empty folder> guide/img</code>	Retakes every picture in this guide (needs Playwright, a free add-on that drives a web browser: <code>pip install playwright</code>).

SETTINGS IN CONFIG.JSON

`config.example.json` in the folder shows every setting with an example. After changing one, stop Jeeves and start it again.

SETTING	WHAT IT DOES	DEFAULT
<code>name</code>	The name at the top and in the chat.	<code>"Jeeves"</code>
<code>port</code>	The number in the address.	<code>4040</code>
<code>second_brain</code>	Your second-brain folder. Chat works inside it.	asked by the installer
<code>crm_vault</code>	Your CRM folder. Blank if you have none.	asked by the installer
<code>agents_dirs</code>	Extra folders of agents. The <code>.claude/agents</code> folders in your user folder (for example <code>C:\Users\<you></code>) and in each vault are always read.	asked by the installer

SETTING	WHAT IT DOES	DEFAULT
models	Which Claude model <code>best</code> , <code>deep</code> and <code>fast</code> use. Write the name in full so it cannot change under you.	<code>claude-opus-5-5</code> , <code>claude-sonnet-5</code> , <code>claude-haiku-4-5</code>
default_model	The model picked when you first open Jeeves.	<code>"best"</code>
allow_actions	<code>false</code> : Chat is given 3 reading tools and no others. <code>true</code> : Chat gets every tool Claude Code has.	<code>false</code>
permission_mode	Claude Code's own rule for when it must ask you first. <code>"dontAsk"</code> : Claude never stops to ask you; anything that would need your yes is refused instead.	<code>"dontAsk"</code>
chat_timeout_seconds	How long an answer may run before Jeeves stops it.	<code>600</code>
claude_command	How to start Claude Code. If <code>claude --version</code> works but Jeeves cannot find it, put its full path here, for example <code>"C:/Users/<you>/local/bin/claude.exe"</code> .	<code>"claude"</code>
claude_home	Where Claude Code keeps its log files, if not the usual <code>.claude</code> folder in your user folder.	blank
inbox_file	The Recommendations file. If blank, Jeeves looks for <code>Inbox/Recommendations.md</code> , then <code>Recommendations.md</code> , <code>Areas/Recommendations.md</code> , <code>AI/Recommendations.md</code> and <code>Inbox.md</code> .	blank
daily_note_folders	Where daily notes are looked for.	<code>Daily</code> , <code>Daily Notes</code> , <code>Journal</code> , <code>Diary</code> , <code>Calendar</code>
apps	The addresses of ProjectForge and FleetView, and their download links.	ports 3020 and 3010
ccusage	<code>"off"</code> hides the figure for how much of your Claude plan's 5-hour allowance is used.	<code>"auto"</code>
orb	2 lines of text for the rune-style rings, as <code>"inner"</code> and <code>"outer"</code> . The installer does not write it; add it yourself.	built in

FILES IT WRITES

FILE	WHEN
<code>config.json</code>	Every install that changes an answer.
<code>config.json.bak-<date></code>	Your old settings, when an answer changed.
<code>Start Jeeves (hidden).vbs</code>	Every install on Windows. Double-click to start with no window.
<code>Jeeves.vbs</code> in your Startup folder, or <code>ai.outliers.jeeves.plist</code> in Library/LaunchAgents on a Mac	Only if you said yes to starting when you log in.
<code>state/chat-sessions.json</code>	The number of the conversation Chat is carrying on.
<code>state/jeeves.pid</code>	The process number (the ID Windows gives the running Jeeves program) and its port, so <code>--stop</code> finds it.
<code>state/read-only-settings.json</code>	The rules that keep the acting tools away from a helper agent Chat hands work to.

`README.md` repeats the short version of this guide. `WHAT-I-STOLE.md` (our name for the list of free projects Jeeves borrows from, with each licence) names what Jeeves was built from. `LICENSE` is the MIT licence for our code; Dockview (the free add-on that makes the panels movable) keeps its own licence in `jeeves/static/vendor/dockview/`.

When it goes wrong

WHAT YOU SEE	WHY	WHAT TO DO
Jeeves still answers after <code>python start.py --stop</code>	An older copy (before 2026-09-22) let 2 copies share a port on Windows. This copy refuses a second one.	In Task Manager, open the Details tab, right-click the column headers, add "Command line", then end every <code>python.exe</code> or <code>pythonw.exe</code> whose command line ends in <code>start.py</code> . Then start Jeeves once.
"Jeeves is already running" when you start it	It is: perhaps the hidden file started it, or it started when you logged in.	Open http://127.0.0.1:4040/ . To restart it: <code>python start.py --stop</code> , then <code>python start.py</code> .
"Claude Code is not logged in", or "No conversation found"	Claude Code needs a login, or the conversation Jeeves was carrying on has been deleted from Claude Code's logs.	Type <code>claude</code> in a terminal and log in. Then press Try again under the message.
Chat says Claude Code was not found	Your computer cannot find the <code>claude</code> program (it is not on your PATH, the list of folders Windows searches for programs), or Jeeves was started from a window that was open before you installed it.	Close every terminal, open a new one, check <code>claude --version</code> , then restart Jeeves. If it still cannot find it, put the full path in <code>config.json</code> as <code>"claude_command"</code> .
Chat says it cannot run a command, edit a file or look online	By design: Chat is read-only unless you allow more.	See "5. Let it edit notes, on your terms" above.
"Still answering your last message"	You sent a message while the last answer was coming in.	Wait, or press Stop, then send again.
Answers feel weak	The model menu is on <code>fast</code> , the smallest model. Ashley's first Jeeves had this problem when its default was set to the smallest model.	Pick <code>best</code> in the model menu.
A panel is empty	The file it reads is missing. (In Ashley's first Jeeves a panel stayed empty when it was filled before it appeared on screen. This rebuild waits for each panel, so an empty panel now means its file is missing.)	Press the refresh arrow on the panel. Read the message in it: it says which file it looked for.
"Nobody is waiting on you" but your CRM has people	<code>Today.md</code> is not in the numbered shape (number, name, reason).	Rebuild it with <code>python _engine/today.py -write</code> in your CRM folder.

WHAT YOU SEE	WHY	WHAT TO DO
Work board or FleetView says "not running"	Jeeves only looks. It never starts another app, because in Ashley's first Jeeves, starting another app itself left 2 copies of that app competing for the same port.	Start ProjectForge or FleetView yourself, then press the refresh arrow.
An embedded app is blank	An app can refuse to be shown inside another page.	Use the "open in its own tab" link in the panel's top line.
Token totals looked doubled	Claude Code writes the same reply more than once in its logs.	Fixed: each reply is counted once. If your numbers still differ from ccusage's, trust ccusage.
"Could not listen on port 4040"	Another program is using the port.	The message names a port that is free right now: run the line it prints, for example <code>python start.py --port 4041</code> . To keep the new port, run <code>python install.py --port 4041</code> .
"config.json could not be read", with a line number	You edited <code>config.json</code> and left it in a shape the computer cannot read: usually a comma after the last setting, or a missing bracket or quotation mark.	Open the file, look at the line the message names, and correct it. Or run <code>python install.py</code> to write a fresh one; your vault folders are asked for again, nothing else is lost.
"Your second brain folder is not there"	The folder named in <code>config.json</code> does not exist: a typo, a renamed folder, or a drive that is not plugged in.	Check <code>"second_brain"</code> in <code>config.json</code> , or plug the drive back in, then refresh the page. The same message appears for <code>"crm_vault"</code> .
It will not start at all	Something Jeeves needs is missing or wrong. This rebuild needs nothing outside its own folder except your vaults.	Run <code>python install.py</code> again: it checks everything and says what is missing.

What 4 of these look like on screen: a failed chat message, a brand-new setup with empty panels, Chat with no Claude Code installed, and a folder that is not there.

Jeeves
Last reply failed. Details are in the chat.

Wednesday 23 September Model: best- Claude-Opus-5.5 Layouts + Panel Reset layout

CHAT X TODAY X RECOMMENDATIONS X ACROSS EVERYTHING X

Answered by your own Claude Code, in your second brain... Suggestions New conversation

Jeeves
It is given 3 tools and no others: open a file, search inside files, find files by name. Running commands, changing files and the internet are switched off until you set "allow_actions": true in config.json.

Who should I speak to first today, and why?

Read: Today.md

Three people are worth your morning, in this order:

1. **Priya Shah** (Priya Shah Design) replied yesterday asking about month-end help. A reply goes off fastest, so she comes first.
2. **Tom Reyes** booked a call for Thursday. Read **Tom Reyes** before then: he mentioned VAT twice last time.
3. **Hannah Cole** changed role to finance lead at a 12-person agency.

In your second brain, *Pricing review* is still open with 2 unticked items. I read *Today.md* in your CRM and your note *Pricing review*.

Draft a note to every client about the new prices

Read: Today.md

Three people are worth your morning, in this order:

1. **Priya Shah**

Stopped. The part above is what Claude had written.

What needs me today?

- 1 Claude Code is not logged in. Open a terminal, type `claude`, log in, then press `Try again`.
- 2 Details

Not logged in - Please run `/login`

Try again

Ask Jeeves... (Enter to send, Shift+Enter for a new line) Send

FROM YOUR CRM - BUILT WED 23 SEP 00:12

Today
Built for 08:30. Open this before you open your inbox.
Generated 2026-09-23 from the event log. Do not edit by hand: this page is rewritten from scratch every run.

#	Who	Why they are here	When
1	Priya Shah	Replied	19 hours ago
2	Tom Reyes	Booked a call	2 days ago
3	Hannah Cole	Changed role	3 days ago
4	Leah Grant	Engaged with something you posted	4 days ago
5	Marcus Webb	Quiet, and due a word	23 days ago

Ordered by how soon each reason goes stale. A reply ranks first because it goes stale fastest.

PEOPLE TO SPEAK TO

- Priya Shah - Replied
- Tom Reyes - Booked a call
- Hannah Cole - Changed role
- Leah Grant - Engaged with something you posted

and 1 more in Today

WAITING FOR YOUR DECISION

- **Raise the Books-only package to 195** - 4 of 6 clients are over their hours (from the pricing agent, today)
- **Turn the month-end checklist into a post** - 3 clients asked for it this month
- **Chase 2 unpaid invoices** - both over 30 days (from the invoice chaser)

YOUR SECOND BRAIN

Notes moved (3 days) 8
Left unfinished 8
Daily note today yes

CLAUDE TODAY

Conversations 0
Tokens 0
Agents you have 5

VAULTS X **AGENTS** **WORK BOARD** **FLEETVIEW** X

Read-only. Type to filter names - Enter searches inside notes

Second brain CRM

Filter names...

Pick a note on the left.

AREAS

Marketing

(TOP LEVEL)

CLAUDE

DAILY

2026-09-23

DECISIONS

Stop taking payroll clients

IDEAS

Month-end checklist as a lead...

INBOX

Recommendations

TOKENS X **ACTIVITY** X

Tokens used today, read from Claude Code's log files

TODAY - WEDNESDAY 23 SEPTEMBER

0 tokens across 0 conversation(s)

Conversation re-read (cache read) 0

Saved for the next re-read (cache write) 0

Written by Claude (output) 0

New input 0

LAST 5 HOURS

All tokens 462.3k

YOUR 5-HOUR USAGE WINDOW (CCUSAGE)

- 1 What went wrong, in plain words. Details shows Claude Code's own message. `/login` means: type `claude` in a terminal, then type `/login`.
- 2 Try again sends the same message once you have fixed it.

A FAILED MESSAGE SAYS WHAT WENT WRONG IN PLAIN WORDS, WITH TRY AGAIN

Jeeves
Claude Code was not found on this computer, so Chat cannot answer. Every other panel works.

Wednesday 23 September Model: best- Claude-Opus-5.5 Layouts + Panel Reset layout

CHAT X TODAY X RECOMMENDATIONS X ACROSS EVERYTHING X

Answered by your own Claude Code, in your second brain... New conversation

Jeeves
It is given 3 tools and no others: open a file, search inside files, find files by name. Running commands, changing files and the internet are switched off until you set "allow_actions": true in config.json.

- 1 Claude Code was not found on this computer, so Chat cannot answer. Every other panel works.

1. Install Claude Code: [code.claude.com/docs/en/setup](https://docs.claude.com/en/setup)
2. Open a new terminal and type `claude` once to log in.
3. Stop Jeeves and start it again.

If it is installed somewhere unusual, put its full path in `config.json` as "`claude_command`".

Chat is switched off until Claude Code is installed. Send

FROM YOUR CRM

No Today.md yet. In your CRM folder run: `python _engine/today.py --write`

FROM YOUR SECOND BRAIN

Daily/2026-09-23.md

Wednesday 23 September

- 09:30 Call with Hannah Cole (new role, finance lead)
- 11:00 Month-end for Priya Shah Design
- Reply to Leah about the quarterly figures

Moved in the last 3 days

- Wed 00:12 2026-09-23 Daily
- Wed 00:12 Marketing Areas
- Wed 00:12 Stop taking payroll clients Decisions
- Wed 00:12 Month-end checklist as a lead magnet Ideas

PEOPLE TO SPEAK TO

Your CRM has no Today.md yet. Build it in your CRM folder with `python _engine/today.py --write`.

WAITING FOR YOUR DECISION

No Recommendations file yet. Create `Inbox/Recommendations.md` in your second brain.

YOUR SECOND BRAIN

Notes moved (3 days) 8
Left unfinished 5
Daily note today yes

CLAUDE TODAY

Conversations 0
Tokens 0
Agents you have 2

YOUR OTHER APPS

not running
Work board (ProjectForge)
not running FleetView

VAULTS X **AGENTS** **WORK BOARD** **FLEETVIEW** X

Read-only. Type to filter names - Enter searches inside notes

Second brain CRM

Filter names...

Pick a note on the left.

AREAS

Marketing

(TOP LEVEL)

CLAUDE

DAILY

2026-09-23

DECISIONS

Stop taking payroll clients

IDEAS

Month-end checklist as a lead...

MEETINGS

Call with Tom Reyes

TOKENS X **ACTIVITY** X

Tokens used today, read from Claude Code's log files

TODAY - WEDNESDAY 23 SEPTEMBER

0 tokens across 0 conversation(s)

Conversation re-read (cache read) 0

Saved for the next re-read (cache write) 0

Written by Claude (output) 0

New input 0


LAST 5 HOURS

All tokens 0


YOUR 5-HOUR USAGE WINDOW (CCUSAGE)

- 1 No Claude Code: Chat says so, lists the 3 steps and links to the download page. Every other panel works.
- 2 No Today.md yet: it says so, with the command that builds it.
- 3 No Recommendations file yet: it names the file to create.

A BRAND-NEW SETUP: EACH EMPTY PANEL SAYS WHAT IS MISSING AND HOW TO FIX IT



CHAT WITH NO CLAUDE CODE INSTALLED: THE ADDRESS IS A LINK, THE TEXT BOX SAYS IT IS SWITCHED OFF, AND THE SUGGESTED QUESTIONS ARE PUT AWAY



A SECOND BRAIN FOLDER THAT IS NOT THERE. TODAY, ACROSS EVERYTHING AND VAULTS ALL SAY SO, AND ALL NAME THE SAME FOLDER. BEFORE 2026-09-23 THE FIRST 2 SAID "NOTHING HAS MOVED AND NOTHING IS LEFT OPEN", WHICH READ AS A QUIET WEEK

NOTE

Jeeves never writes to your vaults. If a note changed, something else changed it: Claude through Chat (only if you set "allow_actions" to true), or one of your agents.

PIECE 4 • JEEVES

Download

<https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves>

```
git clone https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves; cd outliers-ws-04-jeeves;
python install.py; python start.py
```

Download Jeeves

<https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves>

```
Terminal
> git clone https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves
> cd outliers-ws-04-jeeves
> python install.py
> python start.py
Jeeves is running at http://127.0.0.1:4040/ (Ctrl+C to stop)
```

THE 4 COMMANDS (TYPE THEM WITHOUT THE > AT THE START), AND WHAT THE TERMINAL SAYS WHEN JEEVES IS RUNNING



Jeeves

It is given 3 tools and no others: open a file, search inside files, find files by name. Running commands, changing files and the internet are switched off until you set "allow_actions": true in config.json.

What needs me today?

Who in my CRM should I speak to first, and why?

Summarise what moved in my second brain this week

Which of my agents should I use to write a follow-up?

THE ORB: JEEVES DRAWS IT ON THE PAGE ITSELF, SO THERE ARE NO PICTURE FILES TO DOWNLOAD

DOWNLOAD THIS PIECE

<https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves>

```
git clone https://github.com/OUTLIERS-ai/outliers-ws-04-jeeves
cd outliers-ws-04-jeeves
python install.py
```