

Full Title of the Presentation

Subtitle if necessary

Your Name

Autonomous Multisensor Systems Group
Institute for Intelligent Cooperating Systems
Faculty of Computer Science
Otto von Guericke University Magdeburg

2026-11-05

Autonomous Multisensor Systems

Introduction

Full Title of the Presentation

Slide Concept




Slide Concept

Autonomous Multisensor Systems

OTTO VON GUERICKE UNIVERSITÄT MAGDEBURG

Design Rules

- avoid text-heavy slides
- prefer vector graphics
- all text has to be readable



Slide Concept

Design Rules

- avoid text-heavy slides
- prefer vector graphics
- all text has to be readable

Text Boxes

You can use these text boxes in different colors:

```
#ams-shadow-box(
  title: "Text Boxes",
  color: AMSred, // AMSgreen, AMSblue
  width: 4.5cm,
  [...]
)
```

Slide Concept

Autonomous Multisensor Systems

OTTO VON GUERICKE UNIVERSITÄT MAGDEBURG

Design Rules

- avoid text-heavy slides
- prefer vector graphics
- all text has to be readable

Shadows

You can use `#ams-box` to remove the shadow.

Text Boxes

You can use these text boxes in different colors:

```
#ams-shadow-box(
  title: "Text Boxes",
  color: AMSred, // AMSgreen, AMSblue
  width: 4.5cm,
  [...]
)
```

You can use the usual Typst markup syntax such as headings.

> Note that within this presentation template, thanks to `touying`, **level 1 headings correspond to new chapters and new-section-slides** while level 2 headings effectively act as new slides with their title in the header – basically offset by one. This can be changed with the `slide-heading-level` parameter of the main theme show rule.

You can change or add certain stylistic choices – let's number the headings & add spacing below headings for a less cluttered look:

```
#show heading: set block(below: 1em)
#set heading(numbering: (_, ..n) => numbering("1.1", ..n))
```

(This ignores level 1 headings since we don't want them numbered.)

→ *See next slide for visible changes…*

0.1 Example Subheading

- This level 2 subheading is now numbered as `0.1` since the one before is not numbered.
  - Either apply set rules globally or locally within a slide scope.
  - When using the heading-based slide-syntax, set rules start being applied from the point they are defined in the source code.
    - If the `#slide()`-function is used instead, they are locally constrained.
    - A scope can also be manually created with `#{...}`.
  - The template sets the numbering of level 1 headings to `none`.[1]

[1] Otherwise, "First Section" in the header would be numbered.

New Section Slides

- By default, when a new slide-section is created, an additional "new section slide" is also created (see the previous slides).
- Content will automatically overflow to a new slide within a section.
- If desired, `#pagebreak()` or `---` will manually break the "page", i.e., slide without creating a new section or "new section slide".
- To create a slide with a new section but **without** a new section slide, append the `<touying:skip>` label to the heading (see next slide as example).[1]
  - This also depends on the `slide-heading-level` parameter

[1] See `https://touying-typ.github.io/docs/intro` for more features.

LaTeX Font Sizes

tiny text with #tiny[tiny text]

scriptsize text with #scriptsize[scriptsize text]

footnotesize text with #footnotesize[footnotesize text]

small text with #small[small text]

normalsize text with #normalsize[normalsize text]

large text with #large[large text]

Large text with #Large[Large text]

LARGE text with #LARGE[LARGE text]

huge text with #huge[huge text]

Huge text with #Huge[Huge text]

References

Full Title of the Presentation

References As Footnotes

In a presentation, we recommend to include references as footnotes on the same slide.

You can define a bibliography using a BibLaTeX `.bib` file and include the following at the beginning of your typst file:

```
#let bib = bibliography(title: none,"FILE.bib")
#show: magic.bibliography-as-footnote.with(numbering: "1")
```

With `#cite(<KEY>)`, you can cite the work1.

Note that you have to include

`#place(hide(bib))`

on any of your slides. (see `https://touying-typ.github.io/docs/reference/magic/bibliography-as-footnote`)

[1] R. E. Kalman, "A New Approach to Linear Filtering and Prediction Problems," *Transactions of the ASME - Journal of Basic Engineering*, vol. 82, pp. 35–45, 1960.

References With Separate Bibliography

If needed (e.g., for some seminars), you can include a separate bibliography.

At the beginning of the document, you have to define:

```
#let bib = bibliography(title: none,"FILE.bib")
```


and can omit the option to print them as footnotes.

You can cite work with `#cite(<KEY>)` and generate a separate slide[1] with the bibliography using:

```
== Bibliography
#bib
```

[1] The separate bibliography will not be rendered if you use it together with `#place(hide(bib))`.

Test Slide Using CeTZ



Margins

0.5 cm

Standard slides have white margins of 1 cm on the left and right, and 0.5 cm at the top and bottom

You can change this setting with

```
#show: without-margin
```

to remove the margin and activate margins with

```
#show: with-margin
```

1 cm

1 cm

0.5 cm

Further Notes

Alignment

- Default alignment per slide is `top + left`, this can be changed with `#set align(..)`.

Special functions

- `#title-slide()` generates the title slide from the information given in the show-rule.
- `#thank-you-slide()` to create a slide for thanking your audience.
- `#slide()` and `#new-section-slide()` can also be manually called with a title & subtitle.
  - In the first case, no new section slide is automatically created.
  - In the second case, a custom subtitle & title can be created (see next slides).

Primary Color

- The primary color of this theme (`rgb("#0068b4")`) can be changed in the following ways:

Further Notes

1. Passing in the `config-colors()` dictionary as the last argument of the `ams-slides` show-rule, i.e., `#show: ams-slides.with(.., config-colors(primary: <color>))`,
2. Using `#show: touying-set-config.with(config-colors(primary: <color>))`

where `<color>` is your color of choice, such as `green`, `blue` or `rgb(10, 120, 30)`.

This affects the text color of the heading text in the header, the footer background color, the blue rectangle in the title slide, the rectangle and text color of the "Thank You" slide as well as the text color in the new section slides.

It does **not** affect the text boxes or the AMS and OVGU logos!

Speaker Notes

You can enable speaker notes (these are like the presenter view in PowerPoint) on any side (right, left, top, bottom) of the main slides by passing `config-common(show-notes-on-second-screen: right)` to the `..arg` argument of the `ams-slides` function used in the main show-rule. Once enabled, you can add notes to particular slide using `#speaker-note[Your text.]`.

Random Text

Custom Presentation Title!


Non-padded Slide

No padding to the sides.

Good for placing big images.

Easier manual placement!

Manual Placement



Helper Grid

For manual placement you can activate a grid with `#make-grid`
The line distance is 1 mm

The usable slide area measures 160 mm $\times$ 78 mm.



Full Title of the Presentation

Subtitle if necessary



Thank You For Your Attention!

Your Name

Web: https://ams.ovgu.de

Mail: NCC-1701@ovgu.de

