

# **OWASP Top Ten 2013 FINAL Release**



**June 2013** 

#### **Christian Heinrich**

christian.heinrich@owasp.org
OWASP

Copyright © The OWASP Foundation Permission is granted to copy, distribute and/or modify this document under the terms of the OWASP License.

The OWASP Foundation <a href="http://www.owasp.org/">http://www.owasp.org/</a>

#### #whoami

# **OWASP Testing Guide v3**

- 4.2.1 "Spiders/Robots/Crawlers"
- 4.2.2 "Search Engine Reconnaissance"

# **OWASP "Google Hacking" Project**

■ "Download Indexed Cache" PoC

#### Presented at

- .au, EU and USA OWASP Conferences
- London (.uk) Sydney (.au) and Melbourne (.au) Chapters

http://www.owasp.org/index.php/user:cmlh



# **OWASP Top Ten 2013**

- 1. What is the OWASP Top Ten?
- 2. Additions from the OWASP Top Ten 2013
  - Using Components with Known Vulnerabilities
- 3. OWASP Top Ten Risk Rating Methodology
- 4. Timeline from Release Candidate (RC) to Final
- 5. When **Not** to Cite the OWASP Top Ten?
  - Application Security Verification Standard (ASVS)
- 6. Politics of the OWASP Top Ten



# What is the OWASP "Top Ten"?

# Ten most common WebAppSec risks:

- Based on the "OWASP Risk Rating Methodology.
- Intended Audience is Executive Level.
- Prior 2010 Release on prevalence and severity.

# What is the OWASP "Top Ten"?

# Statistics of vulnerabilities contributed by:

- Aspect Security
- **■** MITRE
- White Hat
- Veracode
- Minded Security
- HP (Fortify and WebInspect)
- **■** Trustwave



# Differences between 2003 and 2004

New Top Ten 2004	Top Ten 2003		
A1 Unvalidated Input	A1 Unvalidated Parameters		
A2 Broken Access Control	A2 Broken Access Control (A9 Remote Administration Flaws)		
A3 Broken Authentication and Session Management	A3 Broken Account and Session Management		
A4 Cross Site Scripting (XSS) Flaws	A4 Cross Site Scripting (XSS) Flaws		
A5 Buffer Overflows	A5 Buffer Overflows		
A6 Injection Flaws	A6 Command Injection Flaws		
A7 Improper Error Handling	A7 Error Handling Problems		
A8 Insecure Storage	A8 Insecure Use of Cryptography		
A9 Denial of Service	N/A		
A10 Insecure Configuration Management	A10 Web and Application Server Misconfiguration		



# Differences between 2004 and 2007

OWASP Top 10 2007	OWASP Top 10 2004
A1 - Cross Site Scripting (XSS)	A4 - Cross Site Scripting (XSS)
A2 - Injection Flaws	A6 - Injection Flaws
A3 - Malicious File Execution (NEW)	
A4 - Insecure Direct Object Reference	A2 - Broken Access Control (split in 2007 T10)
A5 - Cross Site Request Forgery (CSRF) (NEW)	
A6 - Information Leakage and Improper Error Handling	A7 - Improper Error Handling
A7 - Broken Authentication and Session Management	A3 - Broken Authentication and Session Management
A8 - Insecure Cryptographic Storage	A8 - Insecure Storage
A9 - Insecure Communications (NEW)	Discussed under A10 - Insecure Configuration Management
A10 - Failure to Restrict URL Access	A2 - Broken Access Control (split in 2007 T10)
<removed 2007="" in=""></removed>	A1 - Unvalidated Input
<removed 2007="" in=""></removed>	A5 - Buffer Overflows
<removed 2007="" in=""></removed>	A9 - Denial of Service
<removed 2007="" in=""></removed>	A10 - Insecure Configuration Management



### Differences between 2007 and 2010

OWASP Top 10 – 2007 (Previous)	OWASP Top 10 – 2010 (New)
A2 — Injection Flaws	A1 — Injection
A1 — Cross Site Scripting (XSS)	A2 – Cross Site Scripting (XSS)
A7 — Broken Authentication and Session Management	A3 — Broken Authentication and Session Management
A4 – Insecure Direct Object Reference	= A4 – Insecure Direct Object References
A5 – Cross Site Request Forgery (CSRF)	= A5 – Cross Site Request Forgery (CSRF)
<was 2004="" a10="" configuration<br="" insecure="" t10="" —="">Management&gt;</was>	+ A6 – Security Misconfiguration (NEW)
A10 – Failure to Restrict URL Access	A7 – Failure to Restrict URL Access
<not 2007="" in="" t10=""></not>	+ A8 – Unvalidated Redirects and Forwards (NEW)
A8 — Insecure Cryptographic Storage	A9 — Insecure Cryptographic Storage
A9 — Insecure Communications	↓ A10 – Insufficient Transport Layer Protection
A3 — Malicious File Execution	- <dropped 2010="" from="" t10=""></dropped>
A6 — Information Leakage and Improper Error Handling	- <dropped 2010="" from="" t10=""></dropped>



# **OWASP Top Ten 2013**

**A1: Injection** 

A2: Broken
Authentication
and Session

A3:Cross-Site Scripting (XSS)

A4: Insecure
Direct Object
References

A8:Cross Site Request Forgery (CSRF) A7: Missing Function Level Access Control

**A6: Sensitive Data Exposure** 

A5: Security
Misconfiguratio
n

A9: Using Known Vulnerable A10: Unvalidated Redirects and



# **Comparison with 2003, 2004, 2007 and 2010 Releases**

OWASP Top Top Entries (Upordered)		Releases				
OWASP Top Ten Entries (Unordered)		2004	2007	2010	2013	
Unvalidated Input	A1	A1 <sup>[9]</sup>	×	×	×	
Buffer Overflows	A5	A5	×	×	×	
Denial of Service	×	A9 <sup>[2]</sup>	×	×	×	
Injection	A6	A6 <sup>[3]</sup>	A2	A1 <sup>[10]</sup>	A1	
Cross Site Scripting (XSS)	A4	A4	A1	A2	A3	
Broken Authentication and Session Management	A3	A3	A7	A3	A2	
Insecure Direct Object Reference	×	A2	A4 <sup>[11]</sup>	A4	A4	
Cross Site Request Forgery (CSRF)	×	×	A5	A5	A8	
Security Misconfiguration	A10	A10 <sup>[3][5]</sup>	×	A6	A5	
Missing Functional Level Access Control	A2	A2 <sup>[1]</sup>	A10 <sup>[13]</sup>	A8	A7 <sup>[16]</sup>	
Unvalidated Redirects and Forwards	×	×	×	A10	A10	
Information Leakage and Improper Error Handling	A7	A7 <sup>[14][4]</sup>	A6	A6 <sup>[8]</sup>	×	
Malicious File Execution	×	×	A3	A6 <sup>[8]</sup>	×	
Sensitive Data Exposure	A8	A8 <sup>[6][5]</sup>	A8	A7	A6 <sup>[17]</sup>	
Insecure Communications	×	A10	A9 <sup>[7]</sup>	A9	×	
Remote Administration Flaws	A9	×	×	×	×	
Using Known Vulnerable Components	×	×	×	×	A9 [18][19]	

# **Comparison to SANS/MITRE CVE Top 25**


OWASP Top Ten 2010	2011 Top 25
A1 - Injection	CWE-89, CWE-78
A2 - Cross Site Scripting (XSS)	CWE-79
A3 - Broken Authentication and Session Management	CWE-306, CWE-307, CWE-798
A4 - Insecure Direct Object References	CWE-862, CWE-863, CWE-22, CWE-434, CWE-829
A5 - Cross Site Request Forgery (CSRF)	CWE-352
A6 - Security Misconfiguration	CWE-250, CWE-732
A7 - Insecure Cryptographic Storage	CWE-327, CWE-311, CWE-759
A8 - Failure to Restrict URL Access	CWE-862, CWE-863
A9 - Insufficient Transport Layer Protection	CWE-311
A10 - Unvalidated Redirects and Forwards	CWE-601
(not in 2010 OWASP Top Ten)	The following CWE entries are not directly covered by the OWASP Top Ten 2010: CWE-120, CWE-134, CWE-807, CWE-676, CWE-131, CWE-190.

# **ESAPI** and Top Ten 2007


#### **Architecture Overview**


**Custom Enterprise Web Application Enterprise Security API** SecurityConfiguration AccessReferenceMap EncryptedProperties **Exception Handling** IntrusionDetector AccessController **Authenticator** HTTPUtilities Randomizer Encryptor Validator Encoder Logger User **Existing Enterprise Security Services/Libraries** 








#### Total Downloads with Known Vulnerabilities (Logarithmic)

















#### Aspect Risk Data and the OWASP Top Ten

Aspect Security has been contributing risk data to the OWASP Top Ten project for many years. Aspect created the OWASP Top 10 project in 2002 based on Aspect data and OWASP expert participation. Aspect has led the OWASP Top Ten effort through the 2003, 2004, 2007, 2010, and now 2013 releases. Starting in 2004, the project leveraged prevalence data from multiple sources to provide wider variety in the detection techniques, types of applications, and number of applications these prevalence metrics are based on. With each release, the Top Ten project has increased the number of contributors to this data set, and listed those contributors in the acknowledgement section.

In 2010, the Top Ten project explicitly ranked the risks using factors including exploitability, prevalence, detectability, and impact. Currently, only the prevalence factor is based on the prevalence data that the project is able to collect from various sources. Future versions of the Top 10 can hopefully gather public metrics in these areas and use them to help rank those other factors.

©2013 | Aspect Security, Inc.





```
cmlh$ openssl shal Aspect-2013-Global-AppSec-Risk-Report.pdf
SHA1 (Aspect-2013-Global-AppSec-Risk-Report.pdf) = e3e7e0793a311f0779161d082a874042ee0bd498
```

cmlh\$ pdfinfo Aspect-2013-Global-AppSec-Risk-Report.pdf Global Application Security Risk Report

Author:

Jeff Williams
Microsoft? Word 2010 Creator: Producer: Microsoft? Word 2010

CreationDate: Mon Jun 10 14:59:01 2013 ModDate: Mon Jun 10 14:59:01 2013

Tagged: ves Form: Pages: Encrypted:


Page size: 612 x 792 pts (letter)

File size: 845806 bytes

Optimized: PDF version:










# **OWASP Top 10 Risk Rating Methodology**



2.6 weighted risk rating



# **Politics of OWASP Risk Rating Methodology**

Not recommended by OWASP Threat Modeling.

■ Others e.g. STRIDE, DREAD, etc not used either.

ASPECT SECURITY "donated" this to OWASP.

■ Perceived Conflict of Interest.



# **Politics of the OWASP T10 vs SANS Top 25**

SANS Top 25 (2009) attempted "steal" but PR failed.

- Now a residual risk to the "Awareness" of Top Ten.
- Not much difference i.e.
  - "Buffer Overflows" vs "Security Misconfiguration"

MITRE CWE publishes more then 700 types of vuln

T10 2010 Release Date was pushed back and forward



# When \*Not\* to Cite the OWASP Top Ten?

#### PCI DSS and PA-DSS

- Cited (incorrectly) as OWASP "Guide"
- Payment Applications (PA) are TANDEM, etc based.
  - ▶ Exception is Web Server within LPAR

"Platform Security – Facebook Developer Wiki"

# When \*Not\* to Cite the OWASP Top Ten?

Web Application Firewall (WAF) and other Vendors:


- WAF don't address root causes
- Mark Curphey (OWASP Founder) raised abuse issue.
- AvdS suggested OWASP T10 Certification Scheme

webappsec "blackbox" or "whitebox" pen testing RFTs

# **Application Security Verification Standard**

# **Consider ASVS instead of OWASP Top 10**

■ Some issues when implemented in practice.



# **Internal OWASP Politics of the Top Ten**

Against OWASP "Builders not Breakers" Directive

Justified as "Awareness" for Executive audience





#### **Further Information**

# **URLs Published by OWASP**

http://www.owasp.org/index.php/Category:OWASP Top Ten Project

http://lists.owasp.org/mailman/listinfo/owasp-topten

# **URLs Aggregated by cmlh**

http://deli.cio.us/cmlh/OWASP.Top.Ten



# **Copyright Notices**

#### Slides and Notes Licensed as:

- AU Creative Commons 2.5
  - ▶ Attribution-Non Commercial-No Derivative Works



# In Closing

Slides are Published on slideshare



http://www.slideshare.net/cmlh


christian.heinrich@owasp.org

http://www.owasp.org/index.php/user:cmlh





# **OWASP Top Ten 2010 FINAL Release**



#### **Christian Heinrich**

christian.heinrich@owasp.org
OWASP

Copyright © The OWASP Foundation Permission is granted to copy, distribute and/or modify this document under the terms of the OWASP License.

The OWASP Foundation <a href="http://www.owasp.org/">http://www.owasp.org/</a>