

SAFETY DATA SHEET

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE

USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE

USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

PRODUCT NAME: HTH DROP OUT FLOCCULANT

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Arch Chemicals, Inc. 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 REVISION DATE: 02/24/2016 SUPERCEDES: 05/26/2015

MSDS Number: 000000026383

SYNONYMS: none

CHEMICAL FAMILY: Not Applicable/Mixture

DESCRIPTION / USE Swimming pool water treatment

FORMULA: Not Applicable/Mixture

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1B

Serious eye damage : Category 1

Specific target organ toxicity -

repeated exposure

Category 1

GHS label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H372 Causes damage to organs through prolonged or repeated

exposure.

Precautionary statements : **Prevention:**

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

HTH DROP OUT FLOCCULANT REVISION DATE: 02/24/2016

Page 1 of 11

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P314 Get medical advice/ attention if you feel unwell. P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAMECAS #% RANGEALUMINUM CHLORIDE7446-70-010 - 20

2-PROPEN-1-AMINIUM, N,N-DIMETHYL- 26062-79-3 0 - 7 N-2-PROPENYL-, C

SECTION 4. FIRST AID MEASURES

Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing

becomes difficult or if respiratory irritation develops. If not breathing, give artificial

respiration. Call for medical assistance.

Skin Contact: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing

comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.

Eye Contact: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes.

Seek medical attention immediately.

HTH DROP OUT FLOCCULANT

REVISION DATE: 02/24/2016 Page 2 of 11



Ingestion: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless

directed to do so by a physician. Never give anything by mouth to an unconscious

person.

Notes to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or

explosive.

Flammable Properties

Flash Point: Not applicable Autoignition Temperature: no data available

Fire / Explosion Hazards: Material will not ignite or burn.

Extinguishing Media: Choose extinguishing media suitable for surrounding materials.

Fire Fighting Instructions: Use water spray to cool unopened containers. In case of fire, use

normal fire-fighting equipment and the personal protective

equipment recommended in Section 8 to include a NIOSH approved

self-contained breathing apparatus.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by

thermal decomposition or combustion. no data available no data available

Upper Flammable / Explosive Limit,

% in air:

Lower Flammable / Explosive Limit,

% in air:

no data available no data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:

Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to

boots, impervious gloves, hard hat, splash-proof goggles,

impervious clothing, i.e., chemically impermeable suit, self-contained

breathing apparatus.

Spill Mitigation Procedures

Air Release: Hazardous concentrations in air may be found in local spill area and

immediately downwind. Vapors may be suppressed by the use of

water fog.

Water Release: This material is soluble in water. Notify all downstream users of

possible contamination. Divert water flow around spill if possible and

safe to do so.

Land Release: Create a dike or trench to contain materials. Absorb spill with inert

material (e.g., dry sand, clay, earth or commercial absorbent), then

place in a chemical waste container. After removal, flush

contaminated area thoroughly with water. Avoid runoff into storm

sewers and ditches which lead to waterways.

HTH DROP OUT FLOCCULANT REVISION DATE: 02/24/2016

Page 3 of 11



Additional Spill Information: Stop source of spill as soon as possible and notify appropriate

personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all nonessential personnel. Dispose of spill residues per guidelines under

Section 13, Disposal Consideration.

SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing.

Upon contact with skin or eyes, wash off with water. Avoid breathing

mist or vapor.

Storage: Store in a cool, dry and well ventilated place. Isolate from

incompatible materials. Do not freeze.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation is recommended if vapors, mists or aerosols are

generated. Otherwise, use general exhaust ventilation. No exposure limits

exist for the constituents of this product.

Protective Equipment for Routine Use of Product

Respiratory Protection: Respiratory protection not normally needed. If vapors, mists or aerosols are

generated, wear a NIOSH approved respirator. Wear a NIOSH approved

N95 respirator.

Skin Protection: Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit

is recommended if exposure is possible to a large portion of the body.

Eye Protection: Chemical resistant goggles must be worn. Face-shield

Protective Clothing Type: Impervious clothing

General Protective Ensure that eyewash stations and safety showers are close to the

Measures: workstation location.

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
ALUMINUM CHLORIDE (7446-70-0)	TWA	1 mg/m3	ACGIH (02 2014)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid
Form liquid
Color: clear
Odor: none

HTH DROP OUT FLOCCULANT

REVISION DATE: 02/24/2016 Page 4 of 11





Molecular Weight: no data available

Relative density 1.13

pH: 1.5 - 2.0

()

Boiling Point: 219.99 °F (104.44 °C)
Freezing Point: no data available
Density no data available

Vapor Pressure: no data available
Vapor Density: no data available
Viscosity: no data available
Fat Solubility: no data available

Solubility in Water: soluble

Partition coefficient n-

octanol/water:

no data available

Evaporation Rate: Oxidizing:

no data available no data available no data available

Volatiles, % by vol.: VOC Content

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions

listed under the U.S. Clean Air Act Section 450.

HAP Content no data available

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions. Product will not undergo

hazardous polymerization.

Conditions to Avoid: High temperatures, Avoid freezing. Chemical Incompatibility: Oxidizing agents, Metals, Alkalis

Hazardous Decomposition Products: hydrochloric acid Decomposition Temperature: hydrochloric acid no data available

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

ALUMINUM CHLORIDE LD50 = 3,450 mg/kg Rat 2-PROPEN-1- LD50 > 5,000 mg/kg Rat

AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C

Component Animal Toxicology

Dermal LD50 value:

ALUMINUM CHLORIDE LD50 > 2,000 mg/kg Rabbit

HTH DROP OUT FLOCCULANT

REVISION DATE: 02/24/2016 Page 5 of 11



SAFETY DATA SHEET

2-PROPEN-1- LD50 > 20,000 mg/kg Rabbit

AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C

Component Animal Toxicology

Inhalation LC50 value:

ALUMINUM CHLORIDE LC50 no data available

2-PROPEN-1- no data available

AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C

Product Animal Toxicity

<u>Oral LD50 value</u>: LD50 Believed to be > 5,000 mg/kg Rat <u>Dermal LD50 value</u>: LD50 Believed to be > 2,000 mg/kg Rabbit

Inhalation LC50 No data.

value:

Skin Irritation: Corrosive to skin Eye Irritation: Corrosive to eyes

Skin Sensitization: Not believed to be sensitising to skin.

Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause

irritation to mucous membranes and respiratory tract.

Subchronic / Chronic Not know

Toxicity:

Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Not known or reported to cause reproductive or developmental toxicity.

Developmental Toxicity:

Mutagenicity: Not known or reported to be mutagenic.

ALUMINUM CHLORIDE This material has been shown to be non-mutagenic in

the majority of a battery of assays. Not expected to be a

mutagenic hazard.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA.

SECTION 12. ECOLOGICAL INFORMATION

Overview: Slightly toxic to fish and other aquatic organisms.

Ecological Toxicity Values - Product:

- LC50 Believed to be approximately 10.8 mg/l (calculated)

Ecological Toxicity Values for: ALUMINUM CHLORIDE

HTH DROP OUT FLOCCULANT

REVISION DATE: 02/24/2016 Page 6 of 11



SAFETY DATA SHEET

Rainbow trout (Oncorhynchus - 96 h LC50 6.1 mg/l

mykiss)

Mosquito fish - 96 h LC50 27.1 mg/l

Daphnia magna, - 48 h LC50 3.9 mg/l

Ecological Toxicity Values for: 2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C

Bluegill sunfish - 96 h LC50 = 0.82 - 1.3 mg/l, (40% Solution)

Rainbow trout (Salmo gairdneri), - 96 h LC50 0.37 mg/l (40% Solution)

Daphnia magna, - 48 h LC50= 0.9 mg/l (In clear water), (40% Solution)

Daphnia magna, - 48 h LC50= 1.2 - 2.5 mg/l, (In 50 ppm clay suspension), (40%

Solution)

Daphnia magna, - 48 h LC50= 24.8 mg/l (In 1000 ppm clay suspension), (40%

Solution)

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it will be a hazardous waste.

Disposal Methods:

As a hazardous liquid waste it must be disposed of in accordance

with local, state and federal regulations.

Potential US EPA Waste Codes: D002

SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 2581

Description of the goods : Aluminum chloride, solution

Class : 8
Packing group : III
Labels : 8
Emergency Response : 154

Guidebook Number

TDG

HTH DROP OUT FLOCCULANT REVISION DATE: 02/24/2016

Page 7 of 11



SAFETY DATA SHEET

UN number : 2581

Description of the goods : ALUMINUM CHLORIDE SOLUTION

Class : 8
Packing group : III
Labels : 8

IATA

UN number : 2581

Description of the goods : Aluminium chloride solution

Class : 8
Packing group : III
Labels : 8
Packing instruction (cargo : 856

aircraft)

Packing instruction : 852

(passenger aircraft)

Packing instruction : Y841

(passenger aircraft)

IMDG-CODE

UN number : 2581

Description of the goods : ALUMINIUM CHLORIDE SOLUTION

Class : 8
Packing group : III
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

HTH DROP OUT FLOCCULANT REVISION DATE: 02/24/2016



This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

aluminium chloride 7446-70-0

Pennsylvania Right To Know

aluminium chloride 7446-70-0

New Jersey Right To Know

aluminium chloride 7446-70-0 2-Propen-1-aminium, N,N-26062-79-3

dimethyl-N-2-propenyl-, chloride, homopolymer

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported in the following inventories:

REACH : Not in compliance with the inventory

Water

aluminium chloride

HTH DROP OUT FLOCCULANT

REVISION DATE: 02/24/2016 Page 9 of 11



SAFETY DATA SHEET

: deuterium oxide

: 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride,

homopolymer : Sodium chloride

: diallyldimethylammonium chloride

TSCA : The components of this product are listed on the TSCA

Inventory of Existing Chemical Substances.

CH INV : The formulation contains substances listed on the Swiss

Inventory

: 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride,

homopolymer

: diallyldimethylammonium chloride

: aluminium chloride: Sodium chloride

DSL : This product contains the following components that are not on

the Canadian DSL nor NDSL.

: 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride,

homopolymer

: diallyldimethylammonium chloride

AUSTR : Not in compliance with the inventory

: 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride,

homopolymer

: diallyldimethylammonium chloride

NZIOC : Not in compliance with the inventory

: 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride,

homopolymer

: diallyldimethylammonium chloride

ENCS : Not in compliance with the inventory

deuterium oxide

2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride,

homopolymer

diallyldimethylammonium chloride

ISHL : Not in compliance with the inventory

: Water

: deuterium oxide

: 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride,

homopolymer

diallyldimethylammonium chloride

KOREA : Not in compliance with the inventory

: 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride,

homopolymer

: diallyldimethylammonium chloride

PHIL : Not in compliance with the inventory

deuterium oxide



: 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride,

homopolymer

: diallyldimethylammonium chloride IECSC : Not in compliance with the inventory

: 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride,

homopolymer

: diallyldimethylammonium chloride

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

SECTIONS REVISED: First formulated version in SAP.

Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

HTH DROP OUT FLOCCULANT REVISION DATE: 02/24/2016

Page 11 of 11