

[Home](#) / [My courses](#) / [Cloud Applications Architecture](#) / [Lab](#) / [Lab Exam 2025-2026](#)

Status	Finished
Started	Thursday, 15 January 2026, 2:50 PM
Completed	Thursday, 15 January 2026, 3:50 PM
Duration	1 hour
Grade	10.00 out of 10.00 (100%)

Question **1**

Correct

Mark 0.50 out of 0.50

Objects stored in S3 can be made public by configuring the

bucket policy



at any time



.

Your answer is correct.

Question **2**

Correct

Mark 0.50 out of 0.50

Your system requires a load-balancing solution that preserves the source IP address. Which solution should you choose?

Select one:

- ☐ a. Gateway Load Balancer
- ☐ b. Setup a custom load balancer using NGINX or HAProxy
- ☐ c. Application Load Balancer
- ☒ d. Network Load Balancer ✓

Your answer is correct.

Question **3**

Correct

Mark 0.50 out of 0.50

An EC2 instance runs in a specific ✓ based on which ✓ IP addresses are assigned to the instance.

Your answer is correct.

Question **4**

Correct

Mark 0.50 out of 0.50

An AWS Region is

Select one:

- ☐ a. An organizational unit designed to serve clients from a specific area
- ☐ b. An AWS data center
- ☒ c. An independent and isolated cloud deployed in a specific geographical region ✓

Your answer is correct.

Question **5**

Correct

Mark 0.50 out of 0.50

Which of the following is **NOT** one of the five pillars of the AWS Well-Architected Framework?

Select one:

- ☐ a. Operational Excellence
- ☒ b. Availability ✓ Correct! "Availability" is an outcome and a design goal, mainly addressed under the **Reliability** pillar, but it is not a pillar itself.
- ☐ c. Security
- ☐ d. Performance Efficiency

Your answer is correct.

Question **6**

Correct

Mark 0.50 out of 0.50

When using AWS VPCs, you can control the configuration of  and 

Your answer is correct.

Question **7**

Correct

Mark 0.50 out of 0.50

Simple Storage Service (S3) works through

Select one:

- ☐ a. SMTP
- ☐ b. FTP
- ☒ c. HTTP 

Your answer is correct.

Question **8**

Correct

Mark 0.50 out of 0.50

A company stores application logs in Amazon S3. The logs must be kept for 90 days, after which they should automatically transition to a lower-cost storage class without manual intervention.

Which Amazon S3 feature should be used to meet this requirement?

Select one:

- ☐ a. Amazon S3 bucket policies
- ☐ b. Amazon S3 Transfer Acceleration
- ☒ c. Amazon S3 lifecycle rules  Correct! S3 lifecycle rules can automatically transition objects between storage classes based on age, without manual processes.

Your answer is correct.

Question **9**

Correct

Mark 0.50 out of 0.50

Why would you specify the maximum capacity for an ASG to be greater than the desired capacity?

Select one or more:

- ☒ a. It gives you more room for a rolling upgrade ✓
- ☒ b. It allows you to manually add instances created outside of the ASG ✓
- ☐ c. The ASG takes into consideration only the desired capacity. The min and max capacities are deprecated
- ☐ d. They are always the same

Your answer is correct.

Question **10**

Complete

Mark 3.00 out of 3.00

You and 2 friends are the founders of a tech startup. Your idea is a SaaS product enabling content creators to edit images and videos through a web application. You decided to host the platform on AWS since this is where you have the most expertise.

Content creators will edit their footage directly on their devices (client-side), however, the footage must first be transcoded by the system in order to optimize storage and edit performance. The latency of the transcode operations is not critical, but users must be notified when their footage is ready for work. Additionally, premium users can choose to make their content available to certain people, which might be located anywhere on the globe, mostly to gather feedback. The platform also exposes a public API enabling integration with other platforms.

The backend is built with C++ and Node.js, it's designed to work with PostgreSQL, and the client application is built with Angular.

Your goal is to reduce operational overhead as much as possible (due to the small team) and to optimize cost.

Describe your solution below. Mention which AWS services you would choose, how they communicate to each other, and, equally important, why you have chosen a particular service. Be as explicit as possible.

Optionally, you can upload images to illustrate your design (feel free to use any drawing or diagram tool you wish; images don't have to be pretty).

-Frontend: We use S3 (because it is a static website hosting) and CloudFront. S3 hosts Angular build files (HTML/CSS/JS). We use S3 because static sites doesn't need a server and EC2 would be paying for a running VM just to serve files (so its not worth it). We also use CloudFront because we can have global low latency, caching and better performance for users from all around the world.

-Users and Authentication: we use Cognito (User Pools) + JWT. We use it because we do not want to build registration/login/2FA by ourselves. It would be really time consuming. With Cognito scaling and security are handled automatically and it also integrates easily with API Gateway. How it works: Angular authenticates with Cognito and then receives the JWT Token and sends the JWT to APIs. If you want true OAuth for partners you can use Cognito OAuth2 or a dedicated authentication flow.

-Public APIs + Backend: we use Amazon API Gateway (HTTP API) for REST endpoints which are cheaper and more low latency. We use lambda node for most API handlers (lowest ops) and ECS Fargate for the C++ services (which are containerized) if they run for long or need custom runtime. We also use an Application Load Balancer in front of ECS (which is private) and we

integrate with API Gateway VPC Link. We do this because the API Gateway and Lambda are the lowest operational overhead for our node backend. C++ is appropriate for containers in Fargate (we don't use EC2 management). If the C++ tasks are short we can also use Lambda container images, but Fargate is often simpler for C++ language.

How it connects: Angular -> API Gateway;

/api/ → Lambda(Node) and endpoints needing C++ -> API Gateway -> VPC Link
-> ALB -> ECS(Fargate C++)

-PostgreSQL. We use Amazon Aurora PostgreSQL S (or RDS PostgreSQL if you want fixed sizing). Aurora Serverless scales with load. RDS Proxy prevents too many connections issues from Lambda bursts. How it connects: Lambda/ECS talk to RDS Proxy -> Aurora.

-Media storage. Services that we use are: Amazon S3 because is cheap durable storage perfect for images and videos and for large media in general. We can also S3 Lifecycle Policies because lifecycle are saving cost.

-Upload flow (reduce backend load). We can use S3 pre-signed URLs (generated by your API) because users upload directly to S3 and we do not use any CPU, it is much faster cheaper and fewer scaling problems.

-Notify user when ready: API Gateway WebSocket API and Lambda. When transcode finishes, backend pushes a message to the user active session. Optional for email: SNS.

-Transcoding: after upload in S3, we should trigger a transcode job. We can use AWS MediaConvert started by an S3 event. The output goes back to S3. When the job finishes, we can update the database and notify the user through WebSocket.

S3 upload -> S3 event -> MediaConvert -> S3 proxy -> Lambda -> WebSocket notify

-Premium sharing: for premium users we serve the export files through CloudFront and keep S3 private. We generate CloudFront Signed URLs so only the invited people can access the content worldwide and only for a limited time.

-VPC / networking: we put Aurora in private subnets (not publicly accessible). ECS Fargate services also run in private subnets behind an ALB. The ALB can be internal because API Gateway reaches it through VPC Link. Only CloudFront/API Gateway are public entry points.

Comment:

Question **11**

Correct

Mark 0.50 out of 0.50

A team is reviewing an application using the AWS Well-Architected Framework. They identify that the application has no monitoring, alarms, or automated recovery mechanisms. Failures are detected only after users complain.

Which Well-Architected pillar is MOST directly impacted by this design?

Select one:

- ☐ a. Reliability
- ☐ b. Security
- ☒ c. Operational Excellence  Correct!
- ☐ d. Cost Optimization

Your answer is correct.

Question **12**

Correct

Mark 0.50 out of 0.50

Which practice BEST aligns with the **Reliability** pillar of the AWS Well-Architected Framework?

Select one:

- ☐ a. Use dashboards to monitor application logs and metrics
- ☒ b. Design applications to automatically recover from failures ✔ Correct! Automatic recovery, fault tolerance, and graceful handling of failures are core principles of the Reliability pillar.
- ☐ c. Continuously reduce costs by rightsizing resources
- ☐ d. Encrypt all sensitive data stored in Amazon S3

Your answer is correct.

Question **13**

Correct

Mark 0.50 out of 0.50

Content stored on S3 can be restricted such that it's accessible only through CloudFront by using

Select one:

- ☒ a. Origin Access Identity ✔
- ☐ b. S3 Bucket Settings
- ☐ c. Signed URLs

Your answer is correct.

Question **14**

Correct

Mark 0.50 out of 0.50

RDS can

Select one or more:

- ☒ a. backup the database automatically ✓
- ☒ b. encrypt the data ✓
- ☒ c. upgrade the RDBMS automatically ✓

Your answer is correct.

Question **15**

Correct

Mark 0.50 out of 0.50

ECS is a service for running

Select one:

- ☒ a. containers in a managed way ✓
- ☐ b. virtual machines
- ☐ c. RDBMS'

Your answer is correct.

[◀ Lab \(Re\)Exam 19.02.2025](#)

Jump to...