

 **BrightLearn**  
Data Analytics | Practical Exercise

Google BigQuery  
Retail Sales Dataset

### SQL QUERY

---- Where Clause----

```
SELECT *
```


```
FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`
```

```
WHERE `Total Amount` > (
```

```
    SELECT AVG(`Total Amount`)
```

```
    FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`
```

```
);
```



|    |     |            |         |        |    |        |  |
|----|-----|------------|---------|--------|----|--------|--|
| 42 | 827 | 2023-11-09 | CUST827 | Male   | 61 | Beauty |  |
| 43 | 923 | 2023-05-26 | CUST923 | Male   | 32 | Beauty |  |
| 44 | 94  | 2023-05-19 | CUST094 | Female | 47 | Beauty |  |
| 45 | 97  | 2023-10-13 | CUST097 | Female | 51 | Beauty |  |
| 46 | 104 | 2023-06-11 | CUST104 | Female | 34 | Beauty |  |
| 47 | 137 | 2023-11-18 | CUST137 | Male   | 46 | Beauty |  |
| 48 | 161 | 2023-03-22 | CUST161 | Male   | 64 | Beauty |  |
| 49 | 237 | 2023-02-04 | CUST237 | Female | 50 | Beauty |  |
| 50 | 393 | 2023-10-11 | CUST393 | Female | 22 | Beauty |  |

| Row | Transaction ID | Date       | Customer ID | Gender | Age | Product Category | Quantity |
|-----|----------------|------------|-------------|--------|-----|------------------|----------|
| 31  | 295            | 2023-07-28 | CUST295     | Female | 27  | Beauty           |          |
| 32  | 323            | 2023-01-26 | CUST323     | Female | 29  | Beauty           |          |
| 33  | 435            | 2023-12-20 | CUST435     | Female | 30  | Beauty           |          |
| 34  | 457            | 2023-07-28 | CUST457     | Female | 58  | Beauty           |          |
| 35  | 472            | 2023-12-26 | CUST472     | Female | 38  | Beauty           |          |
| 36  | 624            | 2023-08-26 | CUST624     | Female | 34  | Beauty           |          |
| 37  | 708            | 2023-01-14 | CUST708     | Female | 43  | Beauty           |          |
| 38  | 722            | 2023-07-14 | CUST722     | Male   | 20  | Beauty           |          |
| 39  | 727            | 2023-06-22 | CUST727     | Male   | 55  | Beauty           |          |
| 40  | 788            | 2023-06-27 | CUST788     | Female | 52  | Beauty           |          |
| 41  | 806            | 2023-03-20 | CUST806     | Female | 35  | Beauty           |          |
| 42  | 827            | 2023-11-09 | CUST827     | Male   | 61  | Beauty           |          |

| Row | Transaction ID | Date       | Customer ID | Gender | Age | Product Category | Quantity |
|-----|----------------|------------|-------------|--------|-----|------------------|----------|
| 16  | 131            | 2023-09-18 | CUST131     | Female | 21  | Beauty           |          |
| 17  | 221            | 2023-05-07 | CUST221     | Male   | 39  | Beauty           |          |
| 18  | 233            | 2023-12-29 | CUST233     | Female | 51  | Beauty           |          |
| 19  | 290            | 2023-10-04 | CUST290     | Female | 30  | Beauty           |          |
| 20  | 302            | 2023-07-14 | CUST302     | Male   | 57  | Beauty           |          |
| 21  | 373            | 2023-10-03 | CUST373     | Female | 25  | Beauty           |          |
| 22  | 508            | 2023-08-11 | CUST508     | Male   | 58  | Beauty           |          |
| 23  | 543            | 2023-07-26 | CUST543     | Male   | 49  | Beauty           |          |
| 24  | 610            | 2023-01-03 | CUST610     | Female | 26  | Beauty           |          |
| 25  | 976            | 2023-10-10 | CUST976     | Female | 48  | Beauty           |          |
| 26  | 30             | 2023-10-29 | CUST030     | Female | 39  | Beauty           |          |
| 27  | 35             | 2023-08-05 | CUST035     | Female | 58  | Beauty           |          |

Query results

Chat

Save results

Open in

Job information

Results

Visualization

JSON

Execution details

Execution graph


| Row | Transaction ID | Date       | Customer ID | Gender | Age | Product Category | Quantity |
|-----|----------------|------------|-------------|--------|-----|------------------|----------|
| 1   | 21             | 2023-01-14 | CUST021     | Female | 50  | Beauty           |          |
| 2   | 28             | 2023-04-23 | CUST028     | Female | 43  | Beauty           |          |
| 3   | 128            | 2023-07-05 | CUST128     | Male   | 25  | Beauty           |          |
| 4   | 220            | 2023-03-03 | CUST220     | Male   | 64  | Beauty           |          |
| 5   | 238            | 2023-01-17 | CUST238     | Female | 39  | Beauty           |          |
| 6   | 364            | 2023-08-23 | CUST364     | Female | 19  | Beauty           |          |
| 7   | 408            | 2023-04-15 | CUST408     | Female | 64  | Beauty           |          |
| 8   | 537            | 2023-06-03 | CUST537     | Female | 21  | Beauty           |          |
| 9   | 539            | 2023-06-08 | CUST539     | Male   | 25  | Beauty           |          |
| 10  | 541            | 2023-07-29 | CUST541     | Male   | 56  | Beauty           |          |
| 11  | 760            | 2023-03-27 | CUST760     | Male   | 27  | Beauty           |          |
| 12  | 781            | 2023-12-23 | CUST781     | Male   | 35  | Beauty           |          |
| 13  | 934            | 2023-07-25 | CUST934     | Male   | 30  | Beauty           |          |

## Q2

## Filtering + Conditions

Display all transactions where the Total Amount is more than the average Total Amount of the entire dataset.

**Expected Output:** All columns



```
12 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`
13 );
14 --- Filtering + Condition Statement ---
15 SELECT
16 SUM(`Total Amount`) AS Total_Revenue
17 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`;
18 SELECT DISTINCT `Product Category`
19 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`;
```

--- Filtering + Condition Statement ---


SELECT

SUM(`Total Amount`) AS Total\_Revenue

FROM `project-40d4d993-23ca-4370-b31.retail\_sales.sales\_data`;

SELECT DISTINCT `Product Category`

FROM `project-40d4d993-23ca-4370-b31.retail\_sales.sales\_data`;



| Query results                                   |               |  |
|-------------------------------------------------|---------------|--|
| Job information Results Visualization JSON Exec |               |  |
| Row                                             | Total_Revenue |  |
| 1                                               | 456000        |  |

## Q3

## Aggregate Functions

Calculate the total revenue (sum of Total Amount).

**Expected Output:** Total\_Revenue

--- Aggregate Function ---

SELECT

`Product Category`,

SUM(Quantity) AS Total\_Quantity

FROM `project-40d4d993-23ca-4370-b31.retail\_sales.sales\_data`

GROUP BY `Product Category`;

SELECT

```

`Customer ID`,
Age,
CASE
    WHEN Age < 30 THEN 'Youth'
    WHEN Age BETWEEN 30 AND 59 THEN 'Adult'
    ELSE 'Senior'
END AS Age_Group
FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`;

```

```

20
21 --- Agregate Funtion ---
22 SELECT
23     `Product Category`,
24     SUM(Quantity) AS Total_Quantity
25 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`
26 GROUP BY `Product Category`;
27 SELECT
28     `Customer ID`,
29     Age,
30     CASE
31         WHEN Age < 30 THEN 'Youth'
32         WHEN Age BETWEEN 30 AND 59 THEN 'Adult'
33         ELSE 'Senior'
34     END AS Age_Group
35 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`;
36

```

| Job information |                  | Results        | Visualization | JSON | Execution details | Exec |
|-----------------|------------------|----------------|---------------|------|-------------------|------|
| Row             | Product Category | Total_Quantity |               |      |                   |      |
| 1               | null             | null           |               |      |                   |      |
| 2               | Beauty           | 771            |               |      |                   |      |
| 3               | Clothing         | 894            |               |      |                   |      |
| 4               | Electronics      | 849            |               |      |                   |      |

Q4

DISTINCT

Display all distinct Product Categories in the dataset.

**Expected Output:** Product Category

### SQL QUERY

--- Distinct Function --

SELECT

Gender,

COUNT(

CASE


WHEN `Total Amount` > 500 THEN 1

END

) AS High\_Value\_Transactions

FROM `project-40d4d993-23ca-4370-b31.retail\_sales.sales\_data`


GROUP BY Gender;



```

37 --- Distinct Function --
38 SELECT
39   Gender,
40   COUNT(
41     CASE
42       WHEN `Total Amount` > 500 THEN 1
43     END
44   ) AS High_Value_Transactions
45 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`
46 GROUP BY Gender;
47

```



```

37 --- Distinct Function --
38 SELECT
39   Gender,
40   COUNT(
41     CASE
42       WHEN `Total Amount` > 500 THEN 1
43     END
44   ) AS High_Value_Transactions
45 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`
46 GROUP BY Gender;
47

```

## Q5

## GROUP BY

For each Product Category, calculate the total quantity sold.

**Expected Output:** *Product\_Category, Total\_Quantity*

## SQL QUERY

--- Group By ---

SELECT


`Product Category`,

SUM(`Total Amount`) AS Total\_Revenue

FROM `project-40d4d993-23ca-4370-b31.retail\_sales.sales\_data`

GROUP BY `Product Category`

HAVING SUM(`Total Amount`) > 5000;



```

47
48 --- Group By ---
49 SELECT
50   `Product Category`,
51   SUM(`Total Amount`) AS Total_Revenue
52 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`
53 GROUP BY `Product Category`
54 HAVING SUM(`Total Amount`) > 5000;
55

```

| Job information |                    | Results         | Visualization | JSON | Execution d |
|-----------------|--------------------|-----------------|---------------|------|-------------|
| Row             | Product Category ▾ | Total_Revenue ▾ |               |      |             |
| 1               | Beauty             | 143515          |               |      |             |
| 2               | Clothing           | 155580          |               |      |             |
| 3               | Electronics        | 156905          |               |      |             |

**Q6****CASE Statement**

Create a column called Age\_Group that classifies customers as:

- 'Youth' (<30)

**SQL QUERY**

--- CASE Statement ---

SELECT

    `Transaction ID`,

    `Price per Unit`,

    CASE

        WHEN `Price per Unit` < 50 THEN 'Cheap'

        WHEN `Price per Unit` BETWEEN 50 AND 200 THEN 'Moderate'

        ELSE 'Expensive'

    END AS Unit\_Cost\_Category

FROM `project-40d4d993-23ca-4370-b31.retail\_sales.sales\_data`;

```
56 --- CASE Statement ---
57 SELECT
58     `Transaction ID`,
59     `Price per Unit`,
60     CASE
61         WHEN `Price per Unit` < 50 THEN 'Cheap'
62         WHEN `Price per Unit` BETWEEN 50 AND 200 THEN 'Moderate'
63         ELSE 'Expensive'
64     END AS Unit_Cost_Category
65 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`;
```

| Job information |                | Results        | Visualization      | JSON | Execution details | Execution graph |
|-----------------|----------------|----------------|--------------------|------|-------------------|-----------------|
| Row             | Transaction ID | Price per Unit | Unit_Cost_Category |      |                   |                 |
| 37              | null           | null           | Expensive          |      |                   |                 |
| 38              | null           | null           | Expensive          |      |                   |                 |
| 39              | null           | null           | Expensive          |      |                   |                 |
| 40              | null           | null           | Expensive          |      |                   |                 |
| 41              | null           | null           | Expensive          |      |                   |                 |
| 42              | null           | null           | Expensive          |      |                   |                 |
| 43              | null           | null           | Expensive          |      |                   |                 |
| 44              | null           | null           | Expensive          |      |                   |                 |
| 45              | null           | null           | Expensive          |      |                   |                 |
| 46              | null           | null           | Expensive          |      |                   |                 |
| 47              | null           | null           | Expensive          |      |                   |                 |
| 48              | null           | null           | Expensive          |      |                   |                 |

| Row | Transaction ID | Price per Unit | Unit_Cost_Category |  |  |  |
|-----|----------------|----------------|--------------------|--|--|--|
| 25  | null           | null           | Expensive          |  |  |  |
| 26  | null           | null           | Expensive          |  |  |  |
| 27  | null           | null           | Expensive          |  |  |  |
| 28  | null           | null           | Expensive          |  |  |  |
| 29  | null           | null           | Expensive          |  |  |  |
| 30  | null           | null           | Expensive          |  |  |  |
| 31  | null           | null           | Expensive          |  |  |  |
| 32  | null           | null           | Expensive          |  |  |  |
| 33  | null           | null           | Expensive          |  |  |  |
| 34  | null           | null           | Expensive          |  |  |  |
| 35  | null           | null           | Expensive          |  |  |  |
| 36  | null           | null           | Expensive          |  |  |  |

| Row | Transaction ID | Price per Unit | Unit_Cost_Category |  |
|-----|----------------|----------------|--------------------|--|
| 13  | null           | null           | Expensive          |  |
| 14  | null           | null           | Expensive          |  |
| 15  | null           | null           | Expensive          |  |
| 16  | null           | null           | Expensive          |  |
| 17  | null           | null           | Expensive          |  |
| 18  | null           | null           | Expensive          |  |
| 19  | null           | null           | Expensive          |  |
| 20  | null           | null           | Expensive          |  |
| 21  | null           | null           | Expensive          |  |
| 22  | null           | null           | Expensive          |  |
| 23  | null           | null           | Expensive          |  |
| 24  | null           | null           | Expensive          |  |

| Row | Transaction ID | Price per Unit | Unit_Cost_Category |  |
|-----|----------------|----------------|--------------------|--|
| 1   | null           | null           | Expensive          |  |
| 2   | null           | null           | Expensive          |  |
| 3   | null           | null           | Expensive          |  |
| 4   | null           | null           | Expensive          |  |
| 5   | null           | null           | Expensive          |  |
| 6   | null           | null           | Expensive          |  |
| 7   | null           | null           | Expensive          |  |
| 8   | null           | null           | Expensive          |  |
| 9   | null           | null           | Expensive          |  |
| 10  | null           | null           | Expensive          |  |
| 11  | null           | null           | Expensive          |  |
| 12  | null           | null           | Expensive          |  |

**Q7****Conditional Aggregation**

For each Gender, count how many high-value transactions occurred (where Total Amount > 500).

**Expected Output:** *Gender, High\_Value\_Transactions*

**SQL QUERY**

--- Conditional Aggregation ---

SELECT

`Customer ID`,

Age,

`Total Amount`,


CASE

WHEN `Total Amount` > 1000 THEN 'High'

ELSE 'Low'

END AS Spending\_Level

```
FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`  
  
WHERE Age >= 40;
```



The screenshot shows the Google BigQuery interface. On the left, the sidebar displays the project hierarchy: 'project-40d4d993-23ca-4370-b...' with sub-items 'Queries', 'Shared queries', 'first Project', 'Notebooks', and 'Data canvases'. The main editor area shows a SQL query with line numbers 66 to 78. The query is a conditional aggregation that selects 'Customer ID', 'Age', and 'Total Amount', and then uses a CASE statement to categorize 'Total Amount' into 'High' (if > 1000) or 'Low' (otherwise), labeled as 'Spending\_Level'. The data is sourced from 'project-40d4d993-23ca-4370-b31.retail\_sales.sales\_data' and filtered by 'Age >= 40'.

```
66  
67 --- Conditional Aggregation ---  
68 SELECT  
69     'Customer ID',  
70     Age,  
71     'Total Amount',  
72     CASE  
73         WHEN 'Total Amount' > 1000 THEN 'High'  
74         ELSE 'Low'  
75     END AS Spending_Level  
76 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`  
77 WHERE Age >= 40;  
78
```

## Q8

## HAVING Clause


For each Product Category, show only those categories where the total revenue exceeds 5,000.

**Expected Output:** *Product\_Category, Total\_Revenue*

### SQL QUERY

---Having Clause ---

```
SELECT  
  
    `Product Category`,  
  
    SUM(`Total Amount`) AS Total_Revenue  
  
FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`  
  
GROUP BY `Product Category`  
  
HAVING SUM(`Total Amount`) > 5000;
```



The screenshot shows the Google BigQuery interface with the SQL query for Q8. The sidebar is the same as in the previous screenshot. The main editor area shows the query with line numbers 78 to 86. The query selects 'Product Category' and the sum of 'Total Amount' (aliased as 'Total\_Revenue') from 'project-40d4d993-23ca-4370-b31.retail\_sales.sales\_data', grouped by 'Product Category' and filtered by 'HAVING SUM(`Total Amount`) > 5000'.

```
78  
79 ---Having Clause ---  
80 SELECT  
81     `Product Category`,  
82     SUM(`Total Amount`) AS Total_Revenue  
83 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`  
84 GROUP BY `Product Category`  
85 HAVING SUM(`Total Amount`) > 5000;  
86
```

| Row | Product Category | Total_Revenue |
|-----|------------------|---------------|
| 1   | Beauty           | 143515        |
| 2   | Clothing         | 155580        |
| 3   | Electronics      | 156905        |

**SQL QUERY**

--- Calculated Clause ---

SELECT

    `Transaction ID`,

    `Price per Unit`,

CASE

    WHEN `Price per Unit` < 50 THEN 'Cheap'

    WHEN `Price per Unit` BETWEEN 50 AND 200 THEN 'Moderate'

    ELSE 'Expensive'

END AS Unit\_Cost\_Category

FROM `project-40d4d993-23ca-4370-b31.retail\_sales.sales\_data`;

| Row | Transaction ID | Price per Unit | Unit_Cost_Category |
|-----|----------------|----------------|--------------------|
| 38  | null           | null           | Expensive          |
| 39  | null           | null           | Expensive          |
| 40  | null           | null           | Expensive          |
| 41  | null           | null           | Expensive          |
| 42  | null           | null           | Expensive          |
| 43  | null           | null           | Expensive          |
| 44  | null           | null           | Expensive          |
| 45  | null           | null           | Expensive          |
| 46  | null           | null           | Expensive          |
| 47  | null           | null           | Expensive          |
| 48  | null           | null           | Expensive          |
| 49  | null           | null           | Expensive          |
| 50  | null           | null           | Expensive          |

| Row | Transaction ID | Price per Unit | Unit_Cost_Category |
|-----|----------------|----------------|--------------------|
| 27  | null           | null           | Expensive          |
| 28  | null           | null           | Expensive          |
| 29  | null           | null           | Expensive          |
| 30  | null           | null           | Expensive          |
| 31  | null           | null           | Expensive          |
| 32  | null           | null           | Expensive          |
| 33  | null           | null           | Expensive          |
| 34  | null           | null           | Expensive          |
| 35  | null           | null           | Expensive          |
| 36  | null           | null           | Expensive          |
| 37  | null           | null           | Expensive          |
| 38  | null           | null           | Expensive          |
| 39  | null           | null           | Expensive          |
| 40  | null           | null           | Expensive          |

| Row | Transaction ID | Price per Unit | Unit_Cost_Category |
|-----|----------------|----------------|--------------------|
| 14  | null           | null           | Expensive          |
| 15  | null           | null           | Expensive          |
| 16  | null           | null           | Expensive          |
| 17  | null           | null           | Expensive          |
| 18  | null           | null           | Expensive          |
| 19  | null           | null           | Expensive          |
| 20  | null           | null           | Expensive          |
| 21  | null           | null           | Expensive          |
| 22  | null           | null           | Expensive          |
| 23  | null           | null           | Expensive          |
| 24  | null           | null           | Expensive          |
| 25  | null           | null           | Expensive          |
| 26  | null           | null           | Expensive          |

| Row | Transaction ID | Price per Unit | Unit_Cost_Category |
|-----|----------------|----------------|--------------------|
| 1   | null           | null           | Expensive          |
| 2   | null           | null           | Expensive          |
| 3   | null           | null           | Expensive          |
| 4   | null           | null           | Expensive          |
| 5   | null           | null           | Expensive          |
| 6   | null           | null           | Expensive          |
| 7   | null           | null           | Expensive          |
| 8   | null           | null           | Expensive          |
| 9   | null           | null           | Expensive          |
| 10  | null           | null           | Expensive          |
| 11  | null           | null           | Expensive          |
| 12  | null           | null           | Expensive          |
| 13  | null           | null           | Expensive          |

|    |        |                                                           |     |
|----|--------|-----------------------------------------------------------|-----|
| 86 | ---    | Calculated Clause                                         | --- |
| 87 | SELECT |                                                           |     |
| 88 |        | 'Transaction ID',                                         |     |
| 89 |        | 'Price per Unit',                                         |     |
| 90 | CASE   |                                                           |     |
| 91 |        | WHEN 'Price per Unit' < 50 THEN 'Cheap'                   |     |
| 92 |        | WHEN 'Price per Unit' BETWEEN 50 AND 200 THEN 'Moderate'  |     |
| 93 |        | ELSE 'Expensive'                                          |     |
| 94 | END AS | Unit_Cost_Category                                        |     |
| 95 | FROM   | 'project-40d4d993-23ca-4370-b31.retail_sales.sales_data'; |     |
| 96 |        |                                                           |     |
| 97 |        |                                                           |     |

**Q10****Combining WHERE + CASE**

Display all transactions from customers aged 40 or older and add a column Spending\_Level showing:

- 'High' if Total Amount > 1000
- 'Low' otherwise

**Expected Output:** *Customer\_ID, Age, Total\_Amount, Spending\_Level*

SELECT

  `Customer ID`,

  Age,

  `Total Amount`,

CASE


  WHEN `Total Amount` > 1000 THEN 'High'

  ELSE 'Low'

END AS Spending\_Level

FROM `project-40d4d993-23ca-4370-b31.retail\_sales.sales\_data`

WHERE Age >= 40;



The screenshot shows the Google BigQuery interface. On the left, the 'Data Preparations' sidebar is visible, showing a project named 'project-40d4d993-23ca-4370-b31' with a dataset 'retail\_sales' and a table 'sales\_data'. The main area displays the SQL query: 

```
96 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`,
97
98 ---Combining WHERE + CASE ---
99 SELECT
100   `Customer ID`,
101   Age,
102   `Total Amount`,
103   CASE
104     WHEN `Total Amount` > 1000 THEN 'High'
105     ELSE 'Low'
106   END AS Spending_Level
107 FROM `project-40d4d993-23ca-4370-b31.retail_sales.sales_data`
108 WHERE Age >= 40;
```

 At the bottom, a green checkmark indicates 'Query completed'.

| Row | Customer ID | Age | Total Amount | Spending_Level |
|-----|-------------|-----|--------------|----------------|
| 26  | CUST189     | 63  | 50           | Low            |
| 27  | CUST207     | 42  | 50           | Low            |
| 28  | CUST349     | 57  | 50           | Low            |
| 29  | CUST450     | 59  | 50           | Low            |
| 30  | CUST460     | 40  | 50           | Low            |
| 31  | CUST473     | 64  | 50           | Low            |
| 32  | CUST493     | 41  | 50           | Low            |
| 33  | CUST525     | 47  | 50           | Low            |
| 34  | CUST712     | 57  | 50           | Low            |
| 35  | CUST811     | 61  | 50           | Low            |
| 36  | CUST846     | 42  | 50           | Low            |
| 37  | CUST902     | 54  | 50           | Low            |
| 38  | CUST963     | 55  | 50           | Low            |

| Row | Customer ID | Age | Total Amount | Spending_Level |
|-----|-------------|-----|--------------|----------------|
| 13  | CUST344     | 42  | 30           | Low            |
| 14  | CUST376     | 64  | 30           | Low            |
| 15  | CUST387     | 44  | 30           | Low            |
| 16  | CUST396     | 55  | 30           | Low            |
| 17  | CUST749     | 42  | 30           | Low            |
| 18  | CUST793     | 54  | 30           | Low            |
| 19  | CUST802     | 46  | 30           | Low            |
| 20  | CUST874     | 60  | 30           | Low            |
| 21  | CUST974     | 47  | 30           | Low            |
| 22  | CUST025     | 64  | 50           | Low            |
| 23  | CUST040     | 45  | 50           | Low            |
| 24  | CUST102     | 47  | 50           | Low            |
| 25  | CUST120     | 60  | 50           | Low            |

| Row | Customer ID ▾ | Age ▾ | Total Amount ▾ | Spending_Level ▾ |  |
|-----|---------------|-------|----------------|------------------|--|
| 1   | CUST191       | 64    | 25             | Low              |  |
| 2   | CUST230       | 54    | 25             | Low              |  |
| 3   | CUST232       | 43    | 25             | Low              |  |
| 4   | CUST363       | 64    | 25             | Low              |  |
| 5   | CUST454       | 46    | 25             | Low              |  |
| 6   | CUST512       | 57    | 25             | Low              |  |
| 7   | CUST791       | 51    | 25             | Low              |  |
| 8   | CUST825       | 46    | 25             | Low              |  |
| 9   | CUST855       | 54    | 25             | Low              |  |
| 10  | CUST967       | 62    | 25             | Low              |  |
| 11  | CUST006       | 45    | 30             | Low              |  |
| 12  | CUST057       | 63    | 30             | Low              |  |
| 13  | CUST244       | 42    | 20             | Low              |  |

| Row | Customer ID ▾ | Age ▾ | Total Amount ▾ | Spending_Level ▾ |  |
|-----|---------------|-------|----------------|------------------|--|
| 1   | CUST191       | 64    | 25             | Low              |  |
| 2   | CUST230       | 54    | 25             | Low              |  |
| 3   | CUST232       | 43    | 25             | Low              |  |
| 4   | CUST363       | 64    | 25             | Low              |  |
| 5   | CUST454       | 46    | 25             | Low              |  |
| 6   | CUST512       | 57    | 25             | Low              |  |
| 7   | CUST791       | 51    | 25             | Low              |  |
| 8   | CUST825       | 46    | 25             | Low              |  |
| 9   | CUST855       | 54    | 25             | Low              |  |
| 10  | CUST967       | 62    | 25             | Low              |  |
| 11  | CUST006       | 45    | 30             | Low              |  |