




```
class Question1 extends StatelessWidget {
      const Question1({super.key});
      @override
      Widget build(BuildContext context) {
        return Scaffold(
          body: Row(
            children: [
              Expanded(child: Container(color: Colors.yellow)),
10
              Expanded(
                child: Column(
11
12
                  children: [
13
                    Expanded(flex: 2, child: Container(color: Colors.deepOrange)),
                    Expanded(child: Container(color: Colors.green)),
14
                    Expanded(child: Container(color: Colors.purpleAccent)),
15
16
                  ],
18
19
            ],
20
21
        );
22
23
```







```
class Question2 extends StatelessWidget {
      const Question2({super.key});
      @override
      Widget build(BuildContext context) {
        return Scaffold(
          body: Row(
            children: [
              Expanded(child: Container(color: Colors.yellow)),
             Expanded(
10
                child: Column(
11
12
                 children: [
13
                   Expanded(child: Container(color: Colors.deepOrange)),
                   Expanded(child: Container(color: Colors.green)),
14
15
16
17
18
19
        );
20
21
22 }
```







```
class Question3 extends StatelessWidget {
      const Question3({super.key});
      @override
      Widget build(BuildContext context) {
        return Scaffold(
          body: Column(
            children: [
              Expanded(child: Container(color: Colors.yellow)),
10
              Expanded(
                child: Row(
11
12
                  children: [
13
                    Expanded(child: Container(color: Colors.deepOrange)),
                    Expanded(child: Container(color: Colors.green)),
14
15
                  ],
16
                ),
18
            ],
19
          ),
20
        );
21
22
```





```
class Question4 extends StatelessWidget {
      const Question4({super.key});
      @override
      Widget build(BuildContext context) {
        return Scaffold(
          body: Row(
            children: [
              Expanded(child: Container(color: Colors.yellowAccent)),
              Expanded(child: Container(color: Colors.deepOrange)),
10
11
            ],
12
          ),
13
14
15
```





```
class Question5 extends StatelessWidget {
      const Question5({super.key});
      @override
      Widget build(BuildContext context) {
        return Scaffold(
          body: Column(
            children: [
              Expanded(child: Container(color: Colors.yellowAccent)),
              Expanded(child: Container(color: Colors.deepOrange)),
10
11
            ],
12
          ),
        );
14
15
```

