### A MINI PROJECT REPORT ON

### **Online Tutorial**

Submitted to Mumbai University

In the partial fulfillment of the requirement for the award of the degree of

### **Bachelor of Engineering**

In

### **COMPUTER ENGINEERING**

By

Mr. Shaikh Shadab (17DCO74)

Under the guidance of

### Mr. Muhammed Salman Shamsi Assistant Professor



## Department of Computer Engineering Anjuman-I-Islam Kalsekar Technical Campus

**Affiliated to Mumbai University** 

KHANDA GOAN, NEW PANVEL, NAVI MUMBAI, MAHARASHTRA 2018-2019

### Department of Computer Engineering Anjuman-I-Islam Kalsekar Technical Campus

**Affiliated to Mumbai University** 

KHANDA GOAN, NEW PANVEL, NAVI MUMBAI, MAHARASHTRA 2018-2019



### **DECLARATION BY THE CANDIDATE**

Shaikh Shadab bearing Roll number: 17DCO74, hereby declare that the mini project report entitled "Online Tutorial", is a record of bonafide work carried out by me and the results embodied in this project have not been reproduced or copied from any source. The results of this project report have not been submitted to any other University or Institute for the award of any other Degree or Diploma.

Shaikh Shadab (17DCO74)

### Department of Computer Engineering Anjuman-I-Islam Kalsekar Technical Campus

**Affiliated to Mumbai University** 

KHANDA GOAN, NEW PANVEL, NAVI MUMBAI, MAHARASHTRA 2018-2019



### **CERTIFICATE**

This is to certify that the project report entitled "Online Tutorial", submitted by Mr. Shaikh Shadab, bearing Roll. No.: 17DCO74 in the partial fulfillment of the requirements for the award of the degree of Bachelor of Computer Engineering is a record of bonafide work carried out by him/her.

**Course Owner** 

(Assit. Prof. Muhammed Salman Shamsi)

### **INDEX**

### **CONTENTS**

CHAPTEI	R 1: INTRODUCTION	
	1.1 Introduction	06
	1.2 Scope	07
	1.3 Problem Statement	
CHAPTE!	R 2 SYSTEM SPECIFICATION	
	2.1 System Requirement	09
CHAPTE!	R 3: SYSTEM IMPLEMENTATION	
	3.1 Modules in the System	12
	3.2 Sample Code Snippets	13
CHAPTE!	R 4: RESULTS	
	4.1 Screen Shots	64
CHAPTE!	R 5: CONCLUSION	
	5.1 Conclusion	81
REFERE	NCES	82

# Chapter 1 INTRODUCTION

### 1.1 Introduction

Education in this world has become widely important, over the time many people has emphasized on why education holds the crux to the success. As considering the importance of education, it is also important to make education available and spread it as long as possible.

Our project entitled "Online Tutorial", ensures to carry follow the same principle with the goal purpose of enhancing education throughout the world. There are many people who by some or the other reason aren't able to get the appropriate education just for the minor reason of either wealth, family issues or travelling issue. Our project guarantees to avoid all these hurdles, all a user will be needing is simple a low-end system with a latest browser application with an internet connection and that's it.

E-learning has proved to be the best means in the corporate sector, especially when training programs are conducted by MNCs for professionals across the globe and employees are able to acquire important skills while sitting in a board room, or by having seminars, which are conducted for employees of the same or the different organizations under one roof. The schools which use E-learning technologies are a step ahead of those which still have the traditional approach towards learning.

No doubt, it is equally important to take forward the concept of non-electronic teaching with the help of books and lectures, but the importance and effectiveness of technology-based learning cannot be taken lightly or ignored completely. It is believed that the human brain can easily remember and relate to what is seen and heard via moving pictures or videos. It has also been found that visuals, apart from holding the attention of the student, are also retained by the brain for longer periods. Various sectors, including agriculture, medicine, education, services, business, and government setups are adapting to the concept of E-learning which helps in the progress of a nation.

The "Online Tutorial", is open for all. The faculty can enroll themselves just by contacting us. Student just need to register from the portal and with the credential they can avail the available courses based on his/her convenience.

### 1.2 Scope

#### Features of Our Project

- ➤ User friendly GUI, so even the naive user wouldn't have to suffer
- > Separate roles and login for Faculty, Students, and Admin of the system
- ➤ Based on the user convenience, no need of jumping to other websites or other tabs everything inside a dashboard.
- > Fully authorized and authenticated system
- ➤ Permanent access of record to only respective authorized persons within the software/project itself
- > Forgot and show password module if incase user forgets the password
- ➤ ALL CRUD operation is implemented on the records.
- > Separate record storage for each role increasing the dynamicity of the project
- > Time to time user friendly guidelines and messages so any individuals can easily handle our system without any difficulties
- ➤ Records being saved with current date and time as filename, and also inside record with respective faculty name and their subject code for future security purposes
- > Access control mechanisms.

This project can be used for any educational purposes and for any field, like a faculty of pharmacy can avail the features of this system to teach the respective pharmacy students the same goes with any field across the globe

All the records are fully authorized and are to be displayed to respective authorized users only various privilege rights has been checked throughout the system

Though this project has certain limitation like, until a faculty is not available to take the course the courses will not exist in the system. Might be possible the content decided by faculty would not be much acceptable by the students.

### 1.3 Problem Statement

A learning system based on formalized teaching but with the help of electronic resources is known as E-learning. While teaching can be based in or out of the classrooms, the use of computers and the Internet forms the major component of E-learning. E-learning can also be termed as a network enabled transfer of skills and knowledge, and the delivery of education is made to a large number of recipients at the same or different times. Earlier, it was not accepted wholeheartedly as it was assumed that this system lacked the human element required in learning.

Developing a fully functional system having all the E-learning principles and features as described. Also, to the system must give the convenience to the user of accessing the tutorial material with 24X7 availability status and it should ensure an intuitive and flexible way of learning.

## Chapter 2 SYSTEM SPECIFICATION

### 2.1 System Requirements

### Server side requirements

- ➤ Xamp/Wamp/Lamp (based on operating system) Server offering Apache/2.4.17 (Win32) OpenSSL /1.0.2d PHP/5.6.21 or later and Mysql 10.1.13-MariaDB with phpMyAdmin utility.
- ➤ Libraries such as, jquery and CKEditor
- ➤ 1 GB disk space
- > 512 MB RAM
- ➤ Normal PS/2 or any USB keyboard
- ➤ Any text editor like sublime (preferable)

### **Client side requirements**

- ➤ Microsoft Windows XP and later/ Any Linux distribution based on Debian. / Any Unix based operating system
- > HTML5 latest browser like chrome, firefox, safari.

## Chapter 3 SYSTEM IMPLEMENTATION

### 3.1 Modules In The System

In our project there are various key modules such as separate login module for respective faculties, students and admin. Validating login details, and accordingly giving access to authorized users. After accessing the system, an admin can enroll a faculty, faculty can create schema of course and update the content of course. Student can access the currently taking course

### > Authentication Module

The authorization module is very important for any system, based on the group access control table present in the system appropriate user will be taken to its appropriate places.

### > Registration Module

As soon as a user wishes to enroll into the system, all the necessary details needs to be filled. Based on the availability of the username appropriate message will be given to user with the help of ajax and jquery. If a user wishes he/she can upload his/her image. If the image is not uploaded the initials will be displayed

### > Forgot password Module

If incase a user failed to remember his/her password, the system will simply ask the security question and an end user can quickly reset the password with ease

### > Creating schema of courses

As the faculty has been enrolled by the admin, the first login of faculty take the faculty changing the password ensuring the security.

A faculty will have the authority to create a schema for courses and to add appropriate contents. The content will be added chapter wise with the help of a library named CK-Editor which provides user friendly GUI to format the contents.

### > Students availing the contents

Sooner the faculty, has added content the courses will be displayed to the user on first login. The user can take courses based on his/her choice.

### 3.2 Sample CODE Snippets

#### 3.2.1)Index.php

```
<!DOCTYPE html>
<html>
<head>
<title>Home</title>
<link rel="stylesheet" href="Css/aos.css" />
<script src="Js/jquery-3.3.1.min.js"></script>
<script src="Js/bootstrap.min.js"></script>
<script src="Js/popper.js"></script>
<link rel="stylesheet" href="Css/bootstrap.min.css">
<linkrel="stylesheet"href="https://use.fontawesome.com/releases/v5.3.1/css/all</pre>
<link rel="stylesheet" type="text/css" href="Css/glyphicon.css">
<link rel="stylesheet" type="text/css" href="Css/slide2.css">
<style type="text/css">
.carousel-indicators{
cursor:pointer;
.carousel-indicators li:hover{
background-color: red;
div#cntct{
background: url('Images/Homepage/cntct.jpg');
height: 530px;
background-repeat: no-repeat;
div#contact{
height: 530px;
.container{
box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0, 0.24);
.container form div{
position: relative;
.container form div label{
position: absolute;
top: 3px;
pointer-events: none;
left: 0;
transition: .3s;
.container input:focus ~label,
.container input:valid ~label{
left: 0;
top: -20px;
color: rgb(66,133,244);
font-size: 12px;
font-weight: bold;
```

```
.form-control{
text-decoration: none;
width: 100%;
border-top:0;
border-left:0;
border-right:0;
div#div1{
height: 1px;
</style>
</head>
<body>
<div class="container-fliud">
class="nav-item" style=" background: rgba(0, 0, 0,0,0.2);color: #f1f1f1;">
                <a class="nav-link" href="#" style="color: #f1f1f1;">Home</a>
class="nav-item">
               <a class="nav-link" href="#About" style="color: #f1f1f1;">About</a>
class="nav-item">
                <a class="nav-link" href="#contact" style="color: #f1f1f1;">Contact</a>
</1i>
<a class="nav-link " href="login-form.php" style="color: #f1f1f1;">Login <span</pre>
class="glyphicon glyphicon-log-in" style="font-size: 10pt;"></span></a>
 \verb| <a class="nav-link" | href="Register.php" style="color: #f1f1f1;">Signup<span | Signup 
class="glyphicon glyphicon-user" style="font-size: 10pt;"></a>
<div id="carouselExampleIndicators" class="carousel slide" data-ride="carousel">

    class="carousel-indicators">

                <1i
                                           data-target="#carouselExampleIndicators"
                                                                                                                                                  data-slide-to="0"
class="active">
                <div class="carousel-inner">
                               <div class="carousel-item active">
                                               <img src="Images/Homepage/1.jpg" style="height:</pre>
                                                                                                                                                                 600px; width:
100%;">
                                                <div class="text-block" >
                                                               <h4 style="font-size: 15pt; color:darkgreen;">GET STARTED
WITH ONLINE COURSES</h4>
```

```
<h1
                              style="font-size: 25pt;
                                                       ;left:0;"
                                                                    >BEST
ONLINE<br/>LEARNING SYSTEM</h1>
                        New Roman", Times, serif;">
                        Some people dream of accomplishing great things. <br > Others
stay awake and make it happen.
            </div>
      </div>
      <div class="carousel-item">
            <img src="Images/Homepage/2.jpg" style="height: 600px;width: 100%;filter:</pre>
blur(2px);">
            <di7/>
            <div class="about text-block" style="font-size: 16pt;" >
                  <hr class="abouthr" style="background-color: white;">
                  Online Tutorial originated from the idea that there
exists of a online class for who respond better to online content and prefer to learn the
subject.
                        Our content and resources are freely available and we
prefer to keep it that way to encourage our student to acquire as many skills as they
would <br>like to.
                        Our mission is deliver the Simply Easy Learning with
clear, crisp, and to-the-point content on a wide range of technical and non-technical
subjects
                        <1i>>
                             without any of the
                                                     pre-conditions
                                                                     and
impediments.
                  <hr class="abouthr" style="background-color: white; ">
            </div>
            </div>
      </div>
      <div class="carousel-item">
            <img src="Images/Homepage/3.jpg" style="height:600px;width: 100%;filter:</pre>
blur(2px);">
            <div class="text-block-ben" style="margin-left: 23%;">
                  >Easy Learning with clear, crisp, and to-the-point
content.
            </div>
            <div class="text-block-ben" style="margin-left: 53%;">
                  Quickly evaluate the progress reports
            </div>
            <div class="text-block-ben" style="margin-left: 23%; margin-top:280px;">
```

```
Access the system anytime from anywhere
                     </div>
       <div class="text-block-ben" style="margin-left: 53%; margin-top:280px;">
              Experience the best user-interface.
              </div>
      </div>
</div>
</div>
</div>
<div class="aboutclr" id="About">
<center><h2 >About Us</h2></center>
<div class="profile" data-aos="zoom-in-right">
<div class="inp1">
      <img src="Images/Homepage/4.png" >
      <span class="cline"></span>
</div>
<div class="inp2">
       <span class="line"><b>Name:</b>Shaikh Shadab Ali Murad Ali</span><br><span
class="line"><b>Email:</b>ShaikhShadabali02@gmail.com</span><br><span</pre>
class="line"><b>Contact No:</b>123547892</span><br><i
                                                        class="fab
                                                                      fa-facebook"
style="font-size: 20pt;color: blue;"></i><i class="fab fa-github" style="font-size:
20pt; margin-left: 10px; "></i><i class="fab fa-twitter-square" style="font-size:
20pt;color:#339af0;margin-left: 10px;"></i><i class="fab fa-linkedin" style="font-size:
20pt;color:#0077b5;margin-left: 10px;"></i>
</div>
</div>
<div class="profile1" data-aos="zoom-in-left">
<div class="inp2" ">
               class="line"><b>Name:</b>Kazi
                                               Obaid
                                                      Abdul
                                                              Aziz</span><br><span
      <span
class="line"><b>Email:</b>obaidkazi03@gmail.com</span><br><span class="line"><b>Contact
No:</b>123547892</span><br><i class="fab fa-facebook" style="font-size: 20pt;color:
blue;"></i><i class="fab fa-github" style="font-size: 20pt;margin-left: 10px;"></i><i
class="fab
           fa-twitter-square"
                               style="font-size: 20pt;color:#339af0;margin-left:
10px;"></i><i class="fab fa-linkedin" style="font-size: 20pt;color:#0077b5;margin-left:
10px;"></i>
      <div class="inp1">
             <span class="cline"></span>
             <img src="Images/Homepage/4.png" style="margin-left: 18px;">
       </div>
</div>
</div>
<div class="profile2" data-aos="zoom-in-left">
<div class="inp1">
      <img src="Images/Homepage/4.png" >
```

```
<span class="cline"></span>
</div>
<div class="inp2">
       <span
                        class="line"><b>Name:</b>Shaikh
                                                                 Roman</span><br><span
class="line"><b>Email:</b>ShaikhRomaan02@gmail.com</span><br><span</pre>
                                                           class="fab
class="line"><b>Contact
                         No:</b>123547892</span><br><i
                                                                          fa-facebook"
style="font-size: 20pt;color: blue;"></i><i class="fab fa-qithub" style="font-size:
20pt;margin-left:
                  10px;"></i><i class="fab fa-twitter-square" style="font-size:
20pt;color:#339af0;margin-left: 10px;"></i><i class="fab fa-linkedin" style="font-size:
20pt;color:#0077b5;margin-left: 10px;"></i>
</div>
<hr>
</div>
<br>>
</div>
<div id='cntct' style="width: 60%; float:left"></div>
<div id='contact' class='container' style="width: 39.6%; float:right">
<center><label style="font-size:20pt; width:90px;" id="contact">Contact</label></center>
<form method='post'>
<div>
   <input type="text" id="Uname" class="form-control" required />
    <label for="Uname">Name</label>
</div><br>
<4i177>
   <input type="text" id="Ucontact" class="form-control" required />
   <label for="Ucontact">Contact Number</label>
</div><br>
<div class="form-group">
   <input type="text" id="UEmail" class="form-control" required />
   <label for="UEmail">Email</label>
</div>
<div class="form-group">
   <input type="text" id="USubj" class="form-control" required />
   <label for="USubj">Subject</label>
</div>
<div class="form-group">
        <textarea
                    id="textrem" placeholder="Enter the
                                                                     Your
                                                                              message"
required=""></textarea>
        <h6 id="count message" style="margin-right: 60px; text-align: right"></h6>
<div class="form-group">
       <input type='submit' name="submit" value='Send' class='btn btn-default'>
</div>
</form>
<div class="message box" id='div1'> </div>
</div>
<a href="#" class="scrollToTop"></span class="glyphicon glyphicon-chevron-up"></span></a>
```

```
<hr>
<script src="Js/cquery.js"></script>
<script src="Js/misc.js"></script>
<script src="Js/aos.js"></script>
<script>
AOS.init();
// You can also pass an optional settings object
// below listed default settings
AOS.init({
// Global settings
disable: false, // accepts following values: 'phone', 'tablet', 'mobile', boolean,
expression or function
startEvent: 'DOMContentLoaded', // name of the event dispatched on the document, that AOS
should initialize on
initClassName: 'aos-init', // class applied after initialization
animatedClassName: 'aos-animate', // class applied on animation
useClassNames: false, // if true, will add content of `data-aos` as classes on scroll
// Settings that can be overriden on per-element basis, by `data-aos-*` attributes:
offset: 120, // offset (in px) from the original trigger point
delay: 300, // values from 0 to 3000, with step 50ms
duration: 500, // values from 0 to 3000, with step 50ms
easing: 'ease', // default easing for AOS animations
once: false, // whether animation should happen only once - while scrolling down
mirror: false, // whether elements should animate out while scrolling past them
anchorPlacement: 'top-bottom', // defines which position of the element regarding to
window should trigger the animation
});
$ (document) .ready (function() {
// Add smooth scrolling to all links
$("a").on('click', function(event) {
// Make sure this.hash has a value before overriding default behavior
if (this.hash !== "") {
 // Prevent default anchor click behavior
 event.preventDefault();
 // Store hash
 var hash = this.hash;
  // Using jQuery's animate() method to add smooth page scroll
  // The optional number (800) specifies the number of milliseconds it takes to scroll to
the specified area
  $('html, body').animate({
   scrollTop: $(hash).offset().top
  }, 800, function(){
   // Add hash (#) to URL when done scrolling (default click behavior)
   window.location.hash = hash;
 });
} // End if
});
});
$ (document) .ready (function() {
//Check to see if the window is top if not then display button
$ (window).scroll(function() {
```

```
if ($(this).scrollTop() > 100) {
        $('.scrollToTop').fadeIn();
    } else {
        $('.scrollToTop').fadeOut();
});
//Click event to scroll to top
$('.scrollToTop').click(function(){
    $('html, body').animate({scrollTop : 0},800);
   return false;
});
});
</script>
</body>
</html>
3.2.2)Login.php
<!DOCTYPE html>
<html>
<head>
<title>Login</title>
<link rel="stylesheet" href="Css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="Css/glyphicon.css">
<link rel="stylesheet" type="text/css" href="Css/style.css">
<script src="Js/jquery-3.3.1.min.js"></script>
<script src="Js/bootstrap.min.js"></script>
<style>
       body{
              background-color: #2E8B57;
       }
       .main form div{
              position: relative;
       .main form div#notvalid{
              margin-left: 30px;
              width: 270px;
               color: red;
       .main form div span{
              position: absolute;
               top: 80px;
               pointer-events: none;
              left: 30px;
               transition: .3s;
       .main input:focus ~span,
       .main input:valid ~span{
              right: 20;
               top: 60px;
               color: rgb(66,133,244);
               font-size: 12px;
```

```
font-weight: bold;
       }
       .main1 form div{
              position: relative;
       .main1 form div span#abc{
              position: absolute;
              top: 80px;
              pointer-events: none;
              left: 30px;
              transition: .3s;
       .main1 input:focus ~span#abc,
       .main1 input:valid ~span#abc{
              right: 20;
              top: 60px;
              color: rgb(66,133,244);
              font-size: 12px;
              font-weight: bold;
       .form-group {
             position: relative
       .form-group input[type="password"] {
              padding-right: 30px
       .form-group .glyphicon{
              right: 65px;
              position:absolute;
              top:82px;
       span:hover{
              cursor: pointer;
       input[type="submit"]:hover{
             cursor:pointer;
</style>
</head>
<body>
<div class="main">
       <form method="post" action="">
              <fieldset>
                      <center><span class="glyphicon glyphicon-user usercir"</pre>
style="font-size:60px;"></span></center>
                      <center><label</pre>
                                                                  style="font-size:20pt;
width:90px;">Login</label></center>
                      <br>
                      <div>
                             <input type="text" name="uname" class="inputText"</pre>
required/>
```

```
<span>Username</span>
                      </div>
                      <div id="notvalid"></div>
                      <br>
                      <a href="Register.php" class="ref btn btn-link" >Not a user?</a>
                      <input type="submit" name="next1" value="Next" class='btn btn-</pre>
primary' style="width:200px">
              </fieldset>
       </form>
</div>
<?php
require_once'OOPHP/Login/alphabet.php';
if (isset($_POST['next1']))
       session start();
       $uname=$_POST['uname'];
       $_SESSION['username']=$_POST['uname'];
       $res=$alphabet->checkimg($uname);
       while($r = mysqli fetch assoc($res)){
              $dbuser=$r['Username'];
       }
              if ($uname==$dbuser) {
?>
                      <div class="main1">
                              <form method="post" action="">
                                     <fieldset>
                                             <center>
                                                    <div class="circle">
                                                    <?php
                                                    $var=$ SESSION['username'];
                                                    $alph=$alphabet->checkalpha($var);
                                                    $len=strlen($alph);
                                                    if($len>1)
                                                            echo "<img src=".$alph."
alt=".$alph.">";
                                                    else{
                                                            $fir=substr($var,0,1);
                                                            $fir=strtoupper($fir);
                                                    ?>
                                                            <p
                                                                    style="font-size:
38pt;"><?php echo"$fir";?>
                                                    <?php
                                                    }
                                                    ?>
                                                    </div>
                                             </center>
```

```
<center><label style="font-size:20pt;</pre>
width:90px;">Login</label></center>
                                            <br>>
                                            <div class='form-group'>
                                                             id="password-field"
                                                    <input
type="password" name="upass" class="inputText" required>
                                                     <span class="glyphicon glyphicon-</pre>
eye-open"></span>
                                                     <span id='abc'>Password</span>
                                            </div>
                                            <div id="notvalid"></div>
                                            <br>
                                            <a href="securityques.php" class="ref1 btn
btn-link" >ForgotPassword?</a>
                                            <br>
                                                   <input type="submit" name="next2"</pre>
value="Login">
                                     </fieldset>
                                     <script>
                                            $(".glyphicon-eye-open").on("click",
function() {
                                                    $(this).toggleClass("glyphicon-eye-
close");
                                                          type = $("#password-
                                                    var
field").attr("type");
                                                    if (type == "text") {
                                                           $("#password-
field").prop('type','password');}
                                                    else{
                                                           $("#password-
field").prop('type','text'); }
                                                    });
                                    </script>
                             </form>
                      </div>
                      <style type="text/css">
                             .main{
                                    display: none;
                      </style>
               <?php
               }
               else{
                      <script type="text/javascript">
                      $(function () {
```

```
$('#notvalid').html('<div>User
                                                                             is
                                                                   Name
                                                                                      not
available</div>').fadeIn().delay(1000).fadeOut();
                      });
               </script>
               <?php
       if(isset($_POST['next2'])){
                      session start();
                      $uname=$ SESSION['username'];
                      $upass=$_POST['upass'];
                      $res=$alphabet->checkpass($uname,$upass);
                              while ($row=mysqli_fetch_assoc($res))
                                      $dbname=$row['Username'];
                                      $dbpass=$row['Password'];
                              if ($uname==$dbname&&$upass==$dbpass) {
                                      $UGrp=$alphabet->checkaccess($uname);
                                      if($UGrp=='Admin'){
                                             header('Location:
http://localhost/OnlineTutorial/AdminDash.php');
                                      else if($UGrp=='Faculty'){
                                             $logincheck=$alphabet->checklogin($uname);
                                             if($logincheck==''){
                                                    header('Location:
http://localhost/OnlineTutorial/FirstLoginFC.php');
                                             else{
                                                     header('Location:
http://localhost/OnlineTutorial/FacultyDash.php');
                                      else{
                                             $logincheck1=$alphabet-
>checklogin1($uname);
                                             if($logincheck1==''){
                                                     header('Location:
http://localhost/OnlineTutorial/SelectCourse.php');
                                             else{
                                             header('Location:
http://localhost/OnlineTutorial/StudentDash.php');
                              }
                              else{
                              <script type="text/javascript">
                              $(function () {
```

```
$('#notvalid').html('<div>Username and password
didnt match</div>').fadeIn().delay(3000).fadeOut();
                              });
                              </script>
                      <?php
               }
?>
</body>
</html>
3.2.3) Register.php
<!DOCTYPE html>
<html>
<head>
<title>Register</title>
<link rel="stylesheet" type="text/css" href="Css/slide2.css">
<link rel="stylesheet" type="text/css" href="Css/bootstrap.css">
<script src="Js/jquery-3.3.1.min.js"></script>
<script src="Js/register.js"></script>
<script src="Js/misc.js"></script>
<style>
       textarea#addcheck{
       font-size: 16px;
       resize: none;
       height: 5em;
       transition: height .3s ease-out;
       textarea:focus#addcheck{
       height: 9em;
       .container{
       top: 5em;
       position: relative;
       background-color: white;
       box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0, 0.24);
       margin-bottom: 30pt;
       .security{
       background: url(Images/Registration/bk Reg.jpg);
       height: 620px;
       position: fixed;
       background-size: 100%;
       left: 0;
       right: 0;
       top: 0;
       z-index: -1;
       opacity: 0.7;
       background-repeat: no-repeat;
       #submit:hover{
       cursor:pointer;
```

```
}
</style>
</head>
<body>
<div class='security'></div>
<div class="container col-lg-9 col-md-6 col-sm-4 ">
<form method="post" id="sign" action="" enctype="multipart/form-data">
       <fieldset class="col-lg-12 col-md-6 col-sm-6">
              <center>
                      <legend>
                            Registration
                      </legend>
              </center>
              <div class="form-group" >
                      <input type="text" id="user" name="user" class="form-control"</pre>
required="" placeholder="Username">
                      <hr>
                      <span id="usererr"></span>
                      </div>
                      <div class="form-group">
                      <input type="password" id="pass" name="pass" class="form-control"</pre>
       required="" placeholder="Password" onkeyup="return passwordChanged();"/>
                      <span id="strength"></span>
              </div>
                      <div class="form-group">
                      <input type="password" id="cpass" class="form-control"</pre>
required="" placeholder="Confirm Password" />
                      <span id="cpasserr"></span>
              </div>
              <div class="form-inline">
                      <input type="text" name="fname" class="form-control"</pre>
style="width:32%;" required="" placeholder="First Name" />
                      <input
                                type="text"
                                                 name="mname"
                                                                  class="form-control"
style="margin-left: 2%;width: 32%;" placeholder="Middle Name">
                                 type="text"
                      <input
                                                 name="lname"
                                                                  class="form-control"
style="margin-left: 2%;width: 32%;" placeholder="Last Name">
              </div>
              <div class="form-group">
                      <input type="email"</pre>
                                                name="emailid"
                                                                  class="form-control"
style="margin-top: 2%;" required="" placeholder="Email ID"
                     pattern="[a-z0-9. %+-]+@[a-z0-9.-]+\.[a-z]{2,3}" title="Email is
in Not valid form" id="semail">
                      <br>
                      <span id="emailmsg" ></span>
                       <small class="form-text">We'll never share your email with anyone
else.</small>
              </div>
              <div class="form-group">
```

```
name="contactno"
                                                                   class="form-control"
                                 type="tel"
                      <input
required="" placeholder="Contact Number" pattern="^[789]\d{9}$" title="Contact Number is
invalid">
               </div>
               <div class="form-group">
                                    name="address" id="textrem" placeholder="Address"
                      <textarea
class="form-control noresize" style="margin-top:2%;"></textarea>
                      <h6 id="count message" style="text-align: right;" ></h6>
               </div>
               <div class="form-group">
                      <label for="dob">Date Of Birth</label>
                      <input type="date" name="dob" class="form-control"></input>
               </div>
               <div class="form-group">
                      <select name="question" class="form-control" required="">
                              <option value="">Security Question
                              <option value="What is Your Pet Name">What is Your Pet
Name</option>
                              <option value="What is Your Car Numbers">What is Your Car
Number</option>
                              <option value="What is the first name of your best friend</pre>
in high school">What is the first name of your best friend in high school?</option>
                      </select>
               </div>
               <div class="form-group">
                                type="text"
                                                name="answer"
                                                                   class="form-control"
                      <input
placeholder="Answer">
               </div>
               <div class="form-group">
                      <label for="pp">Profile Picture</label>
                      <input type="file" name="uploadimage" class="form-control">
               </div>
                              type="submit"
                                               id="submit" class="btn btn-primary"
                      <input
value="Register">
                      <div id="regmsg"></div>
                      <br>>
       </fieldset>
</form>
</div>
<script type="text/javascript">
function passwordChanged() {
       var strength = document.getElementById('strength');
                                        RegExp("^(?=.{8,})(?=.*[A-Z])(?=.*[a-z])(?=.*[0-
              strongRegex
                           = new
9])(?=.*\W).*$", "g");
        \mbox{ var mediumRegex = new RegExp("^(?=.{7,})(((?=.*[A-Z])(?=.*[a-Z]))|((?=.*[A-Z])(?=.*[A-Z]))|((?=.*[A-Z])(?=.*[A-Z]))| } 
Z])(?=.*[0-9]))|((?=.*[a-z])(?=.*[0-9]))).*$", "g");
       var enoughRegex = new RegExp("(?=.{6,}).*", "g");
       var pwd = document.getElementById("pass");
       if (pwd.value.length==0) {
               strength.innerHTML = 'Type Password';
```

```
else if (false == enoughRegex.test(pwd.value)) {
               strength.innerHTML = 'More Characters';
       else if (strongRegex.test(pwd.value)) {
               strength.innerHTML = '<span style="color:green">Strong!</span>';
       else if (mediumRegex.test(pwd.value)) {
               strength.innerHTML = '<span style="color:orange">Medium!</span>';
       else {
       strength.innerHTML = '<span style="color:red">Weak!</span>';
</script>
</body>
</html>
3.2.4.0) Forget Password
require'OOPHP/Login/alphabet.php';
session_start();
if(isset($_SESSION['username']))
$user1=$_SESSION['username'];
<!DOCTYPE html>
<html>
<head>
<title>Security Question</title>
<link rel="stylesheet" type="text/css" href="Css/bootstrap.css">
   <script src="Js/jquery-3.3.1.min.js"></script>
<style type="text/css">
.security{
       background: url(Images/Reset/Forgot.jpg);
       height: 620px;
       position: fixed;
       background-size: 100%;
       left: 0;
       right: 0;
       z-index: -1;
       opacity: 0.3;
       background-repeat: no-repeat;
.container{
top: 10em;
position: relative;
box-shadow: 0 0 20px 0 rgba(0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0.24);
width: 30%;
```

```
legend{
      text-align: center;
</style>
</head>
<body>
       <div class="security">
       </div>
       <div class="container">
               <form method="post" action="securityques.php" >
                      <fieldset class="col-lg-12 col-md-6 col-sm-6">
                             <legend>
                                            Seems that you have Forgotten Your Password!
It happens relax
                             </legend>
                      <div class="form-group">
                                     <label
                                                 ><?php
                                                                  echo
                                                                              "Username:
<b>".$_SESSION['username']."<b>"?></label>
                                     <select name="rquestion"</pre>
                                                                  class="form-control"
required="">
                                             <option value="">Security Question</option>
                                             <option value="What is Your Pet Name">What
is Your Pet Name</option>
                                            <option
                                                     value="What is Your Car
Numbers">What is Your Car Number</option>
                                            <option value="What is the first name of</pre>
your best friend in high school">What is the first name of your best friend in high
school?</option>
                                     </select>
                              </div>
                             <div class="form-group">
                                    <input type="text" name="ranswer" class="form-</pre>
control" placeholder="Answer">
                             </div>
                              <div id="notvalid"></div>
                              <br>>
                                     <input type="submit" name="submit" class="form-</pre>
control btn btn-primary" value="Send">
                      </fieldset>
                      <br>>
              </form>
       </div>
</body>
</html>
<?php
error reporting(0);
if(isset($ POST['submit'])){
       $que=$ POST['rquestion'];
       $ans=$ POST['ranswer'];
       $res=$alphabet->question($que,$ans,$user1);
```

```
while ($row=mysqli_fetch_array($res)) {
       $dbque=$row['Quest'];
       $dbans=$row['Ans'];
if ($que==$dbque&&$ans==$dbans) {
       $ SESSION['que']=$que;
       $_SESSION['ans']=$ans;
       header('Location: OOPHP/Login/reset.php');
else
?>
       <script type="text/javascript">
               $(function () {
                      $("#notvalid").html("<div style='color:red;'>YOUR QUESTION ANS
ANSWER IS WRONG</div>").fadeIn().delay(1000).fadeOut();
              });
       </script>
              <?php
} } }
else
header('Location: http://localhost/OnlineTutorial/login-form.php');
3.2.4.1) Reset Password
<!DOCTYPE html>
<html>
<head>
       <title> Reset Password</title>
               <link rel="stylesheet" type="text/css" href="../../Css/bootstrap.css">
               <link rel="stylesheet" type="text/css" href="../../Css/glyphicon.css">
               <link rel="stylesheet" type="text/css" href="../../Css/style.css">
               <script src="../../Js/jquery-3.3.1.min.js"></script>
               <style type="text/css">
                      body{
                          background-color: #2E8B57;
                      .main1 form div
                              position: relative;
```

}

{

.main1 form div span#abc

top: 100px;

left: 30px;
transition: .3s;

.main1 input:focus ~span#abc,

position: absolute;

pointer-events: none;

```
.main1 input:valid ~span#abc
                              right: 20;
                              top: 90px;
                              color: rgb(66,133,244);
                              font-size: 12px;
                              font-weight: bold;
                       .form-group {
                              position: relative
                       .form-group input[type="password"] {
                              padding-right: 30px
                       }
                       .form-group .glyphicon{
                              right: 65px;
                              position:absolute;
                              top:82px;
                       }
                       span:hover{
                              cursor: pointer;
                       input[type="submit"]:hover{
                              cursor:pointer;
               </style>
</head>
<?php
require once'alphabet.php';
session start();
$user1=$_SESSION['username'];
if(isset($_SESSION['username']))
               $user=$ SESSION['username'];
               $rques=$ SESSION['que'];
               $rans=$ SESSION['ans'];
               $res=$alphabet->reset($user,$rques,$rans);
               while ($row=mysqli_fetch_assoc($res))
               {
                       $dbuser=$row['Username'];
                       $dbques=$row['Quest'];
                      $dbans=$row['Ans'];
               if($user==$dbuser&&$rques==$dbques&&$rans==$dbans)
               {
?>
       <body>
               <div class="main1">
                      <form method="post" action='reset.php'>
                              <fieldset>
```

```
<center>
                                                                                                                                            <div class="circle">
                                                                                                                                             <?php
                                                                                                                                                                    $var=$dbuser;
                                                                                                                                                                    $alph=$alphabet->checkalpha2($var);
                                                                                                                                                                    $len=strlen($alph);
                                                                                                                                                                    if($len>1&&$alph!='../../')
                                                                                                                                                                                           echo "<img src=".$alph."
alt=".$alph.">";
                                                                                                                                                                    else
                                                                                                                                                                                           $fir=substr($var,0,1);
                                                                                                                                             ?>
                                                                                                                                                                                            <p
                                                                                                                                                                                                                             style="font-size:
45pt;"><?php echo"$fir";?>
                                                                                                                                             <?php
                                                                                                                                            }
                                                                                                                                            ?>
                                                                                                                                             </div>
                                                                                                                     </center>
                                                                                                                     <center>
                                                                                                                                            <label style="font-size:17pt; width:200</pre>
                       px;">Reset Password</label>
                                                                                                                     </center>
                                                                                                                     <br>>
                                                                                                                     <div>
                                                                                                                                            <br>
                                                                                                                                            <input id="password-field" type="password"</pre>
name="repass" class="inputText" style=""required/>
                                                                                                                                                                                                      toggle="#password-field"
                                                                                                                                            <span
\verb|class="toggle-password glyphicon-eye-open"| style="left:-20px;"></span>| style="left:-20px;"></span
                                                                                                                                            <span id="abc">Password</span>
                                                                                                                     </div>
                                                                                                                     <br>
                                                                                                                     <input type="submit" name="next2" value="Reset">
                                                                                             </fieldset>
                                                                      </form>
                                                                      <script>
                                                                                             $(".glyphicon-eye-open").on("click", function() {
                                                                                                                     $(this).toggleClass("glyphicon-eye-close");
                                                                                                                    var type = $("#password-field").attr("type");
                                                                                                                     if (type == "text") {
                                                                                                                                            $("#password-
field").prop('type','password');}
                                                                                                                    else{
```

```
$("#password-field").prop('type','text'); }
                                      });
                      </script>
               </div>
       </body>
<?php
}
}
?>
<?php
               if(isset($_POST['next2']))
                      $repass=$_POST['repass'];
                      $res=$alphabet->updatepass($repass,$user1);
                      if($res)
                              session destroy();
                              header('Location: http://localhost/OnlineTutorial/login-
form.php');
                      }
                      else {
                              session destroy();
                              header('Location:
https://localhost/OnlineTutorial/index.html');
                      }
               }
?>
</html>
3.2.5.0) Admin Dashboard
<?php
session start();
if (isset($ SESSION['username'])) {
<!DOCTYPE html>
<html>
<head>
<title>Student Dashboard</title>
<link rel="stylesheet" type="text/css" href="Css/bootstrap.css">
<script src="Js/jquery-3.3.1.min.js"></script>
<script src="Js/loadPage.js"></script>
<style type="text/css">
       * {
               margin: 0;
```

padding: 0;

position: fixed;
width: 200px;

} #side{

```
height: 100%;
       background-color: black;
       color: white;
       left: -200px;
       transition: all 500ms linear;
#side.active{
      left: 0px;
button{
       text-align: left;
       background-color:#343a40;
       width: 200px;
       height: 60px;
       color: white;
       border: 1px solid #4f5f5f;
       margin-bottom: 0px;
       font-size: 14pt;
button:hover{
      background-color: orange;
       cursor: pointer;
#side ul li{
       background-color: rgba(255,255,255,255,0.5);
       list-style: none;
       padding: 15px 10px;
       border-bottom: 2px solid rgba(100,100,100,0.9);
#side .toggle {
       position: absolute;
       left: 205px;
       top: 20px;
#side .toggle span{
       display: block;
       width: 33px;
       height: 5px;
       background-color: white;
       margin: 3px 0px;
#content{
       margin-left: 12%;
       height: 90%;
       width: 80%;
       margin-right: 10px;
.toggle span:hover{
       cursor: pointer;
```

```
</style>
</head>
<body>
<div id="side" class="bg-dark" style="width: 18%; float:left">
<div class="toggle" onclick="toggleside()">
       <span></span>
       <span></span>
       <span></span>
</div>
<l
       <br>
       <button id='AdPF'>My Profile</putton>
       <button id='AdFC'>Enroll Faculty</putton>
       <button id='AdPR'>Password Reset
       <button onClick="javascript:location.href='Logout.php'">Logout</button>
</div>
<div id ="content" style="width: 80%; float:right">
       <img src='Images/Bkc.jpg' />
</div>
<script type="text/javascript">
       function toggleside() {
              document.getElementById('side').classList.toggle('active');
</script>
<?php
}
?>
</body>
</html>
3.2.5.1) Admin Profile
```

```
<?php
session start();
if (isset($ SESSION['username'])) {
require_once 'OOPHP/Profile/profile.php'; 
$name=$_SESSION['username'];
$res = $profile->pfselect($name);
if($res){
         while ($row=mysqli fetch array($res)) {
                   $Fname=$row['Fname'];
$Mname=$row['Mname'];
                   $Lname=$row['Lname'];
                   $phno=$row['ContactNo'];
                   $ad=$row['Address'];
                   $dob=$row['DOB'];
<!DOCTYPE html>
<html>
<head>
<title>
         Profile
</title>
clink rel="stylesheet" type="text/css" href="Css/bootstrap.css">
clink rel="stylesheet" type="text/css" href="Css/slide2.css">
 <script src="Js/jquery-3.3.1.min.js"></script>
```

```
<script src="Js/editable.js"></script>
<style type="text/css">
imq{
       width: 200px;
       height: 200px;
.form-inline#abc .form-control{
       border-right: 1;
       border-left: 1;
       border-top: 1;
       border-bottom:3;
.form-inline#abcd .form-control{
       border-right: 0;
       border-left: 0;
       border-top: 0;
}
.container{
top: 1em;
position: relative;
background-color: white;
box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0, 0.24);
margin-bottom:20pt;
input[type='text']:read-only {
       background-color: white;
p#imgabc{
       font-size: 100pt;
       margin-top: 50pt;
       margin-left: 40px;
       border-radius: 50%;
       height: 100px;
       width: 200px;
</style>
</head>
<body>
<div class="container">
       <div class="profile" style="border: 0px;margin-left: 0px;width: 90%">
               <div class="inp1" style="margin-left: 0px">
                      <?php
                      $alph=$row['Image'];
                      $len=strlen($alph);
                      if($len>1)
                              echo "<img src=".$alph." alt=".$alph.">";
                      else{
                              $fir=substr($name, 0, 1);
                              $fir=strtoupper($fir);
                              ?>
                      <?php echo"$fir";?>
                      <?php
                      2>
               </div>
               <div class="inp2" style="margin-top: 30px;margin-left: 140px;font-size:</pre>
13pt;">
                      <span ><b>Username:</b><input type="text" class="form-control "</pre>
style="width:120%;outline: 0;border-width:
echo"".$row['Username']."";?>" readonly />
                                                                3px;"
                                                  0
                                                         0
                                                                           value="<?php
                      <br/>
<b>Email ID:</b>
                                     type="text"
der-width: 0
                                                       class="form-control
                      <span><input
                                                          0 3px;"
style="width:120%;outline:
                              0;border-width:
                                                                           value="<?php
echo"".$row['EmailID']."";?>" readonly />
                      </span>
               </div>
       </div>
       <label><b>First name</b></label><label</pre>
                                                 style="margin-left:
                                                                        27%;"><b>Middle
Name</b></label><label style="margin-left:25%;"><b>Last Name</b></label>
       <div class="form-inline" id=abc>
               <input type="text" class="form-control " style="width:32%;" value="<?php</pre>
echo"".$row['Fname']."";?>" readonly />
<input type="text" class="form-control" style="width: 32%;margin-left:
2%;" value="<?php echo"".$row['Lname']."";?>" readonly>
```

```
</div>
                  <hr>>
                  <label><b>Email ID</b></label><label style="margin-left: 50%;"><b>Contact
No</b></label>
                 <div class="form-inline" id=abcd>
                                   <input type="text" class="form-control " style="width:40%;" value="<?php</pre>
echo"".$row['EmailID']."";?>" readonly />
                                   <input type="text" class="form-control" style="margin-left:15%; width:</pre>
45%;" value="<?php echo"".$row['ContactNo']."";?>" readonly>
                  </div>
                 <br>
                  <div class="form-group" id=abcd>
                  <label><b>Address</b></label>
                                   <textarea class="form-control noresize" style="margin-top:1%;margin-</pre>
left: 0px;background-color: white;" placeholder="<?php echo"".$row['Address']."";?>"
readonly></textarea>
                 </div>
                  $$ $$ \end{tabular} $$ \end{tabular} $$ $$$ \end{tabular} $$ \end{tabular} $$ \end{tabular} $$$ \e
</b></label>
                  <div class="form-inline" id=abcd>
                                    <input type="text" class="form-control " style="width:40%;" value="<?php</pre>
</div>
                  <?php
}
?>
<br>
</div>
</body>
3.2.5.2) Admin Reset Password
<!DOCTYPE html>
<ht.ml>
<head>
<title>Reset</title>
<link rel="stylesheet" type="text/css" href="Css/bootstrap.css">
<link rel="stylesheet" type="text/css" href="Css/glyphicon.css">
<script src="Js/jquery-3.3.1.min.js"></script>
<style type="text/css">
.container{
top: 2em;
position: relative;
box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0, 0.24);
width: 100%;
</style>
</head>
<body>
```

name="search"

type="text"

<hr>

<div class="form-inline">

<input

id="textsearch"

```
<br>>
               <div id="result" style="display:none;"></div>
       </form>
       <br>>
</div>
</body>
<script>
$(document).ready(function(){
load data();
function load_data(query){
$.ajax({
url: "FetchFC.php",
method: "POST",
data:{name:query},
success:function(data){
       $('#result').html(data);
}
});
$('#search').click(function(){
       var search = $("#textsearch").val();
       $('#result').show();
       if(search != ''){
               load data(search);
       }
       else{
               load data();
});
});
</script>
</html>
3.2.6.0) Faculty First Login
<!DOCTYPE html>
<html>
<head>
<title>Login</title>
 clink rel="stylesheet" type="text/css" href="Css/bootstrap.css">
<script src="Js/jquery-3.3.1.min.js"></script>
<script src="Js/Facultydet.js"></script>
<style type="text/css">
.security{
       background-color: lightgrey;
       height: 620px;
       position: fixed;
       background-size: 100%;
       left: 0;
       right: 0;
       z-index: -1;
       opacity: 0.2;
.container{
       top: 14em;
       position: relative;
       box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.5), 0 5px 5px 0 rgba(0, 0, 0, 0.24);
       width: 30%;
```

</div>

.change{

```
</style>
</head>
<body>
<div class="security"></div>
<div class="change">
<div class="container">
       <form method="post" id="sign" action="">
       <?php
       session_start();
       if (isset($ SESSION['username'])) {
               $uname=$ SESSION['username'];
       ?>
               <legend style="text-align: center;">
                              Change Password
               </legend>
               <div class="form-group">
                              <input
                                                 type="password"
                                                                            name="fcpass"
placeholder="Password" class="form-control" required="">
               </div>
               <div class="form-group">
                              <input
                                               type="password"
                                                                         name="fcrepass"
placeholder="Confirm Password" class="form-control" required="">
               </div>
               <button id='change'name="change" value="Change" class="btn btn-primary</pre>
form-control" onClick="javascript:location.href='FacultyDash.php'">Change</button>
               <br><br><br></
               </form>
</div>
</div>
<?php
2>
</body>
</html>
```

### **3.2.6.1**)Create course

```
<!DOCTYPE html>
<html>
<head>
<title>Faculty</title>
<link rel="stylesheet" type="text/css" href="Css/bootstrap.css">
<link rel="stylesheet" type="text/css" href="Css/slide2.css">
<script src="Js/defCR.js"></script>
<style type="text/css">
textarea{
       margin-top: 2px;
       margin-left: 0px;
       font-size: 16px;
       resize: none;
       height: 5em;
textarea:focus{
       transition: height .3s ease-out;
       height: 9em;
}
.course{
       margin-left: 20%;
       width: 50%;
       display: block;
       border: 1px solid black;
```

```
box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0.24);
       margin-bottom: 30pt;
       margin-top: 50pt;
</style>
</head>
<body>
       <form id="define" method="POST" class="course">
       <?php
       session start();
       if (isset($_SESSION['username'])) {
               $uname=$ SESSION['username'];
       <fieldset class="col-lg-12 col-md-6 col-sm-6">
               <center><legend>Course</legend></center>
                      <div class="form-group" >
                             <input type="text" name="cname" class="form-control"</pre>
required="" placeholder="Course Name" />
                      </div>
                      <div class="form-group" >
                              <label for='cduration'>Duration</label>
                              <input type="text" name="cduration" class="form-control"</pre>
required="" placeholder="Course Duration" />
                      </div>
                      <div class="form-group" >
                                         name="cout"
                                                        placeholder="Course Outcome"
                             <textarea
class="form-control noresize" required=""></textarea>
                      </div>
                      <div class="form-group">
                              <textarea name="prereq" placeholder="Pre Requitise"</pre>
class="form-control noresize" required=""></textarea>
                      </div>
               <input type="submit" name="submit" class="btn btn-primary" value="Define">
               <div id="regmsg"></div>
               <br>
       </fieldset>
       </form>
       <?php
</body>
</html>
3.2.6.2) Faculty Define Course Syllabus
<?php
```

```
<!DOCTYPE html>
<html>
<head>
<title>Register</title>

<p
```

```
<script src="Js/jquery-3.3.1.min.js"></script>
<script src="ckeditor/ckeditor.js"></script>
<script src="Js/Cselect.js"></script>
<script src="Js/Syllabus.js"></script>
<stvle>
textarea#addcheck{
       font-size: 16px;
       resize: none;
       height: 5em;
       transition: height .3s ease-out;
textarea:focus#addcheck{
       height: 9em;
.container{
       top: 5em;
       position: relative;
       background-color: white;
       box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0.24);
       margin-bottom: 30pt;
.security{
       background: url(Images/Registration/bk Reg.jpg);
       height: 620px;
       position: fixed;
       background-size: 100%;
       left: 0;
       right: 0;
       top: 0;
       z-index: -1; opacity: 0.7;
       background-repeat: no-repeat;
</style>
</head>
<body>
<div class='security'>
</div>
<fieldset class="col-lg-12 col-md-6 col-sm-6">
                      <center>
                              <legend>
                                     Select Course
                              </legend>
                      </center>
                             <?php
                              session start();
                              require once 'OOPHP/Course/Course.php';
                              if (isset($ SESSION['username'])) {
                             $uname=$_SESSION['username'];
$res1 = $Course->fccourse($uname);
                             if($res1)
                                     echo "<select name='cname' class='form-control'>";
                                     echo "<option>Select Course</option>";
                                     while($r = mysqli_fetch_assoc($res1)){
                                            echo
                                                   "<option
                                                              value= ".
                                                                            $r['CNAME']
.">".$r['CNAME']."</option>";
                                     echo "</select>"."<br>";
                              }
                              ?>
                              <center>
                              <button id='subm' class="btn btn-primary" value="Submit"</pre>
style='width:300pt;'>Select</button>
                      </center>
                      <hr><hr><hr>>
                      <div id="Contents" style="display:none">
                             <div class="form-group" >
                             <input type="text" name="chap1" class="form-control"</pre>
placeholder="Chapter Name" />
                             </div>
                              <div class="form-group">
```

```
<textarea name="topic1" placeholder="Topics"</pre>
class="form-control noresize" ></textarea>
                             </div>
                             <div class="form-group">
                                    <label for='editor1'>Enter The contents</label>
                                                 class="ckeditor" name="editora"
                                    <textarea
style="margin-top:2%;"></textarea>
                             <div class="form-group">
                                    <label for="media">Upload Media</label>
<input type="file" name="media1" class="form-</pre>
control">
                             </div>
                             <div class="form-group">
                                                     type="text"
name="wt1"
                             </div>
                             <center>
                                    <input type="submit" id="submitform" class="btn</pre>
btn-primary" value="Submit" style='width:300pt;'>
                             </center>
                      </div>
                             <div id="regmsg"></div><br>
              </fieldset>
       </form>
</div>
<?php
?>
</body>
</html>
3.2.6.3)Report
<!DOCTYPE html>
<html>
<head>
       <title>
              Student Report
       </title>
       <link rel="stylesheet" type="text/css" href="Css/Bootstrap.css">
       <script src="Js/jquery.min.js"></script>
       <script src="Js/popper.min.js"></script>
       <script src="Js/bootstrap.min.js"></script>
</head>
<style type="text/css">
   .progress {
 height: 35px;
   padding-left: 90%;
.progress{
   margin-top: 10px;
.bg{
   margin-top: 10px;
   border: 1px solid black;
</style>
```

</head>

```
<body>
     <thead>
   Roll NO
    Course ID
    Year
    Enroll Time
    Progress
   </thead>
   <?php
$conn=mysqli_connect("localhost","root","","onlinetutorial");
session start();
$name=$ SESSION['username'];
$sql="SELECT FID FROM faculty WHERE Username='$name' ";
$res=mysqli_query($conn,$sql);
while ($row=mysqli_fetch_array($res)) {
      $fid=$row['FID'];
}
$sql="SELECT CID FROM teaches WHERE FID='$fid' ";
$res=mysqli query($conn,$sql);
while ($row=mysqli fetch array($res)) {
      $cid=$row['CID'];
$sql1="SELECT * FROM takes WHERE CID='$cid' ";
$res1=mysqli query($conn,$sql1);
while ($row1=mysqli fetch array($res1)) {
?>
   <+r>
    <?php echo $rno=$row1['RNO'];?>
    <?php echo $cid=$row1['CID'];?>
    <?php echo $year=$row1['Year'];?>
    <?php echo $enr=$row1['EnrollTime'];?>
    <?php $per=$row1['Percentage'];?>
      <?php
    if($per>=0&&$per<=25)
      ?>
     <div class="progress">
         <div class="progress-bar bg-danger progress-bar-striped progress-bar-</pre>
animated"
             role="progressbar" style="width:<?php echo"".$per."";?>%;"><div><i</pre>
style="color: black;"><?php echo"".$per."";?>%</i></div>
            </div>
      </div>
    <?php
   }
```

```
else if($per>25&&$per<=50){
     ?>
     <div class="progress">
          <div class="progress-bar bg-warning progress-bar-striped progress-bar-</pre>
animated" role="progressbar" style="width:<?php echo"".$per."";?>%;"><div><i
style="color: black;"><?php echo"".$per."";?>%</i></div>
        </div>
      </div>
    <?php
    else if($per>50&&$per<=75){
     ?>
     <div class="progress">
          <div class="progress-bar progress-bar-striped progress-bar-animated"</pre>
role="progressbar" style="width:<?php
                                       echo"".$per."";?>%;"><div><i style="color:
black;"><?php echo"".$per."";?>%</i></div>
        </div>
      </div>
    <?php
  }
  else {
   2>
     <div class="progress">
         <div class="progress-bar bg-success progress-bar-striped progress-bar-</pre>
               role="progressbar" style="width:<?php echo"".$per."";?>%;"><div><i
style="color: black;"><?php echo"".$per."";?>%</i></div>
        </div>
      </div>
    <?php
}
 </body>
</html>
3.2.7.0) Student First Login
<!DOCTYPE html>
<ht.ml>
<head>
      <title>Course</title>
      <link rel="stylesheet" type="text/css" href="Css/bootstrap.css">
```

<script src="Js/jquery-3.3.1.min.js"></script>

```
<link rel="stylesheet" type="text/css" href="Css/bootstrap.css">
       <script src="Js/jquery-3.3.1.min.js"></script>
       <script src="ckeditor/ckeditor.js"></script>
       <script src="Js/Cselect.js"></script>
       <script src="Js/ChooseCO.js"></script>
       <style type="text/css">
              .row{
                     margin-top: 50px;
                     margin-left: 5%;
       </style>
</head>
<body>
<div class="container-fluid">
       <form method="post" id="sign" action="" enctype="multipart/form-data">
                     <fieldset class="col-lg-12 col-md-6 col-sm-6">
       <legend>
              <center>Courses Overview</center>
       </legend>
       <div class="row">
              <?php
       require once 'OOPHP/Course/Course.php';
       $res = $Course->scourse();
       if($res)
              while ($row=mysqli_fetch_array($res)) {
                     $cname=$row['CName'];
                     $cout=$row['COutcome'];
                      $cdu=$row['CDuration'];
                      $cpre=$row['CPrereq'];
?>
              <div class="col-lg-6 col-sm-6" style="margin-top: 40px;">
                  <div class="card">
                    <div class="card-body">
                      <div class="button-container">
                      <h5 class="card-title"><b><?php echo"".$cname."";?></b></h5>
                                class="card-text"><b>Course
                                                                   Duration</b>:<?php
echo"".$cdu."";?>
                            class="card-text"><b>Course
                      <p
                                                          Outcome</b>
                                                                                 <?php
echo"".$cout."";?>
                      <b>Course Pre-Requisitise</b> :
                                                                                <?php
echo"".$cpre."";?>
                     <center><button id='<?php echo $cname ?>' class="btn btn-primary"
value="Submit" style='width:300pt;'>Enroll for this course</button></center>
                     </div>
                    </div>
                  </div>
                </div>
                <?php
       } ?>
```

```
</div>
</div>
<br>
<div class='security'></div>
</body>
</html>
<script type="text/javascript">
("body").on("click", ".button-container button", function(){
       var details=(this.id);
       var details = confirm("Are you sure you want to take "+details);
   if (details == true) {
      window.location.href
"http://localhost/OnlineTutorial/OOPHP/Course/courseenroll.php?details=" + (this.id);
   } else {
});
</script>
```

### 3.2.7.1) Current Course

```
<?php
<!DOCTYPE html>
<html>
<head>
<title>Register</title>
<link rel="stylesheet" type="text/css" href="Css/slide2.css">
<link rel="stylesheet" type="text/css" href="Css/bootstrap.css">
<script src="Js/jquery-3.3.1.min.js"></script>
<script src="ckeditor/ckeditor.js"></script>
<script src="Js/Cselect.js"></script>
<script src="Js/Syllabus.js"></script>
<style>
textarea#addcheck{
       font-size: 16px;
       resize: none;
       height: 5em;
       transition: height .3s ease-out;
textarea:focus#addcheck{
       height: 9em;
.container{
       top: 5em;
       position: relative;
       background-color: white;
       box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0.24);
       margin-bottom: 30pt;
.security{
       background: url(Images/Registration/bk Reg.jpg);
```

```
height: 620px;
      position: fixed;
      background-size: 100%;
      left: 0;
      right: 0;
      top: 0;
      z-index: -1;
      opacity: 0.7;
      background-repeat: no-repeat;
input[type='button']{
      text-align: center;
      background-color:#343a40;
      width: 100px;
      height: 50px;
      color: white;
      border: 1px solid #4f5f5f;
      margin-bottom: 0px;
      font-size: 14pt;
      border-radius: 5px;
input[type='button']:hover{
      background-color: orange;
      cursor: pointer;
</style>
</head>
<body>
<div class='security'></div>
<div class="container col-lg-9 col-md-6 col-sm-4 ">
                                  Topic
                                         Weightage
                                         Name
                                  <?php
                                  require_once 'OOPHP/Course/Showcourse.php';
                                  session_start();
                                  $uname=$_SESSION['username'];
                                  $res2=$Showcourse->getroll($uname);
                                  while ($row=mysqli fetch assoc($res2)) {
                                         $topic=$row['Topic'];
                                         $cont=$row['content'];
                                         $wt=$row['Weightage'];
                                         $name=$row['Name'];
                                         $med=$row['Media'];
                           ?>
                                  <?php echo"".$topic."";?>
```

```
<?php echo"".$wt.""; ?>
                                    <?php echo"".$name.""; ?>
                                    <input value='Get Details' type='button'
class='theButton' id='ma' onclick='test()'>
                                    <?php
                             }
                                    ?>
                             </div>
                     <div id="regmsg"></div>
                     <br>
       </fieldset>
</form>
</div>
</body>
</html>
<script type="text/javascript">
function test() {
$(document).find('.theButton').on('click',function(){
var age = $(this).parents('tr:first').find('td:eq(0)').text();
window.open( "http://localhost/OnlineTutorial/Contents.php?age=" + age,' blank');
});
}
</script>
3.2.7.2) Course Contents
<!DOCTYPE html>
<html>
<head>
<title></title>
<link rel="stylesheet" type="text/css" href="Css/bootstrap.css">
<style type="text/css">
body{
       background-color: #DEB887;
.abc{
       top: 5em;
       position: relative;
       background-color: white;
       box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0, 0.24);
       margin-bottom: 30pt;
       margin-left: 100pt;
       width: 80%;
</style>
</head>
<body >
<?php
session_start();
if (isset($_SESSION['username'])) {
       $CTopic=$ GET['age'];
```

```
require_once 'OOPHP/Course/Showcourse.php';
       $res2=$Showcourse->getcontent($CTopic);
       while ($row=mysqli fetch assoc($res2)) {
              $cont=$row['content'];
              $med=$row['Media'];
       }
?>
<div class='abc'>
<?php
                             echo $cont;
                             2>
                      <center>
                             <video width="50%" height="500" controls>
                                      <source src="<?php echo ''.$med.''?>"
type="video/mp4">
                             </video>
                      </center>
                      <center>
                                               class="alert
                                                                       alert-info"><a
                             <div
href="StudentDash.php">Click here to go back</a></div>
                     </center>
</div>
<?php
?>
</body>
</html>
```

### 3.2.8) Backend Code php

### **Database Connectivity**

```
<?php
class Database{
       public $connection;
       function __construct()
              $this->connect db();
       public function connect db(){
               $dbhost='localhost';
               $dbuser='root';
              $dbpass='';
               $dbname='OnlineTutorial';
               $this->connection = mysqli connect($dbhost, $dbuser, $dbpass, $dbname);
              if(mysqli_connect_error()){
                      die("Database Connection Failed" . mysqli_connect_error() .
mysqli_connect_errno());
$database = new Database();
Contact
<?php
require once('DB.php');
```

```
class Cquery extends Database{
                function construct()
                        $this->connect db();
                        $this->squery();
                public function squery(){
                        $name = $_POST['Uname'];
                        $contact = $ POST['Ucontact'];
                        $email = $_POST['UEmail'];
                        $subject = $_POST['USubj'];
                        $message = $_POST['textrem'];
                        Mesg, Time, GroupName)
'$message',Now(),'Admin')";
                        $res = mysqli_query($this->connection, $sql);
                        if($res){
                                echo "<span style='color:green; font-weight:bold;'>
                                Thank you for contacting us, we will get back to you
shortly.
                                </span>";
                        }else{
                                echo "<span style='color:red; font-weight:bold;'>
                                Sorry! Your form submission is failed.
                                </span>";
                        }
                }
        }
$Cquery=new Cquery();
Registration
<?php
require_once'DB.php';
class Register extends Database{
        function construct()
        {
                $this->connect db();
                $this->sregister();
        }
        function sregister(){
                if($_POST)
                        $uname=$_POST['user'];
$upass=$_POST['pass'];
$fname=$_POST['fname'];
                        $mname=$_POST['mname'];
$lname=$_POST['lname'];
                        $email=$ POST['emailid'];
                        $phno=$POST['contactno'];
$add=$POST['address'];
                        $dob=$ POST['dob'];
                        $squest=$_POST['question'];
                        $ans=$ POST['answer'];
                        //Age Logic
                        $ndob=substr($ POST['dob'],0,4);
                        $cdate=date('Y-m-d');
                        $today=substr($cdate,0,4);
                        $age=$today-$ndob;
                        //Images
                        date_default_timezone_set('Asia/Kolkata');
                        $file_name=$_FILES["uploadimage"]["name"];
$temp_name=$_FILES["uploadimage"]["tmp_name"];
```

```
$imgtype=$_FILES["uploadimage"]["type"];
$imagename=$uname.'_'.date("d-m-y");
                       $directory="../../Images/User/Student/". $uname ."/";
                        if(!is dir($directory)) {
                       mkdir($directory,"0777",true);
                       $directory2="Images/User/Student/". $uname ."/";
                        $target path
$directory.$imagename.image type to extension(IMAGETYPE PNG);
                       if(move_uploaded_file($temp_name, $target_path))
        $target_path2=$directory2.$imagename.image_type_to_extension(IMAGETYPE_PNG);
                               $sql="INSERT
                                                               TNTO
                                                                                       users
(Username, Password, Fname, Mname, Lname, EmailID, ContactNo, Address, DOB, Age, Image, Quest, Ans, C
reationTime,LastModified)
('$uname','$upass','$fname','$mname','$lname','$email','$phno','$add','$dob','$age','$ta
rget_path2','$squest','$ans',now(),now())";
                               $sql1="INSERT INTO belongs (Username, GroupName) VALUES
('$uname','Student')";
                               $res=mysqli_query($this->connection,$sql);
                               $res1=mysqli_query($this->connection,$sql1);
                                if($res)
                                       echo 'true';
                                else
                                       echo 'false';
                       else if(!move uploaded file($temp name, $target path))
                               $sql="INSERT
                                                                TNTO
(Username, Password, Fname, Mname, Lname, EmailID, ContactNo, Address, DOB, Age, Quest, Ans, Creatio
nTime, LastModified)
('$uname','$upass','$fname','$mname','$lname','$email','$phno','$add','$dob','$age','$sq
uest', '$ans', now(), now())";
                               $sql1="INSERT INTO belongs (Username, GroupName) VALUES
('$uname','Student')";
                               $res=mysqli_query($this->connection,$sql);
                                $res1=mysqli_query($this->connection,$sql1);
                                if($res)
                                       echo 'true';
                               else
                                       echo 'false';
                       else
                        {
                               echo "false";
               else
                       echo 'false';
        }
$Register=new Register();
Faculty Details
<?php
require once'DB.php';
class FCins extends Database{
       function __construct()
```

```
$this->connect db();
                $this->Fdtins();
        }
        function Fdtins(){
                if($_POST)
                         session_start();
                                 $uname=$ SESSION['username'];
                                 $designation=$_POST['des'];
$department=$_POST['dep'];
                                 $qualification=$ POST['qua'];
                                 $$pecialization=\( \) POST['special'];
$experience=\( \) POST['exp'];
                                 $sqlf="SELECT
                                                     dept_id
                                                                  from
                                                                           department
                                                                                            where
dept name='$department'";
                                 $res=mysqli_query($this->connection,$sqlf);
while ($row=mysqli_fetch_array($res)) {
                                         $deptID=$row['dept id'];
                                 $sql2="INSERT
                                                                  into
                                                                                          Faculty
(FID, Designation, Qualification, Specialization, Experience, DOJ, dept id, LastModified, Userna
('','$designation','$qualification','$specialization','$experience',CURDATE(),'$deptID',
now(),'$uname')";
                                 $res2=mysqli query($this->connection,$sql2);
                                 if($res2)
                                         echo 'true';
                                 else
                                         echo 'false';
                else
                        echo 'false';
$FCins=new FCins();
Course
<?php
require once('DB.php');
        class Course extends Database{
                function construct()
                         $this->connect_db();
                 public function scourse(){
                         $sql = "SELECT * FROM `course`";
                         $res = mysqli_query($this->connection, $sql);
                        return $res;
                public function fccourse($uname) {
                         $sql = "SELECT FID FROM faculty where Username='$uname'";
                         $res = mysqli_query($this->connection, $sql);
                        while($r = mysqli_fetch_assoc($res)){
                                 $FID=$r['FID'];
                         }
                         $sql1 = "SELECT CNAME from Course where CID IN (SELECT CID FROM
teaches where FID='$FID')";
```

```
$res1 = mysqli_query($this->connection, $sql1);
                      return $res1;
               }
               public function stcourse($uname){
                       $sql = "SELECT RNO FROM student where Username='$uname'";
                       $res = mysqli query($this->connection, $sql);
                      while($r = mysqli fetch assoc($res)){
                              $RNO=$r['RNO'];
                       $sql1 = "SELECT CNAME from Course where CID IN (SELECT CID FROM
takes where RNO='$RNO')";
                       $res1 = mysqli_query($this->connection, $sql1);
                       return $res1;
                public function cntcourse($cname) {
                       $sql = "SELECT CID FROM `course` where CName='$cname'";
                       $res = mysqli_query($this->connection, $sql);
                      return $res;
               public function CourseNM() {
                       $sql = "SELECT CName FROM `Course`";
                       $res = mysqli query($this->connection, $sql);
                      return $res;
               }
               public function DeptNM() {
                       $sql = "SELECT dept name FROM `department`";
                       $res = mysqli query($this->connection, $sql);
                      return $res;
               }
$Course=new Course();
Course Enroll
<?php
require once('DB.php');
       class courseenroll extends Database{
               function __construct()
                       $this->connect db();
                      $this->chCourse();
               }
               public function chCourse() {
                       session_start();
                       $uname=$_SESSION['username'];
                      $CNAME=$ GET['details'];
                      echo $CNAME;
                       $sql1="select CID,dept_id from Course where CName='$CNAME'";
                       $res=mysqli query($this->connection,$sql1);
                       while ($row=mysqli_fetch_array($res)) {
                                      $CID=$row['CID'];
```

```
$DEPTID=$row['dept id'];
                        $sql3="INSERT
                                                                                        student
                                                             into
(RNO, Year, DOA, dept_id, Username, Last_Modified)
                                                                                         values
('', YEAR(CURDATE()), CURDATE(), '$DEPTID', '$uname', now())";
                        $res6=mysqli query($this->connection,$sql3);
                        $sql40="select MAX(RNO) from Student";
                        $res40=mysqli_query($this->connection,$sql40);
                        while ($row=mysqli_fetch_array($res40)) {
    $RNO=$row['MAX(RNO)'];
                        $sql41="INSERT
                                                               into
                                                                                          takes
(RNO, CID, Year, Percentage, Grade, EnrollTime)
                                                                                         values
('$RNO','$CID',YEAR(CURDATE()),'0','',now())";
                        $res41=mysqli query($this->connection,$sql41);
                                if($res41)
                                        header('location: ../../StudentDash.php');
                                else
                                        echo 'false';
                }
$courseenroll =new courseenroll ();
Course Schema
<?php
require_once'DB.php';
class CSchema extends Database{
        function construct()
                $this->connect db();
                \frac{-}{\text{this}}->Schema();
        function Schema(){
                if($ POST)
                                 session start();
                                 $uname=$ SESSION['username'];
                                 $coursename=$ POST['cname'];
                                 $duration=$ POST['cduration'];
                                 $outcome=$_POST['cout'];
                                 $requisit=$_POST['prereq'];
                                 $sql0="select
                                                    dept id
                                                                  from
                                                                             Faculty
                                                                                          where
username='$uname'";
                                $res0=mysqli_query($this->connection,$sql0);
while ($row=mysqli_fetch_array($res0)) {
                                        $DID=$row['dept_id'];
                                $sql1="INSERT
                                                                                         Course
(CID, dept id, CName, COutcome, CDuration, CPrereq, Last Modified)
                                                                                         values
('','$DID','$coursename','$outcome','$duration','$requisit',now())";
                                $res=mysqli_query($this->connection,$sql1);
                                 $sq12="select FID from Faculty where username='$uname'";
                                 $res2=mysqli_query($this->connection,$sql2);
                                while ($row=mysqli_fetch_array($res2)) {
                                         $FID=$row['FID'];
```

```
$sql3="select MAX(CID) from Course";
                                $res3=mysqli query($this->connection,$sql3);
                                while ($row1=mysqli_fetch_array($res3)) {
                                        $CID=$row1['MAX(CID)'];
                                $sql4="INSERT
                                                  into
                                                         Teaches
                                                                     (CID, FID, Year)
                                                                                      values
('$CID','$FID',YEAR(CURDATE()))";
                                $res4=mysqli query($this->connection,$sql4);
                                if($res4)
                                        echo 'true';
                                else
                                        echo 'false';
                else
                        echo 'false';
$CSchema=new CSchema();
Show Course
<?php
require_once('DB.php');
        class Showcourse extends Database{
                function construct()
                        $this->connect_db();
                 public function getroll($uname){
                        $sql = "SELECT RNO FROM student WHERE Username='$uname'";
                        $res = mysqli_query($this->connection, $sql);
while ($row=mysqli_fetch_array($res)) {
                                $RNO=$row['RNO'];
                        $sql1 = "SELECT CID FROM takes where RNO='$RNO'";
                        $res1 = mysqli_query($this->connection, $sql1);
                        while ($row=mysqli_fetch_array($res1)) {
                                $CID=$row['CID'];
                        }
                        $sq12 = "SELECT Topic,content,Weightage,Name,Media FROM tutorial
where CID='$CID'";
                        $res2 = mysqli_query($this->connection, $sql2);
                        return $res2;
                }
                public function getcontent($CTopic){
    $sql2 = "SELECT content, Media FROM tutorial where Topic='$CTopic'";
                        $res2 = mysqli_query($this->connection, $sql2);
                        return $res2;
$Showcourse=new Showcourse();
?>
```

### **Syllabus**

```
<?php
require once'DB.php';
class Syllabus extends Database{
        function construct()
                $this->connect db();
                $this->syl();
        function syl(){
                if($_POST)
                         $CNAME=$ POST['cname'];
                         $Chapter1=$ POST['chap1'];
                         $Topic1=$_POST['topic1'];
                         $Editor1=$ POST['editora'];
                         $Media1=$_POST['media1'];
                         $weight1=$ POST['wt1'];
                         $info = pathinfo($_FILES['media1']['name']);
                         $ext = $info['extension']; // get the extension of the file
                         $newname = $Topic1.".".$ext;
                         $directory = '../../MediaFiles/'.$CNAME.'/'.$Chapter1.'/';
                        if(!is_dir($directory)) {
mkdir($directory,"0777",true);
                         $directory2 = 'MediaFiles/'.$CNAME.'/'.$Chapter1.'/';
                         $target = $directory.$newname;
$target2 = $directory2.$newname;
                         move uploaded file( $ FILES['media1']['tmp name'], $target);
                         $sql0="SELECT CID FROM Course where CName='$CNAME'";
                        $res0=mysqli_query($this->connection,$sql0);
while ($row=mysqli_fetch_array($res0)) {
                                 $CID=$row['CID'];
                         $res1=mysqli_query($this->connection,$sql1);
                         $sql1="INSERT
                                                                                          Tutorial
(CID, YEAR, Topic, content, Name, Weightage, Media)
                                                                                            values
('$CID', YEAR(CURDATE()), '$Topic1', '$Editor1', '$Chapter1', '$weight1', '$target2')";
                         $res2=mysqli query($this->connection,$sql1);
                         if($res2)
                                          echo 'true';
                                 }
                                 else
                                         echo 'false';
                 }
```

```
else
                      echo 'false';
$Syllabus=new Syllabus();
Profile
<?php
require_once('DB.php');
       class Profile extends Database{
               function construct()
                      $this->connect db();
               }
               public function pfselect($name) {
                      $sql = "SELECT * FROM `users` WHERE Username='$name'";
                      $res = mysqli query($this->connection, $sql);
                      return $res;
               public function pfselect1($name){
                      $sql = "SELECT * FROM `faculty` WHERE Username='$name'";
                      $res1 = mysqli_query($this->connection, $sql);
                      return $res1;
               public function pfselect2($dept_id){
                      $sql
                                   "SELECT
                                              dept name
                                                           FROM
                                                                 `department`
                                                                                   WHERE
dept id='$dept id'";
                      $res2 = mysqli_query($this->connection, $sql);
                      return $res2;
$profile=new Profile();
```

### 3.2.9) Java Script and Ajax

### Contact

```
$(document).ready(function() {
       var delay = 2000;
       $('.btn-default').click(function(e){
               e.preventDefault();
               var name = $('#Uname').val();
        if(name == ''){
                       $('.message_box').html(
                       '<span style="color:red;">Enter Your Name!</span>'
                      );
                      $('#Uname').focus();
            return false;
               var Contact = $('#Ucontact').val();
        if(Contact == ''){
                      $('.message_box').html(
                       '<span style="color:red;">Enter Your contact!</span>'
                      $('#Ucontact').focus();
            return false;
                      }
               var email = $('#UEmail').val();
        if(email == ''){
                       $('.message box').html(
                       '<span style="color:red;">Enter Email Address!</span>'
                      );
```

```
$('#UEmail').focus();
            return false;
               var subject = $('#USubj').val();
        if(subject == ''){
                       $('.message_box').html(
                       '<span style="color:red;">Enter Your Subject!</span>'
                      $('#USubj').focus();
            return false;
               var message = $('#textrem').val();
        if(message == ''){
                       $('.message_box').html(
                       '<span style="color:red;">Enter Your Message Here!</span>'
                       $('#textrem').focus();
            return false;
                      }
                       $.ajax
                       ( {
             type: "POST",
                       url: "OOPHP/ContactQuery/CQuery.php",
"Uname="+name+"&Ucontact="+Contact+"&UEmail="+email+"&USubj="+subject+"&textrem="+messag
                        beforeSend: function() {
                        $('.message_box').html(
                        '<img
                                                          src="Images/Contact/Loader.gif"
style="width:30px;height:30px;"/>
                       );
                        },
             success: function(data)
                                setTimeout(function() {
                    $('.message_box').html(data);
                }, delay);
                               setTimeout(function() {
                                      $('.message box').fadeOut();
                                }, 5000);
                      });
       });
});
Choose Course
$ (document) .ready (function() {
       $("#sign").submit(function(event){
               event.preventDefault();
               $.ajax({
                       type: "POST",
                       url: "OOPHP/Course/courseenroll.php",
                       data: new FormData(this),
                        contentType: false,
                        cache: false,
                       processData:false,
                       success: function(result){
                              if(result=="false")
                                      $('#regmsg').html('<div</pre>
                                                                  class="alert
danger">Register was not successful</div>').fadeIn().delay(1000).fadeOut();
                               else
                                      $('#regmsg').html('<div</pre>
                                                                  class="alert
                                                                                    alert-
success">Success </div>');
                       });
               return false;
       });
```

```
});
Course Schema
$ (document) .ready (function() {
       $("#define").submit(function(event){
               event.preventDefault();
               $.ajax({
                       type: "POST",
                       url: "OOPHP/Course/CourseSchema.php",
                       data: new FormData(this),
                        contentType: false,
                        cache: false,
                        processData:false,
                       success: function(result){
                               if(result=="false")
                                       $('#regmsg').html('<div</pre>
                                                                   class="alert
danger">Something went wrong</div>').fadeIn().delay(1000).fadeOut();
                               else
                                       $('#regmsg').html('<div</pre>
                                                                   class="alert
success">Schema of course created successfully</div>').fadeIn().delay(1000).fadeOut();
                       });
               return false;
       $("#define")[0].reset();
});
Facultydet
$ (document) .ready (function() {
       $("#sign").submit(function(event){
               event.preventDefault();
               $.ajax({
                       type: "POST",
url: "OOPHP/Faculty/FCupass.php",
                       data: new FormData(this),
                        contentType: false,
                        cache: false,
                        processData:false,
                       });
               return false;
       });
});
$ (document) .ready (function() {
       $("#sign1").submit(function(event){
               event.preventDefault();
               $.ajax({
                       type: "POST",
                       url: "OOPHP/Faculty/FCins.php",
                       data: new FormData(this),
                        contentType: false,
                        cache: false,
                        processData:false,
                       success: function(result){
                               if(result=="false")
                                       $('#regmsg').html('<div</pre>
                                                                   class="alert
                                                                                     alert-
danger">Something went wrong</div>').fadeIn().delay(1000).fadeOut();
                               else
                                       ('\#regmsg').html('<div class="alert alert-info"><a
href="FacultyDash.php">Successfully Registered!!!Click here to be redirected to login
```

page</a></div>');

});

});

}); return false;

### Load Page On Admin Dashboard

```
$ (document) .ready(function() {
        $("#AdPF").on("click", function(){
                $("#content").load("AdminPF.php");
});
$ (document) .ready (function() {
        $("#AdFC").on("click",function(){
                $("#content").load("AdminFC.php");
});
$ (document) .ready (function() {
        $("#AdPR").on("click", function(){
                $("#content").load("AdminSearch.php");
});
Load Page On Faculty Dashboard
$ (document) .ready (function() {
        $("#FCPF").on("click",function(){
    $("#content").load("FacultyPF.php");
});
$ (document) .ready(function() {
        $("#FcCR").on("click",function(){
                $("#content").load("FCCRCO.php");
});
$ (document) .ready (function() {
        $("#FcCNT").on("click", function(){
                $("#content").load("FCCRCNT.php");
        });
});
$(document).ready(function(){
        $("#report").on("click", function() {
                $("#content").load("Report.php");
});
Load Page On Student Dashboard
$ (document) . ready (function() {
        $("#StPF").on("click",function(){
    $("#content").load("StudentPF.php");
$ (document) .ready(function() {
        $("#StMM").on("click",function(){
                $("#content").load("CurrentCourse.php");
});
Misc
$(function(){
        //for password match
                $('#cpass').on('change', function(e){
                        var cpass=$(this).val();
                        var pass=$("#pass").val();
                        if (pass!=cpass)
                                 $(this).val("");
                                 $("#cpasserr").html("<span</pre>
                                                                     class='alert
                                                                                          alert-
danger'>Password is not match</span>");
                        else
                                 $("#cpasserr").html("<span</pre>
                                                                     class='alert
                                                                                          alert-
success'>Password is match</span>");
                });
```

```
$("#pass").on('change',function(e){
                      $("#cpass").val("");
               });
               //for email validate
               $('#semail').on('change',function(e){
                              if(!/(^([a-zA-Z]))|([0-9]))+@([a-zA-z])+.([a-zA-z])
z]{2,3})$)/gi.test(this.value))
                                      $(this).val("");
                                      $('#emailmsg').html('<span class="alert alert-</pre>
danger">Not Valid Email</span>');
                              else
                                             $('#emailmsg').html('<span</pre>
                                                                             class="alert
alert-success">Valid Email</span>');
                      });
               //for checking the user is availble or not
               $("#user").on('keyup',function(e){
                      var user=$(this).val();
                      if(!user||user===' ')
                       {
                              $(this).val("");
                              $('#usererr').html('<span class="alert alert-danger">Empty
field is not allow</span>');
                       else
                              var dataString='user='+user;
                              $.ajax({
                                      type: 'POST',
                                      url:'00PHP/Register/checkuser.php',
                                      data:dataString,
                                      cache:false.
                                      success: function (available)
                                              if(available=="false")
                                                     $('#usererr').html('<span</pre>
class="alert alert-danger">UserName is not available/span>');
                                              else
                                                     $('#usererr').html('<span</pre>
class="alert alert-success">UserName is available
');
                                              }
                                      },
                                      error: function(xhr,xer){
                                              $('#usererr').html('<span class="alert</pre>
alert-danger">Some Error is Occur '+xhr.status+'</span>')
                                      }
                              });
                      }
               });
               //for textarea remaining word
               var text max = 200;
               $('#count message').html(text max + ' remaining');
               $("#textrem").keyup(function(){
                 var text length = $('#textrem').val().length;
                 var text_remaining = text_max - text_length;
                 $('#count message').html(text remaining + ' remaining');
                      });
               //for subject validate
               $("#subject").on('change', function(e){
                       if(!/[a-zA-Z\s]/.test(this.value)){
                              $('#subjectmsg').html('<span</pre>
                                                               class="alert
                                                                                  alert-
danger">subject must have alphabets</span>');
```

```
$(this).val("");
                       else if(!/[a-zA-Z]/.test(this.value)){
                                                                  class="alert
                               $('#subjectmsg').html('<span</pre>
                                                                                    alert-
danger">subject can\'t contain only spaces</span>');
                               $(this).val("");
                       else if(!/([a-zA-Z]).{7,30}/.test(this.value)){
    $('#subjectmsg').html('<span class="alert
                                                                                     alert-
danger">subject contain atleast 8 character and max 30 charcater
                               $(this).val("");
                       else
                               $('#subjectmsg').html('<span class="alert</pre>
                                                                                     alert.-
success">Subject is valid</span>');
               });
               //for name
               $("#checkname").on('change',function(e){
                       if(!/[a-zA-Z\s]/.test(this.value)){
                               ('\#namemsg').html('<span class="alert alert-danger">name
must have alphabets</span>');
                               $(this).val("");
                       else if(!/[a-zA-Z]/.test(this.value)){
                               $('#namemsg').html('<span class="alert alert-danger">name
can\'t contain only spaces</span>');
                               $(this).val("");
                       else if(!/([a-zA-Z]).{2,30}/.test(this.value)){
                               $('#namemsg').html('<span class="alert alert-danger">name
contain atleast 3 character
                               $(this).val("");
                       else
                               $('#namemsg').html('<span class="alert alert-success">Name
is valid</span>');
       });
});
Register
$ (document) .ready(function() {
       $("#sign").submit(function(event){
               event.preventDefault();
               $.ajax({
                       type: "POST",
url: "OOPHP/Register/Reg-Insert.php",
                       data: new FormData(this),
                        contentType: false,
                        cache: false,
                        processData:false,
                       success: function(result){
                              if(result=="false")
                                       $('#regmsg').html('<div</pre>
                                                                 class="alert
                                                                                     alert-
danger">Register was not successful</div>').fadeIn().delay(1000).fadeOut();
                               else
```

```
$('#regmsg').html('<div class="alert alert-info"><a</pre>
href="login-form.php">Successfully Registered!!!Click here to be redirected to login
page</a></div>');
                     });
              return false;
       });
});
Syllabus
$(document).ready(function(){
       CKEDITOR.instances[instance].updateElement();
              event.preventDefault();
              $.ajax({
                     type: "POST",
url: "OOPHP/Course/Syllabus.php",
                     data: new FormData(this),
                      contentType: false,
                      cache: false,
                      processData:false,
                     success: function(result){
                            if(result=="false")
                                    $('#regmsg').html('<div</pre>
                                                              class="alert
                                                                                alert-
danger">Register was not successful</div>').fadeIn().delay(1000).fadeOut();
                             else
                                    $('#regmsg').html('<div</pre>
                                                              class="alert
                                                                                alert-
success">Record inserted successfully</div>').fadeIn().delay(1000).fadeOut();
                     });
              return false;
       });
```

});

# Chapter 4 RESULTS

# 4.1 Screenshots




Figure 4.1.0 (Home page of the website)




Figure 4.1.1.(About us)




Figure 4.1.2. (Contact us)




Figure 4.1.3 (Contact is submit to the admin)




Figure 4.1.4 (Login Page for Admin, Faculty and as well for student)




Figure 4.1.5 (Showing the image of user after username is correct)




Figure 4.1.6 (Displaying password in text form)




Figure 4.1.7 (Forget password option if user is not able to enter his password)




Figure 4.1.8 (Reset the password if security question answer is right)




Figure 4.1.9 (Registration of the student for leaning the courses)




Figure 4.1.10 (Registration of the student for leaning the courses)




Figure 4.1.11 (Admin Dashboard)




Figure 4.1.12 (Admin Profile)




Figure 4.1.13 (Admin create the faculty profile and give username and password)




Figure 4.1.14 (Admin create the faculty profile and define his speciality)




Figure 4.1.15 (Admin reset the password of user by putting name of user)




Figure 4.1.16 (After the enter the name of user it should be display like this)




Figure 4.1.17 (Admin can now reset the password of user after search the name )




Figure 4.1.18 (Faculty Dashboard)




Figure 4.1.19 (Faculty Profile)




Figure 4.1.20 (Faculty define the course)




Figure 4.1.21 (Faculty define syllabus of the current course and its content)




Fig 4.1.22 (Faculty define syllabus of the current course and its content)




Figure 4.1.23 (Faculty view the report of the student who take his course)




Figure 4.1.24 (After first login of student there will be appropriate option for selecting course)




Figure 4.1.25 (Student Dashboard)




Figure 4.1.26 (Student Profile)




Figure 4.1.27 (Student selected courses detail show here)




Figure 4.1.28 (Student selected course detail)




Figure 4.1.29 (Contents of the selected course of student)




Figure 4.1.30 (Contents of the selected course of student)

Chapter 5

Conclusion

## **5.1 Conclusion**

By implementing this project, we have successfully enhanced the way of learning by the mean principle of E-learning and distance education.

We have also ensured with all the safety and possible validations/security that could be offered through the system to its end users. Based on the user convenience, a user can avail the taken course with 24X7 availability status as soon as the faculty has published it online.

Education in the society is a key for any future growth of the country, and by using our system the end user can enjoy variety of facilities through E-learning.

# References

- [1] Economictimes.com, 'e-learning', 2016. [Online]. Available: <a href="https://economictimes.indiatimes.com/definition/e-learning">https://economictimes.indiatimes.com/definition/e-learning</a> [Accessed: 07- Oct- 2018]. [2] stackoverflow.com, 'load-html-page-in-div-using-jquery ', 2013. [Online]. Available: <a href="https://stackoverflow.com/questions/15319887/load-html-page-in-div-tag-using-jquery-dynamically/">https://stackoverflow.com/questions/15319887/load-html-page-in-div-tag-using-jquery-dynamically/</a> [Accessed: 07- Oct- 2018]. [3] w3schools.com, 'Bootstrap Glyphicon Components', 2014. [Online]. Available:
- https://www.w3schools.com/bootstrap/bootstrap\_ref\_comp\_glyphs.asp [Accessed: 07-Oct-2018]