

sepalw	sepalw	petall	petalw	clase	Probabilidades																	
chico	chico	chico	chico	Iris-setosa	Datos	150		p	p sepalw				sepalw				sepalw					
chico	chico	chico	chico	Iris-setosa	setosa	50	p(setosa)	0.333333333	0.9	0.1		0	0.04	0.32		0.64	1	0	0			
chico	grande	chico	chico	Iris-setosa	versicolor	50	p(versicolor)	0.333333333	0.12	0.6	0.28	0.68	0.28	0.04		0.04	0.02	0.9	0.08			
chico	grande	chico	chico	Iris-setosa	virginica	50	p(virginica)	0.333333333	0.02	0.24	0.74	0.42	0.42	0.16		0	0.06	0.94				
chico	grande	chico	chico	Iris-setosa																		
chico	grande	chico	chico	Iris-setosa				X = (X1, X2, ..., Xn), con X=(sepalw, sepalw, petall, petalw)											1	0	0	
chico	grande	chico	chico	Iris-setosa													0	0.9	0.1			
chico	grande	chico	chico	Iris-setosa																		
chico	grande	chico	chico	Iris-setosa				P(C)	P(S C)	P(SW C/M/G)	P(PLC M/G)	P(PWC/M/G)	P(C X)=P(C)*P(X C)			0	0.06	0.94				
chico	grande	chico	chico	Iris-setosa	Setosa			a priori	sepalw	sepalw	petall	petalw										
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=ch) ~	0.33	0.9	0.04	1	1	0.01188								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=med) ~	0.33	0.9	0.04	1	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=gde) ~	0.33	0.9	0.04	1	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=ch) ~	0.33	0.9	0.04	0	1	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=med) ~	0.33	0.9	0.04	0	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=gde) ~	0.33	0.9	0.04	0	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=ch) ~	0.33	0.9	0.04	0	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=med) ~	0.33	0.9	0.04	0	1	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=gde) ~	0.33	0.9	0.04	0	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=ch) ~	0.33	0.9	0.32	1	1	0.09504								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=med) ~	0.33	0.9	0.32	1	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=gde) ~	0.33	0.9	0.32	1	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=ch) ~	0.33	0.9	0.32	0	1	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=med) ~	0.33	0.9	0.32	0	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=gde) ~	0.33	0.9	0.32	0	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=ch) ~	0.33	0.9	0.32	0	1	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=med) ~	0.33	0.9	0.32	0	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=gde) ~	0.33	0.9	0.32	0	0	0								
chico	grande	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=ch) ~	0.33	0.9	0.64	1	1	0.19008								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=med) ~	0.33	0.9	0.64	1	0	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=gde) ~	0.33	0.9	0.64	1	0	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=ch) ~	0.33	0.9	0.64	0	1	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=med) ~	0.33	0.9	0.64	0	0	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=gde) ~	0.33	0.9	0.64	0	0	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=ch, sw=ch, pl=ch, pw=ch) ~	0.33	0.9	0.64	0	1	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.04	1	1	0.00132								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.04	1	0	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.04	1	0	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.04	0	1	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.04	0	0	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.04	0	0	0								
chico	mediano	chico	chico	Iris-setosa				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.04	0	0	0								
chico	chico	mediano	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.04	0	0	0								
chico	chico	chico	mediano	Iris-versicolor				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.32	1	1	0.01056								
chico	chico	mediano	mediano	Iris-versicolor				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.32	1	0	0								
chico	chico	mediano	mediano	Iris-versicolor				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.32	1	0	0								
chico	chico	mediano	mediano	Iris-versicolor				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.32	0	1	0								
chico	chico	mediano	mediano	Iris-versicolor				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.32	0	0	0								
chico	mediano	mediano	mediano	Iris-versicolor				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.32	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.32	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.32	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.32	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	1	1	0.02112								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	1	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	1	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=ch) ~	0.33	0.1	0.64	0	1	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=med) ~	0.33	0.1	0.64	0	0	0								
grande	chico	grande	grande	Iris-virginica				P(C=Set sl=me, sw=ch, pl=ch, pw=gde) ~	0.33	0.1	0.64	0	0	0								
grande	chico																					

grande	grande	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=ch) ~	0.33	0	0.04	1	1	0			
grande	grande	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=med) ~	0.33	0	0.04	1	0	0			
grande	grande	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=gde) ~	0.33	0	0.04	1	0	0			
grande	grande	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=ch) ~	0.33	0	0.04	0	1	0			
grande	grande	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=med) ~	0.33	0	0.04	0	0	0			
grande	grande	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=gde) ~	0.33	0	0.04	0	0	0			
grande	grande	mediano	grande	Iris-versicolor	P(C=Set sl=qd,sw=ch,pl=ch,pw=ch) ~	0.33	0	0.04	0	1	0			
grande	mediano	grande	grande	Iris-versicolor	P(C=Set sl=qd,sw=ch,pl=ch,pw=med) ~	0.33	0	0.04	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=gde) ~	0.33	0	0.04	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=ch) ~	0.33	0	0.32	1	1	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=med) ~	0.33	0	0.32	1	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=gde) ~	0.33	0	0.32	1	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=ch) ~	0.33	0	0.32	0	1	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=med) ~	0.33	0	0.32	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=gde) ~	0.33	0	0.32	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=ch) ~	0.33	0	0.32	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=med) ~	0.33	0	0.32	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=gde) ~	0.33	0	0.32	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=ch) ~	0.33	0	0.64	1	1	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=med) ~	0.33	0	0.64	1	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=gde) ~	0.33	0	0.64	0	1	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=ch) ~	0.33	0	0.64	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=med) ~	0.33	0	0.64	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=gde) ~	0.33	0	0.64	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=ch) ~	0.33	0	0.64	0	1	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=med) ~	0.33	0	0.64	0	0	0			
grande	mediano	grande	grande	Iris-virginica	P(C=Set sl=qd,sw=ch,pl=ch,pw=gde) ~	0.33	0	0.64	0	0	0			
grande	chico	grande	mediano	Iris-versicolor	P(C=Set sl=qd,sw=ch,pl=ch,pw=gde) ~	0.33	0	0.64	0	0	0			
grande	chico	grande	mediano	Iris-virginica			X = (X1, X2, ..., Xn), con X=(sepalw, sepalw, petalw, petalw)							
grande	chico	mediano	mediano	Iris-versicolor										
grande	chico	mediano	mediano	Iris-versicolor										
grande	chico	mediano	mediano	Iris-versicolor	Versicolor		P(C)	P(SL/C)	P(SW/C/M/G)	P(PL/C/M/G)	P(PW/C/M/G)	P(C X)=P(C)*P(X1 C)		
grande	chico	mediano	mediano	Iris-versicolor		a priori	sepalw	sepalw	petalw	petalw				
grande	chico	mediano	mediano	Iris-versicolor	P(C=Ver sl=ch ,sw=ch,pl=ch,pw=ch) ~	0.33	0.12	0.68	0.02	0	0			
grande	mediano	grande	mediano	Iris-versicolor	P(C=Ver sl=ch ,sw=ch,pl=ch,pw=med) ~	0.33	0.12	0.68	0.02	0.9	0.000484704			
grande	mediano	grande	mediano	Iris-versicolor	P(C=Ver sl=ch ,sw=ch,pl=ch,pw=gde) ~	0.33	0.12	0.68	0.02	0.1	0.000053856			
grande	mediano	mediano	mediano	Iris-versicolor	P(C=Ver sl=ch ,sw=ch,pl=med,pw=ch) ~	0.33	0.12	0.68	0.9	0	0			
grande	mediano	mediano	mediano	Iris-versicolor	P(C=Ver sl=ch ,sw=ch,pl=med,pw=med) ~	0.33	0.12	0.68	0.9	0.9	0.02181168			
grande	mediano	mediano	mediano	Iris-versicolor	P(C=Ver sl=ch ,sw=ch,pl=med,pw=gde) ~	0.33	0.12	0.68	0.9	0.1	0.00242352			
grande	mediano	mediano	mediano	Iris-versicolor	P(C=Ver sl=ch ,sw=ch,pl=gde,pw=ch) ~	0.33	0.12	0.68	0.08	0	0			
mediano	grande	chico	chico	Iris-setosa	P(C=Ver sl=ch ,sw=ch,pl=gde,pw=med) ~	0.33	0.12	0.68	0.08	0.9	0.001938816			
mediano	grande	chico	chico	Iris-setosa	P(C=Ver sl=ch ,sw=ch,pl=gde,pw=gde) ~	0.33	0.12	0.68	0.08	0.1	0.000215424			
mediano	grande	chico	chico	Iris-setosa	P(C=Ver sl=ch ,sw=med,pl=ch,pw=ch) ~	0.33	0.12	0.28	0.02	0	0			
mediano	grande	chico	chico	Iris-setosa	P(C=Ver sl=ch ,sw=med,pl=ch,pw=med) ~	0.33	0.12	0.28	0.02	0.9	0.000199584			
mediano	grande	chico	chico	Iris-setosa	P(C=Ver sl=ch ,sw=med,pl=ch,pw=gde) ~	0.33	0.12	0.28	0.02	0.1	0.000022176			
mediano	chico	grande	grande	Iris-versicolor	P(C=Ver sl=ch ,sw=med,pl=med,pw=ch) ~	0.33	0.12	0.28	0.9	0	0			
mediano	chico	grande	grande	Iris-virginica	P(C=Ver sl=ch ,sw=med,pl=med,pw=med) ~	0.33	0.12	0.28	0.9	0.9	0.00898128			
mediano	chico	grande	grande	Iris-virginica	P(C=Ver sl=ch ,sw=med,pl=med,pw=gde) ~	0.33	0.12	0.28	0.9	0.1	0.00099792			
mediano	chico	grande	grande	Iris-virginica	P(C=Ver sl=ch ,sw=med,pl=gde,pw=ch) ~	0.33	0.12	0.28	0.08	0	0			
mediano	chico	grande	grande	Iris-virginica	P(C=Ver sl=ch ,sw=med,pl=gde,pw=med) ~	0.33	0.12	0.28	0.08	0.9	0.000798336			
mediano	chico	grande	grande	Iris-virginica	P(C=Ver sl=ch ,sw=med,pl=gde,pw=gde) ~	0.33	0.12	0.28	0.08	0.1	0.000088704			
mediano	chico	mediano	grande	Iris-virginica	P(C=Ver sl=ch ,sw=gde,pl=ch,pw=ch) ~	0.33	0.12	0.04	0.02	0	0			
mediano	grande	grande	grande	Iris-virginica	P(C=Ver sl=ch ,sw=gde,pl=ch,pw=med) ~	0.33	0.12	0.04	0.02	0.9	0.000028512			
mediano	grande	mediano	grande	Iris-versicolor	P(C=Ver sl=ch ,sw=gde,pl=ch,pw=gde) ~	0.33	0.12	0.04	0.02	0.1	0.000003168			
mediano	mediano	grande	grande	Iris-virginica	P(C=Ver sl=ch ,sw=gde,pl=med,pw=ch) ~	0.33	0.12	0.04	0.9	0	0			
mediano	mediano	grande	grande	Iris-virginica	P(C=Ver sl=ch ,sw=gde,pl=med,pw=med) ~	0.33	0.12	0.04	0.9	0.9	0.1090584			
mediano	chico	grande	mediano	Iris-virginica	P(C=Ver sl=ch ,sw=gde,pl=gde,pw=med) ~	0.33	0.12	0.04	0.08	0.9	0.000114048			
mediano	chico	grande	mediano	Iris-virginica	P(C=Ver sl=ch ,sw=gde,pl=gde,pw=gde) ~	0.33	0.12	0.04	0.08	0.1	0.000012672			
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver sl=me ,sw=ch,pl=ch,pw=ch) ~	0.33	0.6	0.68	0.02	0	0			
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver sl=me ,sw=ch,pl=ch,pw=med) ~	0.33	0.6	0.68	0.02	0.9	0.00242352			
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver sl=me ,sw=ch,pl=ch,pw=gde) ~	0.33	0.6	0.68	0.02	0.1	0.00026928			
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver sl=me ,sw=ch,pl=med,pw=ch) ~	0.33	0.6	0.68	0.9	0	0			
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver sl=me ,sw=ch,pl=med,pw=med) ~	0.33	0.6	0.68	0.9	0.9	0.1090584			
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver sl=me ,sw=ch,pl=med,pw=gde) ~	0.33	0.6	0.68	0.9	0.1	0.0121176			

mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=ch,pl=gde,pw=ch) ~	0.33	0.6	0.68	0.08	0	0						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=ch,pl=gde,pw=med) ~	0.33	0.6	0.68	0.08	0.9	0.00969408						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=ch,pl=gde,pw=gde) ~	0.33	0.6	0.68	0.08	0.1	0.00107712						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=med,pl=ch,pw=ch) ~	0.33	0.6	0.28	0.02	0	0						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=med,pl=ch,pw=med) ~	0.33	0.6	0.28	0.02	0.9	0.00099792						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=med,pl=ch,pw=gde) ~	0.33	0.6	0.28	0.02	0.1	0.00011088						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=med,pl=med,pw=ch) ~	0.33	0.6	0.28	0.9	0	0						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=med,pl=med,pw=med) ~	0.33	0.6	0.28	0.9	0.9	0.0449064						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=med,pl=med,pw=gde) ~	0.33	0.6	0.28	0.9	0.1	0.0049896						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=med,pl=gde,pw=ch) ~	0.33	0.6	0.28	0.08	0	0						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=med,pl=gde,pw=med) ~	0.33	0.6	0.28	0.08	0.9	0.00399168						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=med,pl=gde,pw=gde) ~	0.33	0.6	0.28	0.08	0.1	0.00044352						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=gde,pl=ch,pw=ch) ~	0.33	0.6	0.04	0.02	0	0						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=gde,pl=ch,pw=med) ~	0.33	0.6	0.04	0.02	0.9	0.00014256						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=gde,pl=ch,pw=gde) ~	0.33	0.6	0.04	0.02	0.1	0.00001584						
mediano	chico	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=gde,pl=med,pw=ch) ~	0.33	0.6	0.04	0.9	0	0						
mediano	mediano	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=gde,pl=med,pw=med) ~	0.33	0.6	0.04	0.9	0.9	0.0064152						
mediano	mediano	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=gde,pl=med,pw=gde) ~	0.33	0.6	0.04	0.9	0.1	0.0007128						
mediano	mediano	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=gde,pl=gde,pw=ch) ~	0.33	0.6	0.04	0.08	0	0						
mediano	mediano	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=gde,pl=gde,pw=med) ~	0.33	0.6	0.04	0.08	0.9	0.00057024						
mediano	mediano	mediano	mediano	Iris-versicolor	P(C=Ver	sl=me	sw=gde,pl=gde,pw=gde) ~	0.33	0.6	0.04	0.08	0.1	0.00006336						
					P(C=Ver	sl=gd	sw=ch,pl=ch,pw=ch) ~	0.33	0.28	0.68	0.02	0	0						
					P(C=Ver	sl=gd	sw=ch,pl=ch,pw=med) ~	0.33	0.28	0.68	0.02	0.9	0.001130976						
					P(C=Ver	sl=gd	sw=ch,pl=ch,pw=gde) ~	0.33	0.28	0.68	0.02	0.1	0.000125664						
					P(C=Ver	sl=gd	sw=ch,pl=med,pw=ch) ~	0.33	0.28	0.68	0.9	0	0						
					P(C=Ver	sl=gd	sw=ch,pl=med,pw=med) ~	0.33	0.28	0.68	0.9	0.9	0.05089392						
					P(C=Ver	sl=gd	sw=ch,pl=med,pw=gde) ~	0.33	0.28	0.68	0.9	0.1	0.00565488						
					P(C=Ver	sl=gd	sw=ch,pl=gde,pw=ch) ~	0.33	0.28	0.68	0.08	0	0						
					P(C=Ver	sl=gd	sw=ch,pl=gde,pw=med) ~	0.33	0.28	0.68	0.08	0.9	0.004523904						
					P(C=Ver	sl=gd	sw=ch,pl=gde,pw=gde) ~	0.33	0.28	0.68	0.08	0.1	0.000502656						
					P(C=Ver	sl=gd	sw=med,pl=ch,pw=ch) ~	0.33	0.28	0.28	0.02	0	0						
					P(C=Ver	sl=gd	sw=med,pl=ch,pw=med) ~	0.33	0.28	0.28	0.02	0.9	0.000465696						
					P(C=Ver	sl=gd	sw=med,pl=ch,pw=gde) ~	0.33	0.28	0.28	0.02	0.1	0.000051744						
					P(C=Ver	sl=gd	sw=med,pl=med,pw=ch) ~	0.33	0.28	0.28	0.9	0	0						
					P(C=Ver	sl=gd	sw=med,pl=med,pw=med) ~	0.33	0.28	0.28	0.9	0.9	0.02095632						
					P(C=Ver	sl=gd	sw=med,pl=med,pw=gde) ~	0.33	0.28	0.28	0.9	0.1	0.00232848						
					P(C=Ver	sl=gd	sw=med,pl=gde,pw=ch) ~	0.33	0.28	0.28	0.08	0	0						
					P(C=Ver	sl=gd	sw=med,pl=gde,pw=med) ~	0.33	0.28	0.28	0.08	0.9	0.001862784						
					P(C=Ver	sl=gd	sw=med,pl=gde,pw=gde) ~	0.33	0.28	0.28	0.08	0.1	0.000206976						
					P(C=Ver	sl=gd	sw=gde,pl=ch,pw=ch) ~	0.33	0.28	0.04	0.02	0	0						
					P(C=Ver	sl=gd	sw=gde,pl=ch,pw=med) ~	0.33	0.28	0.04	0.02	0.9	0.000066528						
					P(C=Ver	sl=gd	sw=gde,pl=ch,pw=gde) ~	0.33	0.28	0.04	0.02	0.1	0.000007392						
					P(C=Ver	sl=gd	sw=gde,pl=med,pw=ch) ~	0.33	0.28	0.04	0.9	0	0						
					P(C=Ver	sl=gd	sw=gde,pl=med,pw=med) ~	0.33	0.28	0.04	0.9	0.9	0.00299376						
					P(C=Ver	sl=gd	sw=gde,pl=med,pw=gde) ~	0.33	0.28	0.04	0.9	0.1	0.00033264						
					P(C=Ver	sl=gd	sw=gde,pl=gde,pw=ch) ~	0.33	0.28	0.04	0.08	0	0						
					P(C=Ver	sl=gd	sw=gde,pl=gde,pw=med) ~	0.33	0.28	0.04	0.08	0.9	0.000266112						
					P(C=Ver	sl=gd	sw=gde,pl=gde,pw=gde) ~	0.33	0.28	0.04	0.08	0.1	0.000029568						
							X = (X1, X2, ..., Xn), con X=(sepalw, sepalw, petallw, petalw)												
							</												

						P(C=Vir	sl=ch	,sw=med,pl=med,pw=ch) ~	0.33	0.02	0.42	0.06	0	0				
						P(C=Vir	sl=ch	,sw=med,pl=med,pw=med)	0.33	0.02	0.42	0.06	0.06	9.9792E-06				
						P(C=Vir	sl=ch	,sw=med,pl=med,pw=gde)	0.33	0.02	0.42	0.06	0.94	0.000156341				
						P(C=Vir	sl=ch	,sw=med,pl=gde,pw=ch) ~	0.33	0.02	0.42	0.94	0	0				
						P(C=Vir	sl=ch	,sw=med,pl=gde,pw=med)	0.33	0.02	0.42	0.94	0.06	0.000156341				
						P(C=Vir	sl=ch	,sw=med,pl=gde,pw=gde) ~	0.33	0.02	0.42	0.94	0.94	0.002449339				
						P(C=Vir	sl=ch	,sw=gde,pl=ch,pw=ch) ~	0.33	0.02	0.16	0	0	0				
						P(C=Vir	sl=ch	,sw=gde,pl=ch,pw=med) ~	0.33	0.02	0.16	0	0.06	0				
						P(C=Vir	sl=ch	,sw=gde,pl=ch,pw=gde) ~	0.33	0.02	0.16	0	0.94	0				
						P(C=Vir	sl=ch	,sw=gde,pl=med,pw=ch) ~	0.33	0.02	0.16	0.06	0	0				
						P(C=Vir	sl=ch	,sw=gde,pl=med,pw=med)	0.33	0.02	0.16	0.06	0.06	3.8016E-06				
						P(C=Vir	sl=ch	,sw=gde,pl=med,pw=gde) ~	0.33	0.02	0.16	0.06	0.94	5.95584E-05				
						P(C=Vir	sl=ch	,sw=gde,pl=gde,pw=ch) ~	0.33	0.02	0.16	0.94	0	0				
						P(C=Vir	sl=ch	,sw=gde,pl=gde,pw=med) ~	0.33	0.02	0.16	0.94	0.06	5.95584E-05				
						P(C=Vir	sl=ch	,sw=gde,pl=gde,pw=gde) ~	0.33	0.02	0.16	0.94	0.94	0.000933082				
						P(C=Vir	sl=me	,sw=ch,pl=ch,pw=ch) ~	0.33	0.24	0.42	0	0	0				
						P(C=Vir	sl=me	,sw=ch,pl=ch,pw=med) ~	0.33	0.24	0.42	0	0.06	0				
						P(C=Vir	sl=me	,sw=ch,pl=ch,pw=gde) ~	0.33	0.24	0.42	0	0.94	0				
						P(C=Vir	sl=me	,sw=ch,pl=med,pw=ch) ~	0.33	0.24	0.42	0.06	0	0				
						P(C=Vir	sl=me	,sw=ch,pl=med,pw=med) ~	0.33	0.24	0.42	0.06	0.06	0.00011975				
						P(C=Vir	sl=me	,sw=ch,pl=med,pw=gde) ~	0.33	0.24	0.42	0.06	0.94	0.00187609				
						P(C=Vir	sl=me	,sw=ch,pl=gde,pw=ch) ~	0.33	0.24	0.42	0.94	0	0				
						P(C=Vir	sl=me	,sw=ch,pl=gde,pw=med) ~	0.33	0.24	0.42	0.94	0.06	0.00187609				
						P(C=Vir	sl=me	,sw=ch,pl=gde,pw=gde) ~	0.33	0.24	0.42	0.94	0.94	0.02939207				
						P(C=Vir	sl=me	,sw=med,pl=ch,pw=ch) ~	0.33	0.24	0.42	0	0	0				
						P(C=Vir	sl=me	,sw=med,pl=ch,pw=med) ~	0.33	0.24	0.42	0	0.06	0				
						P(C=Vir	sl=me	,sw=med,pl=ch,pw=gde) ~	0.33	0.24	0.42	0	0.94	0				
						P(C=Vir	sl=me	,sw=med,pl=med,pw=ch) ~	0.33	0.24	0.42	0.06	0	0				
						P(C=Vir	sl=me	,sw=med,pl=med,pw=med)	0.33	0.24	0.42	0.06	0.06	0.00011975				
						P(C=Vir	sl=me	,sw=med,pl=med,pw=gde)	0.33	0.24	0.42	0.06	0.94	0.00187609				
						P(C=Vir	sl=me	,sw=med,pl=gde,pw=ch) ~	0.33	0.24	0.42	0.94	0	0				
						P(C=Vir	sl=me	,sw=med,pl=gde,pw=med)	0.33	0.24	0.42	0.94	0.06	0.00187609				
						P(C=Vir	sl=me	,sw=med,pl=gde,pw=gde) ~	0.33	0.24	0.42	0.94	0.94	0.02939207				
						P(C=Vir	sl=me	,sw=gde,pl=ch,pw=ch) ~	0.33	0.24	0.16	0	0	0				
						P(C=Vir	sl=me	,sw=gde,pl=ch,pw=med) ~	0.33	0.24	0.16	0	0.06	0				
						P(C=Vir	sl=me	,sw=gde,pl=ch,pw=gde) ~	0.33	0.24	0.16	0	0.94	0				
						P(C=Vir	sl=me	,sw=gde,pl=med,pw=ch) ~	0.33	0.24	0.16	0.06	0	0				
						P(C=Vir	sl=me	,sw=gde,pl=med,pw=med)	0.33	0.24	0.16	0.06	0.06	4.56192E-05				
						P(C=Vir	sl=me	,sw=gde,pl=med,pw=gde) ~	0.33	0.24	0.16	0.06	0.94	0.000714701				
						P(C=Vir	sl=me	,sw=gde,pl=gde,pw=ch) ~	0.33	0.24	0.16	0.94	0	0				
						P(C=Vir	sl=me	,sw=gde,pl=gde,pw=med) ~	0.33	0.24	0.16	0.94	0.94	0.011196979				
						P(C=Vir	sl=gd	,sw=ch,pl=ch,pw=ch) ~	0.33	0.74	0.42	0	0	0				
						P(C=Vir	sl=gd	,sw=ch,pl=ch,pw=med) ~	0.33	0.74	0.42	0	0.06	0				
						P(C=Vir	sl=gd	,sw=ch,pl=ch,pw=gde) ~	0.33	0.74	0.42	0	0.94	0				
						P(C=Vir	sl=gd	,sw=ch,pl=med,pw=ch) ~	0.33	0.74	0.42	0.06	0	0				
						P(C=Vir	sl=gd	,sw=ch,pl=med,pw=med) ~	0.33	0.74	0.42	0.06	0.06	0.00036923				
						P(C=Vir	sl=gd	,sw=ch,pl=med,pw=gde) ~	0.33	0.74	0.42	0.06	0.94	0.00578461				
						P(C=Vir	sl=gd	,sw=ch,pl=gde,pw=ch) ~	0.33	0.74	0.42	0.94	0	0				
						P(C=Vir	sl=gd	,sw=ch,pl=gde,pw=med) ~	0.33	0.74	0.42	0.94	0.06	0.00578461				
						P(C=Vir	sl=gd	,sw=ch,pl=gde,pw=gde) ~	0.33	0.74	0.42	0.94	0.94	0.09062555				
						P(C=Vir	sl=gd	,sw=med,pl=ch,pw=ch) ~	0.33	0.74	0.42	0	0	0				
						P(C=Vir	sl=gd	,sw=med,pl=ch,pw=med) ~	0.33	0.74	0.42	0	0.06	0				
						P(C=Vir	sl=gd	,sw=med,pl=ch,pw=gde) ~	0.33	0.74	0.42	0	0.94	0				
						P(C=Vir	sl=gd	,sw=med,pl=med,pw=ch) ~	0.33	0.74	0.42	0.06	0	0				
						P(C=Vir	sl=gd	,sw=med,pl=med,pw=med)	0.33	0.74	0.42	0.06	0.06	0.00036923				
						P(C=Vir	sl=gd	,sw=med,pl=med,pw=gde)	0.33	0.74	0.42	0.06	0.94	0.00578461				
						P(C=Vir	sl=gd	,sw=med,pl=gde,pw=ch) ~	0.33	0.74	0.42	0.94	0	0				
						P(C=Vir	sl=gd	,sw=med,pl=gde,pw=med)	0.33	0.74	0.42	0.94	0.06	0.00578461				
						P(C=Vir	sl=gd	,sw=med,pl=gde,pw=gde) ~	0.33	0.74	0.42	0.94	0.94	0.09062555				
						P(C=Vir	sl=gd	,sw=gde,pl=ch,pw=ch) ~	0.33	0.74	0.16	0	0	0				
						P(C=Vir	sl=gd	,sw=gde,pl=ch,pw=med) ~	0.33	0.74	0.16	0	0.06	0				
						P(C=Vir	sl=gd	,sw=gde,pl=ch,pw=gde) ~	0.33	0.74	0.16	0	0.94	0				
						P(C=Vir	sl=gd	,sw=gde,pl=med,pw=ch) ~	0.33	0.74	0.16	0.06	0	0				
						P(C=Vir	sl=gd	,sw=gde,pl=med,pw=med)	0.33	0.74	0.16	0.06	0.06	0.000140659				

						P(C=Vir	sl=gd	,sw=gde,pl=med,pw=gde) ~	0.33	0.74	0.16	0.06	0.94	0.002203661				
						P(C=Vir	sl=gd	,sw=gde,pl=gde,pw=ch) ~	0.33	0.74	0.16	0.94	0	0				
						P(C=Vir	sl=gd	,sw=gde,pl=gde,pw=med) ~	0.33	0.74	0.16	0.94	0.06	0.002203661				
						P(C=Vir	sl=gd	,sw=gde,pl=gde,pw=gde) ~	0.33	0.74	0.16	0.94	0.94	0.034524019				