



Weather Bulletins Detail - v3.0

Document Version 1.2

Domain Portfolio: Alerts | Domain: Bulletins | Usage Classification: Standard

Geography: US Only

Attribution Required: YES

Attribution Requirements: Clients must provide data source attribution on anywhere data is displayed.

The attribution phrase must display: “Issued by <Office Name> - <Office Admin District Code>, <Office Country Code>, <Source>, <Disclaimer>”.

- Example: Issued by National Weather Service - Bismarck, US

Overview

The Weather Bulletins Details API provides the details for a single bulletin issued by the NWS (National Weather Service). Currently this API only delivers the Coastals Water Forecast. Other products may be added in the future.

HTTP Headers and Data Lifetime - Caching and Expiration

For details on appropriate header values as well as caching and expiration definitions, please see [The Weather Company Data | API Common Usage Guide](#).

Translated Fields:

This TWC API handles the translation of phrases. When formatting a request URL a valid language must be used (see [The Weather Company Data | API Common Usage Guide](#))

- countryName
- disclaimer
- headlineText
- eventDescription
- officeAdminDistrict

NOTE: In order to use this API, user must FIRST do the following:

1) Run [API - Standard - v3 - Weather Bulletins - Headlines](#)

2) Obtain a ‘**detailKey**’ from running the operation above

3) Use the obtained ‘**detailKey**’ as the required parameter ‘**alertId**’ in running this API

URL Construction

Atomic API URL Examples:

Request by alertId:

Required Parameters: alertId, format, language, apiKey

https://api.weather.com/v3/bulletins/detail?apiKey=<yourApiKey>&format=<json>&language=<language code>?&alertId=<detailKey>

Data Elements & Definitions

Note: Field names are sorted alphabetically in the table below for presentation purposes. The table below does not represent the sort order of the API response.

Field Name	Description	Type	Range	Sample	Nulls Allowed
"alertDetail.object"		object			N
adminDistrict	Admin district name	string		null	Y
adminDistrictCode	Admin district code	string		null	Y
areald	Location code for a location where the event occurs.	string		ANZ635	N
areaName	Mixed case location name	string		Rappahannock River from Urbanna to Windmill Point	N
areaTypeCode	This identifies type of location.	string	C = county Z = zone CLC=Canada Location	Z	N
certainty	Certainty text	string	Observed – Determined to have occurred or to be ongoing Likely - Likely (p > ~50%) Possible - Possible but not likely (p <= ~50%) Unlikely - Not expected to occur (p ~ 0) Unknown - Certainty unknown	Unknown	N
certaintyCode	Certainty code	integer	1 - Observed 2 - Likely 3 - Possible 4 - Unlikely 5 - Unknown	5	N
countryCode	country code of the location	string		US	N
countryName	country name	string		UNITED STATES OF AMERICA	N
detailKey	detail record key	string		0255894a-1f73-375e-91b8-bcf3e8ebc5f1	N
disclaimer	Disclaimer for data	string		null	Y
effectiveTimeLocal	The effective date and time of the information in the alert message.	string	valid date	null	Y
effectiveTimeLocalTimeZone	Time Zone Abbreviation for effective time	string	valid timezone	null	Y

eventDescription	Event Description	string		Coastal Waters Forecast	N
eventTrackingNumber	Event Tracking Number	string	4 digit number or a checksum	0000	N
expireTimeLocal	The expire date and time of the information in the alert message.	string	valid date	2023-02-25T01:15:00-05:00	N
expireTimeLocalTimeZone	Time Zone Abbreviation	string	valid timezone	EST	N
expireTimeUTC	Expire date and time in UTC	epoch	valid Epoch time	1677305700	N
headlineText	Headline text of an event for the location	string	{event} is in effect {event} until {DOW HH:MM AM/PM TZCODE} {event} from {DOW HH:MM AM/PM TZCODE} until {DOW HH:MM AM/PM TZCODE}	Coastal Waters Forecast until SAT 1:15 AM EST	N
summaryHeadline	For future expansion. For now it will contain the value found in the headlineText field. Only in US English.	string	Subject to change: {event} is in effect {event} until {DOW HH:MM AM/PM TZCODE} {event} from {DOW HH:MM AM/PM TZCODE} until {DOW HH:MM AM/PM TZCODE}	Coastal Waters Forecast until FRI 7:30 PM EST	N
ianaTimeZone	IANA time code	string	Valid timezone	America/New_York	Y
identifier	This is the checksum value uniquely identifies a bulletin	string	checksum	6c5a38fe543076ab2aeddae4a9261d85	N
issueTimeLocal	Alert issuance time	string	valid date	2023-02-24T12:53:00-05:00	N
issueTimeLocalTimeZone	Time zone Abbreviation	string	valid timezone	EST	N
latitude	centroid latitude of a location where the event occurs.	decimal		37.63	Y
longitude	centroid longitude of a location where event occurs.	decimal		-76.45	Y
messageType	The nature of the alert message	string	New - Initial information Update - Updates existing message Cancel - Cancels the earlier message	New	N
messageTypeCode	The nature of the alert message code	integer	1 - New 2 - Update 3 - Cancel	1	N
officeAdminDistrict	Office Admin District	string		Virginia	Y
officeAdminDistrictCode	Issuing Office State Code	string		VA	Y
officeCode	Issuing Office code	string		KAKQ	N
officeCountryCode	Issuing Office Country Code	string		US	Y
officeName	Issuing Office Name	string		Wakefield	Y
onsetTimeLocal	The onset date and time of the information in the alert message. (Canada only)	string	valid date	null	Y
onsetTimeLocalTimeZone	Time Zone Abbreviation for onset time	string	valid timezone	null	Y
phenomena	Phenomena code of an event	string		MA	N
processTimeUTC	Alert process time in SUN	integer	valid unix time UTC	1677261233	N
productIdentifier	Product Line Identifier	string		CWF	N
severity	Severity of the subject event of the alert message	string	Extreme - Extraordinary threat to life or property Severe - Significant threat to life or property	Minor	N

			Moderate - Possible threat to life or property Minor – Minimal to no known threat to life or property Unknown - Severity unknown		
severityCode	Severity code of the subject event of the alert message	integer	1 - Extreme 2 - Severe 3 - Moderate 4 - Minor 5 - Unknown	4	N
significance	Equated to Type - such as a Watch, Warning or Advisory	string		F	N
source	Originating source of alert	string		National Weather Service	N
synopsis	Brief summary	string		*text too large to display here	Y
urgency	Urgency text	string	Immediate - Responsive action SHOULD be taken immediately Expected - Responsive action SHOULD be taken soon (within next hour) Future - Responsive action SHOULD be taken in the near future Past - Responsive action is no longer required Unknown - Urgency not known	Unknown	N
urgencyCode	Urgency code	integer	1 - Immediate 2 - Expected 3 - Future 4 - Past 5 - Unknown	5	N
endTimeLocal	the date and time that a alert is expected to end. It may be null for indefinitely long events (in which case the headline will indicate that the event is “in effect”)	string	Valid date	2023-02-25T01:15:00-05:00	Y
endTimeLocalTimeZone	the time zone for endTimeLocal	string	Valid timezone	EST	Y
endTimeUTC	the end date and time in UTC	integer	Valid unix time UTC	1677305700	Y
"categories.object"		object			N
category	The category description of the subject event of the alert message	string	Geo - Geophysical (inc. landslide) Met - Meteorological (inc. flood) Safety - General emergency and public safety Security - Law enforcement, military, homeland and local/private security Rescue - Rescue and recovery Fire - Fire suppression and rescue Health - Medical and public health Env - Pollution and other environmental Transport - Public and private transportation Infra - Utility, telecommunication, other non-transport infrastructure CBRNE – Chemical, Biological, Radiological, Nuclear or High-Yield Explosive threat or attack Other - Other events	Met	N
categoryCode	The code denoting the category of the subject event of the alert message	integer	1 - Geo 2 - Met 3 - Safety 4 - Security 5 - Rescue 6 - Fire	2	N

			7 - Health 8 - Env 9 - Transport 10 - Infra 11 - CBRNE 12 - Other		
"responseTypes.object"		object			N
responseType	Description of action recommended for the target audience	string	Shelter – Take shelter in place or per instruction Evacuate – Relocate as instructed in the instruction Prepare – Make preparations per the instruction Execute – Execute a pre-planned activity identified in instruction Avoid – Avoid the subject event as per the instruction Monitor – Attend to information sources as described in instruction Assess – Evaluate the information in this message. (This value SHOULD NOT be used in public warning applications.) AllClear – The subject event no longer poses a threat or concern and any follow on action is described in <instruction> None – No action recommended	Monitor	N
responseTypeCode	The code denoting the type of action recommended for the target audience	integer	1 - Shelter 2 - Evacuate 3 - Prepare 4 - Execute 5 - Avoid 6 - Monitor 7 - Assess 8 - AllClear 9 - None	6	N
"flood.object"	Flood object not currently populated in Bulletins API	object		null	Y
floodCrestTimeLocal	Flood Crest date time	string	valid date		Y
floodCrestTimeLocalTimeZone	Flood crest date time zone abbreviation	string	valid timezone		Y
floodEndTimeLocal	Flood End date time	string	valid date		Y
floodEndTimeLocalTimeZone	Flood end date time zone abbreviation	string	valid timezone		Y
floodImmediateCause	Flood Immediate Cause description	string	Excessive Rainfall Snowmelt Rain and Snowmelt Dam or Levee Failure Ice Jam Glacier-Dammed Lake Outburst Rain and/or Snowmelt and/or Ice Jam Upstream Flooding plus Storm Surge Upstream Flooding plus Tidal Effects Elevated Upstream Flow plus Tidal Effects Wind and/or Tidal Effects Upstream Dam or Reservoir Release Other Multiple Causes Other Effects Unknown		Y
floodImmediateCauseCode	Flood Immediate Cause code	string	ER Excessive Rainfall		Y

			SM Snowmelt RS Rain and Snowmelt DM Dam or Levee Failure IJ Ice Jam GO Glacier-Dammed Lake Outburst IC Rain and/or Snowmelt and/or Ice Jam FS Upstream Flooding plus Storm Surge FT Upstream Flooding plus Tidal Effects ET Elevated Upstream Flow plus Tidal Effects WT Wind and/or Tidal Effects DR Upstream Dam or Reservoir Release MC Other Multiple Causes OT Other Effects UU Unknown		
floodLocationId	Flood Location Identifier code	string	Any Valid NWS flood location identifier		Y
floodLocationName	Flood Location Identifier Name	string	Any valid NWS flood location identifier or N/A		N
floodRecordStatus	Flood Record Status description	string	A record flood is not expected Near record or record flood expected Flood without a period of record to compare For areal flood warnings, areal flash flood products, and flood advisories (point and areal) N/A		N
floodRecordStatusCode	Flood Record Status code	string	NO A record flood is not expected NR Near record or record flood expected UU Flood without a period of record to compare OO For areal flood warnings, areal flash flood products, and flood advisories (point and areal)		Y
floodSeverity	Flood Severity Description	string	None N/A Minor Moderate Major Unknown		Y
floodSeverityCode	Flood Severity Code	string	N None 0 N/A 1 Minor 2 Moderate 3 Major U Unknown		Y
floodStartTimeLocal	Flood Start date Time	string	valid date		Y
floodStartTimeLocalTimeZone	Flood start date time zone abbreviation	string	valid timezone		Y
"texts.object"		object			Y
description		string		* text too large to display here - see example	Y
instruction		string		null	Y
languageCode	language for texts	string	See documents for supported languages	en-US	Y
overview		string		* text too large to display here - see example	Y

"polygon.object"	Deprecated - replaced by geospatialShapes	object		null	Y
lat	latitude	decimal			Y
lon	longitude	decimal			Y
"geospatialShapes.object"	GeoJSON shape that can contain multiple polygons or circles for an alert. Currently only select European countries can include multiple polygons.	object			Y
See https://geojson.org/				Shown below	
"supplement.object"		object		null	Y
Supplement key value	Indicates key value for Impact Based Warning	string	See https://ibm.co/3dlt7e7	tornado	Y
Supplement value	Indicates value for Impact Based Warning	string	See https://ibm.co/3dlt7e7	RADAR INDICATED	Y

JSON Sample

```
{
  "alertDetail": {
    "detailKey": "0255894a-1f73-375e-91b8-bcf3e8ebc5f1",
    "messageTypeCode": 1,
    "messageType": "New",
    "productIdentifier": "CWF",
    "phenomena": "MA",
    "significance": "F",
    "eventTrackingNumber": "0000",
    "officeCode": "KAKQ",
    "officeName": "Wakefield",
    "officeAdminDistrict": "Virginia",
    "officeAdminDistrictCode": "VA",
    "officeCountryCode": "US",
    "eventDescription": "Coastal Waters Forecast",
    "severityCode": 4,
    "severity": "Minor",
    "categories": [
      {
        "category": "Met",
        "categoryCode": 2
      }
    ],
    "responseTypes": [
      {
        "responseType": "Monitor",
        "responseTypeCode": 6
      }
    ]
  }
}
```

```
],
"urgency": "Unknown",
"urgencyCode": 5,
"certainty": "Unknown",
"certaintyCode": 5,
"effectiveTimeLocal": null,
"effectiveTimeLocalTimeZone": null,
"expireTimeLocal": "2023-02-25T01:15:00-05:00",
"expireTimeLocalTimeZone": "EST",
"expireTimeUTC": 1677305700,
"onsetTimeLocal": null,
"onsetTimeLocalTimeZone": null,
"flood": null,
"areaTypeCode": "Z",
"latitude": 37.63,
"longitude": -76.45,
"areald": "ANZ635",
"areaName": "Rappahannock River from Urbanna to Windmill Point",
"ianaTimeZone": "America/New_York",
"adminDistrictCode": "",
"adminDistrict": null,
"countryCode": "US",
"countryName": "UNITED STATES OF AMERICA",
"headlineText": "Coastal Waters Forecast until SAT 1:15 AM EST",
"source": "National Weather Service",
"disclaimer": null,
"issueTimeLocal": "2023-02-24T12:53:00-05:00",
"issueTimeLocalTimeZone": "EST",
"identifier": "6c5a38fe543076ab2aedd4a9261d85",
"processTimeUTC": 1677261233,
"endTimeLocal": "2023-02-25T01:15:00-05:00",
"endTimeLocalTimeZone": "EST",
"endTimeUTC": 1677305700,
"texts": [
  {
    "languageCode": "en-US",
    "description": "...SMALL CRAFT ADVISORY IN EFFECT THROUGH LATE TONIGHT...\n\nTHIS AFTERNOON...N winds 15 to 20 kt with gusts to 25 kt. Waves\naround 2 ft.\n\nTONIGHT...N winds 10 to 15 kt, becoming NE after midnight. Gusts\ninto 20 kt. Waves 1 to 2 ft.\n\nSAT...E winds 5 to 10 kt, becoming SE in the afternoon. Waves\nless than 1 foot and light chop. A chance of sleet in the\nmorning. A chance of rain.\n\nSAT NIGHT...S winds 5 kt, becoming NW after midnight. Waves\nflat.\n\nSUN...SW winds 5 kt. Waves flat.\n\nSUN NIGHT...W winds 5 to 10 kt, becoming N after midnight. Waves\nless than 1 foot and light chop.\n\nMON...E winds 5 to 10 kt, becoming SE 10 to 15 kt with gusts to\n20 kt in the afternoon, then becoming S with gusts to 20 kt in\nthe evening, becoming SW with gusts to 20 kt after midnight.\nWaves 1 to 2 ft. A chance of rain.\n\nTUE...W winds 10 kt, becoming NW. Waves 1 to 2 ft.\n\n",
    "instruction": null,
    "overview": "Virginia Portion of the Chesapeake Bay, Currituck Sound and Atlantic\nCoastal Waters from Fenwick Island DE to Currituck Beach Light NC out\n20 nautical miles\n\n"
```



```
  ],
  "polygon": null,
  "synopsis": ".Synopsis for Fenwick Island DE to Currituck Beach Light NC out\n20 nautical miles including Virginia portion of the Chesapeake\nBay, Currituck Sound and portions of the James, York,
and\nRappahannock Rivers...\n\nA cold front will push southeast out to sea this afternoon,\nbringing strong northerly winds for this afternoon into tonight.\nA weak storm system crosses the region on Saturday,
with more\nbenign marine conditions returning for later Saturday into Sunday.\nWinds become southerly and become gusty early next week ahead of\nthe next weather system.\n\n",
  "supplement": null,
  "geospatialShapes":null
}
```

Bulletin Event, Phenomena, Significance, & Threat Levels

For a listing of of Event, Phenomena, Significance and Threat Levels see the document [API - Standard - v3 - Weather Bulletins - Headlines](#)