

Presentation on Palmer Penguins

Obi Azubike

2024-05-02

Seeting up my environment

Notes: setting up my R environment by loading the ‘tidyverse’ and ‘palmerpenguins’ packages

```
library(tidyverse)
```

```
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v dplyr      1.1.2      v readr      2.1.4
## v forcats    1.0.0      v stringr   1.5.0
## v ggplot2    3.4.2      v tibble    3.2.1
## v lubridate  1.9.2      v tidyr     1.3.0
## v purrr      1.0.1
```

```
## -- Conflicts ----- tidyverse_conflicts() --
```

```
## x dplyr::filter() masks stats::filter()
```

```
## x dplyr::lag()     masks stats::lag()
```

```
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors
```

```
library(palmerpenguins)
```

```
library(ggplot2)
```

Visualizations

Here we plot flipper length against body mass

```
ggplot(data=penguins,aes(x=flipper_length_mm,y=body_mass_g))+
  geom_point(color="purple")
```




Flipper and body mass by species

Here we plot flipper length against body mass and look at the breakdown by species

```
ggplot(data=penguins,aes(x=flipper_length_mm,y=body_mass_g))+  
  geom_point(aes(shape=species))
```

```
## Warning: Removed 2 rows containing missing values (`geom_point()`).
```



Flipper and body mass by species and sex

Here, we plot flipper against body mass and look at the breakdown by species and sex

```
ggplot(data=penguins, aes(x=flipper_length_mm, y=body_mass_g)) +
  geom_point(aes(color=species,
                  shape=species)) +
  facet_wrap(~sex)
```

Warning: Removed 2 rows containing missing values (`geom_point()`).

