


# ORCA v0.30 - ASSEMBLY MANUAL

manual version: 0.1  
date: 21 September 2011



Brought to you by  
[www.mendel-parts.com](http://www.mendel-parts.com)

(this manual is still under construction)

**GUBBELS  
ENGINEERING**

Client: The World Project: Orca v0.30

Title:  
**Orca v0.30 Assembly Manual v0.1**

Status: **PRELIMINARY**

Scale: **1:25**


American projection

Material: **PDF**

Tolerances:



Units: **mm**



Drawn by: **Camil Gubbels**

Sheet

Size

Drawing number:

Date: **20-09-2011**

**1 of 38**

**A4**

**ORCA-030**












**A**


# INDEX

	Description	Page	CAD Ref
BOM 1	1xxx - Printed Plastic Parts	3	
BOM 2	2xxx - Sheet Material	4	
BOM 3	3xxx - Hardware	5	
BOM 4	456xxx - Others	6	
INFO 1	General Info	7	
PREP 1	Preparation	8	
STEP 1	Bottom Assembly	9	0060
STEP 2	Top Assembly	10	0090
STEP 3	Frame Assembly	11	0092
STEP 4	Motors Pre-Assembly	12	0320
STEP 5	Y-Side Right Pre-Assembly	13	0085
STEP 6	Y-Side Left Pre-Assembly	14	0086
STEP 7	YZ Frame Assembly	15	0300
STEP 8	Y-Frog Pre-Assembly	16	0095
STEP 9	Fitting Y-frog assy on YZ frame	17	0100
STEP 10	Fitting & levelling the YZ frame	18	0200
STEP 11	Fitting Z-Belt & Z-Motor	19	0210
STEP 12	Printbed Pre-Assembly	20	0260
STEP 13	Fitting Printbed	21	0280
STEP 14	X-Carriage Assembly	22	0140
STEP 15	Fitting X-Carriage	23	0150
STEP 16	Extruder Pre-Assembly	24	0160
STEP 17	Hotend Pre-Assembly	25	
STEP 18	Fitting Extruder & Hotend	26	0170
STEP 19	Fitting GEN6 Electronics	27	0180
STEP 20	Cabling	28	
STEP 21	Firmware updating & settings	29	
STEP 22	Printer Software & 1st print	30	
	Software Advanced: SkeinForge	31	
	Maintenance	32	
	Issue Solving	33	
	Upgrades / Future	34	
	Part Nr Codes	35	
	A-Z Index	37	

Status: PRELIMINARY	Scale: 3:50	American projection	Material: PDF		
Tolerances:	Units: mm				
Drawn by: Camiel Gubbels	Sheet	Size	Drawing number:		Revision
Date: 20-09-2011	2 of 38	A4	ORCA-030	A	

# 1XXX - PRINTED PLASTIC PARTS

			
<b>2x</b> 1010 CARRIAGE-180	<b>4x</b> 1030 CARRIAGE-360	<b>4x</b> 1050 Y-ROD-HOLDER	<b>4x</b> 1070 DRIVEN-Z-NUT-TRAP
			
<b>2x</b> 1080 Y-BELT-CLAMP-TOP	<b>2x</b> 1090 Y-BELT-CLAMP-BTTM	<b>2x</b> 1210 Z-BELT-PULLEY	<b>3x</b> 1230 MOTOR-BELT-PULLEY
			
<b>1x</b> 1610 DRIVEN-HOLDER	<b>1x</b> 1630 IDLER-HOLDER	<b>1x</b> 1650 EXTR-FAN-SUPPORT	<b>2x</b> 1670 EXTRUDER-CORNER
<u>OPTIONAL</u> 	<u>OPTIONAL</u> 		
<b>2x</b> 1410 MOTOR-ADJUST-KNOB	<b>8x</b> 1810 AXLE-HOLDER		

Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material: <b>PDF</b>
Tolerances: 	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>21-09-2011</b>	<b>3 of 38</b>	<b>A4</b>	<b>ORCA-030</b> Revision <b>A</b>

© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com

# 2XXX - SHEET MATERIAL

<b>2x</b> (4) 2010 SIDE-PLATE	<b>1x</b> (4) 2030 BOTTOM-PLATE	<b>1x</b> (4) 2050 MID-PLATE	<b>1x</b> (4) 2070 TOP-PLATE
<b>2x</b> (4) 2210 Y-SIDE-FRAME	<b>2x</b> (4) 2230 Y-SIDE-SUPPORT	<b>1x</b> (4) 2250 Y-MOTOR-PLATE	<b>1x</b> (4) 2270 Y-FROG
<b>1x</b> (4) 2290 PRINTBED	<b>1x</b> (4) 2410 EXTRUDER-BASE	<b>1x</b> (4) 2430 EXTR-MOTOR-PLATE	
<b>4x</b> (3) 2810 Z-BEARING-SUPPORT			
<b>1x</b> (1) 2910 X-OPTO-FLAG	<b>1x</b> (1) 2930 Y-OPTO-FLAG	<b>1x</b> (1) 2950 Z-OPTO-FLAG	

(4) = 4mm      (3) = 3mm      (1) = 1mm

Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material: <b>PDF</b>	
Tolerances:	Units: <b>mm</b>			
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:	Revision
Date: <b>21-09-2011</b>	<b>4</b> of <b>38</b>	<b>A4</b>	<b>ORCA-030</b>	<b>A</b>

# 3XXX HARDWARE

<b>6x</b>	<b>5x</b>	<b>4x</b>	<b>2x</b>
3010 M8-THREADED-ROD-330mm	3020 M8-THREADED-ROD-400mm	3050 SMOOTH-ROD-330mm	3060 SMOOTH-ROD-400mm
<b>33x</b> <span style="font-size: small;">(V)</span>	<b>8x</b> <span style="font-size: small;">(W)</span>	<b>4x</b> <span style="font-size: small;">SCALE 1:1</span>	<b>4x</b> <span style="font-size: small;">SCALE 1:1</span>
3110 624-BEARING	3120 608-BEARING	3210 SPRING-EXTR-28x9	3220 SPRING-BED-26x11
<b>24x</b> <span style="font-size: small;">(A)</span>	<b>4x</b> <span style="font-size: small;">(B)</span>	<b>15x</b> <span style="font-size: small;">(C)</span>	<b>26x</b> <span style="font-size: small;">(D)</span>
3410 M3x8-SOCKET-CAP-SCREW	3420 M3x20-SOCKET-CAP-SCREW	3430 M4x16-SOCKET-CAP-SCREW	3440 M4x20-SOCKET-CAP-SCREW
<b>26x</b> <span style="font-size: small;">(E)</span>	<b>26x</b> <span style="font-size: small;">(F)</span>	<b>4x</b> <span style="font-size: small;">(H)</span>	
3450 M4x30-SOCKET-CAP-SCREW	3460 M4x40-SOCKET-CAP-SCREW	3470 M4x70-SOCKET-CAP-SCREW	
<b>10x</b> <span style="font-size: small;">(K)</span>	<b>6x</b> <span style="font-size: small;">(L)</span>	<b>39x</b> <span style="font-size: small;">(M)</span>	<b>112x</b> <span style="font-size: small;">(N)</span>
3480 M3x12-COUNTERSUNK-CAP-SCREW	3490 M4x30-COUNTERSUNK-CAP-SCREW	3510 M3-NUT	3520 M4-NYLOCK-NUT
<b>336x</b> <span style="font-size: small;">(O)</span>	<b>23x</b> <span style="font-size: small;">(P)</span>	<b>66x</b> <span style="font-size: small;">(Q)</span>	<b>64x</b> <span style="font-size: small;">(R)</span>
3530 M4-WASHER	3540 MUDGUARD-WASHER-4x20	3550 M8-NUT	3560 M8-WASHER
<b>8x</b> <span style="font-size: small;">(S)</span>	<b>4x</b> <span style="font-size: small;">(T)</span>	<b>18x</b> <span style="font-size: small;">(U)</span>	
3570 MUDGUARD-WASHER-8x30	3580 MUDGUARD-WASHER-8x40	3590 ADJUSTING-RING-8x16x8	
<b>1x</b> <span style="font-size: small;">(I)</span> SCALE 1:1	<b>3x</b> <span style="font-size: small;">(J)</span> SCALE 1:1		
3710 SET-SCREW-3x4	3720 SET-SCREW-3x6		
<b>1x</b>	<b>1x</b> <span style="font-size: small;">SCALE 1:1</span>	<b>4x</b>	
3810 BRASS-INSERT	3830 IDLER-AXLE-18mm	3920 M6-BRASS-LOW-NUT	

**THIS LIST INCLUDES BOLTS, NUTS ETC FOR OPTIONAL AXLEHOLDERS (8x)  
BUT IS EXCLUDING SPARES, SMALL AMOUNTS (0x) IS FOR WITHOUT AXLEHOLDERS**

Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material: <b>PDF</b>
Tolerances: <span style="font-size: small;">(E)</span>	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>21-09-2011</b>	<b>5 of 38</b>	<b>A4</b>	<b>ORCA-030</b> <span style="font-size: small;">Revision A</span>

# 456XXX HOTEND, ELECTRONICS ETC

1x 4010 HE9B-PEEK-CORE	1x 4030 HE9B-BRASS-TOP	1x 4050 HE9B-BRASS-BOTTOM	1x 4070 HE9B-HEATER-BLOCK
1x 4090 HE9B-NOZZLE			
1x 5010 GEN6-PCB	3x 5060 OPTO-TCST2103	1x 5080 COOLING-FAN-40x40	1x 5090 COOLING-FAN-60x60
4x 6010 MOTOR-NEMA17	1x 6030 X-BELT-840mm	1x 6040 Y-BELT-840mm	1x 6050 Z-BELT-840mm
4x 6080 HEATERBLOCK-1R5	2x 6120 PTFE-STRAIN-RELIEF		


## NOT IN LIST YET:

- HIGHTEMP EXTRUDER CABLING ON 4W MOLEX
- FERRULES 0.5mm<sup>2</sup> (2x) en 1.0mm<sup>2</sup> (4x)
- HIGHTEMP HEATSHRINK 2.4mm<sup>2</sup>
- THERMISTOR G550
- HEAT RESISTOR
- SILICON SEALANT
- POWER SUPPLY 12V 60W FOR GEN6
- POWER SUPPLY 12-22V 90W FOR HEATED BED (14V=PLA 22V=ABS)
- EXTENSION CABLE FOR FAN 40x40
- CABLING FOR HEATED BED
- KAPTON TAPE
- CPU COOLING PASTE (REMOVED, NOT USED ANYMORE)

Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material: <b>PDF</b>	
Tolerances:	Units: <b>mm</b>			
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:	
Date: <b>21-09-2011</b>	<b>6 of 38</b>	<b>A4</b>	<b>ORCA-030</b>	<b>A</b>


# General Info

dimensions  
mass  
xyz directions  
filament?  
ABS / PLA  
safety risk

Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material: <b>PDF</b>
Tolerances:	(E)	Units: <b>mm</b>	
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>21-09-2011</b>	<b>7 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com			


# Preparation

Tools, skills etc required  
Cleaning/drilling parts




Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection	Material: <b>PDF</b>
Tolerances:	(E)	Units: <b>mm</b>	
Drawn by: <b>Camiel Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>24-09-2011</b>	<b>8 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com			

XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

# STEP 1 - BOTTOM ASSEMBLY






SCALE 1:1







Status: PRELIMINARY	Scale: 1:2	American projection	Material:
Tolerances: (E)	Units: mm		
Drawn by: Camiel Gubbels	Sheet	Size	Drawing number:
Date: 19-09-2011	9 of 38	A4	Revision A ORCA-030

XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

## STEP 2 - TOP ASSEMBLY



### 2A - 3x





Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material:
Tolerances: <b>(E)</b>	Units: <b>mm</b>		
Drawn by: <b>Camiel Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>19-09-2011</b>	<b>10 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>

XXXX PART NRS CODES  
 0XXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

## STEP 3 - FRAME ASSEMBLY

5X  
3020 M8-THREADED-ROD-400mm





20x  
3560 M8-W ASHER  
R






20x  
3550 M8-NUT  
Q

3A - 5x


370.00



3C



slowly and equally tighten the frame until there is zero play in X-direction



Status: **PRELIMINARY**

Scale: **1:2**

American projection

Material: **PDF**

Tolerances:



Units: **mm**



Drawn by: **Camil Gubbels**

Sheet

Size

Drawing number:

Date: **19-09-2011**

**11 of 38**



**A4**

**ORCA-030**

**A**

XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

## STEP 4 - MOTORS PRE-ASSEMBLY




3x (M)  
3510 M3-NUT

3x (J)  
3720 SET-SCREW-3x6





OPTIONALLY (but recommended):  
 first file a flat area on the motor shaft  
 but protect inner from swarfs with tape.  
 (motor=magnetic)

SCALE 1:1

4B - 3x



4A - 3x





OPTIONALLY (but recommended):  
 fit a pulley or manual adjust knob on the other side.  
 on one motor, for manual adjusting (for Z motor)


Status: <b>PRELIMINARY</b>	Scale: <b>7:10</b>	American projection	Material:
Tolerances:	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>19-09-2011</b>	<b>12 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>

XXXX PART NRS CODES  
 0XXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

# STEP 5 - Y-SIDE RIGHT PRE-ASSEMBLY




1X  
2230 Y-SIDE-SUPPORT




2X  
1070 DRIVEN-Z-NUT-TRAP



4X 3110 624-BEARING



4X 3460 M4x40-SOCKET-CAP-SCREW



4X 3450 M4x30-SOCKET-CAP-SCREW



48X 3530 M4-WASHER





8X 3520 M4-NYLOCK-NUT





1X 3550 M8-NUT

SCALE 1:1





pay attention:  
nr of washers



Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material:
Tolerances:	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>13 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>

XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

# STEP 6 - Y-SIDE LEFT PRE-ASSEMBLY



4x 3110 624-BEARING (V)

48x 3530 M4-WASHER (O)



4x 3460 M4x40-SOCKET-CAP-SCREW (F)

8x 3520 M4-NYLOCK-NUT (N)



4x 3450 M4x30-SOCKET-CAP-SCREW (E)

1x 3550 M8-NUT (Q)

SCALE 1:1



pay attention:  
nr of washers



Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material:
Tolerances: (E)	Units: <b>mm</b>	(⊕)	
Drawn by: <b>Camiel Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>14</b> of <b>38</b>	<b>A4</b>	<b>ORCA-030</b> Revision <b>A</b>

XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

# STEP 7 - YZ FRAME ASSEMBLY

4X 3010 M8-THREADED-ROD-330mm

1X 2250 Y-MOTOR-PLATE

4X 1050 Y-ROD-HOLDER

4X 3120 608-BEARING





4X 3410 M3x8-SOCKET-CAP-SCREW  
 36X 3560 M8-WASHER

8X 3570 MUDGUARD-WASHER-8x30  
 34X 3550 M8-NUT

36X 3560 M8-WASHER

34X 3550 M8-NUT

SCALE 1:1











easiest is to use a flat table  
 and hold the model straight  
 by pushing it against the table



Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material:
Tolerances:	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>15 of 38</b>	<b>A4</b>	<b>ORCA-030</b> Revision <b>A</b>

XXXX PART NRS CODES  
 0XXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS




# STEP 8 - Y-FROG PRE-ASSEMBLY





**8A - 2x**




**8B**  
DONT TIGHTEN YET





**8C**




3x 1x  
nr of washers



3x 3x  
nr of washers



DONT TIGHTEN YET



DONT TIGHTEN YET

**BOTTOM VIEW**

Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material:
Tolerances:	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>16 of 38</b>	<b>A4</b>	<b>ORCA-030</b>
Revision			<b>A</b>

XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXXX PRINTED PLASTIC PARTS  
 2XXXX ALUMINIUM SHEET MATERIAL  
 3XXXX HARDWARE  
 4XXXX HOTEND  
 5XXXX ELECTRONICS  
 6XXXX MOTORS,BELTS,HEATERBLOCKS

## STEP 9 - FITTING Y-FROG ON YZ FRAME


2X 3050 SMOOTH-ROD-330mm

1X 6040 Y-BELT

4X 3590 ADJUSTING-RING-8x16x8

1X 5060 OPTO-TCST2103

Our optos come pre-fitted  
 on cables with 5w Molex housing  
 here use one with 80cm cable length  
 Fit it on threaded rod with cable-ties



BOTTOM-VIEW


Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material:
Tolerances:	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>17 of 38</b>	<b>A4</b>	<b>ORCA-030</b> <b>A</b>

XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

## STEP 10 - FITTING & LEVELLING YZ FRAME

2X 3010 M8-THREADED-ROD-330mm

2X 3050 SMOOTH-ROD-330mm



2X 1210 Z-BELT-PULLEY

1X 5060 OPTO-TCST2103

4X 3590 ADJUSTING-RING-8x16x8

4X 3580 MUDGUARD-W WASHER-8x40





8X 3560 M8-W WASHER

10X 3550 M8-NUT


1X 2950 Z-OPTO-FLAG

1X 3520 M4-NYLOCK-NUT

Our optos come pre-fitted  
on cables with 5w Molex housing  
here use one with 40cm cable length  
Fit it on smooth rod with cable-ties



Make sure the Z-OPTO-FLAG on the YZ Frame  
slides in the Z-opto-sensor by bending the flag  
Its easier to do this after fitting/levelling




Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material: <b>PDF</b>
Tolerances:	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>18 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>


XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

## STEP II FITTING Z-BELT & Z-MOTOR



1X  
6050 Z-BELT

4X  
3410 M3x8-SOCKET-CAP-SCREW

SCALE 1:1  







REAR VIEW



Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material: <b>PDF</b>
Tolerances:	(E)	Units: <b>mm</b>	
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>19</b> of <b>38</b>	<b>A4</b>	<b>ORCA-030</b> <b>A</b>

XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS




M4x30 COUNTERSUNK CAP SCREWS  
 MUST HAVE THREAD ON FULL LENGTH



MAKE SURE HOLES ARE COUNTERSUNK  
 DEEP ENOUGH, SO NOTHING STICKS OUT,  
 BETTER LITTLE BIT TOO DEEP  
 THAN DAMAGING THE NOZZLE

ALL HOLES NEED TO BE COUNTERSUNK  
 PAY ATTENTION TO DIRECTION


TOPVIEW WHILE DRILLING



SCALE 1:1



THIS IS GOOD TIME FOR SOLDERING  
 CABLES BETWEEN HEATERBLOCKS  
 I LIKE TO SOLDER THE POWER SUPPLY  
 CABLE DIRECT TO FIRST TWO HEATERBLOCKS  
 THAT WAY THERE IS NO EXTRA CONNECTION






Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material:
Tolerances:	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>20 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>


XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

## STEP 13 - FITTING PRINTBED

SCALE 1:1




PRECISE LEVELLING OF PRINTBED WILL BE  
 DONE LATER WITH HOTEND ALIGNMENT  
 AND Z-OPTO FINETUNING




Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material: <b>PDF</b>
Tolerances:	(E)	Units: <b>mm</b>	
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>21 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>

XXXX PART NRS CODES  
 0XXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS


# STEP 14 - X-CARRIAGE ASSEMBLY




1x 2410 EXTRUDER-BASE



1x 2910 X-OPTO-FLAG




1x 1010 CARRIAGE-180




2x 1030 CARRIAGE-360




1x 5080 COOLING-FAN-40x40



1x 1650 EXTR-FAN-SUPPORT



8x 3460 M4x40-SOCKET-CAP-SCREW



4x 3450 M4x30-SOCKET-CAP-SCREW



6x 3440 M4x20-SOCKET-CAP-SCREW



74x 3530 M4-W WASHER




20x 3520 M4-NYLOCK-NUT



4x 3540 MUDGUARD-W WASHER-4x20



THESE HOLES NEED  
TO BE COUNTERSUNK

M4x30 COUNTERSUNK CAP SCREWS  
MUST HAVE THREAD ON FULL LENGTH




TOPVIEW WHILE DRILLING





PAY ATTENTION TO DIRECTION



SCALE 1:1



14A - 2x



AIRFLOW DIRECTION

B

C

D

E

F

G

H

I

J

K

L

M

N

O

P

Q

R

S

T

U


V

W

X

Y

Z



CABLE DIR.


AIRFLOW

Status: PRELIMINARY	Scale: 1:2	American projection	Material:
Tolerances: (E)	Units: mm	(⊕)	
Drawn by: Camiel Gubbels	Sheet	Size	Drawing number:
Date: 20-09-2011	22 of 38	A4	ORCA-030
© Drawing Copyright	All Rights Reserved	Gubbels Engineering	Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com
			Revision A

XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

## STEP 15 - FITTING X-CARRIAGE

4X	4X	4X
6080 HEATERBLOCK 1R5		3530 M4-WASHER
1X	2X	10X
2290 PRINTBED	6120 PTFE-STRAIN-RELIEF-8x24x1mm	3480 M3x12-COUNTERSUNK-CAP-SCREW
		(L) (K) (N)
		8X 3520 M4-NYLOCK-NUT
		12X 3510 M3-NUT
		(M)



Status: <b>PRELIMINARY</b>	Scale: <b>3:50</b>	American projection	Material: <b>PDF</b>	
Tolerances:	(E)	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:	
Date: <b>20-09-2011</b>	<b>23 of 38</b>	<b>A4</b>	<b>ORCA-030</b>	<b>A</b>
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com				

XXXX PART NRS CODES  
 0XXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

# STEP 16 - EXTRUDER PRE-ASSEMBLY

4 X  
6080 HEATERBLOCK 1R5

4 X  
3490 M4x30-COUNTERSUNK-CAP-SCREW

4 X  
3530 M4-W ASHER

1X  
2290 PRINTBED

2 X  
6120 PTFE-STRAIN-RELIEF-8x24x1mm

10 X  
3480 M3x12-COUNTERSUNK-CAP-SCREW

8 X  
3520 M4-NYLOCK-NUT


12 X  
3510 M3-NUT

(L)

(K)

16A

16B



Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material:
Tolerances:	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number: <b>ORCA-030</b>
Date: <b>20-09-2011</b>	<b>24</b> of <b>38</b>	<b>A4</b>	Revision <b>A</b>

XXXX PART NRS CODES  
0XXX UNUSED - FOR CAD ONLY  
1XXX PRINTED PLASTIC PARTS  
2XXX ALUMINIUM SHEET MATERIAL  
3XXX HARDWARE  
4XXX HOTEND  
5XXX ELECTRONICS  
6XXX MOTORS,BELTS,HEATERBLOCKS

# STEP 17 - HOTEND PRE-ASSEMBLY

2X

1X  
6040 Y-BELT

3050 SMOOTH-ROD-330mm

4X  
3590 ADJUSTING-RING-8x16x8



1X  
5060 OPTO-TCST2103

Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection	Material: <b>PDF</b>
Tolerances:	(E)	Units: <b>mm</b>	
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>23-09-2011</b>	<b>25 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>

XXXX PART NRS CODES  
 0XXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS

## STEP 18 - FITTING EXTRUDER & HOTEND

1X  
2290 PRINTBED

4X  
6080 HEATERBLOCK 1R5

2X  
6120 PTFE-STRAIN-RELIEF-8x24x1mm

4X  
3490 M4x30-COUNTERSUNK-CAP-SCREW

10X  
3480 M3x12-COUNTERSUNK-CAP-SCREW



4X  
3530 M4-W ASHER

8X  
3520 M4-NYLOCK-NUT

Status: <b>PRELIMINARY</b>	Scale: <b>3:50</b>	American projection	Material: <b>PDF</b>
Tolerances:	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>26 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>

XXXX PART NRS CODES  
 XXXX UNUSED - FOR CAD ONLY  
 1XXX PRINTED PLASTIC PARTS  
 2XXX ALUMINIUM SHEET MATERIAL  
 3XXX HARDWARE  
 4XXX HOTEND  
 5XXX ELECTRONICS  
 6XXX MOTORS,BELTS,HEATERBLOCKS






## STEP 19 - FITTING ELECTRONICS



4x 3420 M3x20-SOCKET-CAP-SCREW


16x 3510 M3-NUT

SCALE 1:1




Status: <b>PRELIMINARY</b>	Scale: <b>1:2</b>	American projection	Material: <b>PDF</b>
Tolerances:	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>20-09-2011</b>	<b>27 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>


# STEP 20 - CABLING

Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection	Material: <b>PDF</b>
Tolerances:	(E)	Units: <b>mm</b>	
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>23-09-2011</b>	<b>28</b> of <b>38</b>	<b>A4</b>	<b>ORCA-030</b> <b>A</b>
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com			


# FIRMWARE - UPDATING & SETTINGS

Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection	Material: <b>PDF</b>
Tolerances:	(E)	Units: <b>mm</b>	
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>23-09-2011</b>	<b>29 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com			


# PRINTER SOFTWARE & FIRST PRINT

Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection	Material: <b>PDF</b>
Tolerances:	(E)	Units: <b>mm</b>	
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>23-09-2011</b>	<b>30 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com			


# PRINTER SOFTWARE ADVANCED - SKEINFORGE

Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection 	Material: <b>PDF</b>
Tolerances: 	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet <b>31</b> of <b>38</b>	Size <b>A4</b>	Drawing number: <b>ORCA-030</b> Revision <b>A</b>
Date: <b>23-09-2011</b>			
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com			


# MAINTENANCE

Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection	Material: <b>PDF</b>
Tolerances:	(E)	Units: <b>mm</b>	
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>23-09-2011</b>	<b>32</b> of <b>38</b>	<b>A4</b>	<b>ORCA-030</b> <b>A</b>
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com			

# ISSUE SOLVING

Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection	Material: <b>PDF</b>
Tolerances:	(E)	Units: <b>mm</b>	
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>23-09-2011</b>	<b>33 of 38</b>	<b>A4</b>	Revision <b>A</b>
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com			

# UPGRADES - FUTURE

Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection 	Material: <b>PDF</b>
Tolerances: 	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet	Size	Drawing number:
Date: <b>23-09-2011</b>	<b>34 of 38</b>	<b>A4</b>	<b>ORCA-030 A</b>
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com			

# PART NUMBER CODES - 1

		PART-NAME	QUANTITY
<b>1xxx</b>	1010	CARRIAGE-180	2
	1030		
	1050		
	1070		
	1080		
	1090		
	1210		
	1230		
	1410		
	1610		
	1630		
	1650		
	1670		
	1810		
<b>2xxx</b>	2010		
	2030		
	2050		
	2070		
	2210		
	2230		
	2250		
	2270		
	2290		
	2410		
	2430		
	2810		
	2910		
	2930		
	2950		
<b>3xxx</b>	3010		
	3020		
	3050		
	3060		
	3110		
	3120		
	3210		
	3220		
	3410		
	3420		
	3430		
	3440		
	3450		
	3460		
	3470		

Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection	Material: <b>PDF</b>	
Tolerances:	Units: <b>mm</b>			
Drawn by: <b>Camiel Gubbels</b>	Sheet	Size	Drawing number:	Revision
Date: <b>24-09-2011</b>	<b>35 of 38</b>	<b>A4</b>	<b>ORCA-030</b>	<b>A</b>

© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com

## PART NUMBER CODES - 2

Status: <b>PRELIMINARY</b>	Scale: <b>1:25</b>	American projection 	Material: <b>PDF</b>
Tolerances: 	Units: <b>mm</b>		
Drawn by: <b>Camil Gubbels</b>	Sheet <b>36 of 38</b>	Size <b>A4</b>	Drawing number: <b>ORCA-030</b>
Date: <b>24-09-2011</b>			Revision <b>A</b>
© Drawing Copyright All Rights Reserved	Gubbels Engineering	Eindhoven The Netherlands	+31 40 2026749 <a href="http://www.mendel-parts.com">www.mendel-parts.com</a>

# A-Z INDEX - 1

	PART-NAME	PAGES	PART-NR-CODE	QUANTITY
A	ADJUSTING-RING-8x16x8		3590	18
	AXLE-HOLDER (optional)		1810	8
B	BEARING-608		3120	8
	BEARING-624		3110	33
	BOTTOM-PLATE		2030	1
	BRASS-INSERT		3810	1
C	CARRIAGE-180		1010	2
	CARRIAGE-360		1030	4
	COOLING-FAN-40x40		5080	1
	COOLING-FAN-60x60		5090	1
D	DRIVEN-HOLDER		1610	1
	DRIVEN-Z-NUT-TRAP		1070	4
E	EXTR-FAN-SUPPORT		1650	1
	EXTR-MOTOR-PLATE		2430	1
	EXTRUDER-BASE		2410	1
	EXTRUDER-CORNER		1670	2
F				
G	GEN6-PCB	6,	5010	1
H	HE9B-BRASS-BOTTOM		4050	1
	HE9B-BRASS-TOP		4030	1
	HE9B-HEATERBLOCK		4070	1
	HE9B-NOZZLE		4090	1
	HE9B-PEEK-CORE		4010	1
	HEATERBLOCK-1R5		6080	4
I	IDLER-AXLE-18mm		3830	1
	IDLER-HOLDER		1630	1
JKL				
M	M3x8-SOCKET-CAP-SCREW		3410	24
	M3x12-COUNTERSUNK-CAP-SCREW		3480	10
	M3x20-SOCKET-CAP-SCREW		3420	4
	M3-NUT		3510	39
	M4x16-SOCKET-CAP-SCREW		3430	15
	M4x20-SOCKET-CAP-SCREW		3440	26
	M4x30-COUNTERSUNK-CAP-SCREW		3490	6
	M4x30-SOCKET-CAP-SCREW		3450	26
	M4x40-SOCKET-CAP-SCREW		3460	26
	M4x70-SOCKET-CAP-SCREW		3470	4
	M4-NYLOCK-NUT		3520	112
	M4-WASHER		3530	336
	M6-BRASS-LOW-NUT		3920	4

Status: PRELIMINARY	Scale: 1:25	American projection 	Material: PDF		
Tolerances:	Units: mm				
Drawn by: Camiel Gubbels	Sheet	Size	Drawing number:		Revision
Date: 23-09-2011	37 of 38	A4	ORCA-030		A
© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com					

## A-Z INDEX - 2

	PART-NAME	PAGES	PART-NR-CODE	QUANTITY
M	M8-NUT		3550	66
	M8-WASHER		3560	64
	MID-PLATE		2050	1
	MOTOR-ADJUST-KNOB		1410	2
	MOTOR-BELT-PULLEY		1230	3
	MOTOR-NEMA17		6010	4
	MUDGUARD-WASHER-4x20		3540	23
	MUDGUARD-WASHER-8x30		3570	8
	MUDGUARD-WASHER-8x40		3580	4
N				
O	OPTO-TCST2103		5060	3
P	PRINTBED		2290	1
	PTFE-STRAIN-RELIEF		6120	2
QR				
S	SET-SCREW-3x4		3710	1
	SET-SCREW-3x6		3720	3
	SIDE-PLATE		2010	2
	SMOOTH-ROD-330mm		3050	4
	SMOOTH-ROD-400mm		3060	2
	SPRING-BED-26X11		3220	4
	SPRING-EXTR-28X9		3210	4
T	THREADED-ROD-M8-330mm		3010	6
	THREADED-ROD-M8-400mm		3020	5
	TOP-PLATE		2070	1
UVW				
X	X-BELT		6030	1
	X-OPTO-FLAG		2910	1
Y	Y-BELT		6040	1
	Y-BELT-CLAMP-BTTM		1090	2
	Y-BELT-CLAMP-TOP		1080	2
	Y-FROG		2270	1
	Y-MOTOR-PLATE		2250	1
	Y-OPTO-FLAG		2930	1
	Y-ROD-HOLDER		1050	4
	Y-SIDE-FRAME		2210	2
	Y-SIDE-SUPPORT		2230	2
Z	Z-BEARING-SUPPORT		2810	4
	Z-BELT		6050	1
	Z-BELT-PULLEY		1210	2
	Z-OPTO-FLAG		2950	1

Status: PRELIMINARY	Scale: 1:25	American projection	Material: PDF
Tolerances:	Units: mm		
Drawn by: Camiel Gubbels	Sheet	Size	Drawing number:
Date: 24-09-2011	38 of 38	A4	Revision A ORCA-030

© Drawing Copyright All Rights Reserved Gubbels Engineering Eindhoven The Netherlands +31 40 2026749 www.mendel-parts.com