


```
1 • create table student(id int, name varchar(100),gender char(1),age int);
2 • alter table student add constraint uq_age unique (age);
3 • alter table student add constraint check_age check(age>20);
4
```

Output

 Action Output

#	Time	Action	Message	Duration / Fetch
✓ 2	13:43:27	alter table student add constraint uq_age unique (age)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.078 sec
✓ 3	13:43:31	alter table student add constraint check_age check(age>20)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.094 sec

```

1 • create table student(id int, name varchar(100),gender char(1),age int);
2 • alter table student add constraint uq_age unique (age);
3 • alter table student add constraint check_age check(age>20);
4 • create table employee(id int,name varchar(100),gender char(1),age int,blood_group varchar(3),salary int);
5 • select * from employee;
6

```

Result Grid Filter Rows: Export: Wrap Cell Content:

id	name	gender	age	blood_group	salary
----	------	--------	-----	-------------	--------

Result Grid

Form Editor

employee 1 x

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	13:45:41	create table employee(id int,name varchar(100),gender char(1),age int,blood_group ...	0 row(s) affected	0.078 sec
7	13:45:48	select * from employee LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

```

2 • alter table student add constraint uq_age unique (age);
3 • alter table student add constraint check_age check(age>20);
4 • create table employee(id int,name varchar(100),gender char(1),age int,blood_group varchar(3),salary int);
5 • select * from employee;
6 • alter table employee drop column age;
7

```

Result Grid Filter Rows: Export: Wrap Cell Content:

id	name	gender	blood_group	salary
----	------	--------	-------------	--------

employee 2 x

#	Time	Action	Message	Duration / Fetch
8	13:46:36	alter table employee drop column age	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.032 sec
9	13:46:40	select * from employee LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

assignment
task 2
task 3
task 4*
task 5

Limit to 1000 rows

```

3 • alter table student add constraint check_age check(age>20);
4 • create table employee(id int,name varchar(100),gender char(1),age int,blood_group varchar(3),salary int);
5 • select * from employee;
6 • alter table employee drop column age;
7 • create table company(company_id int,company_name varchar(100),net_worth int);
8 • insert into company (company_id,company_name,net_worth)values(001,'BMW',500000000),
9 (002,'AUDI',400000000),
10 (003,'DUCATI',6000000);
11 • select * from company;
12

```

Result Grid
Filter Rows:
Exports:
Wrap Cell Content:

	company_id	company_name	net_worth
▶	1	BMW	500000000
	2	AUDI	400000000
	3	DUCATI	6000000

company 3
Read On

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 11	13:47:30	insert into company (company_id,company_name,net_worth)values(001,'BMW',500...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
✓ 12	13:47:38	select * from company LIMIT 0, 1000	3 row(s) returned	0.015 sec / 0.000 sec

assignmenttask 2task 3task 4*task 5

Limit to 1000 rows

```
1 • create table student(id int, name varchar(100),gender char(1),age int);
2 • alter table student add constraint uq_age unique (age);
3 • alter table student add constraint check_age check(age>20);
4 • create table employee(id int,name varchar(100),gender char(1),age int,blood_group varchar(3),salary int);
5 • select * from employee;
6 • alter table employee drop column age;
7 • create table company(company_id int,company_name varchar(100),net_worth int);
8 • insert into company (company_id,company_name,net_worth)values(001,'BMW',500000000),
9 • (002,'AUDI',400000000),
10 • (003,'DUCATI',6000000);
11 • select * from company;
12 • delete from company where company_id=001;
13
14
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	13:50:02	select * from company LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
✓ 16	13:50:07	delete from company where company_id=001	1 row(s) affected	0.063 sec

assignmenttask 2task 3task 4*task 5

Limit to 1000 rows

```
1 • create table student(id int, name varchar(100),gender char(1),age int);
2 • alter table student add constraint uq_age unique (age);
3 • alter table student add constraint check_age check(age>20);
4 • create table employee(id int,name varchar(100),gender char(1),age int,blood_group varchar(3),salary int);
5 • select * from employee;
6 • alter table employee drop column age;
7 • create table company(company_id int,company_name varchar(100),net_worth int);
8 • insert into company (company_id,company_name,net_worth)values(001,'BMW',500000000),
9 • (002,'AUDI',400000000),
10 • (003,'DUCATI',60000000);
11 • select * from company;
12 • delete from company where company_id=001;
13 • truncate table company;
14
15
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 16	13:50:07	delete from company where company_id=001	1 row(s) affected	0.063 sec
✓ 17	13:50:35	truncate table company	0 row(s) affected	0.079 sec

