

JS globalscope-vs-localscope.js X session-storage.html X JS positive-or-negative.js X JS switch.js X JS 1-10-usingforloop.js X JS 1-5-usingwhileloop.js X JS 1-3-usingdow

assignment > task5 > JS globalscope-vs-localscope.js > twoscope

```
1 let global="this is a global scope";
2 function twoscope()
3 {
4     let local="this is a local scope";
5     console.log(local);
6     console.log(global);
7 }
8 twoscope()
9 console.log(global);
```

Problems Output Debug Console Terminal Ports

Filter (e.g. text, !excludeText, t...

Code

[Running] node "d:\javascript\assignment\task5\globalscope-vs-localscope.js"

this is a local scope

this is a global scope

this is a global scope

[Done] exited with code=0 in 0.185 seconds

< 0 0 0

Ln 4, Col 39 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

```
JS globalscope-vs-localscope.js X JS push,pop,shift,unshift.js X session-storage.html X JS positive-or-negative.js X JS switch.js X JS 1-10-usingforloop.js X JS 1-5-usingw...  
assignment > task5 > JS push,pop,shift,unshift.js > ...  
1 let electronics=["fridge","washing machine","TV","mixer","aircooler"];  
2 console.log(electronics);  
3 electronics.push("mobiles");  
4 console.log("electronics are ",electronics);  
5 electronics.pop();  
6 console.log("pop of electronics ",electronics);  
7 electronics.shift();  
8 console.log("shift of electronics ",electronics);  
9 electronics.unshift("laptop");  
10 console.log("the unshift of electronics ",electronics);  
11
```

Problems Output Debug Console Terminal Ports

Filter (e.g. text, lexcludeText, L... Code

```
[ 'fridge', 'washing machine', 'TV', 'mixer', 'aircooler' ]  
electronics are [ 'fridge', 'washing machine', 'TV', 'mixer', 'aircooler', 'mobiles' ]  
pop of electronics [ 'fridge', 'washing machine', 'TV', 'mixer', 'aircooler' ]  
shift of electronics [ 'washing machine', 'TV', 'mixer', 'aircooler' ]  
the unshift of electronics [ 'laptop', 'washing machine', 'TV', 'mixer', 'aircooler' ]
```

Ln 11, Col 1 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

